Annual Report of the Registrar-General for Scotland

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call Sev
No. WA

1957

No. 103

EDINBURGH
HER MAJESTY'S STATIONERY OFFICE
1958

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6
TEXT	
INTRODUCTION	7
BIRTHS	
Sex Ratio	12
Monthly Rates	12
Fertility Rates	12
Multiple Births	13
Illegitimate Births	13
International Rates	14
MARRIAGES	
Civil Marriages	14
International Rates	15
Divorces	15
DEATHS	
Standardised Rates	17
Monthly Rates	19
International Rates	19
Age and Sex	19
Infant Mortality	19
International Rates	21
Mortality among Legitimate and Illegitimate Children	21
Neo-natal Mortality	22
Centenarians	23
LIFE TABLES	23
CAUSES OF DEATH	25
Certification	25
Principal Epidemic Diseases	25
Tuberculosis	26
Other Infective and Parasitic Diseases	28
Malignant Diseases	29
Diabetes	31
Anæmias	31
Other General Diseases	31
Diseases of the Nervous System	31
Diseases of the Circulatory System	31
Coronary Thrombosis	31
Diseases of the Respiratory System	32
Diseases of the Digestive System	32
Diseases of the Genito-Urinary System	32
Diseases of Pregnancy and Childbirth	32
Diseases of Skin and Cellular Tissue	33
Diseases of the Organs of Locomotion	33
Malformations	33
Diseases of Early Infancy	34
Senility	34
Violence	35
Accidents Road Transport	35
,, Elsewhere than at Home	37
Suicide	39
Relative Frequency of Cause of Death	39
Infant Deaths	39
Month of Registration	39
Deaths of Illegitimate Children	40
CENTRAL CLYDESIDE CONURBATION	
Statistical Summary	42
APPENDICES	
I. Fertility of Women	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1957	45

APPENDICES—*continued*

PAGE

II. STILLBIRTHS
Registration of Stillbirths 49

III. SOCIAL CLASS
Births, Stillbirths and Infant Deaths according to the social class of father, 1957 56

IV. MARRIAGES
Additional Statistics regarding Marriages registered during the year 1956 61

V. PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1957 68

VI. ALTERATION OF BOUNDARIES
Burghs, Landward Areas, Parishes and Registration Districts... ... 69

VII. RE-REGISTRATION OF BIRTHS
Adopted Children Register—Searches and Extracts 70

VIII. INHABITED HOUSES
Inhabited houses in each area in Scotland for the year 1939 and for each year from 1953 to 1957 71

IX. WEATHER
Report on the weather in Scotland for the year ended 31st December, 1957 72

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland, 1855 to 1957, with Quinquennial averages 75
2. Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1957, with Quinquennial averages 77
3. Births, Stillbirths, Deaths and Marriages by Quarters, Scotland, 1947 to 1957 79
4. Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1957... 80
5. Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1957 83
6. Birth, Stillbirth, Death and Marriage rates, Landward Areas, 1957 ... 86

GENERAL REGISTRATION SUMMARY

7. Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1957 87

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1957... 88
See also Tables 7 and 63

FERTILITY OF WOMEN

9. Births by sex and legitimacy and by year of age of mother, Scotland, 1957 90
10. Births by age of mother and duration of marriage, Scotland, 1957 91
11. Fertility by age of mother, Scotland, 1957 92
12. Interval between marriage and birth of first child, Scotland, 1957 93
13. Number of previous children by age of mother, Scotland, 1957 94
14. Births by duration of marriage and number of previous children, Scotland, 1957 95
15. Deaths of married women who died childless—age-groups, Scotland, 1957 96
16. Deaths of women by duration of marriage, and number who died childless, Scotland, 1957 97
17. Deaths from selected causes and age groups of women who had been married, Scotland, 1957 98

STILLBIRTHS

PAGE

18. Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1957 99
19. Stillbirths by age of mother and number of previous children, Scotland, 1957 101
20. Multiple confinements (all births live and still) by age of mother, 1957 ... 102
21. Stillbirths by cause and age of mother, Scotland, 1957 103
22. Stillbirths by cause and order of birth, Scotland, 1957 106
23. Stillbirths by cause and month of registration, Scotland, 1957 108
23A. Stillbirths by cause and place of occurrence, Scotland, 1957 110
24. Stillbirths by cause in Public Health Districts of Scotland (Both Sexes), 1957 111

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS.

25. Legitimate stillbirths by cause and social classification, Scotland, 1957 ... 115
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1957 117
27. Stillbirths by social classification, age of mother and number of previous children, Scotland, 1957 118
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1957 119

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1957 ... 120
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1957 121
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1957 ... 122
32. Children under one year, deaths by selected age-groups, Scotland, 1957 ... 124
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1957 125
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1957 126
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1957 128
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1957 131
37. Deaths from selected causes and in age-groups, Scotland, 1947-1957 ... 134
38. Death-rates from selected causes and in age-groups, Scotland, 1947-1957 136
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1957 138
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1957 139
41. Deaths from poison and under anæsthetics, Scotland, 1957 140

Detailed International List

42. Causes of death by age-groups (males and females), Scotland, 1957 ... 142

Intermediate International List

43. Causes of death by months (Persons), Scotland, 1957 202
44A. Deaths in Scotland by sex and age-groups, 1957 206
44B. Deaths in Cities over 100,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1957 214
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1957 222
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1957 230
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1957 238
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1957... 246
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1957 ... 254

Abbreviated International List

46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1957 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties) 266
47. Statistical Abstract Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1957 326

DEATHS—*continued*

	PAGE		PAGE
County of Aberdeen	328	County of Lanark	350
Do. Angus	330	Do. Midlothian	352
Do. Argyll	330	Do. Moray	354
Do. Ayr	332	Do. Nairn	354
Do. Banff	334	Do. Orkney	354
Do. Berwick	336	Do. Peebles	356
Do. Bute	338	Do. Perth	356
Do. Caithness	338	Do. Renfrew	358
Do. Clackmannan	338	Do. Ross and Cromarty ...	360
Do. Dumfries	340	Do. Roxburgh	360
Do. Dunbarton	340	Do. Selkirk	362
Do. East Lothian	342	Do. Stirling	362
Do. Fife	344	Do. Sutherland	364
Do. Inverness	348	Do. West Lothian	364
Do. Kincardine	348	Do. Wigtown	366
Do. Kinross	348	Do. Zetland...	366
Do. Kirkcudbright	350		

STANDARDISED RATES

48. Death-rates standardised to population of Great Britain: Scotland: England and Wales for comparison 368

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1956 369
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1956 370
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1956 371
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1956 372
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1956 374
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1956 376
54A Age and conjugal condition of men marrying in Scotland, 1956 378
54B Age and conjugal condition of women marrying in Scotland, 1956 ... 380
55. Ages in combination of men and women at marriage, Scotland, 1956 ... 382
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1956 383
57. Ages in combination of bachelors and widows at marriage, Scotland, 1956 384
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1956 385
59. Ages in combination of widowers and widows at marriage, Scotland, 1956 386
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1956 387
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1956 388

See also Tables 7 and 63

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the February, 1957, Register 389
61. Local Government Electors and analysis of local elections on the February, 1957, Register 392

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1953-1957 403

METEOROLOGY

63. Meteorology of Scotland for 1957; also number of births, stillbirths, deaths, deaths under one year and marriages by months, with rates 409
64. Deaths, temperature and rainfall for each week of 1957—seventeen Large Burghs 410

See also Tables I to IV, pages 412 to 419

METEOROLOGICAL TABLES FOR APPENDIX IX

I. District Values of air temperature, rainfall and sunshine, 1957 412
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1957, also generalised figures for rain for the United Kingdom 413
III. Number of hours bright sunshine, Monthly values, 1957 414
IV. Rainfall, Monthly values, 1957 416

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1957

General Registry Office of Births, &c.,
New Register House,
EDINBURGH, 21st November, 1958.

Sir,

In compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1957.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,

Registrar-General

The Secretary,
Department of Health for Scotland

INTRODUCTION

The birth-rate in Scotland, which had been rising since 1952 after a long period of decline, showed a further increase in 1957. The number of births was 97,977, or 19 births for every thousand of the population. The rate is higher than in most other European countries.

Since the general registration of births, deaths and marriages was introduced in Scotland in January, 1855, the highest point attained by the birth-rate was 35·6 in 1876. Thereafter it declined more or less steadily save for abnormal variations immediately following the two world wars. In 1938, just before the second world war, it had fallen to 17·7. It rose sharply in 1946 to over 20, still further to over 22 in 1947, and thereafter declined year by year until in 1951 it was back to its pre-war level of 17·7. In 1952 it was still lower at 17·68, but it rose in 1953 and has stood above 18 per thousand of the population since 1954.

Disregarding the high rates due to abnormal war conditions, it is necessary to go a good long way back to reach a rate comparable with the rate of 19 births per thousand of the population in 1957. Actually it is necessary to go back to 1931 to find a rate so high.

The comparison is all the more favourable to 1957 when it is remembered that the 1957 population in Scotland was a good deal older than the population of 1931 and would therefore, other things being similar, be likely to have a correspondingly lower birth-rate. The leeway has been made up by a continued increase in the marriage-rate up to and including the year 1956, which in turn has led to an increase in the number of births. The effect of the increased marriage-rate can be seen from the fact that the proportion of married persons in the population of Scotland rose from 36·4 per cent. in 1931 to 45·7 per cent. in 1957.

The birth-rate in 1957 varied considerably from one area of the country to another. This was in part due to variations in the age and sex distribution of the population. Allowance has been made for these variations by standardising the local birth-rates to the Scottish age and sex distribution, and the results of these calculations are given in the Table 4 on page 80. The standardised rates were highest in the counties of Sutherland and Inverness and the Burgh of Dumbarton and lowest in the counties of Kinross, Berwick and Orkney.

In 1957 the marriage-rate was 8·3 per thousand of the population which was a little below the rate of 8·5 in the year 1956. Even so, it was a little higher than the average over the five years 1952-56, which was 8·2 per thousand of the population. It is to be remembered of course that a rate above 8 per thousand of the population is comparatively a high marriage-rate. No other countries in Europe had a rate as high as Scotland in 1957 except Hungary, Western Germany, Yugoslavia, the Netherlands and Spain. In some European countries the rate is less than 7 per thousand of the population, and in others it is nearer 7 than 8.

EXPLANATORY NOTES

(1) *To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1952 to 1956.*

(2) *The population is taken to be the civil population (including members of the Mercantile Marine for the time being in Scotland) and members of the armed forces stationed in Scotland. Birth, death and marriage-rates are calculated accordingly.*

(3) *Births, Stillbirths and Deaths are corrected throughout this Report by transfer where necessary to usual place of residence, if in Scotland, but Marriage figures are as registered.*

(4) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

It was hardly to be expected that the high Scottish rate of 8·5 in 1956 would be maintained. The number of unmarried women between 15 and 45 has fallen steadily with the increase in the marriage-rate and their proportion in the growing population has gone down still more. In 1901 there were 628,000 unmarried women between 15 and 45 in Scotland and in 1931, 647,000. In 1951, although the population had meantime continued to increase, the number had fallen to 481,000. In 1957 the estimated number was 412,000. Their proportion to the total population fell from 14·0 per cent. in 1901 to 8·0 per cent. (estimated) in 1957.

The death-rate remains much as it has been for some years past and, broadly the distribution of deaths according to cause was much the same. A widespread epidemic of influenza reached Scotland in September and brought the total number of deaths from influenza in 1957 to 680 as compared with 262 in 1956. There were 723 deaths from tuberculosis compared with 801 in 1956. There were 11 deaths from acute poliomyelitis compared with 9 in 1956.

The infant mortality-rate was 28·6 per thousand live births which is the same as in 1956.

Births.—The births in Scotland in 1957 exceeded those in 1956 by 2,664. The rate of 19 births per thousand of the population was 0·5 above 1956 and 1 above the average of the five years 1952-1956.

The table below shows the birth-rates per 1,000 of the population in 1957 in a number of countries and also the increase or decrease in each rate over the period from 1950 to 1957 inclusive. The difference is calculated from 1950 and not earlier because in 1949 and the preceding years the abnormally high rates after the second world war were still continuing. The rates are given in descending order and Canada leads by an appreciable margin.

The countries showing the greatest increases in the birth-rate over the period 1950 to 1957 are Canada, the United States of America, and Spain, followed by Austria and Scotland.

INTERNATIONAL BIRTH-RATES, 1957, AND MOVEMENT, 1950-57

	Birth-Rate 1957	*Change in Birth-Rate* 1950-57		*Birth-Rate* 1957	*Change in Birth-Rate* 1950-57
Canada	28·6	+1·5	Czechoslovakia ...	18·9	—4·4
Israel	25·9	—7·1	France	18·4	—2·3
South Africa ...	25·6	+0·5	Italy	18·3	—1·3
U.S.A.	25·0	+1·5	Norway	18·2	—0·9
New Zealand ...	24·9	+0·2	Switzerland ...	17·7	—0·4
Yugoslavia ...	23·5	—6·8	Japan	17·2	—11·0
Portugal	23·3	—1·1	Hungary	17·0	—4·0
Australia ...	22·9	—0·4	West Germany ...	17·0	+0·7
Spain	21·7	+1·5	Belgium ...	16·9	—
Northern Ireland	21·5	+0·4	Austria	16·8	+1·2
Netherlands ...	21·2	—1·5	Denmark ...	16·8	—1·8
Eire	21·2	—0·1	England & Wales	16·1	+0·3
Finland	19·8	—4·7	Sweden ...	14·6	—1·8
SCOTLAND ...	19·0	+1·0			

Marriages.—The number of marriages registered in Scotland in 1957 was 42,676. This is 1,287 fewer than in 1956. The rate is 8·3 per 1,000 of the population, 0·2 below that of 1956 but 0·1 above the average.

It is interesting to note the general trend of the marriage-rate through the past century. In 1857, when reliable figures first became available, the rate was 7·1 per 1,000 of the population; in 1877 it was hardly different at 7·2, and in 1897 and again in 1907 it was still 7·2. In fifty years there had been little

or no change. Before the second world war it had risen to about 7·7. In the ten years 1947 to 1956 it averaged 8·3 and in 1957 it still stood at that figure.

Deaths.—The death-rate in Scotland in 1957 was 11·9 per thousand of the population. It is 0·1 below that for the previous year and the same as the average. The principal cause of death continues to be heart disease, fully one-third (33·63 per cent.) of all deaths in Scotland during 1957 being ascribed to this cause. 17·58 per cent. were from cancer and 15·65 per cent. from cerebral hæmorrhage. Deaths from all forms of tuberculosis numbered 723 or 1·18 per cent. of all deaths.

Infant mortality.—Deaths of children under one year numbered 2,802. The rate was 28·6 per 1,000 live births, the same as the previous year. The death-rate from neo-natal mortality (deaths within the first 28 days of life) was 19·6 in every 1,000 births. This is 0·5 above the rate for the previous year but is 0·5 below the average.

Maternal mortality.—Deaths from diseases and accidents of pregnancy and childbirth numbered 46, representing a maternal mortality-rate of 0·5 per 1,000 births (live and still). This rate is the same as for 1956 and is 0·3 below the average.

Expectation of Life.—The expectation of life at birth on the experience of the mortality of 1957 is 65·95 years for males and 71·41 for females. For males this is much the same and for females 0·2 better than in 1956. This means that on average girls born now may expect 24 more years of life and boys 21 years more than children born at the beginning of the century.

Population.—The population of Scotland at 30th June, 1957, is estimated at 5,150,000. The natural increase (excess of births over deaths) in the year to 30th June, 1957, was 36,900.

It is estimated that there was a net loss of population by migration during the year ended 30th June, 1957, of some 32,500. Of this number about 11,100 went to other parts of the United Kingdom and 21,400 overseas. This reduces the effect of the natural increase to 4,400.

The corresponding loss in the year to 30th June, 1956, was 24,700.

The countries to which the overseas emigrants mainly went were Canada 18,000; Australia 2,400; U.S.A. 1,100; and New Zealand 1,000.

The sex ratio, as in normal years, was fairly evenly divided.

About 95 per cent. of the males and 90 per cent. of the females were under 45. 70 per cent. of the migration was between the ages of 15 and 45.

The tabulation of male migrants by occupation shows that the main groups were building and carpentry, clerical and distributive, engineering and professional and managerial. More than half of the females aged 15 and over were shown as housewives. The remainder were mainly clerical and distributive, professional and managerial, and manual workers.

The foregoing estimates of the effect of migration relate to the year to 30th June, 1957. Estimates are also available, though in less detail, for the calendar year to 31st December, 1957, during which the net migration from Scotland is estimated at 35,500 compared with 24,600 in 1956. Canada took 20,000 (compared with about 6,000 normally) of which 14,000 went in the first half of 1957 and 6,000 in the second.

Emigration to other countries, including Australia and New Zealand, was rather less than in 1956, and the movement to England was about 700 down.

The age distribution of the population at mid-1957 is given in Table G (1) on page 20 of this report. It is estimated that 1,297,400 were under 15 years, 3,319,600 between 15 and 65 and 533,000 were 65 and over. At the time of the

1951 census the figures were 1,255,037, 3,333,419 and 506,895 respectively. The following table compares the proportions at different times from 1861.

AGE DISTRIBUTION OF THE POPULATION OF SCOTLAND
1861-1957

Date	Proportion, per 1,000 of the total population, in each age-group		
	0–14	15–64	Over 65
1861 ...	361	591	49
1901 ...	334	617	48
1951 ...	246	654	99
1957 ... (Estimate)	252	645	103

The increase in the proportion of the population under 15 years of age is due to the high birth-rates prevailing after the war. The number of people aged 65 and over continues to rise. The population is estimated to comprise 2,465,200 males and 2,684,800 females. From birth to age 28 the number of males is greater than that of females, but thereafter the proportion of females steadily increases.

The following table A shows the estimated population distributed in the aggregate among the cities, large burghs, small burghs and landward areas. It gives the corresponding census figures for 1931 and 1951 adjusted for boundary changes.

TABLE A.—Population of Scotland in 1957

GROUPS OF DISTRICTS	Estimated Population at 30th June, 1957	Census 1951 (Resident)			Census 1931 (Resident)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,910,500	1,927,139	902,036	1,025,103	1,892,593	889,386	1,003,207
Large Burghs	860,400	830,506	397,870	432,636	777,278	378,043	399,235
Small Burghs	850,700	831,528	387,157	444,371	748,281	347,829	400,452
Landward	1,528,400	1,507,242	747,295	759,947	1,424,828	710,265	714,563
SCOTLAND	5,150,000	5,096,415	2,434,358	2,662,057	4,842,980	2,325,523	2,517,457
Males	2,465,200						
Females	2,684,800						

REPORT 1957

BIRTHS

Numbers.—The number of living children* whose births were registered in Scotland in 1957 was 97,977 (50,350 males and 47,627 females). This is an increase of 2,664 over 1956 and 5,677 above the average of the five years 1952-1956.

Rates.—The birth-rate for the year was 19·02 per 1,000 population. The rate in 1956 was 18·53 and the average rate 18·00. In the cities the 1957 rate was 19·4, in the large burghs 20·3, in the small burghs 18·1, and in the landward districts 18·3. (Table B (1).)

The birth-rates in 1957 in each city, large burgh and county will be found in Table 4. In the cities and large burghs the rate ranged from 25·6 in Coatbridge, 25·0 in Dumbarton and 24·0 in Port Glasgow to 16·9 in Edinburgh, 16·7 in Perth, and 16·2 in Falkirk. In the counties the rate ranged from 21·0 in Midlothian, 20·5 in Clackmannan and 20·3 in Lanark to 14·3 in Selkirk, 14·1 in Kinross and 13·3 in Berwick.

The standardised birth-rate, in the cities and large burghs, varied from 24·5 in Dumbarton, 24·3 in Coatbridge and 20·6 in Port Glasgow to 16·0 in Kirkcaldy, 15·9 in Arbroath and 15·9 in Dumfries. In the counties the rate ranged from 26·9 in Sutherland, 25·5 in Inverness and 23·1 in Ross and Cromarty to 15·1 in Kinross and 15·0 in Berwick and Orkney. It will be seen that Dumbarton, Coatbridge and Port Glasgow still hold top place among the large burghs though with a reduced advantage. The counties of Kinross and Berwick again are among the lowest.

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1957

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	37,101	18,183	17,134	885	899	19·42	18·49	0·93	4·81
Large Burghs	17,434	8,575	8,227	308	324	20·26	19·53	0·73	3·63
Small Burghs	15,409	7,684	7,225	259	241	18·11	17·52	0·59	3·24
Landward ...	28,033	13,874	13,058	582	519	18·34	17·62	0·72	3·93
Scotland ...	97,977	48,316	45,644	2,034	1,983	19·02	18·24	0·78	4·10

	Stillbirths			Rate per 1,000 Births (including Stillbirths)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities ...	889	825	64	23·4	22·8	34·6
Large Burghs	412	392	20	23·1	22·8	30·7
Small Burghs	370	357	13	23·4	23·4	25·3
Landward ...	707	678	29	24·6	24·6	25·7
Scotland ...	2,378	2,252	126	23·7	23·4	30·4

* Stillbirths are dealt with in Appendix II (pages 49-55).

Ratio of Male to Female Births.—There were 1,057 males to every thousand females among the children born alive in 1957. The ratio is one above that in the year 1956 and one above the average for the years 1952 to 1956. The highest average of male to female births since 1855 (the beginning of registration) was in the period 1946 to 1950 when the ratio was 1,063.

Monthly Birth-rates.—As will be seen from Table 63 the average monthly birth-rate was, as usual, higher in the first than in the second half of the year.

Fertility Rates.—Births and birth-rates in relation to women of child-bearing age in Scotland in 1957 are given in Table 8. They are given for Scotland as a whole and for the administrative areas in the aggregate, and also for each county and large burgh. The total number of births is shown and, separately, the numbers of legitimate and illegitimate births. The birth-rates per 1,000 women of child-bearing age are calculated in the Table in relation to all women between the ages of 15 and 45, and also in relation to married women between the ages of 16 and 45.

These rates are summarised in the following Table B (2) for three-yearly periods centred on each census from 1861 to 1951.

The number of births per 1,000 married women reached its highest figure of 319·4 in 1870-72. By 1900-02 it had fallen to 271·8 and by 1950-52 that figure was more than halved at 132·3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

TABLE B (2).—Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 ...	144·6	—	100	316·0	—	100
1870-72 ...	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 ...	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 ...	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 ...	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 ...	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 ...	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 ...	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 ...	73·0	91·1	50·5	136·9	81·0	43·3
1950-52 ...	80·3	110·0	55·5	132·3	96·6	41·9

The yearly rates from 1931 to 1957 are given in the following Table B (3). It will be observed that the rate for all women between 15 and 45 was higher in 1957 than in 1931, whereas the rate for married women was a good deal lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased. The marriage-rate has remained high for a long time, and the numbers of married persons in the population were sharply increased by exceptionally high marriage-rates after the last war.

In 1957 the birth-rate per 1,000 married women was lower by 27·4 than in 1931. In 1947 the high post-war birth-rates raised the rate to 163·9 but after that it decreased steadily till 1952, when it reached the low level of 131·3. Since then, however, there has been an upward trend, the rate of 140·9 in 1957 being 9·6 higher than the 1952 rate.

As mentioned eleswhere in this Report it would seem that this steady increase in the number of births per 1,000 married women is due to an increase in the numbers of marriages at the younger ages, mainly under 20 where fertility is generally highest.

TABLE B (3)—Crude Birth-rate and rate per 1,000 women aged 15—44 in Scotland 1931—1957

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·3	97·1	163·9	12·3
1948	19·7	86·6	143·9	11·5
1949	18·7	83·4	137·9	10·6
1950	18·0	81·0	133·9	9·9
1951	17·7	79·8	131·5	9·6
1952	17·7	80·1	131·3	9·1
1953	17·8	81·3	132·1	9·2
1954	18·0	83·2	134·2	9·2
1955	18·0	84·1	134·2	9·1
1956	18·5	87·5	137·4	9·6
1957	19·0	90·8	140·9	9·7

Multiple Births.—The total number of women who gave birth to living children in 1957 was 96,657, of whom 95,347 or 98·64 per cent. gave birth to single children, 1,300 or 1·34 per cent. to twin children and 10 or 0·01 per cent. to triplets. These births refer only to children born alive; and single births here include multiple births in which only one child was born alive. Appendix II, which analyses the stillbirths registered in Scotland in 1957, provides further particulars regarding multiple births, live and still. (See Table 20, page 102) which includes all multiple births, live and still.

Illegitimate Births.—These numbered 4,017 or 4·10 per cent. of the total living births compared with 4,069 and 4·27 per cent in 1956. In the cities the percentage was 4·8 and in the large burghs 3·6, compared with 4·9 and 3·7 in 1956. It was 3·2 in the small burghs and 3·9 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 9·7 per 1,000, that for the cities being 10·9, for the large burghs 9·3, for the small burghs 7·7 and for the landward areas 9·6. (Tables 1-4 and 8.)

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1957

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being = 100	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	413,700	37,101	19·42	102·1	89·7	98·8
Large Burghs	184,700	17,434	20·26	106·5	94·4	104·0
Small Burghs	177,200	15,409	18·11	95·2	87·0	95·8
Landward ...	303,300	28,033	18·34	96·4	92·4	101·8
Scotland . .	1,078,900	97,977	19·02	100·0	90·8	100·0

International Rates.—The following Table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1957

Canada	28·6	**SCOTLAND**	19·0
Israel	25·9*	Czechoslovakia	18·9
Union of South Africa ...	25·6†	France	18·4
United States of America	25·0	Italy	18·3
New Zealand	24·9‡	Norway	18·2
Yugoslavia	23·5	Switzerland	17·7
Portugal	23·3	Japan	17·2
Australia...	22·9	Hungary	17·0
Spain	21·7	Western Germany ...	17·0
Northern Ireland ...	21·5	Belgium	16·9
Netherlands	21·2	Austria	16·8
Eire	21·2	Denmark	16·8
Finland	19·8	England & Wales ...	16·1
		Sweden	14·6

* Jewish population only † European population only ‡ Excluding Maoris

MARRIAGES

There were 42,676 marriages in Scotland in 1957. This was 1,287 fewer than in 1956. The rate per 1,000 of the population of the marriages in 1957 was 8·29 compared with a rate of 8·55 in 1956.

During 1957 the marriage-rate was highest in the months of March (14·0), July (11·2), and September (10·7) and lowest in January (5·3), November (5·0), and May (2·7). (Table 63.)

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1957

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	18,332	9·60	115·8
Large Burghs... ...	8,102	9·42	113·6
Small Burghs... ...	7,594	8·93	107·7
Landward	8,648	5·66	68·3
SCOTLAND ...	42,676	8·29	100·0

The marriage-rate was highest in the urban and lowest in the rural areas. This is invariably the case (and almost certainly overstates the true urban-rural difference in this respect because people living in rural areas often go to a town or city to be married.) The parties often come from different areas, and consequently it is not possible to correct the figures of marriages according to normal residence as it is customary to do for births and deaths. (Table 4.)

Civil Marriages.—The following Table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1957.

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	42,676	18,332	8,102	7,594	8,648
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	35,108	13,708	6,667	6,562	8,171
Authorised by Sheriff's Licence	140	82	23	15	20
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	6	2	—	—	4
Civil Marriages:—					
Preceded by Publication of Notice ...	7,089	4,314	1,345	988	442
Authorised by Sheriff's Licence	333	226	67	29	11

Civil marriages constituted 17·4 per cent. of all marriages registered in Scotland. The percentage was 24·8 for the cities, 17·4 for the large burghs, 13·4 for the small burghs and 5·2 for landward areas. In 1956 civil marriages constituted 17·9 per cent. of all marriages (25·4 per cent. for the cities, 18·3 for the large burghs, 13·8 for the small burghs and 4·4 for landward areas.)

The proportion of civil marriages to total marriages rose steadily from 11·3 per cent. in 1941, the first full year in which the Marriage (Scotland) Act, 1939 took effect, to 19·2 per cent. in 1955. This percentage fell, however, to 17·9 in 1956 and to 17·4 in 1957.

International Rates.—The following Table shows marriage-rates in other countries so far as these are available:—

MARRIAGE RATES PER 1,000 POPULATION, 1957

Hungary...	10·0	New Zealand	7·9*
Western Germany ...	9·0	Australia...	7·7
United States of America	8·9	England & Wales ...	7·7
Yugoslavia	8·6	Belgium	7·6
Netherlands	8·5	Italy	7·5
Japan	8·5	Denmark	7·3
Spain	8·4	Finland	7·2
SCOTLAND	8·3	Norway	7·1
Canada	8·2	France	7·0
Israel	8·2†	Sweden	7·0
Austria	8·1	Czechoslovakia	6·8
Switzerland	8·1	Northern Ireland ...	6·7
Portugal	8·0	Mexico	6·5
		Eire	5·0

* Excluding Maoris † Jewish population only

Divorces.—1,747 marriages were dissolved by decrees pronounced in Scotland during the year 1957. Of these, 1,722 were decrees of divorce and 17 of nullity. Eight marriages were dissolved on a presumption of death of one of the parties.

Divorces decreased by 145 compared with 1956 and they are 513 below the average of the past five years.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten yearly periods from 1855 to 1954, and annually from 1945 to 1957. The annual numbers of divorces increased steadily until 1946. The number varied irregularly until 1952 with the ability of the courts to deal with the post-war accumulation of cases. Since 1952 there has been a regular decline in the number of decrees.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1957

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855–64	17	1945	2208	15	4
1865–74	14	1946	2902	22	10
1875–84	60	1947	2495	18	20
1885–94	100	1948	2028	19	10
1895–1904	159	1949	2419	19	9
1905–14	222	1950	2186	10	8
1915–24	458	1951	1928	16	11
1925–34	488	1952	2702	16	19
1935–44	906	1953	2352	13	11
1945–54	2358	1954	2200	16	10
		1955	2054	19	5
		1956	1867	16	8
		1957	1722	17	8

The following tables give further details as follows:—

(a) Marital Condition at time of marriage, 1948-1957; (b) age of wife in relation to age of husband at time of divorce, 1957; (c) age of wife in relation to age of husband at date of marriage, 1957; and (d) age of wife at time of divorce with duration of marriage, 1957. The particulars relate only to persons who were married in Scotland.

Divorce statistics of persons Married in Scotland 1948-1957

Year	Marital Condition at Time of Marriage					
	Husbands			Wives		
	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
1948	1,675	24	15	1,686	16	12
1949	1,953	37	23	1,953	34	26
1950	1,744	45	25	1,763	30	21
1951	1,562	61	25	1,578	45	25
1952	2,196	75	36	2,208	59	40
1953	1,901	55	48	1 902	54	48
1954	1,784	63	38	1,776	64	45
1955	1,679	43	54	1,681	46	49
1956	1,524	50	47	1,524	42	55
1957	1,445	44	27	1,453	24	39

Present age of Wife in relation to age of Husband 1957

Present Age of Wife	All Ages	Present Age of Husband								
		16—20	21—24	25—29	30—34	35—39	40—44	45—49	50—59	60 and over
16—20	33	6	20	7	—	—	—	—	—	—
21—24	154	1	49	86	15	3	—	—	—	—
25—29	321	—	10	129	142	30	8	1	1	—
30—34	297	—	—	29	139	101	22	4	2	—
35—39	243	—	—	3	22	95	85	28	10	—
40—44	221	—	—	—	2	16	102	73	27	1
45—49	123	—	—	—	1	7	13	55	46	1
50—59	111	—	—	—	—	—	1	12	76	22
60 and over	13	—	—	—	—	—	1	—	3	9
Total	1,516	7	79	254	321	252	232	173	165	33

Age of Wife at time of Marriage in relation to age of Husband 1957

Age of Wife	All Ages	Age of Husband								
		16—20	21—24	25—29	30—34	35—39	40—44	45—49	50—59	60 and over
16—20	737	239	344	132	16	5	1	—	—	—
21—24	487	49	228	163	35	9	3	—	—	—
25—29	189	4	43	89	34	16	3	—	—	—
30—34	55	2	5	16	16	10	4	1	1	—
35—39	25	—	—	3	9	9	—	2	2	—
40—44	14	—	—	—	2	2	4	3	3	—
45—49	5	—	—	1	—	1	1	—	2	—
50—59	4	—	—	—	—	—	—	—	2	2
60 and over	—	—	—	—	—	—	—	—	—	—
Total	1,516	294	620	404	112	52	16	6	10	2

Present age of Wife and duration of Marriage — 1957

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0—2	3—4	5—6	7—9	10—14	15—19	20 and over
16—20	33	21	12	—	—	—	—	—
21—24	154	26	72	48	8	—	—	—
25—29	321	2	45	92	137	45	—	—
30—34	297	1	3	25	74	160	34	—
35—39	243	2	3	6	18	72	120	22
40—44	221	—	5	6	10	24	67	109
45—49	123	—	3	1	2	11	22	84
50—59	111	1	1	1	4	6	9	89
60 and over	13	—	—	1	—	1	—	11
Total	1,516	53	144	180	253	319	252	315

DEATHS

The total number of deaths registered during the year was 61,143—a decrease of 649 compared with 1956. The death-rate for the year was 11·9 per 1,000 population, and is 0·1 below that for the previous year.

Standardised Death-rates

The following Table shows the crude and standardised* death-rates for Scotland for each year from 1931-57.

The standardised rate is much lower than the crude rate, and throughout the period covered by the Table has increased its comparative advantage. This is due in the main to the increasing age of the population. The standard population has a higher proportion of young persons and it is in these young age groups that the greatest improvement in mortality has taken place.

For the separate sexes the crude rate shows a reduction since 1931, being more pronounced in the case of females, who have a longer average life than males. The standardised rates show a large reduction for both sexes, especially for women.

* The object of standardisation of the death-rate is to allow for variations of age and sex distribution in making comparisons of mortality between one population and another. For a fuller explanation see page 25 of the 1954 Annual Report.

Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940†	14·86	12·46	16·59	14·32	13·40	10·78
1941†	14·74	12·30	16·75	14·02	13·11	10·71
1942†	13·34	10·70	15·24	12·26	11·81	9·27
1943†	13·98	10·71	15·93	12·21	12·43	9·34
1944†	13·57	10·22	15·65	11·74	11·95	8·82
1945†	13·20	9·63	15·11	11·07	11·70	8·32
1946†	13·07	9·82	14·14	11·15	12·15	8·61
1947	13·02	9·73	13·86	11·13	12·25	8·48
1948	11·96	8·79	12·64	10·03	11·34	7·68
1949	12·42	8·91	12·99	10·13	11·90	7·83
1950	12·48	8·75	13·09	10·05	11·93	7·61
1951	12·86	8·84	13·55	10·23	12·23	7·61
1952	12·03	8·22	12·86	9·64	11·26	6·96
1953	11·50	7·76	12·41	9·23	10·68	6·44
1954	11·98	7·92	12·87	9·44	11·17	6·57
1955	12·01	7·87	12·76	9·33	11·32	6·57
1956	12·01	7·73	12·85	9·28	11·24	6·34
1957	11·87	7·61	12·83	9·22	11·00	6·19

† Civilian death-rates.

The crude rates do not vary greatly between urban and rural areas, being 12·34 per 1,000 in the cities, 11·28 in the large burghs, 12·79 in the small burghs and 11·11 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. This is because rural populations are older, mainly due to migration from country to town. The standardised rate for the cities was 12·85, for the large burghs 12·10, for the small burghs 11·60 and for the landward area only 10·77.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1957

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	25,519	23,579	12·34	12·85
Large Burghs	10,429	9,707	11·28	12·10
Small Burghs	8,686	10,882	12·79	11·60
Landward	16,509	16,975	11·11	10·77
Scotland	61,143	61,143	11·87	—

In the cities and large burghs the standardised rate ranged from 14·0 in Kilmarnock, 13·7 in Glasgow, and 13·4 in Rutherglen to 11·1 in Dumbarton, 10·6 in Arbroath and 10·3 in Perth. In the counties it ranged from 12·6 in Selkirk, 12·4 in Clackmannan and 12·3 in Lanark to 9·5 in Caithness, 9·3 in Kinross and 9·1 in Sutherland. (Table 4).

Monthly Death-rates

The highest death-rates of the year occurred in October (13·6), in January and December (13·2) and the lowest in June (10·3), July (10·2) and August (9·8). (Table 63.)

International Death-rates

The following Table gives the crude death-rates for various countries, so far as available, in the year 1957. The Scottish death-rate is the fifth highest of the countries mentioned. In Scotland, however, the population is older than in most of the other countries included in the Table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

Death-rates per 1,000 Population, 1957

Mexico	12·9	Italy	10·0
Austria	12·7	Sweden	9·9
Belgium	12·4	Spain	9·8
France	12·0	United States of America	9·6
Scotland	11·9	Finland	9·4
Eire	11·9	New Zealand	9·3*
England & Wales	11·5	Denmark	9·3
Portugal	11·3	Australia	8·8
Western Germany	11·3	Union of South Africa	8·8†
Northern Ireland	10·9	Norway	8·6
Yugoslavia	10·5	Japan	8·3
Hungary	10·5	Canada	8·3
Czechoslovakia	10·0	Netherlands	7·5
Switzerland	10·0	Israel	6·2‡

* Excluding Maoris. † European population only. ‡ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age group.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for five-yearly periods from 1911 to 1955 and for single years from 1951. (Tables 35, 37 and 38.)

Infant Mortality.—Deaths of children aged under one year numbered 2,802. When related to the 97,977 live births in 1957 the infant mortality rate is 28·6 per 1,000 live births, which is the same as that for 1956, the lowest rate ever recorded in Scotland. Up to the year 1915 the rate was never below 100, and by 1939 it had fallen to 69. In 1946 the rate was 54 but since then it has gradually declined. In 1957 the male rate was 32·6 and the female rate 24·4, each being the same as in 1956.

The monthly infant mortality rate was highest in December (34), February (33), January and March (31) and lowest in April, August and October (25). In 1956 the highest rates were recorded in January, November and December and the lowest in August, July and June. (Tables 1, 2 and 63.)

The rate was 30 in the Cities, 30 in the large burghs, 26 in the small burghs and 26 in the landward areas. In 1956 these rates were respectively 30, 30, 27 and 27. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The census of 1951† showed that no less than 67·9 per cent. of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7·6.

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1957

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	91,900	47,200	44,700	50—54	333,100	159,700	173,300
1— 4	349,400	178,700	170,700	55—59	297,100	136,500	160,500
5— 9	437,300	224,100	213,200	60—64	239,400	102,700	136,700
10—14	418,800	213,200	205,500	65—69	195,400	81,300	114,100
15—19	360,500	175,100	185,300	70—74	152,700	62,100	90,600
20—24	338,300	159,400	178,900	75—79	104,800	42,100	62,600
25—29	353,900	173,700	180,200	80—84	56,600	22,000	34,500
30—34	352,800	173,400	179,300	85 & over	23,600	8,200	15,300
35—39	345,100	167,300	177,800				
40—44	340,900	163,700	177,300	All ages	5,150,000	2,465,200	2,684,800
45—49	358,600	174,500	184,100				

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1957

Years	Males												Females											
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	...	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	...
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	...	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	...
1921–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·[illegible]
1926–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·[illegible]
1931–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	260·[illegible]
1936–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·[illegible]
1941–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	261·[illegible]
1946–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	237·[illegible]
1951–55	38·7	1·5	0·7	0·5	1·2	1·8	3·4	9·6	25·6	57·0	130·0	272·9	30·0	1·3	0·5	0·4	0·8	1·5	2·7	6·0	14·4	39·4	104·8	240·[illegible]
1951	43·5	1·8	0·9	0·5	1·3	2·1	3·6	10·4	26·4	59·0	140·0	298·4	33·2	1·6	0·6	0·5	1·2	1·9	3·0	6·3	15·6	43·5	115·6	267·[illegible]
1952	41·7	1·6	0·8	0·5	1·2	1·8	3·3	9·7	25·3	56·6	131·4	270·8	32·5	1·4	0·5	0·4	1·0	1·6	2·7	6·1	14·6	40·3	102·6	234·[illegible]
1953	36·6	1·5	0·8	0·6	1·2	1·8	3·5	9·1	24·9	55·6	122·6	242·4	27·6	1·3	0·5	0·4	0·8	1·4	2·6	6·0	13·5	36·9	98·4	221·[illegible]
1954	36·7	1·5	0·6	0·4	1·1	1·7	3·2	9·5	26·1	56·4	129·1	274·2	28·0	1·1	0·4	0·4	0·7	1·3	2·6	6·2	14·4	37·5	103·0	233·[illegible]
1955	34·9	1·4	0·6	0·5	1·0	1·6	3·3	9·5	25·2	57·2	127·5	280·5	28·5	1·0	0·5	0·4	0·6	1·3	2·4	5·6	14·1	39·1	103·8	248·[illegible]
1956	34·1	1·2	0·5	0·5	1·0	1·6	3·1	9·2	25·1	59·2	129·9	265·4	25·2	1·0	0·4	0·3	0·5	1·1	2·2	5·6	13·9	38·1	103·5	252·[illegible]
1957	34·7	1·3	0·7	0·5	0·9	1·5	3·1	9·5	25·6	57·8	123·7	256·4	26·0	0·8	0·4	0·4	0·5	1·0	2·5	5·5	13·7	36·8	95·8	245·[illegible]

* The Central Industrial Belt comprises:

East Central Division: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.

West Central Division: Counties of Lanark, Dunbarton, Renfrew and Ayr.

The Counties lying to the north and west of the Central Industrial Belt are referred to as the Northern Division; those lying to the south and east of it as the Southern Division.

† Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

The infant mortality for 1957 in landward areas was 28 per 1,000 in the Central Industrial Belt, compared with 22 per 1,000 in the rest of landward Scotland.

The following Table shows the infant mortality rates for the years 1956 and 1957 for the large burghs (including Cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions.*

The rate for the large burghs is largely influenced by the rate in Glasgow which accounted for 41 per cent. of the births in the large burghs. The rates for Glasgow are therefore shown separately in the Table.

	1957	1956
Scotland	**29**	**29**
Large burghs (including Cities)	30	30
Glasgow	35	33
Other large burghs ...	28	28
Small burghs	26	27
Landward	26	27

	1957	1956
Regions (Landward):—		
Northern...	23	20
East Central*	28	28
West Central*	29	31
Southern	19	24

The rate in the large burghs fell steadily from 64 in 1947 to 32 in 1953 and 1954, and further decreased to 30 in 1956 and 1957. In Glasgow the rate fell from 67 in 1946 to 35 in 1954 and to 33 in 1956. For 1957 however it has increased to 35. The areas are arranged in descending order of the infant mortali ty rate in the following table (which groups the two central, and the north and south, regional landward areas together):—

	1957	1956
Glasgow	35	33
Landward (Central) ...	28	30
Other large burghs ...	28	28

	1957	1956
Small burghs	26	27
Landward (Northern and Southern)	22	21

In individual large burghs the rate ranged from 44 in Dumfries, 39 in Rutherglen and 38 in Motherwell and Wishaw to 24 in Aberdeen, Dundee, Airdrie and Edinburgh, 23 in Arbroath and Kirkcaldy and 20 in Perth. In the counties it ranged from 41 in Zetland, 36 in Midlothian and 34 in Orkney to 12 in East Lothian, 10 in Kinross and 8 in Sutherland.

International Rates.—The following table shows infant mortality rates in other countries in 1957 so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1957

Yugoslavia	101
Portugal	89
Italy	50
Austria	44
Japan	39
Western Germany ...	36
Belgium	35
Eire	33
Israel	33

France	29
Northern Ireland ...	29
Scotland	29
Finland	28
United States of America	26
England & Wales ...	23
Netherlands	17
Sweden	17

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 28 per 1,000 live births, being 30 in the cities, 30 in the large burghs and 26 in the counties. These rates in 1956 were 28, 29, 30 and 27 respectively. Among illegitimate children the rate was 40, being 44 in the cities, 47 in the large burghs and 34 in the counties. In 1956 the rates were 40 for Scotland, 45 in the cities, 43 in the large burghs and 34 in the counties.

* See note * on page 20.

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 58 per cent. of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 19·6 per 1,000 births at ages under 28 days to 3·6 at 1-2 months. It is 0·8 at 9-11 months.

Infant death-rates at age under 28 days are highest in the cities. For the remainder of the infant deaths the rates for the cities and large burghs are also generally in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and according to month of registration. (See also page 39.)

Neo-natal Mortality.—Deaths at ages under 28 days are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. From 1942 onwards the post-natal rate has been lower than the neo-natal rate and the difference between the two rates has generally increased since 1948. In 1957 the rate for ages between 28 days and one year (9·0) was appreciably below the neo-natal rate (19·6).

NEO-NATAL MORTALITY PER 1,000 BIRTHS

	Deaths under 28 days.*			Deaths between 28 days* and 1 Year		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43·0	—	—	69·8	—	—
1916-20	40·5	—	—	58·5	—	—
1921-25	38·2	—	—	53·6	—	—
1926-30	36·5	—	—	48·9	—	—
1931-35	36·8	—	—	44·0	—	—
1936-40	36·9	35·8	54·5	38·9	37·5	58·8
1941-45	33·8	32·3	53·0	33·9	32·1	55·6
1946-50	26·1	25·3	39·8	21·2	20·2	37·0
1951-55	20·7	20·1	32·4	12·2	11·9	18·5
1947	28·5	27·5	45·8	27·3	26·1	45·9
1948	25·1	24·4	37·6	19·6	18·8	33·0
1949	23·2	22·2	40·8	18·2	17·5	30·0
1950	23·0	22·5	32·0	15·6	15·2	21·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3
1956	19·1	18·7	27·0	9·5	9·4	13·3
1957	19·6	19·2	29·9	9·0	8·9	10·5

* Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

The table also accounts for the infant deaths from 1936 according to whether the births were legitimate or illegitimate. The information is not available before 1936.

Although since 1942 the post-natal death-rate (deaths between one month and one year) for legitimate births has been lower than the neo-natal rate (deaths under one month), it was not until 1948 that the post-natal rate similarly fell in the case of illegitimate births.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 39.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians.—Eighteen deaths of reputed centenarians were registered during the year, one male and 17 females. In 16 cases the age was verified as being at least 100 years, the verified age being 100 years in eight cases, 101 years in one case, 102 in three cases, 103 in two cases and 104 in two cases. Since 1910, when enquiries regarding such cases were begun, 660 deaths have been registered as being of centenarians, 108 of males and 552 of females. The age has been verified as being at least 100 years in 409 cases (57 males and 352 females); in 106 the evidence was rather against the claim; while in 145 cases no satisfactory evidence of age could be found. The highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified was one of 109 years and 14 days in 1936.

LIFE TABLES

The following abridged life table, based on the mortality experience of 1957, shows the further expectation of life at different stages in life. At each age point the expectation of life is the average future life a person of that age would have if the 1957 mortality rates had operated throughout the lifetime.

A table is also given showing how the expectation of life at birth has increased since 1861. The expectation of life at age 1 is also given as it affects the continued improvement in infant mortality.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 25·7 years for males and by 27·5 years for females. The greatest improvement has taken place since the beginning of the century. In the 30 years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years and in females 3·5 years. From 1891-1900 to 1930-32 the span had lengthened by 11·3 years for males and 12·1 years for females. Since 1930-32 it has increased further by 10·0 years and 11·9 years respectively.

In 1861-1870 if the child survived the first year of life, the expectation of life rose from 40·3 years at age 0 to 45·6 at age 1 for males and from 43·9 to 47·5 for females. Adding in the year elapsed since birth, the gain was 6·3 and 4·6 years for males and females respectively. By 1957 the improvement in child mortality had reduced these handicaps to 2·2 and 1·8 years respectively.

Abridged Life table—Scotland
1957

Age x	Males		Females	
	l_x	$\mathring{e}_x$	l_x	$\mathring{e}_x$
0	10,000	65·95	10,000	71·41
1	9,673	67·18	9,755	72·20
2	9,654	66·31	9,741	71·30
3	9,643	65·38	9,734	70·35
4	9,631	64·46	9,727	69·40
5	9,624	63·51	9,722	68·44
10	9,593	58·71	9,702	63·58
15	9,567	53·86	9,684	58·69
20	9,529	49·07	9,662	53·82
25	9,478	44·32	9,633	48·97
30	9,413	39·60	9,587	44·19
35	9,337	34·91	9,533	39·43
40	9,228	30·29	9,441	34·79
45	9,049	25·84	9,298	30·29
50	8,741	21·66	9,096	25·90
55	8,219	17·88	8,800	21·69
60	7,409	14·56	8,349	17·73
65	6,313	11·65	7,654	14·11
70	4,947	9·18	6,646	10·87
75	3,473	7·02	5,232	8·13
80	2,029	5·23	3,515	5·89
85	872	3·86	1,821	4·04

This abridged life table is constructed from the estimated population in 1957 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1957 death records. Column $\mathring{e}_x$ is the "expectation of life", that is the average future lifetime which would be lived by a person aged exacly x, if likewise subject to these death probabilities.

Expectation of Life at Birth and Age One Year, 1861 to 1957
Scotland

Scottish Life Table	Expectation of Life at Birth		Expectation of Life at Age one year	
	Male	Female	Male	Female
1861-70	40·3	43·9	45·6	47·5
1871-80	41·0	43·8	46·5	48·5
1881-90	43·9	46·3	49·7	51·2
1891-1900	44·7	47·4	51·1	52·7
1910-12	50·1	53·2	55·8	57·8
1920-22	53·1	56·4	58·4	60·4
1930-32	56·0	59·5	60·7	63·1
1942-44	59·8	64·6	63·6	67·6
1950-52	64·4	68·7	66·2	69·9
1947	61·7	65·8	64·7	68·0
1948	63·5	67·5	65·8	69·0
1949	63·7	67·5	65·7	68·9
1950	64·2	68·2	66·0	69·4
1951	64·2	68·4	65·9	69·6
1952	65·1	69·6	66·7	70·8
1953	65·7	70·7	67·0	71·6
1954	65·5	70·5	66·9	71·5
1955	65·8	70·6	67·0	71·6
1956	66·0	71·2	67·2	72·0
1957	66·0	71·4	67·2	72·2

CAUSES OF DEATH

Certification.—The number of deaths registered in Scotland in 1957 was 61,143. The cause of death was specified in 60,870 cases or 99·6 per cent. of the total deaths registered. These figures include 580 deaths attributed to senility. In 273 cases or 0·4 per cent. of the total registered deaths, the cause of death was either ill-defined or unknown. 60 deaths were ascribed to heart failure. In 8 cases no cause was specified and in 8 cases the death was described as syncope. 197 were assigned to various symptoms and ill-defined causes, including 37 from convulsions in children under 5 and 12 from unclassified uræmia.

Principal Epidemic Diseases.—This group as now classified consists of typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections and measles. For comparison with previous years deaths from influenza are also included. The total number of deaths in the group in 1957 was 740. The equivalent death-rate is 14 per 100,000 population which compares with 6 in 1956 and an average of 6 over the period 1952-56.

There were 21 deaths from whooping cough in 1957, 7 more than in the previous year. There were no deaths from diphtheria compared with two in 1956. Influenza accounted for 680 deaths in this group, much the greater part of the total, and 418 more than in 1956. The following Table J (1) shows the number of certified deaths in which influenza was mentioned not as a primary but as a contributory cause. Deaths from meningococcal infections numbered 21. This was 6 fewer than in 1956 and the lowest figure yet recorded. There were no deaths from typhoid fever. Measles accounted for 16 of the deaths from epidemic diseases, 6 more than in 1956. There were no deaths from scarlet fever but 2 from streptococcal sore throat.

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1957

National abbreviated List 'B'	Cause of Death	Total	Males	Females	Ages: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
1	Tuberculosis of respiratory system ...	7	3	4	–	–	–	–	–	–	–	–	6	1	–	–
2	Tuberculosis, other forms	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
9	Whooping cough	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
12	Acute poliomyelitis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
17	Other infectious and parasitic diseases	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
18	Malignant neoplasms	7	3	4	–	–	–	1	–	–	1	1	1	1	2	–
20	Diabetes mellitus	6	2	4	–	–	–	–	–	1	1	2	1	1	–	–
46·1	Other general diseases	4	3	1	–	–	–	–	–	–	–	1	2	1	–	–
22	Vascular lesions affecting central nervous system	15	6	9	–	–	–	–	–	–	–	–	–	8	5	2
46·2	Other diseases of nervous system ...	2	1	1	–	–	–	–	–	–	–	1	–	–	1	–
25	Chronic rheumatic heart disease ...	6	2	4	–	–	–	–	–	2	2	2	–	–	–	–
26	Arteriosclerotic and degenerative heart disease	98	50	48	–	–	–	–	–	–	2	7	20	32	25	12
27	Other diseases of heart...	4	1	3	–	1	–	–	–	–	–	–	2	–	1	–
28	Hypertension with heart disease ...	5	3	2	–	–	–	–	–	–	–	–	2	2	–	1
29	Hypertension without heart disease ...	3	1	2	–	–	–	–	–	–	–	1	–	1	1	–
46·3	Other circulatory disease	6	3	3	–	–	–	–	–	–	–	–	1	–	3	2
32	Bronchitis	11	6	5	–	–	–	–	–	–	1	–	4	4	2	–
46·4	Other respiratory diseases	4	4	–	–	–	–	–	–	–	–	1	2	1	–	–
33	Ulcer of stomach and duodenum ...	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
38	Nephritis and Nephrosis	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
40·1	Other puerperal causes	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
46·8	Diseases of skin and organs of locomotion	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
41	Congenital malformations	2	2	–	1	–	–	–	1	–	–	–	–	–	–	–
48·1	Other violence	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Total	189	94	95	1	3	–	1	3	3	8	17	42	53	41	17

Deaths in the whole of this group of the main epidemic diseases accounted for 1·2 per cent. of all deaths in Scotland in 1957. (Tables 35-40).

Tuberculosis.—Deaths from all forms of tuberculosis numbered 723 compared with 801 in 1956 and an average of 1,173 over the years 1952-1956. The death-rate from tuberculosis was 14 per 100,000 of the population compared with 16 the previous year and an average of 23 for 1952-1956. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947 the rate has fallen from 81 to 14.

On the 1957 statistics, death-rates from tuberculosis were heaviest at ages 55-74 in males and 25-44 in females. (Table 35.)

Deaths from tuberculosis were most numerous in November, October and February in that order. (Table 43.)

The rate in the cities was 18 per 100,000, in the large burghs 15, in the small burghs 10 and in the landward areas 11. In the cities and large burghs the highest rates were recorded in Greenock (27), Glasgow (26), and Rutherglen and Paisley (25) and the lowest in Aberdeen (6), Arbroath and Kilmarnock (5) and Dunfermline (2). In the counties (excluding large burghs) the rates ranged from 36 in Nairn, 28 in Kinross and 21 in Argyll to 4 in Aberdeen, Berwick, Kincardine and West Lothian. (Table 4.)

Respiratory Tuberculosis.—92 per cent. of the deaths from tuberculosis in 1957 were due to the respiratory forms of the disease. They numbered 664 compared with 715 in 1956. The average over 1952-1956 was 1,031. The death-rate from respiratory tuberculosis in 1957 was 13 per 100,000 (males 18, females 8) compared with 14 in 1956 (males 19, females 9). The heaviest death-rates in males in 1957 were at ages 55-74, in females at 25-44. The lowest rates for males were recorded at ages under 24 years and for females between one and 14 years. (Tables 35, 37-40).

In the years 1938-1948 the rate for males under 15 rose from 9 to 13 but thereafter it fell below the level of 1938 and has now fallen to a point where the numbers are too small to show a rate of as much as one per 100,000 of the population. So also in the age-groups 15-44 and 45-64 the rates rose after 1938 for a number of years. It was not until 1950 in the first group and 1952 in the second that the rate fell below that of 1938. The rate in the group 15-44 is almost a seventh of the pre-war rate but in the age-group 45-64 it is less than a half. At ages over 65 the rate after 1938 increased until 1951 when it reached a value of 77. Since then it has fluctuated and the rate of 56 for the year 1957 is still above that for 1938. Till 1949 the rate after age 65 was about half of that at ages 45-64, but it then rose in proportion to the other and from 1952 to 1955 the two rates were much the same. In 1956 and 1957 the rates for the older age-group has risen above the younger.

In the female population the rates are very similar to those for males in the age-groups under 15 and 15-44. In the age-group 45 and 64, however, the rate was only 8 in 1957 compared with 39 in the corresponding age-group in the male population. So also the mortality from tuberculosis for females over the age of 65 is much lower than in the male population.

DEATH-RATES PER 100,000 FROM RESPIRATORY FORMS OF TUBERCULOSIS

Year	MALES Under 15	15-44	45-64	65+	FEMALES Under 15	15-44	45-64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9
1956	0	12	42	54	0	13	7	14
1957	0	11	39	56	1	12	8	10

Deaths from respiratory tuberculosis were most numerous in February, October and November and fewest in June, July, August and September. The range of monthly incidence was from 35 in June to 77 in November. (Table 43.)

The rate in the cities was 17 per 100,000, in the large burghs 15, in the small burghs 9 and in the landward areas 10. It was highest in the large burghs of the West being 27 in Greenock, 25 in Rutherglen and 24 in Paisley and Glasgow. In general the eastern counties had the lowest death-rates from respiratory tuberculosis. The rate was 3 per 100,000 in Kirkcudbright, Perth and Wigtown, and 4 in Aberdeen, Berwick, Caithness, Fife, Kincardine and West Lothian. (Table 4.)

Non-respiratory Tuberculosis.—Deaths from non-respiratory forms of tuberculosis numbered 59 compared with 86 in 1956 and an average of 142 in the five years 1952-1956. The rates per 100,000 were 1 for males and 1 for females compared with 2 for males and 1 for females in 1956.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the last war but the rate of one in 1957 contrasts with a pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

The following table shows year by year the decrease since 1938. It will be seen that mortality from this cause has always been highest in the early years of life, and although the rate has fallen rapidly it is still greatest at pre-school ages.

Just over 25 per cent. of the deaths in this group are from tubercular meningitis. Over the past 10 years the general improvement in non-pulmonary deaths is shared in varying degree by deaths in most sites, but outstandingly so in meningeal, abdominal and disseminated tuberculosis.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

	MALES				FEMALES			
	Under One year	1–4	5–9	10 and over	Under One year	1–4	5–9	10 and over
1938	73	63	26	12	78	50	24	12
1939	78	53	20	13	67	40	23	12
1940	109	77	23	14	72	62	19	14
1941	100	69	26	16	75	77	23	15
1942	92	65	27	14	88	63	21	13
1943	76	68	21	16	58	63	27	15
1944	76	57	24	16	51	62	36	14
1945	54	51	27	13	59	58	26	13
1946	57	54	29	9	54	48	27	10
1947	40	44	24	9	31	52	22	10
1948	29	34	16	7	16	29	13	7
1949	21	30	14	5	19	27	7	6
1950	11	23	6	5	14	23	6	5
1951	13	18	10	4	7	21	7	4
1952	9	12	3	3	12	13	1	4
1953	2	9	3	3	5	12	0	3
1954	2	6	3	3	–	4	1	2
1955	4	6	1	2	–	6	0	2
1956	2	3	1	2	2	4	0	1
1957	2	1	0	1	–	2	1	1

Other Infective and Parasitic Diseases.—Deaths from syphilitic and para-syphilitic diseases numbered 94, of which 32 are attributable to aortic aneurysm and 37 to the nervous affections, including locomotor ataxia and general paralysis of the insane.

There were 11 deaths from acute poliomyelitis and polioencephalitis (9 in 1956), 38 from infectious encephalitis and 21 from infectious hepatitis.

Other deaths in this group include 20 from septicæmia and 4 from tetanus.

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1957 (Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855–1860 ...	—	87	—	—	—
1861–1870 ...	—	157	—	—	—
1871–1880 ...	—	210	—	—	—
1881–1890 ...	—	237	—	—	—
1891–1900 ...	—	203	—	—	—
1901–1910 ...	—	218	223	70	149*
1911–1920 ...	—	202	248	76	136*
1921–1930 ...	—	141	191	71	139*
1931–1940 ...	—	88	116	56	128*
1941–1950 ...	223	57	55	28	83‡
1950 ...	170	35	33	21	81†
1951 ...	149	36	28	15	70†
1952 ...	110	31	22	12	45†
1953 ...	96	28	27	14	27†
1954 ...	109	41	27	14	27†
1955 ...	97	40	21	10	26†
1956 ...	88	33	20	10	25†
1957 ...	94	34	17	11	32†

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡ Excludes dissecting aneurysm unqualified in the year 1950.

Malignant Neoplasms.—Deaths from this group numbered 10,747, equivalent to a death-rate of 209 per 100,000. This rate is the same as that for the previous year and 6 above that for the five years 1952-56.

The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1957 are shown in the following table. In the meantime the population has aged appreciably and comparisons of crude death-rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, *i.e.* at the census of 1951. These standardised rates are calculated by assuming that for any age-group in the population as it was in 1951 the death-rate would be the same as for the corresponding age-group in the year from which the crude rate is compared. The object of the standardisation is, of course, to provide a common basis of comparison.

The increase in the crude rate is substantial. It was accelerated during the recent war but this was mainly attributable to the withdrawal from the population temporarily on war service of numbers of younger persons less vulnerable to diseases of this kind.

Since 1931 the crude rate has increased by 41 per cent., but the standardised rate by only 8 per cent. It is of course the standardised rate that provides the truer basis of comparison, allowing as it does for the ageing of the population.

The standardised rate for males rose from 186 in 1931 to 242 in 1957, an increase of 30 per cent., which is just under half of the increase of 63 per cent. in the crude rate. On the other hand the standardised rate for females decreased from 182 to 167, a reduction of 8 per cent. compared with an increase of 23 per cent. in the crude rate.

As Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can, therefore, be made for the years prior to 1950.

Of the 10,747 deaths in 1957 that were classified to malignant neoplasms 5,632 were of males and 5,115 of females.

In recent Scottish statistics of mortality from cancer the principal sites in males have been trachea, bronchus and lung, stomach, intestine, prostate and rectum, and for females, breast, stomach, intestine, cervix and other parts of the uterus, with cancer of the lung much less frequent than in males. In individual sites males show the greatest relative excess for lung, larynx and buccal cavity and in less degree, for bladder, rectum, Hodgkin's disease and kidney and females for thyroid gland, intestine and liver.

Over the years there have been decided changes in sites and sex trends, the standardised rate in females showing some improvement, in males a noteworthy increase. In separate sites, males have shown a substantial improvement in those within the buccal cavity. In the digestive system, changes are less notable but roughly similar in the sexes, the mortality from cancer of stomach and intestine being lower, that for rectum and pancreas higher, and there has been decided lowering in respect of liver and gall bladder and abdomen not otherwise specified (suggesting improvement rather in identification of the primary site in some cases). In the respiratory system, laryngeal cancer has shown little change, but for lung and bronchus there has been a decided increase in each sex but especially so in men. Breast cancer in women shows little change but there has been some decline in deaths from cancer of the uterus. There has been some increase in such sites as kidney, prostate and testis in males and bladder in both sexes, but a noteworthy fall in deaths from cancer of the skin.

Death-rate per 100,000 Population from Malignant Disease

Year	Crude	Standardised to Scotland 1951	Effect of Standardisation
1931	148	184	+36
1932	153	187	+34
1933	153	187	+34
1934	153	185	+32
1935	157	188	+31
1936	159	187	+28
1937	157	182	+25
1938	162	187	+25
1939	161	184	+23
1940	170	185	+15
1941	174	185	+11
1942	179	185	+ 6
1943	185	182	— 3
1944	186	181	— 5
1945	192	185	— 7
1946	180	180	—
1947	178	183	+ 5
1948	184	187	+ 3
1949	188	190	+ 2
1950 (5th Revision) ...	190	190	—
1950 (6th Revision) ...	196	197	+ 1
1951	192	192	—
1952	198	196	— 2
1953	198	195	— 3
1954	205	200	— 5
1955	206	200	— 6
1956	209	202	— 7
1957	209	199	—10

Year	MALE		FEMALE	
	Crude	Standardised	Crude	Standardised
1931	140	186	155	182
1932	145	190	160	186
1933	147	192	159	183
1934	148	191	158	181
1935	152	196	162	183
1936	155	196	163	182
1937	151	188	163	179
1938	152	189	170	185
1939	156	192	165	177
1940	175	196	165	175
1941	184	198	166	174
1942	193	201	168	172
1943	199	199	173	170
1944	205	201	171	166
1945	209	202	178	171
1946	190	201	171	162
1947	186	210	171	164
1948	190	212	178	169
1949	192	213	184	173
1950 (5th Revision) ...	197	218	183	169
1950 (6th Revision) ...	205	226	187	174
1951	201	221	184	171
1952	212	230	185	170
1953	217	235	180	164
1954	224	241	188	170
1955	222	240	191	171
1956	227	244	193	170
1957	228	242	191	167

Diabetes.—Deaths from this cause numbered 505 (145 males and 360 females), 32 more than in 1956 and 46 above the average. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias.—Deaths from this cause numbered 214 of which 72 were of males and 142 of females. In 1956 the number was 245. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 120.

Other General Diseases.—In addition to the foregoing there were 201 deaths from asthma, a decrease of 46 compared with 1956, 34 deaths from thyrotoxicosis (16 in 1956) and from other diseases of thyroid 47 (50 in 1956).

Diseases of the Nervous System.—In this group there were 10,310 deaths, of which the majority (9,566) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages (4,078) or cerebral embolism and thrombosis (4,782). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans (159), multiple sclerosis (153), epilepsy (85) and other cerebral paralysis (64). Nonmeningococcal meningitis deaths numbered 59 compared with 45 in 1956.

The vascular lesions of the central nervous system show a heavier crude death-rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System.—Deaths in this group numbered 22,879 of which 20,565 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of Classification in 1941 reduced this number slightly (about 1 per cent.) and in the two following years there was a substantial diminution in deaths from these causes. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only ½ per cent. in deaths allocated to this group.

Of the total deaths from diseases of the heart the vast majority (17,840) are ascribed to the arteriosclerotic or degenerative categories. Of these 9,513 were arteriosclerotic heart disease (including coronary thrombosis), 7,970 other forms of myocardial degeneration and 357 chronic endocarditis not specified as rheumatic.

Coronary Thrombosis.—Mortality ascribed to this cause shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In the group 40-44 the male rate is more than five times that of the female. After age 50 the male:female ratio declines progressively, but even in the oldest age groups mortality is twice as heavy as that of females.

Deaths from chronic rheumatic heart disease numbered 907 compared with 819 in 1956. Acute rheumatic fever accounted for 45 deaths, a decrease of 3 from the previous year. Deaths from acute non-rheumatic conditions of the heart were 113. Functional and other and unspecified diseases of the heart caused 523 deaths. Hypertension accounted for 1,806 of which 1,182 were associated with heart disease. General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1957 there were 1,166 deaths ascribed to this cause, compared with 1,312 in 1956.

Diseases of the Respiratory System.—Deaths from these causes accounted for 5,274 deaths, compared with 4,849 in 1956. Of these the principal individual causes were bronchitis (2,013), bronchopneumonia (1,467) and lobar pneumonia (369).

In 1957 deaths from pneumonia and bronchitis were above the five years' average but showed an improvement as compared with 1950.

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,023 compared with 2,069 in 1956. The principal conditions under this heading are ulcer of stomach (238) and duodenum (326) and diarrhœa between four weeks and under two years of age (60). In the last named there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 103 and from hernia and intestinal obstruction 423.

Diseases of Genito-urinary System.—These collectively numbered 1,239 deaths. They are 89 fewer than in 1956 and 86 below the average of the past five years. The principal components of the group are chronic nephritis (390) and diseases of the prostate (403). Deaths from diseases of the prostate were 29 less than in 1956.

Diseases of Pregnancy and Childbirth.—These numbered 46 and are five fewer than in 1956. They are 22 below the average of the past five years and almost a fifth of what were so registered ten years ago. The most prominent constituents are sepsis (including post abortive sepsis), hæmorrhage and toxæmias. The total deaths represent a rate of 0·5 per 1,000 live births. (Table K(1).)

In addition to the deaths classified as due to puerperal conditions there were 34 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K(2). The number in 1957 is 15 more than in 1956.

TABLE K (1).—Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1957.

	Births (Living Children)	Still-births	Deaths from all Puerperal Conditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Conditions	Death-rate per 1,000 Live Births			Death-rate (all Puerperal conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
Scotland ...	97,977	2,378	46	16	30	0·47	0·16	0·31	0·46
Counties of Cities ...	37,101	889	18	7	11	0·49	0·19	0·30	0·47
Large Burghs	17,434	412	5	4	1	0·29	0·23	0·06	0·28
Counties (ex Counties of Cities & Large Burghs) ...	43,442	1,077	23	5	18	0·53	0·12	0·41	0·52
Small Burghs	15,409	370	7	1	6	0·45	0·06	0·39	0·44
Landward ...	28,033	707	16	4	12	0·57	0·14	0·43	0·56

TABLE K (2).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1957

International Abbreviated List 'B'	Cause of Death	All Ages	Ages						
			15–19	20–24	25–29	30–34	35–39	40–44	45 and over
12	Acute poliomyelitis	1	—	—	1	—	—	—	—
46·1	Other general diseases	1	—	—	—	—	1	—	—
24	Rheumatic fever	1	—	1	—	—	—	—	—
25	Chronic rheumatic heart disease ...	9	—	3	2	3	1	—	—
26	Arteriosclerotic and degenerative heart disease	2	—	—	1	1	—	—	—
27	Other diseases of the heart ...	1	—	—	—	1	—	—	—
46·3	Other circulatory disease ...	1	—	—	—	—	—	1	—
30	Influenza	10	—	3	4	2	1	—	—
31	Pneumonia	3	—	2	—	—	1	—	—
32	Bronchitis	1	—	—	1				
46·4	Other respiratory diseases ...	1	—	—	—	1	—	—	—
35	Intestinal obstruction and hernia	1	—	—	—	—	1	—	—
46·7	Other diseases of genito-urinary system	1	—	—	—	1	—	—	—
41	Congenital malformations ...	1	—	—	—	—	1	—	—
	Total ...	34	—	9	9	9	6	1	—

Diseases of Skin and Cellular Tissue.—There were 48 deaths from these causes compared with 60 in 1956 and 108 in 1946. There were over 300 deaths in this group in 1936 and 1937 and since then the general trend has been downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Movement.—These causes accounted for 276 deaths during the year.

Malformations.—There were 718 deaths from these compared with 662 in 1956. Congenital malformations of the heart were the most frequent (240). These were followed by spina bifida (144), digestive system (96), hydrocephalus (70) and genito urinary system (65). The vast majority (75 per cent.) of these deaths took place in the first year of life.

Table L (1) shows these deaths distributed in age groups. Of the 718 who died from congenital malformations 540 died at ages under one year and of these 250 did not survive a week. Table L (2) shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1953. The rate for congenital malformations was 7·33 in 1957 compared with 6·95 in 1956. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

Internal changes in classification of causes such as prematurity affect some of the rates in comparisons of the years 1950-56 with earlier years.

TABLE L (1).—Deaths from Congenital Malformations in 1957

(International Nos. Detailed List 750–759)

Causes of Death	Persons	Males	Females	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 m'ths	3–5 months	6–8 months	9–11 months	1–4 years	5–9 years	10–14 years	15–24 years	25 years and over
Spina Bifida, Meningocele (751) ...	144	71	73	18	27	23	7	9	22	14	7	5	7	2	1	–	2
Congenital Hydrocephalus (752) ...	70	34	36	12	8	5	2	1	10	8	3	4	9	3	–	3	2
Congenital Heart Disease (754) ...	240	127	113	17	40	10	9	10	28	28	13	3	17	9	8	14	34
Other Congenital Malformations of Digestive System (756.2) ...	90	60	30	5	39	10	5	3	7	3	3	–	7	–	–	–	8
Other Congenital Defects (Residual) ...	174	98	76	67	17	6	2	6	15	4	4	1	5	2	2	4	39
Total	718	390	328	119	131	54	25	29	82	57	30	13	45	16	11	21	85

TABLE L (2).—Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy

(International Nos. Detailed List 750-776)

Causes of Death	1936–40	1941–45	1946–50	1951–55	1953	1954	1955	1956	1957
Congenital Malformations (All Ages) 750–759	6·87	7·28	6·58	6·85	6·80	7·32	6·72	6·95	7·33
Do. (Under 1 Yr.)	6·20	6·33	5·47	5·25	5·05	5·62	5·17	5·33	5·51
Hydrocephalus ... 752	0·70	0·74	0·64	0·70	0·66	0·69	0·72	0·65	0·71
Spina Bifida, Meningocele ... 751	1·89	1·93	1·38	1·54	1·40	1·73	1·64	1·50	1·47
Congenital Heart Disease 754	2·26	2·26	2·11	2·24	2·13	2·37	2·26	2·37	2·45
Congenital Pyloric Stenosis 756·0	2·02	2·34	0·48	0·11	0·11	0·11	0·05	0·05	0·06
Other Congenital Defects ... ... Residual			1·97	2·26	2·50	2·42	2·04	2·37	2·63
Diseases of Early Infancy 760–776	30·61	27·74	20·24	17·24	16·05	16·78	16·24	15·44	15·60
Debility ... ... 773 A & B	7·09	5·22	1·93	0·74	0·55	0·67	0·45	0·30	0·24
Premature Birth ... 776	16·79	15·07	10·39	5·50	5·09	5·09	5·09	4·34	4.63
Injury at Birth ... 760–761	3·22	3·19	2·94	2·78	2·54	2·62	2·54	2·63	2·54
Asphyxia at Birth ... 762			2·99	4·58	4·66	5·07	4·99	4·99	5·24
Other Specified Causes ... ... Residual	3·50	4·27	2·00	*3·65	*3·20	*3·33	*3·17	*3·08	2·94
Total (All Ages)	37·48	35·02	26·83	24·09	22·85	24·10	22·96	22·39	22·92

* Includes pneumonia of newborn and diarrhœa of newborn

Diseases of Early Infancy.—Deaths from this group of causes totalled 1,528 compared with 1,472 in 1956. The most important individual component of this group is postnatal asphyxia and atelectasis, deaths from which numbered 513, just over a third of the total. Prematurity unqualified, birth injury, pneumonia of newborn and hæmolytic disease are next in order of importance. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate per 1,000 live births for 1957 was 2·54 compared with 2·63 in 1956.

Senility.—Only 580 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—2,801 deaths from causes other than natural causes were registered in 1957. 2,342 were from accidents and 420 from suicide. Of the remainder, 29 were caused by homicide.

There were 697 transport accidents in 1957, one more than in 1956. The majority were motor vehicle accidents—565—an increase of six from the previous year. Of the remainder, 54 were from railway accidents, 22 from road transport fatalities other than with motor vehicles, 43 in water transport accidents and 13 in air transport accidents.

The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in the following table. The figures are given by sex and by five age groupings. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population. Mortality has been notably heavy among young children and older people.

TABLE M (1).—Deaths from Road Transport Accidents, 1934-1957

		All Ages	0-4	5-14	15-34	35-64	65 and over
MALES	1934-38 (average) ...	515	41	86	169	145	74
	1939-45 ,, ...	709	50	104	183	242	130
	1945	436	56	100	94	121	65
	1946	429	51	89	122	95	72
	1947	402	38	67	98	116	83
	1948	374	46	74	75	106	73
	1949	367	43	60	87	104	73
	1950	398	63	45	107	105	78
	1951	425	46	79	116	101	83
	1952	351	38	48	101	108	56
	1953	449	38	68	131	126	86
	1954	405	33	44	125	126	77
	1955	478	42	64	143	151	78
	1956	452	31	45	117	173	86
	1957	454	26	45	133	159	91
FEMALES	1934-38 (average) ...	162	21	37	25	42	37
	1939-45 ,, ...	188	22	43	29	50	44
	1945	135	18	33	21	33	30
	1946	163	23	35	19	39	47
	1947	162	21	40	23	36	42
	1948	164	25	37	24	28	50
	1949	150	23	32	19	40	36
	1950	134	15	32	15	33	39
	1951	141	19	33	18	30	41
	1952	133	22	14	27	35	35
	1953	153	16	35	22	37	43
	1954	158	20	28	17	46	47
	1955	158	20	30	23	41	44
	1956	137	20	21	20	37	39
	1957	133	15	15	10	41	52

Other deaths by accident are divided according as they take place in the home or elsewhere. Deaths in the home in 1957 made up as usual the greatest individual group of fatal accidents. They numbered 1,060 or 45 per cent. of the total deaths from accidents. This was 54 more than in 1956.

The causes of accident in the home are indicated in Table M (2) below.

TABLE M (2).—Accidents at Home, 1957

International Nos. Detailed List	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	30	—	1	—	—	1	5	5	9	4	3	2	—	—
		F.	25	—	—	—	—	2	5	1	7	5	3	1	1	—
890–895	Accidental poisoning by gases and vapours ...	M.	89	—	1	1	1	1	7	5	10	19	20	16	8	—
		F.	104	—	—	—	1	2	5	9	7	14	21	36	9	—
900–904	Accidental falls	M.	150	—	3	1	1	1	3	6	7	14	23	51	40	—
		F.	353	—	1	—	—	—	1	4	8	13	30	167	129	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	41	2	2	2	—	2	1	4	6	3	8	7	4	—
		F.	55	2	7	6	1	—	—	4	4	10	6	8	7	—
919	Accidental injury by firearms	M.	4	—	1	—	1	2	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
921–925	Accidental mechanical suffocation	M.	107	78	5	—	—	1	2	4	5	7	3	2	—	—
		F.	72	62	1	3	—	—	—	—	1	3	—	1	1	—
926	Lack of care of infants under 1 year of age ...	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	—	1	—	—	—	—	—	—	1	—	—	—	—
910, 913, 914, 923, 936, 962	Other and unspecified accidents	M.	17	2	4	—	1	1	—	1	2	—	3	3	—	—
		F.	9	1	2	—	1	—	—	—	1	—	1	2	1	—
	Total	M.	440	84	17	4	4	9	18	25	39	47	60	81	52	—
		F.	620	65	12	9	3	4	11	18	28	46	61	215	148	—

Accidental falls were the main cause, accounting for 503 deaths or 47 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 353 or over two-thirds of the total, and they took a very much heavier toll of older persons, as is seen from the fact that 87 per cent. of the deaths were of persons aged 65 and over (males 76 per cent., females 92 per cent.). Confining the percentage to persons aged 75 and over it was 77 per cent. (61 for males and 84 for females). The percentage of deaths from falls among persons under the age of 65 was 13 (24 for males and 8 for females).

Gas poisoning was the second heaviest cause of deaths in the home. It will be seen from the table that in 1957 there were 193 deaths, 89 of males and 104 of females, from accidental gas poisoning. 110 of these deaths were among persons aged 65 and over (males 44, females 66).

The third heaviest cause was suffocation, which caused 179 accidental deaths in 1957. No less than 140 or 78 per cent. were deaths of children under one, and six of the remainder were of children between one and four. 87 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 53 deaths of children under one 39 were due to suffocation in bed or cradle.

Accidents caused by fire etc. were the next heaviest contributor to deaths in the home in 1957. They caused 96 deaths. Among these there were 13 children under five and 40 persons aged 65 and over.

The following Table M (3) indicates the main causes of death by accident elsewhere than at home, but excluding deaths from transport accidents. (See Table M (1) and relative text.)

TABLE M (3).—Accidents elsewhere than at Home, 1957

International Nos. Detailed List	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	3	—	—	—	—	—	—	2	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	8	—	—	—	—	2	1	2	1	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
900–904	Accidental falls	M.	106	—	—	5	3	6	12	8	22	17	17	10	6	—
		F.	46	—	—	1	—	1	2	2	—	4	6	19	11	—
910	Blow from falling object...	M.	69	—	1	1	—	5	13	13	19	15	1	1	—	—
		F.	1	—	—	1	—	—	—	—	—	—	—	—	—	—
911	Accident caused by vehicle	M.	7	—	—	—	—	2	—	—	5	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
912	Accident caused by machinery	M.	25	—	—	—	—	2	4	8	5	3	3	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
915	Accident caused by pressure vessel ...	M.	1	—	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	38	—	—	—	—	6	6	12	8	4	2	—	—	—
		F.	3	—	—	—	—	1	—	—	—	1	1	—	—	—
919	Accidental injury by firearms	M.	3	—	—	1	1	—	—	—	1	—	—	—	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—	—
921-925	Accidental mechanical suffocation	M.	13	—	2	—	—	1	—	6	3	—	1	—	—	—
		F.	2	—	—	—	—	—	—	—	—	2	—	—	—	—
926	Lack of care of infants under 1 year of age ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion (excluding water transport) ...	M.	161	—	20	18	10	25	12	12	15	22	15	11	1	—
		F.	44	—	—	1	4	1	2	5	9	14	5	3	—	—
940–959	Medical or surgical complications and therapeutic misadventure ...	M.	8	1	—	1	—	1	—	1	2	—	—	2	—	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—	—
913, 914, 927, 928, 932, 933, 936, 962	Other and unspecified accidents	M.	37	—	1	1	1	4	9	5	5	7	1	2	1	—
		F.	6	—	—	—	—	—	—	2	2	—	2	—	—	—
	Total ...	M.	479	1	24	27	15	54	57	69	87	70	41	26	8	—
		F.	106	2	—	3	4	3	5	9	11	21	15	22	11	—

There were 205 deaths from drowning (excluding deaths in water transport) —the heaviest individual group. Next heaviest were accidental falls accounting for 152 deaths. 70 persons (69 males and one female) died from the impact of falling objects. 41 (38 males and 3 females) died through accidents caused by fire, explosion, hot substance, radiation, etc., and 25 (all males) from accidents caused by machinery.

Generally it will be observed from the table that, apart from deaths by drowning, deaths outside the home are comparatively few among children. On the other hand, as has been noticed, young children in the home are the main sufferers from death by suffocation. Young children in the home are also vulnerable, as the figures show, to accidents caused by fire, etc. Boys of school age are more liable to accidents outside than inside the home. In earlier adult life in the age groups from 15 to 44 accidents outside the home outnumber those in the home by over three to one in the male population, but in the female population accidents at home outnumber those outside it by about two to one. Between ages 45 and 64 males are again more vulnerable to accidents outside the home; but by now the women are even more vulnerable than before to accidents at home. At ages 65 and over domestic accidents are markedly more frequent than accidents elsewhere, especially for females.

The following Table M (4) compares in broad age groups the death-rates of males and females from accidents at home (Table M (2)) and from accidents elsewhere (Table M (3)), excluding transport accidents. It shows for each age group the death-rate per 100,000 of the population represented by the deaths from accident in that age group in Scotland in 1957.

TABLE M (4)—Death-rate per 100,000 from Accidental Deaths (excluding Transport Accidents)

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	Male	18	45	2	5	15	89
	Female	23	36	3	3	11	134
Accidents Elsewhere	Male	19	11	10	18	27	35
	Female	4	1	2	2	5	15
Total	Male	37	56	11	23	42	124
	Female	27	37	5	5	16	149

The over-all male rate is appreciably lower than for females as regards accidents at home; but it will be observed that the male rate is higher in each individual age group except for ages 5 to 14 and 65 and over. The latter rate for females is 50 per cent. higher. The figures show that males are more vulnerable to accidents outside the home in the proportion of nearly five to one. The difference is even greater in the age groups between 15 and 64.

Fatal accidents occurring in coal mines and quarries are included, where appropriate, in the previous tables. They are also separately accounted for by cause of death in Table N below. 41 per cent. of them were due to blows from falling objects. Accidents caused by fire and explosion of combustible material were the next heaviest causes and represent 32 per cent. of the total. The total was 38 more than in 1956 when there were 44 fatal accidents in coal mines and quarries in Scotland.

TABLE N.—Accidents in Coal Mines and Quarries, 1957

International Nos. Detailed List	Cause of Death	Total	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
902	Falls from one level to another	2	—	—	2	—	—	—	—
910	Blow from falling object ...	34	4	9	6	9	5	1	—
911	Accident caused by vehicle	6	2	—	—	4	—	—	—
912	Accident caused by machinery	6	—	3	1	1	1	—	—
914	Accident caused by electrical current	1	—	1	—	—	—	—	—
916	Accident caused by fire and explosion of combustible material	26	4	4	8	5	4	1	—
919	Accident caused by firearm	1	—	—	—	1	—	—	—
925	Accidental mechanical suffocation in other and unspecified circumstances	3	—	—	2	1	—	—	—
929	Accidental drowning and submersion	1	—	1	—	—	—	—	—
936	Other and unspecified accidents	2	—	1	—	—	1	—	—
	Total	82	10	19	19	21	11	2	—

Suicide.—Deaths from suicide numbered 420, (262 males and 158 females.) This is equivalent to a death-rate of 8 per 100,000 and is the same as that for 1956 and two above the average of the last five years. (Tables 41 and 42.)

A full list of deaths from accidental and suicidal poisoning and under anæsthetics will be found in Table 41. (see page 140)

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause-groups of death are, in descending order, heart disease, malignant disease, vascular lesions of the central nervous system, violence, congenital causes, bronchitis, pneumonia and tuberculosis. These together account for 83 per cent. of the total deaths in 1957. (See Table O below.)

TABLE O.—Relative Frequency of Causes of Death

Causes of Death	1957		1956	
	Number	Per cent of total	Number	Per cent of total
Heart disease	20,565	33·63	21,151	34·23
Malignant neoplasms... ...	10,747	17·58	10,754	17·40
Vascular lesions of the central nervous system	9,566	15·65	9,680	15·67
Violence	2,801	4·58	2,642	4·28
Congenital malformations and diseases of early infancy ...	2,246	3·67	2,134	3·45
Bronchitis	2,013	3·29	2,077	3·36
Pneumonia (excluding pneumonia of newborn)... ...	2,042	3·34	1,916	3·10
Tuberculosis (all forms) ...	723	1·18	801	1·30
Total ...	50,703	82·93	51,155	82·79

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under 28 days) will be found on page 22 for years and combinations of years back to 1911, but Table 29 shows for 1957 a closer analysis by age with classification according to cause of death. Of the 2,802 children who died before reaching one year of age, 909 died before they were a day old; 1,634 did not survive a week and no fewer than 1,920 or almost 69 per cent. of the total died before they were 4 weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 34). Compared with 1956 deaths from whooping cough increased by six, meningitis by 12 and pneumonia (excluding newborn) by 23, bronchitis decreased by 8, diarrhœa (excluding newborn) by 38 and pneumonia of newborn by 16.

Of all deaths under one year of age the most important numerically are congenital malformations, asphyxia and atelectasis, prematurity (unqualified), pneumonia (excluding newborn) and birth injuries in that order. (Table 29 and 42.)

Month of Registration.—Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 19). These deaths were at a maximum in March and December and at a

minimum in August. The incidence of individual causes throughout the year generally conforms to this pattern though the variation is considerable in deaths from pneumonia. (Tables 30 and 63.)

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to on page 21. The rate among illegitimate children is 43 per cent. above that for legitimate children—40 per 1,000 live births against 28 per 1,000 live births.

Table 31 shows for each large burgh and county the numbers of children who died in 1957 before reaching their first birthday. The duration of the lives of these children according to days, weeks or months is indicated in the headings to the table. The columns on the right-hand side of the table show the death-rates per 1,000 of the births in Scotland in 1957. Many of the rates are of course based on small numbers and are therefore of limited value. The figures show that children in the first four weeks of life were subject to much the heaviest mortality of the groups accounted for and that the mortality was specialy heavy on the first day of life and in the first week.

The neo-natal rates for Scotland as a whole have already been dealt with (see page 22) but in Table P there will be found for Scotland the death-rates for certain age groups within the first year of life for 1957 and previous years.

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922–1957

Year	Males						Females					
	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·5	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6
1952	39·3	20·1	4·1	5·6	6·2	3·3	30·8	15·7	3·2	4·1	4·3	3·5
1953	34·7	18·9	3·5	5·3	4·4	2·6	26·6	13·5	2·5	4·3	3·6	2·7
1954	34·9	20·2	3·4	4·3	4·1	2·9	26·9	15·2	2·3	4·2	3·1	2·0
1955	33·2	19·3	2·8	4·9	3·7	2·5	27·4	14·5	2·8	3·9	3·7	2·6
1951–55	36·8	19·8	3·7	5·4	4·9	3·0	28·8	14·9	2·9	4·3	3·9	2·9
1956	32·6	19·2	3·1	4·6	3·9	1·8	24·4	13·3	2·4	3.7	2·6	2·4
1957	32·6	19·2	3·4	4·1	3·5	2·3	24·4	14·0	2·4	3·1	3·0	2·0

*—Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months

Death-rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars General death-rates for Scotland and for England and Wales have been standardised by relating them to the age and sex distribution of the population of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the years 1953 to 1957. It will be observed that the standardised death-rate for all causes in Scotland is materially in excess of that in England and Wales. For individual causes, the leeway is greatest in rheumatic fever, diabetes mellitus and tuberculosis. In the case of syphilis, pneumonia, hypertensive disease and influenza, however, the Scottish rate is more favourable.

CENTRAL CLYDESIDE CONURBATION

A description of the Clydeside Conurbation was given in previous Reports but for reference purposes the constitution of the areas is again given. It is as follows:—

Dunbarton County (Part of)
- Clydebank Burgh
- Kirkintilloch Burgh
- Milngavie Burgh
- New Kilpatrick District of County

Lanark County (Part of)
- Glasgow City
- Airdrie Burgh
- Coatbridge Burgh
- Hamilton Burgh
- Motherwell and Wishaw Burgh
- Rutherglen Burgh
- Lanark Fifth District of County
- Lanark Sixth District of County
- Lanark Eighth District of County
- Lanark Ninth District of County

Renfrew County (Part of)
- Barrhead Burgh
- Johnstone Burgh
- Paisley Burgh
- Renfrew Burgh
- Renfrew First District of County
- Renfrew Second District of County

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year 1957. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

CENTRAL CLYDESIDE CONURBATION

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births	36,250	37,124	20·8
Deaths	20,478	20,965	11·8
Deaths under 1 year	—	1,201	32·4 per 1,000 live births
Marriages ...	15,828	—	8·9
Stillbirths ...	975	954	25·1 per 1,000 total births (including stillbirths)

The population of Central Clydeside at 30th June, 1957, is estimated at 1,782,170, more than a third of the population of Scotland. The birth-rate of 20·8 is 2·7 higher than that of the rest of Scotland whereas the death-rate of 11·8 is 0·1 less. The stillbirth-rate is 2·2 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 9·0 per 1,000 of the population against 6·2 in the remainder of Scotland. The excess of births over deaths in Scotland was 36,834, those in Central Clydeside accounting for no less than 16,159.

The infant mortality rate at 32·4 per 1,000 live births is appreciably higher than the rate of 26·3 for the rest of Scotland.

The over-all death-rate in the conurbation area is for males 1,305 per 100,000 of the population compared with 1,271 in the rest of Scotland. The female rates are 1,058 and 1,122 respectively. The accompanying table compares the rates by sex from the principal groups of causes of death. The conurbation area has a higher death-rate for males and mortality from respiratory tuberculosis is two and a half times and from bronchitis roughly one and a half times as high as that for the rest of Scotland. On the other hand the death-rates from heart disease and vascular lesions are lower than in the rest of Scotland.

Certain specified causes of death in the Central Clydeside Conurbation and the Rest of Scotland with their corresponding rates per 100,000 population—1957

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	255	125	197	87	30	13	12	5
2–5	Tuberculosis—other forms ...	16	10	16	17	2	1	1	1
6–10	Syphilis	25	7	47	15	3	1	3	1
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases	125	142	241	232	15	15	15	13
44–59	Malignant neoplasms	2,006	1,738	3,626	3,377	235	187	225	192
70	Vascular lesions of central nervous system	1,315	1,788	2,715	3,748	154	193	169	213
80–83	Heart disease ...	3,597	3,172	7,088	6,708	421	342	440	382
89–91	Pneumonia (excluding newborn)	463	348	604	627	54	37	37	36
92, 93	Bronchitis	634	266	781	332	74	29	48	19
99, 100	Ulcer of stomach and duodenum	136	45	289	94	16	5	18	5
104	Diarrhœa (excluding newborn)	53	52	78	76	6	6	5	4
108, 109	Nephritis	85	88	167	171	10	9	10	10
127–135	Congenital malformations and other diseases of early infancy	545	386	774	541	64	42	48	31
Residual of 1–137	All other natural causes	1,274	1,348	2,707	2,943	149	145	168	168
138, 139	Transport accidents ...	193	42	362	98	23	5	22	6
148	Suicide	90	40	172	118	11	4	11	7
Residual of 138–150	Other violence ...	334	222	612	518	39	24	38	29
	All causes	11,146	9,819	20,476	19,702	1,305	1,058	1,271	1,122

The over-all death-rate in the female population is more favourable in the conurbation area, but mortality from respiratory tuberculosis is almost three times as heavy as in the rest of the country. This excess, however, is offset by lower rates in the conurbation area in heart disease, vascular lesions of the central nervous system and malignant neoplasms—due doubtless, in part at least, to the younger age structure of the population in the conurbation.

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for respiratory tuberculosis, other forms of tuberculosis and bronchitis separately for the conurbation area, Glasgow and the remainder of the conurbation area.

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis—respiratory	30	13	34	15	24	11
2–5	Tuberculosis—other forms	2	1	2	1	2	1
92, 93	Bronchitis	74	29	85	34	58	21
89–91	Pneumonia (excluding newborn) ...	54	37	68	42	34	30
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases*	15	15	17	18	11	11

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1957 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1957.

The crude birth-rate for the year is 19·0 compared with 18·5 in 1956. If recent trends of birth and death-rates are maintained, the number of births of females in 1957 was adequate, with more than a little to spare, to maintain the population against a natural decline. The net reproduction rate is 1·272, which is ·044 higher than in 1956.

The crude birth-rates and the gross and net reproduction rates for each year from 1939 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17·4	1·051	0·932
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·3	1·427	1·281
1948	19·7	1·265	1·158
1949	18·7	1·228	1·131
1950	18·0	1·187	1·107
1951	17·7	1·171	1·099
1952	17·7	1·180	1·114
1953	17·8	1·179	1·121
1954	18·0	1·212	1·156
1955	18·0	1·230	1·173
1956	18·5	1·279	1·228
1957	19·0	1·326	1·272

Table 10 shows the number of births analysed by age of mother, and, so fas as legitimate births are concerned, by the duration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group. The single ages which contributed to the greatest number of children were 24, 25 and 26 years (in that order), and when related to legitimate births the ages were also 24, 25 and 26 years. At age 30 the number was much smaller. The largest number of illegitimate births was to mothers aged 20, 19 and 23 in that order. (Table 9.)

It will be observed from the following table that every year since 1940 the proportion of births to mothers in the age-group 20-24 was greater, and since 1947 much greater, than in 1939, the first year in which figures are available.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939 ...	81,669	18,605	25,661	19,267	100	100	100
1940 ...	81,248	19,086	26,068	18,619	103	102	97
1941 ...	83,800	19,933	26,038	19,410	107	101	101
1942 ...	84,187	20,827	25,396	19,459	112	99	101
1943 ...	87,450	21,285	24,417	21,361	114	95	111
1944 ...	88,308	21,614	23,402	22,062	116	91	115
1945 ...	89,398	18,940	21,163	19,791	102	82	103
1946 ...	97,465	22,228	29,070	24,450	119	113	127
1947 ...	106,836	25,804	33,600	24,795	139	131	129
1948 ...	94,568	24,117	30,001	20,255	130	117	105
1949 ...	90,451	23,586	29,628	17,949	127	115	93
1950 ...	87,693	23,168	27,964	18,193	125	109	94
1951 ...	86,047	23,244	27,302	18,306	125	106	95
1952 ...	86.116	23,616	27,078	18,808	127	106	98
1953 ...	86,682	24,140	27,391	19,325	130	107	100
1954 ...	88,138	25,437	27,374	19,673	137	107	102
1955 ...	88,548	25,595	28,491	18,786	138	111	98
1956 ...	91,244	26,637	29,151	18,895	143	114	98
1957 ...	93,960	28,010	30,022	18,812	151	117	98

Table 11 shows fertility by age of mother. The fertility rates for the 19 years 1939 to 1957 are summarised below.

TABLE F (a).—Fertility Rates by Age of Mother

LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year		All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939	...	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1940	...	115·2	448·9	322·7	213·6	131·3	77·4	25·0
1941	...	116·4	376·6	300·8	211·1	134·9	82·6	27·7
1942	...	114·3	354·3	290·9	208·3	133·3	82·0	26·8
1943	...	117·9	357·8	283·4	209·6	146·9	90·6	30·2
1944	...	118·3	340·9	284·8	210·0	153·8	92·4	31·3
1945	...	105·2	322·7	246·9	192·9	139·1	82·4	27·6
1946	...	131·6	385·0	290·7	264·9	180·5	98·6	28·5
1947	...	137·5	466·4	348·8	251·5	171·3	98·5	29·7
1948	...	120·4	458·0	320·8	213·4	145·2	84·7	26·9
1949	...	115·2	510·0	316·8	208·6	132·9	79·1	23·8
1950	...	111·7	478·8	312·5	202·1	133·5	74·6	22·8
1951	...	109·6	464·3	307·1	203·5	129·6	71·6	21·2
1952	...	109·4	456·9	302·3	206·2	128·8	71·0	20·3
1953	...	109·8	456·7	301·8	209·4	127·8	68·6	19·6
1954	...	111·2	451·8	310·9	208·0	128·2	68·0	19·9
1955	...	111·2	450·9	305·2	214·6	124·9	66·8	18·7
1956	...	113·7	454·4	308·4	215·6	129·2	68·4	18·1
1957	...	116·4	456·9	315·1	218·6	131·5	68·5	18·1

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year		All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939	...	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1940	...	7·7	4·7	12·5	12·0	10·7	7·6	3·1
1941	...	8·8	5·1	14·4	15·0	13·3	8·5	2·6
1942	...	10·0	5·2	16·3	18·6	15·3	9·9	3·4
1943	...	11·4	5·6	19·0	24·1	17·7	10·8	4·0
1944	...	12·1	5·2	19·8	29·7	20·1	11·6	3·6
1945	...	12·3	5·1	20·2	30·3	20·6	12·5	3·4
1946	...	11·5	5·1	18·0	29·3	19·0	11·9	3·6
1947	...	11·2	4·7	17·5	26·5	19·5	12·6	4·1
1948	...	10·4	4·8	15·4	24·9	19·7	12·1	4·0
1949	...	9·6	4·3	14·1	21·5	21·1	11·3	3·7
1950	...	9·0	4·1	12·8	19·9	19·0	11·6	3·6
1951	...	8·6	3·7	12·4	18·6	18·9	12·5	3·0
1952	...	8·2	3·7	11·7	17·6	18·2	11·2	3·5
1953	...	8·3	3·8	12·1	16·7	18·1	12·1	3·4
1954	...	8·4	3·8	12·4	17·7	16·9	13·4	3·3
1955	...	8·2	3·6	12·5	17·3	18·1	11·9	3·8
1956	...	8·6	4·2	13·3	18·8	18·4	11·6	3·4
1957	...	8·8	4·2	14·1	19·9	17·6	12·2	3·6

On comparing the legitimate rates for 1957 with those of 1956 it will be observed that there is an increase at all age groups with the exception of 40-44. The illegitimate fertility rates each show an increase compared with the previous year except for the age-groups 15-19 and 30-34.

Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1957 according to the age of mother.

The following table gives a summary for the years, 1939 to 1957, of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	All ages	Age of Mother Under 20	20–24	25–29	30–34
1939	28·8	70·1	40·3	17·0	10·0
1940	24·9	61·3	34·8	14·6	9·2
1941	18·5	53·6	24·2	10·4	8·5
1942	17·0	52·3	21·2	9·5	7·4
1943	14·4	49·0	17·4	7·9	6·2
1944	14·3	51·1	17·0	7·8	6·2
1945	15·2	51·1	18·5	8·3	6·5
1946	13·4	51·4	17·2	7·8	6·1
1947	15·1	50·8	18·9	9·6	7·7
1948	19·1	56·6	23·7	11·6	8·4
1949	20·4	59·8	24·3	11·3	8·7
1950	20·2	60·0	24·6	10·0	8·1
1951	19·8	60·3	23·6	9·9	9·1
1952	19·2	59·4	22·5	9·3	8·6
1953	18·6	59·9	21·7	8·8	7·0
1954	18·2	59·8	20·7	7·3	6·4
1955	17·6	56·1	19·6	7·3	7·0
1956	17·7	56·1	18·8	7·2	6·8
1957	16·8	54·4	17·4	6·8	5·8

The percentage of first births taking place within eight months of marriage is 0·9 below that for 1956. If these are added to the number of illegitimate births, the combined total is 3,715 below that for 1939; and 148 below that for last year.

In the Report for 1956 a summary of Table 13 was given for the year 1939, and 1948 to 1956 (Table F (c)). This table is now repeated for the years 1939, and 1949 to 1957.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1949	1950	1951	1952	1953	1954	1955	1956	1957
0	28,976	34,177	31,843	30,834	31,468	31,641	32,313	32,738	33,681	34,923
1	19,473	25,893	25,284	24,795	24,214	24,233	24,744	24,544	26,032	26,488
2	11,757	13,474	13,804	13,952	13,758	14,073	14,146	14,309	14,615	15,066
3	7,391	6,955	6,926	7,129	7,316	7,507	7,619	7,538	7,566	7,787
4	4,771	3,838	3,770	3,725	3,871	3,990	4,165	4,166	4,093	4,262
More than 4	9,301	5,979	5,886	5,478	5,356	5,159	5,125	5,186	5,223	5,388
Not stated	—	135	180	134	133	79	26	67	34	46
TOTAL	81,669	90,451	87,693	86,047	86,116	86,682	88,138	88,548	91,244	93,960

In 1957 there was a total increase of 2,716 legitimate births compared with 1956 and first births increased by 1,242. The total legitimate births increased by 3·0 per cent., first births increased by 3·7 per cent., second births increased by 1·8 per cent. and third births increased by 3·1 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage was 35·5 in 1939. It was 37.8 in 1949 decreasing to 35·8 in 1951. Since then the rate has generally increased from 36·5 in 1952 to 37·2 in 1957.

Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The following table, covering the period 1939 and 1946 to 1957 and relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born has been decreasing from 1939 but since 1948 the downward trend has been very slight. The figure for 1957 (2·39) is the same as that for 1956 and ·04 less than in 1948.

Duration of Marriage	Average number of children by present husband in family including stillborn and dead												
	1939	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
Under one year ...	1·03	1·04	1·03	1·03	1·03	1·03	1·03	1·03	1·02	1·02	1·02	1·02	1·02
1 ...	1·29	1·15	1·17	1·23	1·23	1·24	1·27	1·22	1·22	1·22	1·22	1·22	1·22
2 ...	1·77	1·55	1·56	1·69	1·71	1·73	1·71	1·69	1·66	1·67	1·68	1·69	1·69
3 ...	2·14	1·79	1·82	1·96	2·01	2·06	2·04	2·03	2·03	1·98	1·99	2·00	2·00
4 ...	2·48	1·95	2·00	2·22	2·25	2·30	2·33	2·35	2·29	2·29	2·30	2·27	2·29
5 ...	2·77	2·13	2·17	2·38	2·49	2·53	2·56	2·60	2·58	2·58	2·57	2·55	2·53
6 ...	3·17	2·39	2·39	2·54	2·65	2·76	2·78	2·83	2·88	2·85	2·86	2·84	2·81
7 ...	3·50	2·76	2·67	2·74	2·81	2·94	3·00	2·99	3·08	3·11	3·11	3·10	3·12
8 ...	3·83	3·09	3·06	3·02	3·02	3·08	3·20	3·28	3·27	3·34	3·39	3·34	3·36
9 ...	4·10	3·40	3·34	3·40	3·37	3·26	3·35	3·44	3·52	3·54	3·63	3·63	3·62
10–14 ...	5·06	4·27	4·22	4·32	4·29	4·18	4·13	4·06	4·05	4·12	4·17	4·14	4·16
15–19 ...	6·93	6·02	5·98	6·08	6·15	6·13	5·97	5·90	5·76	5·63	5·49	5·42	5·25
20–24 ...	8·94	7·94	7·93	7·93	7·78	7·91	7·90	7·81	7·74	7·59	7·40	7·28	7·20
25 and over ...	10·68	10·00	9·07	9·62	9·54	9·53	9·69	9·54	9·02	9·04	8·88	8·59	9·14
Total Present Husband...	2·79	2·46	2·37	2·43	2·42	2·45	2·45	2·44	2·43	2·42	2·41	2·39	2·39

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless gradually decreased from 15·6 in 1946 to 14·7 in 1952. From then there was an upward trend to 15·7 in 1956, but the rate for 1957 has fallen to 15·3. The number of deaths among divorced women is too small to give a reliable rate for individual years. In 1957 12 per cent. of the married women who died were under 45 years of age, whereas less than one per cent. of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
Married	15·4	17·0	17·1	16·7	16·6	16·3	16·2	16·0	16·1	16·0	17·0	16·8	16·3
Widowed	13·8	14·3	14·5	14·6	14·2	14·3	14·0	13·7	14·1	14·7	14·7	14·9	14·6
Divorced	35·0	31·1	24·3	26·5	23·9	26·5	28·0	18·2	31·4	28·0	22·8	28·6	23·0
All women who had been married ...	14·6	15·6	15·7	15·6	15·3	15·2	15·0	14·7	15·0	15·2	15·6	15·7	15·3

With reference to Table 17, analysis shows that general mortality in the married differs little from the not-married, but for individual causes married women show an excess in respect of diseases of female genitalia, diabetes, diseases of liver and gall bladder, cancer of uterus, benign neoplasms of female genitalia, hypertension and asthma, and lower rates for epilepsy, mental illness, breast cancer, violence, cancer of ovaries and tubes, diseases of genitourinary system and, in less degree, tuberculosis; and that parous compared with non-parous women show rates higher than average for diseases of female genitalia diabetes, epilepsy, diseases of liver and gall bladder, degenerative heart disease and diseases of veins, and more favourable rates for syphilis and sequelae, cancer of ovaries and tubes, mental disorders, thyrotoxicosis, cancer of breast, violence and benign tumours of the genitalia.

APPENDIX II

REGISTRATION OF STILLBIRTHS

The total number of stillbirths registered during the year 1957 was 2,378 and with 97,977 live births registered during the same period these stillbirths are equivalent to a rate of 23·7 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, 24·8 in 1953, 24·6 in 1955 and 23·9 in 1956. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland.

Stillbirths and Neo-natal Deaths.—The geographical distribution of these live and stillbirths (together with neo-natal deaths among live born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For local authority aggregates the stillbirth-rate is 23·4 in the cities, 23·1 in the large burghs, 23·4 in the small burghs and 24·6 in the landward areas. The corresponding rates in the previous year were 24·5, 24·3, 23·9 and 22·8.

As in previous years, the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Ayr (30), Greenock and Port Glasgow (28) and Rutherglen (27), the lowest in Airdrie (18), Aberdeen (15) and Perth (7). In the counties the highest rates were in Nairn (39), Caithness (34) and Argyll (32), the lowest in Inverness and Zetland (15), Kincardine (12) and Orkney (3). For the combined stillbirth and neo-natal rate, the lowest rates were in the burghs of Airdrie (34), Aberdeen (31) and Perth (22), and in the counties of Kirkcudbright (25), Sutherland (23) and Kinross (19). The heaviest were in the large burghs of Dumfries (61), Rutherglen (54) and Port Glasgow (49) and in the counties of Caithness (54), Nairn (53) and Berwick and Midlothian (49).

In Table SB (A) will be found the stillbirth rates aggregated for the four geographical divisions of Scotland. The rate in the West Central group of counties is highest with that for the Southern division second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for stillbirths and neo-natal deaths the rates follow the same pattern.) The stillbirth rate for large burghs is heavier than for the counties in the Southern Division.

TABLE SB (A).—Stillbirth Rates per 1,000 Births (Live and Still) by Divisions, 1957

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	19·9	15·3	21·8
East Central...	22·7	20·9	24·7
West Central	25·4	25·3	25·5
Southern	24·7	26·5	24·5
SCOTLAND	23·7	23·3	24·2

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

For Scotland as a whole in 1957, out of every 1,000 born alive or dead after the 28th week of pregnancy 42·8 died before or within 28 days of birth. This figure compares with 43·9 in 1954-1956 and with 77·3 in 1939. The rates for individual years since the beginning of stillbirth registration are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL, 1939-1957

Year		Still-births	Neo-natal Deaths*	Total
1939	...	42·2	35·0	77·3
1940	...	42·1	35·7	77·8
1941	...	39·6	38·4	77·9
1942	...	38·2	33·7	71·9
1943	...	35·6	31·7	67·3
1944	...	32·5	31·7	64·2
1945	...	32·8	27·6	60·4
1946	...	32·3	28·9	61·2
1947	...	30·5	27·7	58·2
1948	...	28·7	24·4	53·1
1949	...	27·1	22·5	49·7
1950	...	26·9	22·4	49·3
1951	...	26·6	21·7	48·3
1952	...	26·2	21·1	47·3
1953	...	24·8	18·8	43·6
1954	...	25·3	20·1	45·5
1955	...	24·6	19·2	43·8
1956	...	23·9	18·6	42·5
1957	...	23·7	19·1	42·8

* These neo-natal rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the stillbirth-rate rather more regularly than the neo-natal rate but each is now not much more than half of the rate registered 18 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 23·7 per 1,000 total births, this rate being at its lowest when the mother was aged 20-24 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years that the younger the mother in general, the less risk there is of stillbirth. For every age-group the illegitimate stillbirth-rates are higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz.: a fairly steady increase with increasing age of mother.

Table SB (B) has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous exceeds the rate for multiparous births at most ages of mother, and especially so at younger ages.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of stillbirth varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

TABLE SB (B).—Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1957

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	20	21	13
20—	18	21	13
25—	21	28	18
30—	25	30	24
35—	36	38	36
40 and over	52	52	52
ALL AGES	23	25	23

To examine separately the influence of parity and age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth-rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The stillbirth-rate for first births is generally above the average rate for each maternal age group.

TABLE SB (C).—Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1957

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	25	21	21	28	30	38	52
1–3	19	13	13	17	22	31	41
4–6	36	—	19	27	32	42	52
7–9	50	—	—	10	43	51	65
10 and over ...	76	—	—	—	—	58	105
TOTAL ...	23	20	18	21	25	36	52

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate stillbirths.—Of the 2,378 stillbirths, 125 or 5·3 per cent. were illegitimate, this being an appreciably greater proportion than among living births, 4·1 per cent. of which were illegitimate. The stillbirth-rate was 30·2 per 1,000 total illegitimate births but it varied with age of mother, being 25 for young unmarried women in age groups under 20 years and the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 23·4 per 1,000 and this better experience is apparent in every age group.

The percentage of illegitimate stillbirths and live births are compared for individual years as follows:

PERCENTAGE OF ILLEGITIMATE STILLBIRTHS TO TOTAL BIRTHS, 1939-1957

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8
1953	6·5	4·7
1954	6·1	4·5
1955	6·0	4·3
1956	5·9	4·3
1957	5·3	4·1

Multiple Births.—On page 13 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when stillborn children are included it is found that there were 109 additional cases of the birth of twins in 80 of which one was stillborn (the others being included among the single births) and in 29 of which both were stillborn. In addition to the 10 cases of living triplets, there was one case in which one was stillborn (the other two children ranking as twin births) and another case in which all three were stillborn. (See page 102.)

Adding the number of stillbirths to the living births, it is found that the total number of children born was 100,355, of whom 97,977 were live born and 2,378 stillborn, the total number of confinements being 98,923. Of these confinements 97,503 resulted in a single birth, 1,408 in a twin birth and 12 in a triplet birth. Of the 2,816 twin children 138 were stillborn—a rate of 49 per 1,000 twin children compared with 24 for all children and 23 for single births. The total confinements according to plurality or otherwise are summarised below.

The percentage of mothers who gave birth to two or more children was 1·44 compared with 1·35 in 1956. In Table 2 rates will be found from 1855 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1·27 and 1·45 but does not show any general trend.

TABLE SB (D).—Multiple Births, 1957

Number of children born	Confinements	Living born Children	Stillborn Children
1 living	95,267	95,267	—
1 stillborn	2,236	—	2,236
2 living	1,299	2,598	—
1 living, 1 stillborn ...	80	80	80
2 stillborn	29	—	58
3 living	10	30	—
2 living, 1 stillborn ...	1	2	1
3 stillborn	1	—	3
TOTAL ...	98,923	97,977	2,378

Certification.—In the great majority of the 2,378 stillbirths registered, the cause of death was certified by a medical practitioner (2,360) and in only nine by a certified midwife. There were five cases of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and four cases in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 99·2 and 0·4 respectively. In 1956 the corresponding figures were 99·1 and 0·7 and in 1939 94·4 and 5·3 respectively.

Principal Causes of Stillbirth.—The causes of stillbirth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. Of the 2,378 stillbirths, 513 were attributed to fœtal defects, 428 to other placental and cord conditions, 398 to antepartum hæmorrhage, 361 to ill-defined causes, 284 to difficult labour and 218 to toxæmias of pregnancy.

In group I (acute and chronic diseases of mother) only 73 cases are included, of which the chief individual components are diseases of the circulatory system (35) and diabetes (9). Deaths from toxæmia, of which 87 per cent. were from eclampsia, numbered 218 compared with 207 in 1956 and 256 in 1951. Fœtal deaths attributed to difficulties at birth numbered 284, of which 65 were certified as birth injury. There were four deaths from birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of fœtus (92 cases of which six were also stated to be immature), disproportion (52 with 24 immature) and abnormality of forces of labour (26 with four stated as immature). (The individual causes within this group are not readily comparable with these in the list in use prior to 1950.) Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little under five per cent. of this whole group being ascribed to placenta prævia. Of stillbirths ascribed to congenital defect, the most important individual defects were anencephalus (289) and hydrocephalus (124), these accounting for four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 428 deaths, roughly equal numbers being found for prolapse, torsion of cord and for placental infarct. Ill-defined and unknown causes constitute 15 per cent. of stillbirths (the same as in 1956), and compare favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For toxæmias, antepartum hæmorrhage and other defined causes the rates rise steadily with age of mother. For the remaining groups, the rates in the first age group (under 20 years) are higher than at 20-24 years but thereafter, as in other groups, these rates also progressively increase with advance of maternal age.

TABLE SB (E).—Stillbirths per 1,000 Births (Live and Still) by Age and Disease Groups, 1957

Age of mother	All causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	21	0·6	1·5	2·5	3·8	5·8	2·3	0·4	3·8
20—	18	0·5	1·7	2·5	3·4	4·3	1·9	0·6	2·9
25—	21	0·8	1·8	3·6	4·1	4·3	2·8	0·9	3·1
30—	25	0·7	2·2	4·5	4·2	5·3	3·2	1·6	3·7
35—	37	1·0	3·2	7·0	6·4	7·9	4·7	1·7	4·9
40 and over	53	2·0	7·3	10·0	8·3	9·6	4·3	2·0	10·0
All Ages	24	0·7	2·2	4·0	4·3	5·1	2·8	1·0	3·4

Sex Ratios.—The ratio of male to female stillbirths for groups of causes is given below.

	1957	1956
Acute and chronic disease in mother ...	0·87	0·95
Toxæmias	1·08	0·93
Antepartum hæmorrhage	1·36	1·37
Other placental and cord conditions ...	1·09	1·07
Fœtal defects	0·50	0·51
Difficult labour	1·76	1·32
Other defined causes...	1·15	1·68
Ill-defined or unknown causes	1·10	1·30
ALL CAUSES	1·01	1·01

For 1957 the ratio of male : female stillbirths was 1·01, the corresponding ratio for live births being 1·06. This ratio throughout the years from 1939 has fluctuated between 1·01 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is more pronounced for the cause groups, difficult labour and antepartum hæmorrhage, but for fœtal defects there is a decided female excess.

Causes of Stillbirth by Parity.—Table SB (F) shows the stillbirth-rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to toxæmias, other placental and cord conditions and difficult labour. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage, and other defined causes.

TABLE SB (F).—Stillbirth Rates per 1,000 Births (Live and Still) among Married Mothers, 1957

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·7	1·0	0·6
Toxæmias	2·2	3·1	1·6
Antepartum hæmorrhage	3·9	3·0	4·5
Other placental and cord conditions	4·2	5·0	3·8
Fœtal defects	5·1	5·5	4·9
Difficult labour	2·8	3·2	2·5
Other defined causes...	1·0	0·4	1·4
Ill-defined or unknown causes ...	3·5	3·5	3·4
ALL CAUSES	23·4	24·7	22·7

Illegitimate Stillbirths by Cause.—The number of illegitimate stillbirths analysed by cause is shown in the last column of Table 22. There were, in all, 125 stillbirths from unmarried mothers, the rate being 30·2 per 1,000 compared with 23·4 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in ill-defined or unknown causes, difficult labour and antepartum hæmorrhage.

Month of Registration.—Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 21 in October and 27 in December. The quarterly rates showed no marked or regular seasonal fluctuation either for all or for individual cause groups of stillbirths. (Tables 63 and SB (G).)

Stillbirths by Cause and Place of Occurrence.—Table 23A shows the stillbirths by cause subdivided by place of occurrence. Of the total 2,378 stillbirths, 1,938 or 81·5 per cent. occurred in institutions. The highest proportions are, as expected, found for acute, serious illness peculiar to pregnancy such as eclampsia, and accidental hæmorrhage or general illness such as diabetes and heart disease, and anencephalus, erythroblastosis and asphyxia. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for difficult labour with malposition of fœtus, placental infarct, spina bifida, premature birth (cause not stated) and unknown causes. These figures naturally afford no information on the relative safety to the fœtus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the latter, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour, preclude any inferences on these lines on the basis of such data as those in Table 23A.

Stillbirths by Cause and Local Authority Area.—In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47.

TABLE SB (G).—Stillbirth Rates per 1,000 Births (Live and Still), 1957

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Antepartum hæmorrhage	Other Placental and Cord Conditions	Fœtal Defects	Difficult Labour	Other Defined Causes	Ill-defined or Unknown Causes
1st Quarter	25	0·5	2·4	4·3	4·3	6·1	2·4	1·1	3·8
2nd Quarter	24	0·7	2·7	3·5	4·4	4·9	3·4	0·7	3·2
3rd Quarter	23	0·8	1·7	4·1	3·9	5·0	2·2	1·2	4·0
4th Quarter	23	0·9	1·8	4·0	4·5	4·4	3·2	1·1	3·4
Year	24	0·7	2·2	4·0	4·3	5·1	2·8	1·0	3 6

APPENDIX III

BIRTHS, STILLBIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS 1957

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILLBIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS, 1957

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Stillbirths per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 28 days	28 days-11 months				
SCOTLAND								
I.	3,964	69	56	17	17·1	14·1	4·3	18·4
II.	10,660	226	175	56	20·8	16·4	5·3	21·7
III.	53,360	1,173	1,039	420	21·5	19·5	7·9	27·3
IV.	15,259	459	306	177	29·2	20·1	11·6	31·7
V.	13,197	404	293	189	29·7	22·2	14·3	36·5
NOT STATED	1,537	47	51	23	—	—	—	—
TOTAL	97,977	2,378	1,920	882	23·7	19·6	9·0	28·6
COUNTIES OF CITIES								
I.	1,569	22	21	10	13·8	13·4	6·4	19·8
II.	3,224	63	64	19	19·2	19·9	5·9	25·7
III.	21,377	497	446	180	22·7	20·9	8·4	29·3
IV.	4,505	129	98	56	27·8	21·8	12·4	34·2
V.	5,651	154	128	85	26·5	22·7	15·0	37·7
NOT STATED	775	24	15	8	—	—	—	—
TOTAL	37,101	889	772	358	23·4	20·8	9·6	30·5
LARGE BURGHS								
I.	571	8	10	—	13·8	17·5	—	17·5
II.	1,399	35	18	10	24·4	12·9	7·1	20·0
III.	10,224	204	196	93	19·6	19·2	9·1	28·3
IV.	2,065	68	53	27	31·9	25·7	13·1	38·7
V.	2,934	88	68	44	29·1	23·2	15·0	38·2
NOT STATED	241	9	7	3	—	—	—	—
TOTAL	17,434	412	352	177	23·1	20·2	10·2	30·3
COUNTIES (EX CO.S OF CITIES & LARGE BURGHS)								
I.	1,824	39	25	7	20·9	13·7	3·8	17·5
II.	6,037	128	93	27	20·8	15·4	4·5	19·9
III.	21,759	472	397	147	21·2	18·2	6·8	25·0
IV.	8,689	262	155	94	29·3	17·8	10·8	28·7
V.	4,612	162	97	60	33·9	21·0	13·0	34·0
NOT STATED	521	14	29	12	—	—	—	—
TOTAL	43,442	1,077	796	347	24·2	18·3	8·0	26·3

Numbers and rates are shown in the foregoing table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1957 confirms the conclusions to which that of previous years has pointed, viz.: that Social class has a much more marked effect on Infant Mortality than on the incidence of stillbirths, and that it is more important in post-natal than in neo-natal deaths. These conclusions are generally borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

The Scottish Infant Mortality rate for 1957 is 28·6, and this is the same as that for 1956. In the individual classes, however, it is found that, compared with the previous year, Classes I and II show increases and the remaining three classes each show a decrease. The post-natal mortality rate decreased from 9·5 in 1956 to 9·0 in 1957, a decrease which affected all classes except Class IV. The neo-natal rate increased from 19·1 in 1956 to 19·6 in 1957. the increase affecting Classes I, II and III. While such annual differences are evident, the general trend over the post-war years shows a fairly uniform rate of change in each of the five social classes for stillbirths as well as the two important sections of the infant mortality rate.

Age and Parity Distribution of Births in Different Social Classes.—Since age of mother and previous parity each have an influence on the outcome as regards stillbirth frequency and since explanation of the differences of stillbirth rates in the social classes is of importance, there are incorporated in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude stillbirth rates. Tables 27 and 28 show live births and stillbirths separately subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in Class I compared with Classes IV or V and the progressive and regular change in this respect throughout the social classes from I to V. Such differences of distribution would tend to produce favourable rates in Classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude stillbirth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier stillbirth rates in the upper classes. Moreover for specific previous parities, the tendency is for the average age to be higher in Classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the stillbirth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude stillbirth rates did not give a distorted view of social class differences of mortality in this period.

Causes of Stillbirths in Different Social Classes.—The relative importance of the several broad cause groups of fœtal death has already been noted. In Table 25 the registered causes of stillbirths are shown (in detail in respect of legitimate stillbirths only) for each of the five social classes.

The percentage social class distribution of total legitimate births, live and still, in Scotland is as follows: Class I 4·2, Class II 11·2, Class III 55·6, Class IV 15·3 and Class V 13·7 per cent. From the figures in Table 25, the following condensed table of number and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total stillbirth rates are attributable.

	No. of Stillbirths			Rate per 10,000 Births		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	11	34	24	7	6	9
Toxæmias	26	116	67	18	22	24
Antepartum hæmorrhage ...	40	195	142	27	36	51
Other placental and cord conditions ...	59	212	136	40	40	49
Fœtal defects	64	251	180	43	47	64
Difficult labour ...	37	130	98	25	24	35
Other defined causes ...	16	48	33	11	9	12
Ill-defined and unknown	41	163	130	28	30	47
All causes ...	294	1,149	810	199	215	290

While the rates for the five social classes increase progressively from Class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus relatively, the greatest divergencies between the two extreme pairs of social class are in antepartum hæmorrhage where the rate for Class IV and V exceeds that for I and II by 89 per cent. In ill-defined and unknown causes the excess is 68 per cent. and in fœtal defects 49 per cent. These same cause groups account for the greatest part (more than half) of the absolute differences between the extremes of social class. In spite of these differences there is a general similarity in the broad pattern of causes of stillbirths in all the social classes. Fœtal defects, other placental and cord conditions, antepartum hœmorrhage and difficulty in delivery are the more important causes. Ill-defined and unknown causes are also prominent in all classes.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of Classes IV and V is 65 per cent. higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal	170	206	230
Other causes	36	66	109

Relatively and absolutely the difference in infant mortality between social classes I and II and social classes IV and V is greater for the later death date of infancy, neo-natal causes being 35 per cent. higher in Classes IV and V than in

I and II, other causes being three times as high, and of the total absolute difference between the rate for class extremes a smaller contribution to this is made by the earlier causes (60 as compared with 63 per 10,000 for other causes).

The following table shows the experience over the last eight years of infant mortality from individual diseases or groups. The rates have been taken in two-year periods to provide more stable rates.

An examination of the rates shows that mortality in infancy is consistently heavier in Classes IV and V throughout the listed causes. In 1956-57 the relative excess over Classes I and II was greatest in pneumonia, diarrhoea and suffocation and least in birth injuries and other infantile diseases. The greatest contributions to the absolute difference in the total rate was made by pneumonia, asphyxia and atelectasis congenital malformations, other infantile diseases and suffocation which jointly contributed more than four-fifths of the excess.

Over the period covered by the table, relatively the greatest improvement in the total infant mortality was in Classes IV and V and the least in Classes I and II. For individual causes, the improvement was more than average in the case of epidemic diseases, pneumonia, digestive diseases and other infantile diseases. There was no improvement in congenital malformations or suffocation and an increase in the rate for asphyxia and atelectasis.

Infant Mortality per 10,000 Live Births by Cause in Social Class

International No.	Cause of Death	1950-51			1952-53			1954-55			1956-57		
		I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
001-019	Tuberculosis	–	3	3	1	2	3	–	1	1	1	0	0
020-029	Syphilis	–	0	1	–	–	1	–	0	–	–	–	–
055-057, 085	Epidemic diseases	3	8	12	2	5	7	3	3	4	1	3	4
340	Meningitis (not meningococcal or tuberculous)	1	2	4	1	1	4	2	2	3	2	2	2
490-493	Pneumonia (excluding newborn)	15	39	55	13	31	51	9	24	42	8	21	40
500-502	Bronchitis	2	5	7	3	4	6	2	4	5	2	3	4
470-483, 510-527	Other respiratory diseases	2	5	5	3	3	3	3	3	4	0	2	2
543, 571-572	Diarrhœa (excluding newborn) gastritis and duodenitis*...	8	20	35	3	13	20	5	10	14	2	7	12
530-542, 544-570, 573-587	Other digestive diseases	1	3	3	4	5	6	3	4	4	5	5	4
750-759	Congenital malformations	43	50	55	32	53	56	37	53	60	41	55	60
760-761	Birth injuries	27	33	34	23	27	25	21	25	27	22	25	28
762	Asphyxia and atelectasis	25	33	41	33	44	51	42	49	54	31	53	54
763	Pneumonia of newborn	7	15	21	7	12	10	8	11	17	6	10	13
764	Diarrhœa of newborn	2	3	5	2	2	3	1	1	1	1	1	3
765-776	Other infantile diseases	65	94	113	71	81	92	59	69	84	55	60	74
780a	Convulsions	2	6	13	1	4	11	0	5	6	2	4	5
Remainder	All other natural causes	9	12	16	8	10	13	7	6	11	7	6	12
E921-E925	Accidental mechanical suffocation, etc. ...	8	14	18	6	14	24	5	15	23	6	12	24
E800-E920, E926-E999	Other violence	–	1	1	0	1	1	0	2	1	1	1	1
	All Causes	220	346	442	212	312	386	207	287	358	193	269	342

* Diarrhœa only in 1950-53

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1956

A preliminary statement regarding marriages registered in Scotland during the year 1956 was incorporated in the Hundred and Second Annual Report, but as full details were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Hundred and Second Annual Report it was stated that the number of marriages registered in Scotland in 1956 was 43,971, but after complete examination of the registers the corrected number is found to be 43,963. This is 764 more than the number in 1955 and is much above the average numbers registered annually prior to 1939.

During the seven years 1939-1945 the number of marriages was in the region of 319,000. In the next seven years (1946-1952) the number had fallen to about 299,000. Even so, this is considerably higher than the 257,000 registered in the period 1932-38. Since 1953, however, there has been an upward trend from 40,902 to the 1956 figure of 43,963 which is the highest since 1947. The greatest number of marriages ever registered in any one year in Scotland was in 1940 when the total was 53,522.

The marriages in 1956 represent a rate of 8·55 per 1,000 population as against 8·42 in 1955.

Ecclesiastical, Civil and Irregular Marriages.—Of the 43,963 marriages registered, 36,086 or 82·08 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence. 7,870 or 17·90 per cent. were civil marriages under the Act of 1939, and 7 or 0·02 per cent. were irregular. Percentages in 1955 were 80·75, 19·22 and 0·03 respectively.

Civil marriages accounted for 25·4 per cent. of marriages in the cities, 18·3 in the large burghs and 8·9 per cent. in the counties, as against 26·9, 20·3 and 9·8 respectively in 1955. This percentage ranged in the cities and large burghs from 34·6 in Dunfermline, 34·2 in Dumfries and 33·0 in Edinburgh to 9·4 in Paisley, 8·5 in Airdrie, and 3·6 in Port Glasgow. In Glasgow it was 21·6. In the counties it ranged from 28·8 in Dumfries, 17·7 in Wigtown and 17·6 in Moray to 3·3 in Inverness, 2·6 in Kirkcudbright and 1·6 in Sutherland.

All the seven irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1956, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	24,915	23,254	653	916	92	93·3	2·6	3·7	0·4	69·0
United Free Church	415	282	105	24	4	68·0	25·3	5·8	1·0	1·2
Free Church ...	231	118	96	16	1	51·1	41·6	6·9	0·4	0·6
Roman Catholic Church	7,235	400	6,636	127	72	5·5	91·7	1·8	1·0	20·0
Scottish Episcopal Church	950	461	384	88	17	48·5	40·4	9·3	1·8	2·6
Congregational Church	1,054	738	272	37	7	70·0	25·8	3·5	0·7	2·9
Baptist Church ...	388	210	155	20	3	54·1	39·9	5·2	0·8	1·1
Methodist Church ...	352	184	152	15	1	52·3	43·2	4·3	0·3	1·0
Christian Brethren...	131	25	100	6	—	19·1	76·3	4·6	—	0·4
Jews	65	2	63	—	—	3·1	96·9	—	—	0·2
All other Ecclesiastical Marriages ...	350	159	175	13	3	45·4	50·0	3·7	0·9	1·0
All Ecclesiastical Marriages... ...	36,086	25,833	8,791	1,262	200	71·6	24·4	3·5	0·5	100·0

Method of Publication.—Of the 36,086 ecclesiastical marriages (i.e. those with a religious ceremony) 71·6 per cent. were solemnised after proclamation of banns, 24·4 per cent. after publication of notice, 3·5 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·5 per cent. were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 65·2, 30·7, 3·5 and 0·6 while in the counties they were 80·6, 15·5, 3·4 and 0·5.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (93·3 per cent. of all Church of Scotland marriages). In the Congregational Church 70·0 per cent. of the marriages celebrated were preceded by banns and in the United Free Church 68·0 per cent. On the other hand, 91·7 per cent. of Roman Catholic marriages and 96·9 per cent. of Jewish marriages were preceded by publication of notice.

Of the 7,870 civil marriages registered 7,399 were preceded by publication of notice at the office of the Registrar, while 471 were after Sheriff's licence under a provision of the Act of 1939 wherby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49, and 50.)

Church of Celebration.—Of the 36,086 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 24,915 or 69·0 per cent., those according to the forms of the Roman Catholic Church 7,235 or 20·0 per cent., of the Congregational Church 1,054 or 2·9 per cent., and of the Scottish Episcopal Church 950 or 2·6 per cent. (Tables Q and S.)

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1955 the percentage of marriages celebrated according to the forms of the Church of Scotland increased by 0·6, and that of the Roman Catholic Church by 0·9; while the percentage of marriages in the Scottish Episcopal Church decreased by 0·2 Civil marriages decreased by 1·3 per cent. compared with 1955.

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1956

	Number				Percentage of Total Marriages			
	Scotland	Counties of Cities	Large Burghs	Other Districts	Scotland	Counties of Cities	Large Burghs	Other Districts
Ecclesiastical Marriages								
Church of Scotland ...	24,915	9,030	4,230	11,655	56·7	46·8	51·4	70·9
United Free Church ...	415	137	61	217	0·9	0·7	0·7	1·3
Free Church	231	57	69	105	0·5	0·3	0·8	0·6
Roman Catholic Church	7,235	3,605	1,602	2,028	16·5	18·7	19·5	12·3
Scottish Episcopal Church	950	431	206	313	2·2	2·2	2·5	1·9
Congregational Church	1,054	524	241	289	2·4	2·7	2·9	1·8
Baptist Church ...	388	169	71	148	0·9	0·9	0·9	0·9
Methodist Church ...	352	180	101	71	0·8	0·9	1·2	0·4
Christian Brethren ...	131	41	41	49	0·3	0·2	0·5	0·3
Jews	65	50	—	15	0·1	0·3	—	0·1
All other Ecclesiastical Marriages	350	159	100	91	0·8	0·8	1·2	0·6
Irregular Marriages ...	7	1	—	6	0·0	0·0	—	0·0
Civil Marriages ...	7,870	4,906	1,506	1,458	17·9	25·4	18·3	8·9
Total Marriages	43,963	19,290	8,228	16,445	100·0	100·0	100·0	100·0

The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 56·7 per cent. of all marriages in Scotland. The proportion was 46·8 in the cities, 51·4 in the large burghs and 70·9 in the counties. In individual large burghs the highest percentages were 66·5 in Rutherglen, 65·3 in Falkirk and 65·2 in Arbroath. In the counties the highest were in Kincardine 90·1, Berwick 88·7 and Kirkcudbright 86·3. Roman Catholic marriages made up 16·5 per cent. of all Scottish marriages, the percentage being 18·7 in the cities, 19·5 in the large burghs and 12·3 in the counties. In the individual cities and large burghs the highest were 43·7 in Dumbarton, 41·2 in Coatbridge and 40·6 in Port Glasgow, and in the counties 28·2 in Lanark, 25·1 in Dunbarton and 22·8 in Renfrew. (Table 51).

Conjugal Conditions of those Marrying.—Of the 43,963 males marrying during the year, 40,874 or 93·0 per cent. were bachelors, 1,760 or 4·0 per cent. were widowers and 1,329 or 3·0 per cent. had been divorced. Of the same number of females, 41,220 or 93·8 per cent. were spinsters, 1,317 or 3·0 per cent. were widows, and 1,426 or 3·2 per cent. had been divorced. Compared with the previous year there is a decrease in the percentage of widows, widowers and divorced women and men, and an increase in the percentage of spinsters and bachelors. The following table shows the marriages registered during 1956 arranged according to the conjugal condition of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	39,370	574	930	40,874
Widowers	926	610	224	1,760
Divorced men	924	133	272	1,329
All men	41,220	1,317	1,426	43,963

From the above it will be seen that of the bachelors who married during the year 96 per cent. married spinsters and 1 per cent. married widows, while of widowers 53 per cent. married spinsters and 35 per cent. married widows. Of divorced men 70 per cent. married spinsters, 10 per cent. married widows and 20 per cent. married divorced women. Some 96 per cent. of the spinsters marrying during 1956 married bachelors, of the widows 44 per cent. married bachelors and 46 per cent. married widowers, and of the divorced women who

TABLE S.—Marriages in Scotland in 1956 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	24,915	15. International Bible Students' Association (Jehovah's Witnesses) ...	18
2. Roman Catholic Church ...	7,235	16. Church of England	17
3. Congregational Church ...	1,054	17. Elim Foursquare Gospel ...	15
4. Scottish Episcopal Church	950	18. Church of God	12
5. United Free Church ...	415	19. Reformed Presbyterian Church	10
6. Baptist Church	388	20. Other Religious Forms ...	116
7. Methodist Church	352	All Religious Forms ...	36,086
8. Free Church	231	Irregular Marriages ...	7
9. Christian Brethren (Plymouth Brethren) ...	131	Civil Marriages	7,870
10. Salvation Army	69	All Marriages	43,963
11. Jews	65		
12. Free Presbyterian Church...	53		
13. Church of the Nazarene ...	21		
14. Church of Christ	19		

remarried, 65 per cent. married bachelors, 16 per cent. married widowers and 19 per cent. married men who had also been divorced. These proportions do not differ materially from those observed in 1955. In the post-war period the marriages in which both parties had been divorced rose considerably above pre-war figures. In 1938 the number was 28, in the 10-year period 1947-1956 the figure never fell below 211, and the maximum figure recorded was 307 in 1952. The number in 1956 was 272. (Tables 52, 54 A and 54 B.)

The Table below shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced*	
1855–1860	100·0	84·3	11·2	—	90·1	5·4	—	4·5
1861–1870	100·0	87·3	11·5	—	93·6	5·2	—	1·2
1871–1880	100·0	87·8	12·0	—	93·5	6·3	—	0·2
1881–1890	100·0	88·6	11·4	—	94·2	5·8	—	0·0
1891–1900	100·0	90·1	9·9	—	94·6	5·3	—	0·0
1901–1910	100·0	91·4	8·5	—	95·0	4·9	—	0·0
1911–1920	100·0	91·7	8·3	—	93·4	6·6	—	0·0
1921–1930	100·0	92·6	7·4	—	95·2	4·8	—	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1941–1950	100·0	91·7	5·7	2·6	93·3	4·3	2·4	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0
1942	100·0	93·6	5·3	1·1	95·4	3·5	1·1	0·0
1943	100·0	91·9	6·3	1·7	94·2	4·3	1·5	0·0
1944	100·0	91·5	6·5	2·0	93·5	4·6	1·9	0·0
1945	100·0	92·5	5·5	2·0	93·8	4·2	2·0	0·0
1946	100·0	90·7	6·1	3·1	92·1	5·3	2·7	0·0
1947	100·0	90·2	5·7	4·1	91·2	5·3	3·5	0·0
1948	100·0	90·9	5·4	3·7	92·0	4·6	3·3	0·0
1949	100·0	90·8	5·5	3·7	92·4	4·2	3·4	0·0
1950	100·0	90·8	5·3	3·9	92·4	4·1	3·6	0·0
1951	100·0	91·6	5·1	3·3	93·1	3·7	3·2	0·0
1952	100·0	91·2	5·0	3·8	92·3	3·8	3·9	0·0
1953	100·0	91·8	4·9	3·3	92·9	3·5	3·6	0·0
1954	100·0	92·0	4·7	3·3	92·6	3·6	3·8	0·0
1955	100·0	92·5	4·4	3·2	93·3	3·1	3·5	0·0
1956	100·0	93·0	4·0	3·0	93·8	3·0	3·2	—

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

From the decennium 1871-1880 to that of 1931-40, apart from the first war period, 1911-20, the percentage of widows remarrying showed a progressive decline. It rose again during the second war in the period 1941-50 but from 1951 onwards it again decreased. The percentage of 3·0 in 1956 is 0·1 below the rate for the previous year and is the same as the 1931-40 average. The percentage of widowers remarrying has always been higher than that of widows, being approximately twice as much in the second half of last century, but the percentage has fallen so steadily that it is now only one-third higher than widows.

Marriages of divorced persons were first tabulated separately in 1933. Since then the proportion increased for each sex up to the year 1947 but from then the male proportion has declined slightly while that of the female has tended to rise.

The following table shows the number of divorces notified in each year and some detail regarding marriages of divorced persons. From 1934 until 1945 the annual number of divorced men and women who remarried was roughly equal, but in the five years 1946-50 there was a substantial excess of males. In 1951 they were again roughly equal but since then the position has been reversed and the females have exceeded the males. In the year 1956 the females exceeded the males by 97.

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933–35				*47·8*	*50·1*
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1936–40				*57·8*	*56·5*
1941	762	531	471	68·1	60·4
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1945	2,223	959	956	55·4	55·2
1941–45				*60·9*	*57·6*
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1
1950	2,196	1,558	1,446	63·9	59·3
1946–50				*65·5*	*58·5*
1951	1,944	1,357	1,338	61·8	60·9
1952	2,718	1,549	1,611	79·7	82·9
1953	2,365	1,368	1,480	50·3	54·5
1954	2,216	1,378	1,586	58·3	67·1
1955	2,073	1,368	1,526	61·7	68·9
1951-55				*61·4*	*65·9*
1956	1,883	1,329	1,426	64·1	68·8

* Including nullities

Ages of those Marrying.—The average age of all men marrying in 1956 was 27·7 and of all women 24·9. In 1938 the average age for males who married was 29·7 and for females 26·7. In 1946 these figures were 29·4 and 26·4. In the cities the average was 27·9 for men and 25·3 for women, in the large burghs it was 27·7 and 25·0 and in the counties 27·5 and 24·5 (Tables 53, 54, 54A and 54B.)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—	Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	26·0	38·9	33·3	26·3
Widowers marrying	49·6	57·8	50·5	52·5
Divorced men marrying	37·2	44·5	41·4	38·8
All men marrying	26·7	48·2	37·6	27·7

Average ages of—	Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	23·4	40·3	30·3	23·9
Widows marrying	40·2	52·6	43·2	46·3
Divorced women marrying	33·1	43·6	37·9	35·7
All women marrying	23·8	45·0	33·1	24·9

These do not show any marked differences compared with 1955. The average ages of widowers, divorced men and widows increased slightly.

For all marriages the average age of the bridegroom was 2·8 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, and since it has fluctuated between 2·8 and 3·0. In the case of bachelors and spinsters this excess was 2·6 (2·6 in 1955), of widowers and spinsters, 9·3 (9·7) and of widowers marrying widows 5·2 (5·7). In cases where either party had been divorced the average age of the bridegrooms was always higher than that of the brides.

The youngest bridegrooms of the year were 36 bachelors aged 16 and 224 aged 17 who all married spinsters. The youngest brides were 394 spinsters aged 16. Of these 390 married bachelors, two married widowers and two married divorced men. There were 1,296 brides aged 17, all spinsters, of whom 1,288 married bachelors, one married a widower and seven married divorced men. (Tables 55-59B.)

The oldest men who married during the year were two widowers both aged 84, one of whom married a spinster aged 61 years, and the other a widow aged 73 years. The oldest bride was a widow aged 86 years who married a widower aged 60 years. (Tables 55-59B.)

In the counties of cities and large burghs the average age at marriage among males ranged from 29·6 in Inverness, 29·3 in Rutherglen and 28·7 in Perth to 26·7 in Airdrie and Hamilton, 26·5 in Coatbridge and 26·4 in Port Glasgow. In the counties it ranged from 30·4 in Argyll and Ross and Cromarty, 30·2 in Sutherland and 30·0 in Dumfries to 26·7 in Fife, 26·6 in Kincardine and 26·5 in West Lothian. Among females the average age in the counties of cities and large burghs ranged from 26·6 in Rutherglen, 25·8 in Inverness and 25·7 in Dunfermline to 24·3 in Airdrie and Hamilton, 24·2 in Port Glasgow and 24·0 in Coatbridge. In the counties the range was from 26·4 in Inverness, 26·3 in Sutherland, and 26·2 in Ross and Cromarty to 23·8 in West Lothian, 23·4 in Kincardine and 23·1 in Dumfries.

The following table shows in age groups the number of persons married in each year from 1938 to 1956. During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25 has increased since 1938 by no less than 95 per cent. in the cases of males and 57

per cent. in that of females. From ages 25-44 the proportion has fallen considerably but at ages 45 and over more marriages now take place, especially among females where the percentage is 44 above that of 1938. But for the excess of those marrying at 45 and over the average age would have declined still further. Compared with 1955 both males and females show increases in the age groups under 25.

Age at Marriage, 1938-56

	Year	All Ages	Under 21	21–24	25–29	30-34	35–44	45 and over
Males	1938	38,716	1,648	9,192	14,292	7,215	4,205	2,164
	1939	46,236	2,554	11, 161	16,996	8,419	4,782	2,324
	1940	53,522	3,379	13,453	19,694	9,226	5,412	2,358
	1941	47,620	3,786	12,550	15,747	7,883	5,134	2,520
	1942	47,402	4,127	14,340	14,323	6,997	5,164	2,451
	1943	38,177	3,529	12,180	10,228	5,442	4,458	2,340
	1944	37,017	3,318	12,676	9,443	5,031	4,220	2,329
	1945	48,642	3,560	15,789	14,775	6,872	4,992	2,654
	1946	45,785	2,754	12,771	14,901	7,239	5,348	2,772
	1947	44,360	2,288	12,989	14,881	6,685	4,911	2,606
	1948	43,718	2,261	13,564	14,774	5,861	4,716	2,542
	1949	41,708	2,319	13,508	13,857	5,251	4,288	2,485
	1950	40,459	2,377	13,274	13,055	5,288	4,129	2,336
	1951	41,361	2,682	14,123	13,152	5,272	3,755	2,377
	1952	41,154	2,754	13,989	12,940	5,153	3,847	2,471
	1953	40,902	2,922	14,567	12,511	5,027	3,478	2,397
	1954	41,974	3,523	15,207	12,536	4,906	3,300	2,502
	1955	43,199	4,087	15,814	12,795	4,804	3,216	2,483
	1956	43,963	4,610	16,551	12,634	4,539	3,204	2,425
	1956 per cent. of 1938	113·6	279·7	180·1	88·4	62·9	76·2	112·1

	Year	All Ages	Under 21	21–24	25–29	30-34	35-44	45 and over
Females	1938	38,716	7,138	11,927	10,927	4,804	2,819	1,101
	1939	46,236	9,295	13,957	13,197	5,365	3,260	1,162
	1940	53,522	11,857	16,344	14,526	5,886	3,666	1,243
	1941	47,620	11,124	15,129	11,652	4,956	3,460	1,299
	1942	47,402	11,786	16,437	9,889	4,466	3,526	1,298
	1943	38,177	9,764	13,145	7,216	3,686	3,087	1,279
	1944	37,017	9,302	13,273	6,729	3,412	2,988	1,313
	1945	48,642	11,152	17,814	10,154	4,486	3,589	1,447
	1946	45,785	9,440	15,702	10,698	4,715	3,667	1,563
	1947	44,360	9,182	15,599	10,370	4,191	3,521	1,497
	1948	43,718	9,621	15,554	10,027	3,668	3,339	1,509
	1949	41,708	9,804	14,882	9,387	3,154	3,061	1,420
	1950	40,459	9,667	14,770	8,660	3,100	2,818	1,444
	1951	41,361	10,133	15,455	8,590	3,120	2,605	1,458
	1952	41,154	10,225	15,288	8,279	3,157	2,662	1,543
	1953	40,902	10,569	15,597	7,757	3,040	2,378	1,561
	1954	41,974	11,594	15,698	7,721	2,998	2,355	1,608
	1955	43,199	12,815	15,897	7,693	2,890	2,295	1,609
	1956	43,963	13,756	16,216	7,416	2,705	2,283	1,587
	1956 per cent. of 1938	113·6	192·7	136·0	67·9	56·3	81·0	144·1

The accompanying table shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1956. This comparative table indicates that both as regards males and females there are now more marriages in the younger age groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas today the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is more than twice that of 1938. The highest percentage of females now marrying is in the age-group 21-24 years. In 1938 this group also showed the highest percentage being slightly in excess of those in ages 25-29 but in 1956 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute more than a quarter of all marriages.

PERCENTAGE MARRIED IN EACH AGE GROUP, 1938-56

	Year	All Ages	Under 21	21–24	25–29	30–34	35–44	45 and over
MALES	1938	100	4·26	23·74	36·91	18·64	10·86	5·59
	1948	100	5·17	31·03	33·79	13·41	10·79	5·81
	1956	100	10·49	37·65	28·74	10·32	7·29	5·52
FEMALES	1938	100	18·44	30·81	28·22	12·41	7·28	2·84
	1948	100	22·01	35·58	22·94	8·39	7·64	3·45
	1956	100	31·29	36·89	16·87	6·15	5·19	3·61

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February 1957, with reference to the qualifying date, the 10th October, 1956.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were no by-elections held on the basis of the February 1957 register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1957.

APPENDIX VI

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1957

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
BURGHS							
ngwall	Extension within Civil Parish of Dingwall	3,367	1,561	1,806	3,371	1,562	1,809
madale	Extension within Civil Parish of Bathgate	5,804	2,836	2,968	5,804	2,836	2,968
va	Extension within Civil Parish of Alva	4,106	1,867	2,239	4,106	1,867	2,239
slie	Extension within Civil Parish of Leslie	2,612	1,256	1,356	2,612	1,256	1,356
ernethy	Extension within Civil Parish of Abernethy	676	308	368	676	308	368
LANDWARD AREAS							
ss and Cromarty County	Extension of Burgh of Dingwall ...	47,455	23,043	24,412	47,451	23,042	24,409
est Lothian County ...	Extension of Burgh of Armadale ...	49,867	25,051	24,816	49,867	25,051	24,816
ckmannan County ...	Extension of Burgh of Alva	14,640	7,210	7,430	14,640	7,210	7,430
e County	Extension of Burgh of Leslie	108,496	54,472	54,024	108,496	54,472	54,024
rth County	Extension of Burgh of Abernethy ...	59,839	29,412	30,427	59,839	29,412	30,427
COUNTIES	None	—	—	—	—	—	—
CIVIL PARISHES ...	None	—	—	—	—	—	—
REGISTRATION DISTRICT							
) Cleish ...	United under the name of "Kinross and Cleish" 462 ...	405	196	209	—	—	—
2 Kinross ...		2,967	1,393	1,574	—	—	—
2 Kinross and Cleish	See above	—	—	—	3,372	1,589	1,783
7 Perth ...	United under the name of "Perth" 387 ...	41,668	19,361	22,307	—	—	—
) Redgorton and Moneydie		1,443	719	724	—	—	—
7 Perth	See above	—	—	—	43,111	20,080	23,031
7a Banff ...	United under the name of "Banff" 147a ...	10,243	4,780	5,463	—	—	—
)a Boyndie		1,872	940	932	—	—	—
7a Banff	See above	—	—	—	12,115	5,720	6,395
) Cranston	United under the name of "Cranston and Crichton" 681 ...	565	268	297	—	—	—
Crichton ...		979	451	528	—	—	—
Cranston and Crichton ...	See above	—	—	—	1,544	719	825
t Borthwick	United under the name of "Borthwick and Stobhill" 674 ...	1,182	595	587	—	—	—
3b Stobhill ...		6,166	3,135	3,031	—	—	—
4 Borthwick and Stobhill ...	See above	—	—	—	7,348	3,730	3,618
7 Glencorse	United under the name of "Penicuik and Glencorse" 697 ...	1,661	1,132	529	—	—	—
7 Penicuik		6,268	3,010	3,258	—	—	—
7 Penicuik and Glencorse ...	See above	—	—	—	7,929	4,142	3,787

APPENDIX VII

RE-REGISTRATION OF BIRTHS

Registration of Births, etc. (Scotland) Amendment Act, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons, the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

Year	*No.*	*Year*	*No.*
1935	1,259	1947	717
1936	1,063	1948	648
1937	1,048	1949	534
1938	979	1950	552
1939	1,069	1951	507
1940	1,191	1952	507
1941	716	1953	469
1942	742	1954	449
1943	687	1955	401
1944	737	1956	511
1945	719	1957	382
1946	729		

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following table shows the number of adoptions recorded in each year:—

Year	*No.*	*Year*	*No.*
1930	3	1944	1,681
1931	347	1945	1,876
1932	492	1946	2,292
1933	437	1947	1,890
1934	602	1948	2,073
1935	683	1949	1,764
1936	704	1950	1,289
1937	820	1951	1,562
1938	812	1952	1,523
1939	1,100	1953	1,486
1940	1,424	1954	1,343
1941	1,222	1955	1,352
1942	1,563	1956	1,358
1943	1,747	1957	1,405

RECORDS IN GENERAL REGISTRY OFFICE

These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to have extracts from these registers, or to make search themselves in them, on payment of the prescribed fee. The earlier census records are also accessible for search or extract; so too the pre-1855 Church of Scotland records, so far as available, of births, baptisms, proclamations of banns, etc.

The following table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7
1951	103,436	77,816	25,620	28,595	3,927	18	4
1952	88,436	63,624	24,812	27,030	3,863	13	10
1953	82,710	57,876	24,834	25,902	3,811	10	10
1954	82,958	55,870	27,088	28,085	4,090	1	3
1955	60,671	32,663	28,008	27,672	4,116	8	7
1956	60,705	31,975	28,730	28,744	4,219	15	1
1957	53,416	22,701	30,715	30,313	4,476	10	8

Among the 22,701 official searches made in 1957, 391 related to claims for family allowances, and 19,682 to claims for contributory, non-contributory and service pensions.

APPENDIX VIII

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1953 to 1957.

The table has been compiled from statements received from Town Clerks and County Clerks.

APPENDIX IX

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1957

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes", a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar General, and the Notes are accompanied by statistics for some of the Principal Towns.

The present report, for the year 1957, is of a general character as to text, and to it are appended tables summarising the statistics of the various stations (pages 412-419).

General.—The outstanding features of the year are indicated in the course of the report. The most notable are:—

(a) The unusual mildness in the early and late months which contrasted with unseasonable weather in July and August.

(b) Over the greater part of the country, total precipitation did not differ greatly from the long-period average. In addition, there were no severe snow storms.

(c) Sunshine duration was above average in the southern half of the country and mainly below average in the north.

(d) Appreciably less than the average number of gales and thunderstorms but about the average frequency of fog.

Gales.—Winds reached gale force at exposed places on 122 days, considerably fewer than in 1956. In both January and February wind speeds in gusts exceeded 100 miles per hour. On January 31st a gust rose to 113 miles per hour at Tiree, and on 5th February gust speeds were 109 at Benbecula and 107 at Tiree. An unusually deep depression on 24th August led to a new "record" low barometric pressure for the month of August, a reading of 28·58 inches being recorded at Cape Wrath and Sule Skerry (an island 40 miles west of Stromness, Orkney).

Temperature.—Mean temperature, based on the records for the Principal Towns, was about one degree above average. The first half of the year was mainly mild. January was the mildest one in Scotland since 1949 and March the third mildest in records back to 1856. July, August and September were disappointingly cool but overall mildness marked the last quarter of the year. The lowest temperature readings for the year were an air minimum of 9°F. at Kincraig (Spey Valley) on 22nd February and 1°F. on the grass at Glenlivet (Banffshire) on 10th December. In most years, the thermometer in Scotland falls several degrees below these levels. The highest maximum—87°F.—occurred at Ruthwell, Dumfriesshire on 16th June, Scotland's warmest June day since 1941.

The beginning and end of both January and February were mild but in each a very cold northerly spell intervened causing severe frosts. March was unusually mild; indeed, the maximum reading of 72° at Elgin and Fochabers on the 12th was equalled only once (in March, 1945) since regular recordings began about 100 years ago. The mildness continued in April, which had a good deal of anticyclonic weather.

May was mild at the beginning and temperature rose into the 70's towards the end but there was an unsettled period in the middle, the resulting mean temperature being slightly below average.

June was the best month of the summer, there being a good deal of sunshine and moderate warmth after the 12th. From 13th-17th day temperature ranged from 75°-85°. July and August gave early promise of good weather but cool, dull and wet conditions followed. In September, which was cool on the whole, showers alternated with bright periods. The last three months were, on the whole, unsettled, and mild generally. There were, however, settled spells in November and December.

Rainfall.—Total precipitation in 1957 varied from 90 per cent. of average over small areas in Central Scotland and in the extreme Southeast to 120 per cent. or above in North Sutherland and in Orkney and Shetland. An excess in rainfall over the first quarter was followed by comparatively dry sunny weather in the second quarter. January was the wettest one in places since 1948, and March the wettest since 1928. April and May were relatively dry months and June, too, was dry in South Scotland where many places had an "absolute" drought—at least 15 consecutive days without measurable rain. At Inveraray there was no rain from 6th to 24th June.

July and August, though fine at first, became wet and unsettled, and there were only short fair spells in September. July was the wettest one in Scotland since 1940. Anticyclonic spells occurred in October and, after early storms, also in November. December, in contrast, was stormy and wet in most districts but the Border areas and the Southeast were favoured.

Amongst the heaviest falls during the year for the 24-hour rainfall day (9 a.m.—9 a.m.) were 3·20 inches at Inverailort Castle and 3·15 at Arisaig House, both on 24th July. Two days later, 3·17 fell at Brenchoillie Farm (Argyll). In August, 3·19 inches were recorded at Sourhope in the Cheviots on the 15th and 3·77 at Kinlochewe on the 23rd. Torrential rains between 7th and 12th December and on the 19th and 21st resulted in flooding. Some noteworthy falls on these dates were 4·31 at Bridge of Dye (Kincardine-shire) on the 10th and 4·03 at Ardgour, 3·97 at Conaglen, 3·68 at Kinlochourn, 3·41 at Inversanda House and 3·40 at Fort William—all on the 19th. On the 21st, Conaglen and Kinlochourn had 3·81 and 3·25 respectively.

Snowfall.—Snowfall in 1957 was not heavy. Snow and sleet showers occurred about the middle of January and on 27th January snow lay several inches deep in places. High ground had 4-6 inches of snow on 18th-23rd February. Slight snowfall occurred at the Devil's Elbow on 5th November but it was deeper between Cockbridge and Tomintoul on the Lecht road which was blocked. Perhaps the worst storm of the year came on 6th-14th December. Many main roads were blocked by drifts, about 7,000 vehicles being caught in a traffic jam on Beattock Summit, in Lanarkshire.

Thunder.—There were fewer than the average number of thunderstorms. Storms occurred at one place or other on 13 days in June, on 16 in July and on 11 in August. Widespread outbreaks, some of them severe, were experienced on 6th, 7th, 12th and 13th July.

Sunshine.—Records of bright sunshine were mainly above average in Southern districts but mostly below elsewhere. At Dundee, Renfrew, Eskdalemuir and Ruthwell aggregates for the year were more than 100 hours above average, and deficiencies of the same order occurred at Fortrose, Gordon Castle,

Inverness and Craibstone (near Aberdeen). The sunniest places were Dunbar (1,533 hours), Castle Douglas (1,495), Arbroath (1,477), Troon (1,465), St. Andrews (1,459) and Dundee (1,445).

Good records were returned in January and February, but a very dull March followed. Kilmarnock had its dullest March since 1908. Sunny days predominated in April, May and June. In June, the sun shone for over 300 hours at Prestwick Airport and Troon, while Glasgow had its best June record since 1880.

Cloudy weather came in the third quarter, July and August being disappointingly dull. Eastern districts had the most sunshine in September and they were again favoured in October. In November, it was dull over most of the country. Records in December, however, were good in most places, but some areas were dull, even for mid-winter.

Fog.—The frequency of fog was about average. February, July, and August and November had the highest number of reports of its occurrence. In July, the areas worst affected by fog were the North and East Coasts. On the 4th, a trawler ran aground near Cantick Head, Orkney.

Aurora.—The Aurora Borealis was seen, mainly at northern stations, on 158 nights, or slightly more than in 1956. The months with highest frequencies were April (22 nights), September (21), February (18) and March (18).

(*For Statistical Tables see pages* 412-419)

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Stillbirths, Deaths and Marriages registered in each year, 1855-1957

Year	Estimated Mid-Year Population	Live-Births				Still-births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	†16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,413
1855-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	—	*1,282*	*†16*	*20,645*	*62,644*	*31,139*	*31,505*	*12,250*
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,099
1861-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	—	*1,298*	*13*	*22,013*	*69,265*	*34,380*	*34,885*	*13,166*
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	†13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,086	—	1,407	15	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,166
1866-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	—	*1,393*	*†13*	*22,832*	*71,974*	*35,823*	*36,151*	*13,971*
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,320
1871-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	—	*1,416*	*13*	*25,754*	*77,988*	*38,961*	*39,027*	*15,314*
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,523
1876-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	—	*1,430*	*14*	*24,956*	*74,801*	*37,463*	*37,338*	*14,921*
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,200
1881-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	—	*1,417*	*14*	*26,176*	*74,396*	*37,041*	*37,355*	*14,864*
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,877
1886-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	—	*1,378*	*13*	*25,702*	*74,320*	*36,729*	*37,591*	*14,943*
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,874
1891-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	—	*1,420*	*13*	*27,962*	*78,350*	*38,797*	*39,553*	*15,896*
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,888
1896-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	—	*1,465*	*16*	*31,771*	*78,021*	*39,070*	*38,951*	*16,857*

* Live births only prior to 1939

† Including one case of quadruplets

TABLE 1—*continued*

Year	Estimated Mid-Year Population	Live-Births				Still-births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,004
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	†13	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,275
1901-05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	—	*1,599*	*†17*	*31,838*	*77,313*	*38,716*	*38,597*	*15,881*
1906	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,939	8,791	—	1,676	†14	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,856
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,436
1906-10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	—	*1,609*	*†14*	*31,811*	*75,534*	*37,596*	*37,938*	*14,501*
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	—	*1,538*	*15*	*33,857*	*74,466*	*37,253*	*37,213*	*13,604*
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	†14	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565
1916-20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	—	*1,491*	*†10*	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	—	*1,459*	*10*	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
1926	4,864,300	102,449	52,362	50,087	7,046	—	1,279	†12	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	—	*1,228*	*†11*	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1931	4,842,980	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,984	—	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	—	*1,076*	*12*	*34,986*	*64,839*	*32,498*	*32,341*	*7,212*
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940‡	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	—	*87,734*	*44,945*	*42,789*	*5,397*	—	*1,116*	*8*	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1941‡	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942‡	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943‡	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944‡	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,323	31,280	6,237
1945‡	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*3,393*	*1,253*	*†13*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
1946‡	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
1949	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	—	*101,222*	*52,146*	*49,076*	*5,819*	*3,047*	*1,416*	*17*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*
1951	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,154	61,510	31,401	30,109	3,181
1953	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800
1954	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
1955	5,133,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,199	61,645	31,329	30,316	2,811
1951-55	*5,120,700*	*91,366*	*46,952*	*44,414*	*4,259*	*2,390*	*1,272*	*†13*	*41,721*	*61,838*	*31,533*	*30,305*	*3,009*
1956	5,144,600	95,313	48,951	46,362	4,069	2,329	1,295	†10	43,963	61,792	31,651	30,141	2,727
1957	5,150,000	97,977	50,350	47,627	4,017	2,378	1,408	12	42,676	61,143	31,622	29,521	2,802

* Live Births only prior to 1939

† Including one case of quadruplets (two cases in 1944)

‡ Mean civilian population for year

TABLE 2.—Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1957

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	—
1856	33·988	6·923	19·537	20·65	18 50	14·45	8·54	1053	1·27	118·4	—
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	—
1858	34·356	6·492	20 986	22·02	20·05	13·37	8·99	1066	1·25	121·3	—
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	—
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	—
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	—
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	—
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	—
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	—
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	—
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	—
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	—
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	—
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	—
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	—
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	—
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	—
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	—
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	—
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	—
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	—
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	—
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	—
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	—
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	—
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	—
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	—
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	—
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	—
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	—
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	—
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	—
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	—
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	—
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	—
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	—
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	—
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	—
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	—
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	—
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	—
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	—
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	—
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	—
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	—
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	—
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	—
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	—
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	—
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	—
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	—
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	—
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	—
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	—
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	—
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	—
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	—
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	—
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	—
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	—

TABLE 2—*continued*

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	—
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	—
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	—
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	—
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	—
1906-10	*27·569*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	—
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	—
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	—
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	—
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	—
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	—
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	—
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	—
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	—
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	—
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	—
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	—
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	—
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	—
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	—
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	—
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	—
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	—
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	—
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	—
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	—
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	—
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	—
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	—
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	—
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	—
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	—
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	—
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	—
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	—
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	—
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	—
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	—
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	—
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·39	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·36	78·3	42·1
1936-40	*17·557*	*8·586*	*13·526*	*14·45*	*12·70*	*4·03*	*6·15*	*1050*	*1·27*	*75·8*	—
1941*	17·501	9·284	14·741	16·75	13·11	2·76	6·63	1056	1·33	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·27	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·36	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·39	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·42	56·2	32·8
1941-45	*17·766*	*8·493*	*13·767*	*15·14*	*12·20*	*4·00*	*7·61*	*1056*	*1·35*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·40	53·8	32·3
1947	22·254	8·725	13·021	13·86	12·25	9·14	5·58	1052	1·38	55·8	30·5
1948	19·687	8·577	11·964	12·64	11·34	7·62	5·76	1070	1·35	44·7	28·7
1949	18·720	8·161	12·422	12·99	11·90	6·22	5·46	1058	1·39	41·4	27·1
1950	18·050	7·892	12·484	13·09	11·93	5·51	5·23	1070	1·45	38·6	26·9
1946-50	*19·806*	*8·454*	—	—	—	*7·24*	*5·75*	*1063*	*1·39*	*47·3*	*29·2*
1951	17·722	8·087	12·861	13·55	12·23	4·86	5·07	1063	1·42	37·4	26·6
1952	17·679	8·046	12·026	12·86	11·26	5·65	4·76	1048	1·41	35·2	26·2
1953	17·765	7·992	11·505	12·41	10·68	6·26	4·65	1063	1·33	30·8	24·8
1954	18·019	8·193	11·980	12·87	11·17	6·04	4·52	1056	1·42	31·0	25·3
1955	18·027	8·418	12·009	12·76	11·32	6·02	4·31	1056	1·37	30·4	24·6
1951-55	*17·843*	*8·148*	*12·076*	*12·89*	*11·33*	*5·77*	*4·66*	*1057*	*1·39*	*32·9*	*25·5*
1956	18·527	8·547	12·011	12·85	11·24	6·52	4·27	1056	1·35	28·6	23·9
1957	19·025	8·287	11·872	12·83	11·00	7·15	4·10	1057	1·44	28·6	23·7

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Stillbirths not available prior to 1939

TABLE 3.—Births, Stillbirths, Deaths and Marriages in Scotland, 1947-1957

	Numbers							Rates						
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl. Stillbirths
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children)	Marriages	Deaths				
Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24·3	7·6	16·9	5·3	63	33	32
d " "	30,366	1,700	913	11,241	15,633	1,609	854	24·0	8·9	12·3	5·6	53	28	29
l " "	27,028	1,651	853	12,747	13,447	1,353	709	21·1	9·9	10·5	6·1	50	26	31
h " "	25,274	1,345	779	10,875	15,902	1,432	660	19·7	8·5	12·4	5·3	57	28	30
Year 1947	**113,147**	**6,311**	**3,563**	**44,360**	**66,200**	**6,309**	**3,229**	**22·3**	**8·7**	**13·0**	**5·6**	**56**	**29**	**31**
t Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	20·0	7·9	13·3	5·6	51	26	29
d " "	26,561	1,642	775	10,490	14,698	1,144	680	21·0	8·3	11·6	6·2	43	26	28
l " "	24,389	1,392	711	13,509	13,652	972	592	19·0	10·5	10·7	5·7	40	24	28
h " "	24,070	1,325	720	9,760	15,804	1,067	596	18·8	7·6	12·3	5·5	44	25	29
Year 1948	**100,344**	**5,776**	**2,966**	**43,718**	**60,979**	**4,486**	**2,521**	**19·7**	**8·6**	**12·0**	**5·8**	**45**	**25**	**29**
t Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19·2	8·4	15·3	5·7	51	26	28
d " "	25,424	1,442	710	9,209	15,274	913	545	20·0	7·2	12·0	5·7	36	21	27
d " "	23,324	1,274	642	12,786	13,119	823	496	18·1	9·9	10·2	5·5	35	21	27
h " "	22,696	1,126	607	9,075	15,873	1,000	544	17·6	7·0	12·3	5·0	44	24	26
Year 1949	**95,674**	**5,223**	**2,666**	**41,708**	**63,488**	**3,961**	**2,217**	**18·7**	**8·2**	**12·4**	**5·5**	**41**	**23**	**27**
t Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18·6	8·8	14·8	5·0	46	25	28
d " "	24,646	1,359	659	8,680	14,986	841	521	19·3	6·8	11·7	5·5	34	21	26
d " "	22,498	1,195	627	11,847	13,341	737	487	17·4	9·2	10·3	5·3	33	22	27
h " "	21,844	1,098	598	8,821	17,022	911	543	16·9	6·8	13·2	5·0	42	25	27
Year 1950	**92,530**	**4,837**	**2,557**	**40,459**	**63,996**	**3,569**	**2,131**	**18·0**	**7·9**	**12·5**	**5·2**	**39**	**23**	**27**
t Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18·7	9·2	17·8	5·1	46	25	27
d " "	24,310	1,289	658	8,958	15,442	850	530	19·1	7·0	12·1	5·3	35	22	26
d " "	21,932	1,126	575	12,048	13,104	698	461	17·0	9·3	10·2	5·1	32	21	26
h " "	20,772	982	589	8,795	14,804	755	445	16·1	6·8	11·5	4·7	36	21	28
Year 1951	**90,639**	**4,592**	**2,479**	**41,361**	**65,778**	**3,391**	**2,019**	**17·7**	**8·1**	**12·9**	**5·1**	**37**	**22**	**27**
t Quarter, 1952	22,892	1,069	677	12,420	18,394	872	516	18·0	9·8	14·5	4·7	38	23	29
d " "	23,531	1,126	598	8,156	14,270	801	518	18·5	6·4	11·2	4·8	34	22	25
d " "	22,161	1,126	541	11,894	12,813	663	459	17·2	9·3	10·0	5·1	30	21	24
h " "	21,838	985	614	8,684	16,033	845	465	17·0	6·8	12·5	4·5	39	21	27
Year 1952	**90,422**	**4,306**	**2,430**	**41,154**	**61,510**	**3,181**	**1,958**	**17·7**	**8·0**	**12·0**	**4·8**	**35**	**22**	**26**
t Quarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18·1	9·6	13·7	4·5	34	20	26
d " "	23,791	1,175	586	8,212	14,345	696	444	18·6	6·4	11·2	4·9	29	19	24
d " "	22,166	1,022	561	12,069	12,722	614	426	17·2	9·4	9·9	4·6	28	19	25
h " "	22,096	1,004	559	8,536	14,547	714	427	17·1	6·6	11·3	4·5	32	19	25
Year 1953	**90,913**	**4,231**	**2,308**	**40,902**	**58,878**	**2,800**	**1,756**	**17·8**	**8·0**	**11·5**	**4·7**	**31**	**19**	**25**
st Quarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18·6	9·8	14·3	4·5	38	24	25
nd " "	24,097	1,086	628	8,553	14,638	728	491	18·9	6·7	11·5	4·5	30	20	25
rd " "	22,823	1,077	601	12,489	13,327	555	375	17·7	9·7	10·3	4·7	24	16	26
th " "	21,939	965	560	8,561	15,412	686	478	17·0	6·6	11·9	4·4	31	22	25
Year 1954	**92,315**	**4,177**	**2,401**	**41,974**	**61,380**	**2,861**	**1,904**	**18·0**	**8·2**	**12·0**	**4·5**	**31**	**21**	**25**
st Quarter, 1955	23,111	988	598	12,420	19,078	829	517	18·3	9·8	15·1	4·3	36	22	25
nd " "	23,942	1,046	566	8,662	14,998	692	462	18·7	6·8	11·7	4·4	29	19	23
rd " "	22,734	1,037	597	12,966	12,733	588	417	17·6	10·0	9·8	4·6	26	18	26
th " "	22,752	920	569	9,151	14,836	702	430	17·6	7·1	11·5	4·0	31	19	24
Year 1955	**92,539**	**3,991**	**2,330**	**43,199**	**61,645**	**2,811**	**1,826**	**18·0**	**8·4**	**12·0**	**4·3**	**30**	**20**	**25**
st Quarter, 1956	24,594	1,007	617	11,742	19,156	764	496	19·2	9·2	15·0	4·1	31	20	24
nd " "	24,889	1,099	613	9,843	14,562	656	430	19·5	7·7	11·4	4·4	26	17	24
rd " "	22,654	1,068	536	12,958	13,088	602	430	17·5	10·0	10·1	4·7	27	19	24
th " "	23,176	895	563	9,420	14,986	705	463	17·9	7·3	11·6	3·9	30	20	23
Year 1956	**95,313**	**4,069**	**2,329**	**43,963**	**61,792**	**2,727**	**1,819**	**18·5**	**8·5**	**12·0**	**4·3**	**29**	**19**	**24**
st Quarter, 1957	24,759	948	635	11,281	16,175	782	475	19·5	8·9	12·7	3·8	32	19	25
nd " "	24,974	1,049	602	9,091	14,427	668	489	19·5	7·1	11·2	4·2	27	20	24
rd " "	24,100	1,047	569	12,976	13,537	653	474	18·6	10·0	10·4	4·3	27	20	23
th " "	24,144	973	572	9,328	17,004	699	482	18·6	7·2	13·1	4·0	29	20	23
Year 1957	**97,977**	**4,017**	**2,378**	**42,676**	**61,143**	**2,802**	**1,920**	**19·0**	**8·3**	**11·9**	**4·1**	**29**	**20**	**24**

TABLE 4.—Birth-, Death- and Marriage-rates in Scotland, its Counties, Counties of Cities and Large Burghs in 1957

Counties, Counties of Cities and Large Burghs	Estimated Population 1957	Rates per 1,000 of Population												Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate		Marriage Rate	Death-rate												
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for Transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND	**5,150,020**	**19·0**	**19·0**	**8·3**	**11·9**	**11·9**	**0·14**	**0·13**	**0·14**	**2·09**	**0·79**	**0·54**	**0·11**	**4·1**	**29**	**20**	**24**
Counties of Cities ...	1,910,450	19·4	19·3	9·6	12·3	12·9	0·18	0·17	0·17	2·37	1·03	0·56	0·11	4·8	30	21	23
Large Burghs ...	860,430	20·3	19·2	9·4	11·3	12·1	0·15	0·15	0·12	1·90	0·70	0·52	0·12	3·6	30	20	23
Counties (ex. Counties of Cities and Large Burghs) ...	2,379,140	18·3	18·8	6·8	11·7	11·1	0·10	0·09	0·13	1·92	0·62	0·54	0·12	3·7	26	18	24
Small Burghs ...	850,745	18·1	17·9	8·9	12·8	11·6	0·10	0·09	0·14	2·16	0·65	0·56	0·10	3·2	26	18	23
Landward	1,528,395	18·3	19·2	5·7	11·1	10·8	0·11	0·10	0·13	1·79	0·61	0·53	0·12	3·9	26	18	25
Aberdeen County ...	326,697	17·7	17·3	9·1	11·2	10·7	0·06	0·05	0·09	2·10	0·69	0·55	0·13	4·9	23	17	17
Aberdeen C. of C. ...	186,190	18·1	17·0	10·6	11·4	11·4	0·06	0·05	0·11	2·25	0·74	0·58	0·11	5·1	24	17	15
Remainder of Co. ...	140,507	17·1	17·6	7·0	10·9	9·8	0·04	0·04	0·05	1.91	0·62	0·51	0·16	4·7	22	16	20
Angus County ...	276,241	18·1	17·8	8·7	12·6	11·6	0·10	0·09	0·22	2·37	0·86	0·65	0·12	4·5	25	18	24
Dundee C. of C. ...	179,225	19·3	18·5	9·5	12·7	12·4	0·11	0·09	0·26	2·54	0·95	0·67	0·14	4·7	24	18	24
Arbroath Burgh ...	19,785	17·8	15·9	8·7	12·3	10·6	0·05	0·05	0·05	2·22	0·56	0·51	0·10	4·5	23	20	25
Remainder of Co. ...	77,231	15·4	16·5	6·7	12·5	10·3	0·10	0·09	0·17	1·99	0·73	0·63	0·09	3·9	30	19	25
Argyll County ...	57,053	14·9	19·2	4·6	16·2	12·1	0·21	0·21	0·12	2·66	0·40	0·82	0·07	4·1	21	15	32
Ayr County	332,886	19·2	18·4	8·4	11·6	12·0	0·07	0·06	0·17	1·81	0·53	0·57	0·16	3·9	31	21	26
Ayr Burgh	43,685	18·9	18·9	11·1	12·3	11·9	0·07	0·07	0·25	1·76	0·73	0·48	0·16	6·0	30	17	30
Kilmarnock Burgh ...	44,307	21·3	19·7	9·8	12·9	14·0	0·05	0·05	0·18	2·01	0·61	0·59	0·11	3·4	34	22	25
Remainder of Co. ...	244,894	18·8	18·0	7·6	11·2	11·6	0·07	0·06	0·15	1·79	0·47	0·58	0·16	3·6	30	21	25
Banff County ...	50,529	17·7	20·3	6·7	12·1	10·4	0·08	0·06	0·16	2.04	0·51	0·40	0·04	6·3	21	18	23
Berwick County ...	23,753	13·3	15·0	5·1	14·2	11·6	0·04	0·04	0·04	2·06	0·72	0·42	0·13	1·9	25	19	31

CLACKMANNAN COUNTY	39,599	20·5	17·7	8·1	11·7	12·4	0·08	0·05	0·15	2·17	1·04	0·51	0·05	4·2	32	26	22
DUMFRIES COUNTY ...	88,705	17·9	17·9	10·1	12·2	11·5	0·10	0·10	0·12	1·98	0·59	0·61	0·18	5·2	27	20	26
Dumfries Burgh ...	27,430	17·4	15·9	12·4	11·9	12·2	0·11	0·11	0·11	1·82	0·87	0·62	0·15	7·3	44	36	26
Remainder of Co. ...	61,275	18·1	19·0	9·1	12·3	11·2	0·10	0·10	0·13	2·06	0·46	0·60	0·20	4·3	20	14	26
DUNBARTON COUNTY	174,194	20·9	20·0	6·7	10·7	11·3	0·13	0·11	0·13	2·01	0·56	0·38	0·09	2·8	28	19	20
Clydebank Burgh ...	49,761	23·0	18·3	6·6	9·3	11·2	0·16	0·14	0·08	1·53	0·62	0·30	0·12	2·4	26	18	22
Dumbarton Burgh ...	26,175	25·0	24·5	6·5	10·1	11·1	0·11	0·11	0·11	2·00	0·69	0·46	0·04	3·2	34	24	21
Remainder of Co. ...	98,258	18·7	19·7	6·8	11·5	11·5	0·11	0·10	0·15	2·27	1·00	0·40	0·09	2·9	27	17	18
EAST LOTHIAN COUNTY	51,640	18·4	17·8	7·2	10·2	10·3	0·06	0·06	0·06	1·68	0·52	0·50	0·15	2·7	12	11	26
FIFE COUNTY ...	319,668	18·9	17·1	7·8	10·8	11·0	0·06	0·05	0·12	1·80	0·67	0·60	0·09	3·6	25	17	23
Dunfermline Burgh	46,270	18·0	17·4	8·9	10·4	11·2	0·02	0·02	0·13	1·71	0·71	0·58	0·04	3·7	28	17	20
Kirkcaldy Burgh ...	51,825	18·3	16·0	10·0	10·9	11·2	0·12	0·12	0·08	1·99	0·58	0·60	0·12	4·3	23	17	21
Remainder of Co. ...	221,573	19·2	17·3	7·0	10·9	11·0	0·05	0·04	0·12	1·78	0·69	0·60	0·10	3·4	25	17	25
INVERNESS COUNTY ...	83,176	17·9	23·0	7·3	12·3	10·1	0·17	0·14	0·11	1·97	0·60	0·71	0·20	5·5	24	15	18
Inverness Burgh ...	28,225	19·6	19·5	15·6	12·0	11·4	0·14	0·14	0·07	2·13	0·50	0·74	0·18	5·6	27	18	23
Remainder of Co. ...	54,951	17·1	25·5	3·1	12·5	9·6	0·18	0·15	0·13	1·89	0·66	0·69	0·22	5·4	22	13	15
KINCARDINE COUNTY...	27,322	15·6	16·9	5·7	11·9	10·1	0·04	0·04	0·04	2·20	0·62	0·62	0·15	5·2	30	19	12
KINROSS COUNTY ...	7,186	14·1	15·1	5·8	10·7	9·3	0·28	0·28	0·42	2·37	0·70	0·56	0·14	3·0	10	—	19
KIRKCUDBRIGHT CO. ...	30,311	15·4	16·7	7·6	12·3	10·9	0·07	0·03	0·07	1·78	0·59	0·46	0·13	3·9	13	6	19
LANARK COUNTY ...	1,623,415	20·8	20·4	9·0	11·8	13·3	0·23	0·21	0·15	2·08	0·98	0·51	0·11	4·0	33	22	26
Glasgow C. of C. ...	1,079,364	20·8	20·5	9·6	12·2	13·7	0·26	0·24	0·18	2·27	1·13	0·53	0·12	4·7	35	23	26
Airdrie Burgh ...	32,494	21·4	20·3	9·6	10·0	12·0	0·09	0·09	0·03	1·60	0·86	0·37	0·12	2·7	24	16	18
Coatbridge Burgh ...	51,951	25·6	24·3	8·0	10·5	12·8	0·12	0·12	0·12	1·62	0·77	0·48	0·13	1·8	36	26	21
Hamilton Burgh ...	41,022	20·6	19·9	10·4	10·4	12·4	0·24	0·22	0·07	1·44	0·56	0·39	0·10	3·1	28	14	21
Motherwell and Wishaw Burgh ...	71,384	20·9	20·2	8·5	11·1	12·8	0·15	0·15	0·07	1·89	0·69	0·49	0·17	2·5	38	23	22
Rutherglen Burgh ...	24,423	17·9	18·4	10·4	13·9	13·4	0·25	0·25	0·12	2·25	1·11	0·49	0·16	1·1	39	28	27
Remainder of Co. ...	322,777	20·3	20·0	7·0	10·9	12·3	0·18	0·16	0·11	1·69	0·67	0·50	0·09	3·0	29	20	27
MIDLOTHIAN COUNTY...	572,821	17·6	18·0	8·9	12·5	11·8	0·08	0·07	0·13	2·51	0·92	0·56	0·08	4·5	27	20	20
Edinburgh C. of C. ...	465,671	16·9	17·8	9·3	12·9	11·9	0·08	0·07	0·14	2·60	0·96	0·60	0·08	5·1	24	17	19
Remainder of Co. ...	107,150	21·0	19·2	7·2	10·7	11·7	0·07	0·07	0·10	2·09	0·71	0·39	0·09	2·5	36	27	23
MORAY COUNTY ...	50,198	19·3	19·7	7·3	10·7	10·3	0·10	0·08	0·14	1·67	0·42	0·68	0·14	4·1	28	19	28

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 4.—*continued*

Counties, Counties of Cities and Large Burghs	Estimated Population 1957	Rates per 1,000 of Population												Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate		Marriage -rate	Death-rate												
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
Nairn County ...	8,302	17·6	20·9	7·1	13·4	10·5	0·36	0·36	—	2·41	0·60	0·24	—	4·8	14	14	39
Orkney County ...	19,883	14·7	15·0	6·0	13·8	10·1	0·10	0·05	0·45	1·31	0·60	0·35	0·05	3·8	34	24	3
Peebles County ...	14,293	15·9	18·3	5·8	14·1	10·8	0·14	0·07	0·21	2·45	0·91	0·35	0·07	3·5	26	18	17
Perth County ...	126,987	16·6	18·6	7·4	12·5	10·2	0·08	0·06	0·07	2·09	0·77	0·61	0·17	6·1	20	16	18
Perth Burgh ...	40,919	16·7	16·1	11·5	11·4	10·3	0·12	0·10	0·07	2·20	0·71	0·59	0·12	5·8	20	15	7
Remainder of County	86,068	16·5	20·0	5·4	13·0	10·1	0·06	0·03	0·07	2·03	0·80	0·62	0·20	6·2	20	16	23
Renfrew County ...	332,381	19·6	19·5	7·7	11·7	12·3	0·22	0·20	0·17	2·11	0·67	0·58	0·11	3·3	29	18	27
Greenock Burgh ...	77,778	21·3	20·5	8·5	11·4	12·6	0·27	0·27	0·23	2·10	0·67	0·63	0·09	4·2	33	20	28
Paisley Burgh ...	95,822	19·7	18·9	8·6	12·1	13·0	0·25	0·24	0·15	1·97	0·85	0·57	0·14	3·7	29	19	25
Port Glasgow Burgh	23,155	24·0	20·6	8·7	9·2	12·1	0·09	0·09	0·09	1·94	0·43	0·43	0·13	3·4	27	22	28
Remainder of County	135,626	17·8	19·0	6·5	12·1	11·9	0·19	0·16	0·18	2·25	0·60	0·58	0·11	2·3	25	17	27
Ross and Cromarty Co.	59,573	15·9	23·1	4·2	13·7	9·6	0·17	0·13	0·07	2·13	0·50	0·62	0·12	4·4	27	22	19
Roxburgh County ...	45,065	15·1	16·9	6·6	13·4	10·7	0·13	0·13	0·18	2·46	0·40	0·49	0·09	3·1	22	18	29
Selkirk County ...	21,055	14·3	15·3	7·3	15·7	12·6	0·05	0·05	0·09	2·37	0·71	0·52	0·05	2·0	27	27	20
Stirling County ...	191,155	18·3	17·7	8·2	11·1	12·0	0·13	0·12	0·17	1·76	0·75	0·50	0·09	3·4	27	17	25
Falkirk Burgh ...	37,072	16·2	16·1	10·2	11·5	11·8	0·16	0·13	0·13	2·21	0·84	0·49	0·08	3·0	25	20	26
Stirling Burgh ...	26,947	19·3	20·0	9·2	12·2	12·0	0·19	0·19	0·11	1·82	0·59	0·48	0·15	3·9	29	19	23
Remainder of Co. ...	127,136	18·8	17·8	7·3	10·7	12·0	0·10	0·10	0·20	1·62	0·76	0·51	0·09	3·4	27	16	25
Sutherland County	13,177	19·1	26·9	4·2	14·1	9·1	0·08	0·08	0·23	1·97	0·76	0·53	—	4·8	8	8	16
West Lothian County	91,906	20·1	18·2	8·3	9·8	11·4	0·04	0·04	0·16	1·59	0·78	0·44	0·08	2·6	26	17	27
Wigtown County ...	30,063	20·0	21·2	7·9	12·1	12·1	0·07	0·03	0·20	2·10	0·50	0·43	0·17	9·0	23	17	23
Zetland County ...	18,436	14·6	18·5	4·5	16·7	10·9	0·05	0·05	0·22	2·28	0·54	0·76	0·16	4·1	41	26	15

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1957

Small Burghs	Estimated Population 1957	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen County—											
Ballater	1,155	17·3	4·3	11·3	7·1	—	—	—	10·0	50	—
Ellon	1,477	16·9	43·3	16·2	12·0	—	—	—	—	80	—
Fraserburgh ...	10,411	19·7	9·4	10·1	11·4	0·10	0·10	—	3·9	29	10
Huntly	3,966	13·9	11·3	12·4	10·0	—	—	—	—	55	35
Inverurie ...	5,027	15·3	14·5	11·1	10·1	—	—	—	3·9	39	13
Kintore	854	17·6	16·4	16·4	11·7	—	—	—	—	133	—
Old Meldrum ...	1,095	14·6	8·2	13·7	9·2	—	—	—	—	—	—
Peterhead ...	12,611	21·6	9·4	12·1	13·2	—	—	0·16	4·8	22	14
Rosehearty ...	1,184	15·2	5·1	9·3	9·4	—	—	—	16·7	—	—
Turriff	2,836	12·7	12·7	14·1	11·9	—	—	—	2·8	28	—
Angus County—											
Brechin	7,393	17·2	11·9	13·1	10·4	0·14	0·14	0·14	2·4	24	16
Carnoustie ...	5,220	14·2	4·2	14·8	9·7	—	—	—	—	27	26
Forfar	10,022	14·8	11·5	13·3	10·9	0·10	0·10	0·20	4·1	41	39
Kirriemuir ...	3,526	14·5	9·9	18·7	11·9	0·28	0·28	0·28	—	39	—
Monifieth ...	3,386	13·6	5·6	16·2	11·2	0·30	—	0·30	4·3	22	21
Montrose... ...	10,778	15·7	9·1	15·4	11·5	—	—	0·56	4·7	36	17
Argyll County—											
Campbeltown ...	7,022	15·5	8·8	12·8	13·2	0·43	0·43	—	6·4	28	52
Dunoon	8,957	11·6	3·9	18·1	12·2	0·11	0·11	0·22	1·0	10	37
Inverary ...	521	19·2	1·9	11·5	10·1	—	—	—	—	100	—
Lochgilphead ...	1,192	11·7	11·7	12·6	9·3	—	—	—	—	—	67
Oban	6,124	17·0	9·5	16·0	13·5	0·33	0·33	0·16	2·9	48	37
Tobermory ...	667	12·0	1·5	19·5	12·2	—	—	—	12·5	—	—
Ayr County—											
Ardrossan ...	9,532	19·1	7·2	8·8	10·2	—	—	0·31	4·4	33	16
Cumnock and Holmhead ...	5,168	15·5	14·7	11·8	13·4	0·19	—	0·19	2·5	38	12
Darvel	3,309	19·0	6·6	13·0	10·8	0·30	0·30	0·30	3·2	16	16
Galston	4,547	14·7	15·0	14·1	13·8	—	—	—	4·5	90	56
Girvan	5,931	18·9	9·3	14·3	12·2	0·17	0·17	0·17	3·6	45	18
Irvine	15,832	19·1	9·6	9·9	12·4	—	—	0·13	3·0	17	23
Kilwinning ...	7,134	20·5	10·5	9·3	11·3	—	—	0·14	2·7	21	20
Largs	7,739	11·4	6·7	18·7	11·0	0·13	0·13	—	2·3	34	64
Maybole	4,962	19·3	9·1	11·3	12·2	—	—	—	1·0	31	77
Newmilns and Greenholm ...	4,011	13·5	6·5	13·0	11·5	0·25	0·25	0·50	3·7	—	—
Prestwick ...	11,422	18·6	8·1	14·4	11·4	0·09	—	—	3·3	28	9
Saltcoats ...	13,740	22·6	7·4	11·1	11·8	0·22	0·22	0·07	3·9	35	22
Stevenston ...	9,812	21·1	7·5	10·1	11·8	0·10	0·10	0·31	1·9	24	19
Stewarton ...	3,378	21·3	4·1	14·5	14·6	—	—	—	—	28	14
Troon	9,951	14·9	6·9	12·2	10·5	—	—	0·10	6·1	—	20
Banff County—											
Aberchirder ...	785	30·6	19·1	22·9	13·7	—	—	—	8·3	42	—
Aberlour ...	1,159	19·0	9·5	12·1	12·4	—	—	—	4·5	—	—
Banff	3,347	18·5	8·7	14·6	11·7	0·30	—	—	4·8	48	46
Buckie	8,067	19·6	7·9	12·4	11·3	—	—	—	3·8	19	19
Cullen	1,526	14·4	7·9	15·7	10·8	—	—	—	—	91	—
Dufftown ...	1,458	17·8	4·8	18·5	14·2	0·69	0·69	—	7·7	—	10
Findochty ...	1,528	12·4	3·9	13·7	11·2	—	—	0·65	10·5	—	50
Keith	4,357	22·7	11·2	14·7	12·4	—	—	0·46	4·0	20	29
Macduff	3,404	19·4	5·6	10·6	8·1	—	—	—	4·5	—	15
Portknockie ...	1,469	15·0	1·4	11·6	10·2	0·68	0·68	—	9·1	—	43
Portsoy	1,730	13·9	8·1	19·1	13·1	—	—	—	4·2	—	—
Berwick County—											
Coldstream ...	1,287	29·5	7·0	23·3	17·7	—	—	—	—	—	50
Duns	1,958	14·8	10·7	16·3	13·6	—	—	—	3·4	69	33
Eyemouth ...	2,159	8·3	6·9	16·2	13·4	0·46	0·46	0·46	—	56	53
Lauder	580	17·2	6·9	6·9	4·4	—	—	—	10·0	—	—
Bute County ...											
Millport	1,655	10·9	4·2	15·7	8·6	—	—	—	5·6	56	—
Rothesay ...	8,934	16·9	6·2	12·6	10·0	0·11	0·11	0·11	5·3	20	7
Caithness County—											
Thurso	4,127	25·7	12·4	13·3	11·6	—	—	—	4·7	28	45
Wick	7,770	21·8	10·4	10·2	9·7	0·26	0·13	0·26	5·3	24	29
Clackmannan County—											
Alloa	13,884	19·6	10·4	13·4	14·1	0·07	0·07	0·22	6·6	37	32
Alva	3,988	17·6	8·0	14·5	12·7	0·25	—	—	2·9	29	14
Dollar	1,612	14·9	8·7	18·0	14·5	—	—	—	4·2	—	—
Tillicoultry ...	3,994	23·0	7·8	11·5	11·2	—	—	0·25	2·2	33	21

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1957	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
Dumfries County—											
Annan	5,033	22·1	12·1	15·9	13·9	0·40	0·40	—	5·4	36	26
Langholm ...	2,365	14·4	5·5	22·4	15·4	—	—	—	2·9	—	—
Lochmaben ...	1,213	19·0	13·2	15·7	12·1	—	—	0·82	—	43	—
Lockerbie ...	2,668	17·6	8·6	17·6	14·3	—	—	0·37	4·3	64	—
Moffat	2,057	11·7	8·8	18·0	11·2	—	—	—	12·5	—	—
Sanquhar ...	2,519	18·3	4·4	15·9	17·2	—	—	0·40	8·7	—	42
Dunbarton County											
Cove & Kilcreggan	815	22·1	3·7	30·7	14·6	—	—	—	5·6	—	—
Helensburgh ...	8,583	16·4	8·0	14·3	10·6	0·12	0·12	0·23	5·7	50	7
Kirkintilloch ...	15,867	20·3	8·9	10·5	12·7	0·13	0·13	0·19	1·9	28	9
Milngavie ...	8,206	16·9	5·6	10·8	9·8	—	—	0·12	—	36	7
East Lothian Co.—											
Cockenzie and Port Seton ...	3,335	18·6	5·1	12·9	13·5	—	—	—	1·6	—	—
Dunbar	4,159	17·6	10·8	11·1	9·3	—	—	—	5·5	14	39
East Linton ...	950	20·0	2·1	16·8	9·9	—	—	1·1	—	53	—
Haddington ...	4,683	16·7	9·6	11·3	9·2	—	—	0·21	1·3	—	37
North Berwick ...	3,738	10·4	7·8	17·4	12·6	—	—	—	—	51	25
Prestonpans ...	3,098	28·4	21·0	8·4	10·9	—	—	—	—	23	22
Tranent	6,058	21·6	12·2	8·1	10·1	0·33	0·33	—	2·3	—	22
Fife County—											
Auchtermuchty	1,334	15·0	8·2	19·5	12·6	—	—	—	—	—	—
Buckhaven and Methil ...	21,488	21·7	7·7	11·2	13·1	0·05	0 05	0·09	3·0	30	33
Burntisland ...	6,016	17·1	8·3	12·0	10·5	—	—	—	4·9	10	46
Cowdenbeath ...	13,572	18·9	11·2	10·2	11·7	0·07	0·07	0·15	3·1	8	23
Crail	1,168	14·6	7·7	14·6	9·3	—	—	0·86	—	59	56
Culross	600	10·0	40·0	8·3	8·6	—	—	—	—	—	—
Cupar	5,663	17·7	12·9	9·9	8·5	—	—	—	5·0	10	—
Elie and Earlsferry	924	9·7	9·7	14·1	7·2	—	—	—	—	—	—
Falkland ...	1,066	13·1	4·7	15·9	12·2	—	—	—	7·1	—	67
Inverkeithing ...	4,052	21·7	10·9	9·9	11·0	0·25	0·25	—	3·4	57	22
Kilrenny, Anstruther Easter & Anstruther Wester	3,302	9·1	5·5	15·1	9·5	—	—	0·30	—	—	91
Kinghorn ...	2,335	13·7	1·3	8·6	8·0	—	—	—	3·1	—	30
Ladybank ...	1,177	16·1	8·5	15·3	10·1	—	—	—	5·3	—	50
Leslie	2,838	19·0	10·6	11·3	11·4	—	—	—	—	—	18
Leven	8,899	11·9	8·4	12·1	11·4	—	—	0·11	1·9	9	9
Lochgelly ...	9,388	19·4	7·7	12·7	13·9	0·21	0·21	0·21	1·1	27	11
Markinch ...	2,456	20·0	13·4	14·7	13·1	—	—	—	8·2	20	20
Newburgh ...	2,464	15·0	7·3	8·1	7·0	—	—	—	5·4	27	—
Newport-on-Tay	3,332	12·0	6·0	22·8	13·4	—	—	—	2·5	—	24
Pitterweem ...	1,559	14·1	3·8	16·0	11·0	—	—	—	—	—	—
St. Andrews ...	9,559	14·1	8·5	10·4	8·9	—	—	—	3·7	22	15
St. Monace ...	1,468	11·6	3·4	19·1	14·7	0·68	—	—	—	—	56
Tayport ...	3,310	16·6	9·7	15·4	12·0	—	—	—	1·8	18	—
Inverness County—											
Fort William ...	2,812	22·8	14·6	12·8	13·1	—	—	—	1·6	16	—
Kingussie ...	1,029	14·6	10·7	15·5	11·0	—	—	—	13·3	67	—
Kincardine Co.—											
Banchory ...	1,877	18·1	16·5	14·4	9·8	—	—	—	8·8	—	—
Inverbervie ...	940	9·6	9·6	12·8	9·8	—	—	—	—	—	—
Laurencekirk ...	1,419	21·1	5·6	14·1	9·5	—	—	—	—	33	—
Stonehaven ...	4,461	14·6	8·5	16·6	11·5	—	—	—	3·1	46	15
Kinross County—											
Kinross	2,544	15·7	11·4	8·6	7·5	0·39	0·39	—	2·5	—	24
Kirkcudbright Co.—											
Castle Douglas ...	3,346	16·4	7·8	12·0	10·7	—	—	0·30	—	—	18
Dalbeattie ...	3,387	15·6	12·7	11·2	10·3	—	—	—	1·9	—	19
Gatehouse-of-Fleet	876	5·7	17·1	9·1	6·0	—	—	1·14	—	—	—
Kirkcudbright ...	2,526	15·0	9·5	15·8	13·7	—	—	—	2·6	53	—
New Galloway ...	293	13·7	—	23·9	11·4	—	—	—	—	—	—
Lanark County—											
Biggar	1,444	13·9	13·2	19·4	13·3	—	—	0·69	5·0	—	—
Lanark	8,201	18·5	11·2	11·5	10·5	0·24	0·24	—	2·6	39	26
Midlothian Co.—											
Bonnyrigg and Lasswade ...	5,874	20·9	7·7	12·1	12·4	—	—	0·17	0·8	16	16
Dalkeith	9,150	17·3	8·6	11·6	12·2	0·11	0·11	—	2·5	32	13
Loanhead ...	5,209	18·2	10·8	12·1	13·3	—	—	—	2·1	42	31
Musselburgh ...	18,173	16·7	8·4	11·2	11·6	—	—	0·11	0·7	30	23
Penicuik ...	5,799	22·6	8·8	12·8	13·0	0·17	0·17	—	0·8	61	15

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1957	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Moray County—											
Burghead ...	1,384	21·0	5·1	15·2	12·5	—	—	—	3·4	34	—
Elgin	11,423	24·1	14·2	13·8	12·0	0·26	0·26	0·35	5·1	33	32
Forres	5,014	16·0	13·0	13·2	11·6	0·40	0·20	—	5·0	13	48
Grantown-on-Spey	1,551	9·7	10·3	10·3	8·1	—	—	—	—	67	—
Lossiemouth and Branderburgh	5,161	24·8	6·4	10·5	10·4	—	—	0·39	3·1	55	8
Rothes	1,217	13·1	7·4	14·8	12·5	—	—	—	—	—	—
Nairn County—											
Nairn	4,666	17·8	11·1	15·4	11·4	—	—	—	6·0	12	46
Orkney County—											
Kirkwall ...	4,305	13·2	10·2	10·9	9·6	—	—	0·23	1·8	35	17
Stromness ...	1,483	11·5	6·7	17·5	12·4	—	—	0·67	—	—	—
Peebles County—											
Innerleithen ...	2,389	20·5	6·3	14·2	10·5	—	—	—	4·1	—	20
Peebles	5,662	14·1	7·4	17·1	12·1	0·18	0·18	0·18	2·5	75	—
Perth County— ...											
Aberfeldy ...	1,486	15·5	8·7	20·2	15·1	—	—	—	—	43	—
Abernethy ...	651	7·7	12·3	23·0	18·4	—	—	—	—	—	—
Alyth	2,013	17·9	8·4	16·4	13·1	0·50	—	—	5·6	56	—
Auchterarder ...	2,404	17·9	6·7	15·0	10·1	—	—	—	—	—	—
Blairgowrie and Rattray	5,250	19·4	11·4	14·7	10·1	0·19	0·19	—	10·8	20	29
Callander ...	1,627	14·1	4·9	16·6	11·9	—	—	—	—	43	—
Coupar Angus ...	2,133	14·1	8·9	15·0	10·5	—	—	—	1·7	—	—
Crieff	5,384	14·9	6·9	12·8	8·4	—	—	0·19	3·8	—	36
Doune	866	15·0	13·9	19·6	15·0	—	—	—	—	—	71
Dunblane ...	2,789	18·3	8·6	13·3	8·8	—	—	—	5·9	20	38
Pitlochry ...	2,279	15·4	7·5	14·0	10·1	0·9	0·9	—	2·9	29	28
Renfrew County—											
Barrhead ...	13,752	24·4	6·5	11·5	12·7	0·22	0·07	—	2·4	27	35
Gourock	9,131	14·9	6·2	13·3	11·2	0·33	0·33	0·22	2·2	29	22
Johnstone ...	16,413	21·9	9·7	12·1	14·9	0·37	0·37	0·30	1·7	36	30
Renfrew	17,741	20·1	6·5	11·9	13·1	0·23	0·17	0·17	2·0	17	33
Ross and Cromarty County—											
Cromarty ...	678	16·2	5·9	22·1	13·5	—	—	—	—	91	—
Dingwall ...	3,576	20·4	8·9	10·6	10·4	—	—	—	4·1	14	27
Fortrose	846	14·2	3·5	14·2	9·0	—	—	—	—	—	—
Invergorden ...	1,555	21·2	10·9	9·6	7·1	—	—	—	—	—	—
Stornoway ...	5,245	14·9	6·5	13·2	11·3	—	—	0·19	6·4	26	49
Tain	1,642	20·7	23·1	8·5	6·1	—	—	—	2·9	—	56
Roxburgh County—											
Hawick	16,631	15·4	8·4	15·3	12·7	0·18	0·18	0·30	3·1	20	34
Jedburgh ...	4,056	18·0	7·1	14·1	12·7	—	—	0·25	6·8	27	76
Kelso	4,206	14·0	8·8	17·6	13·5	0·48	0·48	0·24	3·4	—	—
Melrose	2,177	10·1	6·9	17·5	10·2	—	—	—	—	91	—
Selkirk County—											
Galashiels ...	12,205	15·3	8·2	16·9	13·3	—	—	0·08	1·6	32	21
Selkirk	5,757	12·0	6·9	15·6	12·0	—	—	—	2·9	14	28
Stirling County—											
Bridge of Allan ...	3,261	13·8	6·7	15·3	11·2	0·31	0·31	0·31	2·2	22	43
Denny and Dunipace ...	7,390	21·8	9·3	9·5	11·9	0·14	0·14	0·14	3·1	56	36
Grangemouth ...	16,661	21·0	7·9	9·5	11·6	—	—	0·18	2·0	26	14
Kilsyth	10,329	19·3	7·2	9·9	11·9	0·10	0·10	0·39	1·5	20	20
Sutherland Co.—											
Dornoch	856	17·5	5·8	12·9	10·2	—	—	—	6·7	—	—
West Lothian Co.—											
Armadale ...	6,174	21·7	12·3	9·4	12·6	0·16	0·16	0·16	0·7	45	—
Bathgate... ...	11,968	22·7	10·7	9·8	11·0	0·08	0·08	0·17	1·8	15	29
Bo'ness	10,280	19·8	8·5	12·1	13·0	—	—	0·29	2·9	34	33
Linlithgow ...	4,223	22·0	11·1	10·7	11·6	—	—	—	6·5	11	31
Queensferry ...	2,744	23·0	9·5	11·3	12·9	—	—	—	4·8	16	45
Whitburn ...	5,835	22·3	8·2	8·7	13·5	—	—	0·17	0·8	46	51
Wigtown County—											
Newton Stewart	2,040	13·2	6·4	13·2	12·2	—	—	0·98	—	—	—
Stranraer ...	8,895	20·3	11·6	13·2	14·3	0·11	—	0·22	7·2	11	11
Whithorn ...	1,026	29·2	15·6	16·6	12·9	—	—	—	16·7	33	63
Wigtown ...	1,345	11·2	7·4	15·6	11·7	0·74	0·74	—	13·3	—	—
Zetland County —											
Lerwick	5,623	16·2	8·2	14·4	12·0	—	—	0·53	5·5	11	11

NOTE—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1957

County Landward Areas	Estimated Population 1957	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen	99,891	16·7	5·2	10·5	9·3	0·05	0·05	0·05	5·0	17	23
Angus	36,906	15·6	3·9	10·0	9·5	0·11	0·11	0·05	4·9	28	27
Argyll	32,570	15·4	2·8	16·6	11·9	0·18	0·18	0·12	4·6	16	25
Ayr	128,426	19·2	6·9	10·5	11·7	0·06	0·05	0·16	3·9	33	26
Banff	21,699	16·2	5·1	9·6	9·0	0·05	0·05	0·23	8·5	23	17
Berwick	17,769	12·4	4·0	13·3	11·0	—	—	—	1·8	23	26
Bute	6,042	13·6	4·8	19·2	12·1	0·17	0·17	0·17	3·7	37	35
Caithness	13,822	14·8	4·6	12·2	9·0	0·07	—	0·14	5·9	29	33
Clackmannan ...	16,121	21·9	6·1	9·1	11·0	0·06	0·06	0·12	3·1	31	17
Dumfries	45,420	18·2	9·2	10·5	10·0	0·09	0·09	0·11	3·9	17	29
Dunbarton ...	64,787	18·8	6·3	11·3	11·6	0·12	0·11	0·14	3·2	24	23
East Lothian ...	25,619	18·0	3·6	8·9	9·8	0·04	0·04	0·04	3·7	11	27
Fife	113,603	21·1	5·3	9·8	10·8	0·04	0·04	0·16	3·8	30	26
Inverness	51,110	16·8	2·3	12·4	9·4	0·20	0·16	0·14	5·6	22	16
Kincardine ...	18,625	15·5	3·8	10·3	9·7	0·05	0·05	0·05	5·9	31	14
Kinross	4,642	13·1	2·8	11·8	10·3	0·22	0·22	0·65	3·3	16	16
Kirkcudbright ...	19,883	15·7	6·1	12·1	11·0	0·10	0·05	—	5·1	13	22
Lanark	313,132	20·3	6·9	10·9	12·4	0·18	0·16	0·11	3·0	29	27
Midlothian	62,945	22·8	6·2	9·9	11·2	0·08	0·08	0·13	3·2	37	24
Moray	24,448	17·3	3·0	8·4	9·0	—	—	0·04	4·0	19	32
Nairn	3,636	17·3	1·9	10·7	8·9	0·83	0·83	—	3·2	16	31
Orkney	14,095	15·5	4·7	14·3	10·1	0·14	0·07	0·50	4·6	37	—
Peebles	6,242	15·7	4·2	11·2	9·5	0·16	—	0·32	4·1	—	30
Perth	59,186	16·5	4·0	12·0	9·9	0·02	—	0·08	6·4	20	23
Renfrew	78,589	15·7	5·8	12·1	11·2	0·13	0·11	0·18	2·6	24	24
Ross and Cromarty	46,031	15·4	2·6	14·2	9·6	0·22	0·17	0·07	4·7	31	14
Roxburgh	17,995	14·9	4·3	9·9	8·0	0·06	0·06	0·06	2·2	22	18
Selkirk	3,093	14·5	4·2	11·3	10·0	0·32	0·32	0·32	2·2	22	—
Stirling	89.495	18·2	7·1	11·0	12·2	0·11	0·11	0·18	4·1	25	27
Sutherland	12,321	19·2	4·1	14·2	9·1	0·08	0·08	0·24	4·6	8	17
West Lothian ...	50,682	18·8	6·9	9·4	10·9	0·04	0·04	0·16	2·7	24	25
Wigtown	16,757	20·8	5·6	10·9	11·0	—	—	0·12	9·8	32	28
Zetland	12,813	14·0	2·9	17·7	10·6	0·08	0·08	0·08	3·4	56	17

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1957. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Stillbirths, Deaths and Marriages, 1957				
			Live Births		Still-births	Deaths	Mar-riages
	1951	1931	Total	Illegi-timate			
SCOTLAND	**5,096,415**	**4,842,980**	**97,977**	**4,017**	**2,378**	**61,143**	**42,676**
Counties of Cities ...	1,916,833	1,879,620	40,885	2,086	1,075	25,519	18,332
Large Burghs	829,666	774,705	22,185	735	438	10,429	8,102
Counties (ex. Counties of Cities and Large Burghs)	2,349,916	2,188,655	34,907	1,196	865	25,195	16,242
Small Burghs	832,449	753,699	13,878	457	249	8,686	7,594
Landward	1,517,467	1,434,956	21,029	739	616	16,509	8,648
Counties (ex. Counties of Cities and Large Burghs)							
Aberdeen	144,746	143,611	1,960	88	26	1,177	990
Angus	78,025	75,310	911	34	17	1,068	520
Argyll	63,361	63,050	714	26	16	888	262
Ayr	236,720	207,619	4,538	175	154	2,508	1,873
Banff	50,148	54,907	875	46	18	524	338
Berwick	25,068	26,612	215	4	3	248	120
Bute	19,283	18,823	222	11	3	227	91
Caithness	22,710	25,656	448	23	13	285	195
Clackmannan	37,532	31,948	280	12	6	336	321
Dumfries...	59,338	77,926	333	15	5	654	559
Dunbarton	95,923	58,010	1,399	47	38	1,092	664
East Lothian	52,258	47,338	569	14	15	503	370
Fife	213,009	196,565	2,623	86	64	1,914	1,552
Inverness	56,823	58,558	387	12	8	624	169
Kincardine	27,882	26,780	164	5	1	249	157
Kinross	7,418	7,454	28	—	—	72	42
Kirkcudbright	30,725	30,341	159	4	2	299	229
Lanark	313,178	293,502	6,759	172	216	3,716	2,274
Midlothian	98,792	87,102	992	22	9	853	775
Moray	48,218	40,806	860	32	19	492	365
Nairn	8,719	8,294	142	5	2	92	59
Orkney	21,255	22,077	277	10	1	269	120
Peebles	15,232	15,051	175	7	1	140	83
Perth	87,542	85,733	621	29	10	1,073	469
Renfrew	132,157	100,769	2,087	48	96	1,250	876
Ross and Cromarty ...	60,508	62,799	794	39	12	705	249
Roxburgh	45,557	45,788	512	15	12	537	298
Selkirk	21,729	22,608	390	5	4	434	153
Stirling	122,841	105,334	2,845	118	40	1,211	932
Sutherland ...	13,670	16,101	163	5	1	169	55
West Lothian	88,577	81,431	1,707	35	44	971	763
Wigtown	31,620	29,331	492	42	6	317	236
Zetland	19,352	21,421	266	10	3	298	83
Counties of Cities							
Glasgow	1,089,767	1,093,337	22,581	1,124	637	13,883	10,329
Edinburgh	466,943	439,194	10,020	486	236	6,625	4,326
Aberdeen	182,783	169,910	4,185	219	88	2,664	1,975
Dundee	177,340	177,179	4,099	257	114	2,347	1,702
Large Burghs							
Paisley	93,711	88,384	2,822	151	24	1,340	825
Greenock	77,174	79,012	1,868	61	51	1,025	662
Motherwell and Wishaw	68,806	66,559	1,402	30	29	673	606
Kirkcaldy	49,050	44,745	1,472	50	39	616	518
Coatbridge	47,541	43,513	536	7	4	418	416
Dunfermline	44,719	35,058	1,772	48	36	561	412
Clydebank	44,638	47,033	428	14	3	418	330
Ayr	42,377	38,905	681	23	7	615	485
Kilmarnock	42,140	38,693	1,144	35	9	623	432
Perth	40,487	35,060	1,190	53	18	564	470
Hamilton	40,174	38,112	1,092	13	14	294	426
Falkirk	37,535	36,566	1,468	38	40	612	379
Airdrie	30,666	27,442	618	8	3	237	313
Inverness	28,107	23,550	1,286	56	38	587	440
Stirling	27,151	24,547	1,144	40	43	561	247
Dumfries...	26,322	23,031	1,653	73	53	548	341
Rutherglen	24,231	25,198	107	1	1	173	255
Dumbarton	23,708	21,770	896	17	15	209	171
Port Glasgow	21,618	19,826	283	11	6	131	202
Arbroath	19,511	17,701	323	6	5	224	172

* Adjusted for Alterations of Boundary.

TABLE 8.—Birth-rate among Married and Unmarried Women in Scotland in 1957

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND ...	**1,078,900**	**666,700**	**412,100**	**97,977**	**93,960**	**4,017**	**90·8**	**140·9**	**9·7**
COUNTIES OF CITIES	413,700	250,000	163,700	37,101	35,317	1,784	89·7	141·3	10·9
LARGE BURGHS ...	184,700	116,400	68,200	17,434	16,802	632	94·4	144·3	9·3
COUNTIES (excluding Counties of Cities & Large Burghs) ...	480,500	300,300	180,200	43,442	41 841	1,601	90·4	139·3	8·9
SMALL BURGHS ...	177,200	112,000	65,200	15,409	14,909	500	87·0	133·2	7·7
LANDWARD ...	303,300	188,400	115,000	28,033	26,932	1,101	92·4	143·0	9·6
ABERDEEN COUNTY									
Aberdeen C. of C.	41,700	25,300	16,500	3,379	3,206	173	81·0	126·9	10·5
Remainder of Co.	27,700	17,200	10,400	2,407	2,294	113	87·0	133·2	10·8
ANGUS COUNTY—									
Dundee C. of C.	38,200	23,700	14,500	3,453	3,289	164	90·3	138·7	11·3
Arbroath Burgh...	4,200	2,700	1,500	352	336	16	83·8	122·4	11·0
Remainder of Co.	15,500	9,500	6,000	1,190	1,143	47	76·9	120·4	7·9
ARGYLL COUNTY ...	10,300	6,100	4,200	850	815	35	82·3	133·6	8·3
AYR COUNTY—									
Ayr Burgh ...	9,500	5,800	3,700	827	777	50	86·7	134·0	13·4
Kilmarnock Burgh	9,700	6,300	3,400	944	912	32	96·9	143·8	9·4
Remainder of Co.	51,400	32,600	18,800	4,611	4,446	165	89·7	136·4	8·8
BANFF COUNTY ...	9,600	5,800	3,900	896	840	56	93·0	146·0	14·4
BERWICK COUNTY ...	4,400	2,900	1,500	316	310	6	71·5	107·6	3·9
BUTE COUNTY ...	3,000	1,800	1,200	251	239	12	83·2	133·4	9·8
CAITHNESS COUNTY	4,800	2,900	1,900	479	453	26	99·4	154·1	13·9
CLACKMANNAN CO.	8,400	5,700	2,700	811	777	34	96·7	137·3	12·5
DUMFRIES COUNTY—									
Dumfries Burgh...	6,000	3,700	2,200	478	443	35	80·2	118·3	15·8
Remainder of Co.	11,900	7,400	4,400	1,110	1,062	48	93·5	142·8	10·8
DUNBARTON CO.—									
Clydebank Burgh	11,200	7,500	3,600	1,145	1,117	28	102·3	148·1	7·7
Dumbarton Burgh	5,600	3,400	2,100	654	633	21	117·4	185·0	9·8
Remainder of Co.	20,100	12,500	7,500	1,839	1,785	54	91·7	142·6	7·2
EAST LOTHIAN CO.	10,600	6,900	3,700	950	924	26	89·8	133·8	7·1
FIFE COUNTY—									
Dunfermline Burgh	9,200	6,300	2,900	834	803	31	90·5	128·1	10·5
Kirkcaldy Burgh	11,100	7,500	3,600	946	905	41	85·2	121·3	11·2
Remainder of Co.	45,900	30,400	15,500	4,258	4,112	146	92·8	135·3	9·4
INVERNESS COUNTY—									
Inverness Burgh	6,100	3,600	2,500	554	523	31	90·8	145·4	12·4
Remainder of Co.	9,200	5,200	4,000	937	886	51	101·7	170·4	12·7

TABLE 8.—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un-married Women and Widows aged 15-44	Total	Legiti-mate	Illegiti-mate	Total per 1,000 Women aged 15-44	Legiti-mate Births per 1,000 Married Women aged 16-44	Illegiti-mate Births per 1,000 Un-married Women aged 15-44
KINCARDINE CO.—	5,200	3,300	1,900	427	405	22	82 3	124·0	11·4
KINROSS COUNTY ...	1,400	900	600	101	98	3	70·3	110·6	5·5
KIRKCUDBRIGHT CO.	5,800	3,600	2,200	467	449	18	80·6	123·6	8·3
LANARK COUNTY—									
Glasgow C. of C.	234,500	141,500	93,100	22,415	21,367	1,048	95·6	151·0	11·3
Airdrie Burgh ...	7,100	4,400	2,600	694	675	19	98·2	152·7	7·2
Coatbridge Burgh	11,200	6,900	4,400	1,331	1,307	24	118·7	190·7	5·5
Hamilton Burgh	9,000	5,500	3,500	847	821	26	94·4	150·5	7·4
Motherwell and Wishaw Burgh	15,400	9,600	5,800	1,493	1,456	37	97·0	151·2	6·4
Rutherglen Burgh	5,200	3,200	2,000	436	431	5	83·8	136·2	2·5
Remainder of Co.	68,600	41,900	26,700	6,544	6,347	197	95·4	151·5	7·4
MIDLOTHIAN CO.—									
Edinburgh C. of C.	99,200	59,500	39,600	7,854	7,455	399	79·2	125·2	10·1
Remainder of Co.	22,500	14,700	7,800	2,246	2,190	56	100·0	149·0	7·2
MORAY COUNTY ...	9,700	6,000	3,700	967	927	40	99·8	154·6	10·8
NAIRN COUNTY ...	1,600	1,000	600	146	139	7	91·3	141·7	11·3
ORKNEY COUNTY ...	3,600	2,400	1,200	292	281	11	81·0	118·6	8·9
PEEBLES COUNTY ...	2,800	1,700	1,000	227	219	8	82·3	127·8	7·7
PERTH COUNTY—									
Perth Burgh ...	8,700	5,500	3,200	684	644	40	79·0	117·6	12·6
Remainder of Co.	16,700	9,800	6,900	1,419	1,331	88	84·9	136·0	12·7
RENFREW COUNTY—									
Greenock Burgh	16,500	10,100	6,400	1,653	1,584	69	100·3	157·2	10·8
Paisley Burgh ...	20,500	12,900	7,700	1,886	1,816	70	91·8	141·1	9·1
Port Glasgow Burgh	5,000	3,200	1,800	555	536	19	110·8	167·0	10·6
Remainder of Co.	28,400	17,500	10,900	2,418	2,362	56	85·2	135·1	5·1
ROSS AND CROMARTY CO.	10,500	5,900	4,700	949	907	42	90·1	154·6	9·0
ROXBURGH COUNTY	8,800	5,500	3,300	679	658	21	77.5	120·0	6·4
SELKIRK COUNTY ...	4,300	2,600	1,600	301	295	6	70·7	112·5	3·7
STIRLING COUNTY—									
Falkirk Burgh ...	7,800	4,900	2,900	601	583	18	76·6	118·2	6·2
Stirling Burgh ...	5,700	3,400	2,200	520	500	20	91·5	145·2	8·9
Remainder of Co.	27,200	17,100	10,000	2,383	2,301	82	87·7	134·3	8·2
SUTHERLAND COUNTY	2,300	1,400	900	252	240	12	110·8	177·5	13·0
WEST LOTHIAN CO.	19,500	12,700	6,800	1,848	1,800	48	94·9	142·1	7·1
WIGTOWN COUNTY	5,700	3,600	2,100	601	547	54	104·6	151·7	25·2
ZETLAND COUNTY ...	3,400	2,000	1,400	270	259	11	80·0	130·9	7·9

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1957

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
13	1	—	1	—	—	—	1	—	1
14	9	8	1	—	—	—	9	8	1
15	25	10	15	—	—	—	25	10	15
16	131	63	68	80	40	40	51	23	28
17	609	308	301	475	239	236	134	69	65
18	1,560	811	749	1,324	688	636	236	123	113
19	2,753	1,455	1,298	2,479	1,310	1,169	274	145	129
Under 20	5,088	2,655	2,433	4,358	2,277	2,081	730	378	352
20	4,047	2,063	1,984	3,751	1,916	1,835	296	147	149
21	5,446	2,785	2,661	5,180	2,656	2,524	266	129	137
22	6,194	3,130	3,064	5,946	3,009	2,937	248	121	127
23	6,628	3,409	3,219	6,359	3,267	3,092	269	142	127
24	6,964	3,625	3,339	6,774	3,528	3,246	190	97	93
20–24	29,279	15,012	14,267	28,010	14,376	13,634	1,269	636	633
25	6,807	3,548	3,259	6,604	3,456	3,148	203	92	111
26	6,663	3,469	3,194	6,485	3,373	3,112	178	96	82
27	6,237	3,199	3,038	6,080	3,123	2,957	157	76	81
28	5,911	3,067	2,844	5,748	2,970	2,778	163	97	66
29	5,253	2,761	2,492	5,105	2,676	2,429	148	85	63
25–29	30,871	16,044	14,827	30,022	15,598	14,424	849	446	403
30	4,899	2,467	2,432	4,759	2,397	2,362	140	70	70
31	4,302	2,183	2,119	4,175	2,119	2,056	127	64	63
32	3,863	2,002	1,861	3,713	1,934	1,779	150	68	82
33	3,329	1,675	1,654	3,231	1,618	1,613	98	57	41
34	3,055	1,547	1,508	2,934	1,481	1,453	121	66	55
30–34	19,448	9,874	9,574	18,812	9,549	9,263	636	325	311
35	2,856	1,508	1,348	2,763	1,461	1,302	93	47	46
36	2,559	1,292	1,267	2,459	1,246	1,213	100	46	54
37	2,257	1,122	1,135	2,176	1,090	1,086	81	32	49
38	1,547	785	762	1,485	756	729	62	29	33
39	1,165	573	592	1,116	550	566	49	23	26
35–39	10,384	5,280	5,104	9,999	5,103	4,896	385	177	208
40	914	460	454	869	434	435	45	26	19
41	638	319	319	608	304	304	30	15	15
42	554	290	264	525	275	250	29	15	14
43	387	200	187	368	191	177	19	9	10
44	191	98	93	185	96	89	6	2	4
40–44	2,684	1,367	1,317	2,555	1,300	1,255	129	67	62
45	91	53	38	86	51	35	5	2	3
46	40	21	19	39	21	18	1	—	1
47	25	14	11	25	14	11	—	—	—
48	6	6	—	5	5	—	1	1	—
49	2	1	1	2	1	1	—	—	—
45–49	164	95	69	157	92	65	7	3	4
Not stated	59	23	36	47	21	26	12	2	10
Total	97,977	50,350	47,627	93,960	48,316	45,644	4,017	2,034	1,983

* Married in Eire

TABLE 10.—Births by Age of Mother and Duration of Marriage, Scotland, 1957

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Under one year	13,335	—	80	427	977	1,478	1,702	1,748	1,489	1,189	908	2,314	697	265	56	—	—	5
1	13,865	—	—	47	295	735	1,307	1,679	1,818	1,640	1,394	3,452	1,035	386	70	3	—	4
2	10,473	—	—	—	52	230	530	1,015	1,265	1,281	1,305	3,404	960	353	69	3	—	6
3	9,430	—	—	—	—	36	178	518	807	1,121	1,217	3,944	1,208	339	54	4	—	4
4	8,051	—	—	—	—	—	34	187	406	664	945	4,070	1,301	379	59	4	—	2
5	6,886	—	—	—	—	—	—	33	142	338	596	3,849	1,452	392	75	5	—	4
6	5,750	—	—	—	—	—	—	—	19	95	286	3,214	1,650	429	54	—	—	3
7	4,791	—	—	*1	—	—	—	—	—	31	100	2,401	1,705	477	72	2	—	2
8	4,106	—	—	—	—	—	—	—	—	—	23	1,628	1,824	560	66	2	—	3
9	3,360	—	—	—	—	—	—	—	—	—	—	973	1,733	558	90	2	—	4
10–14	9,293	—	—	—	—	—	—	—	—	—	—	773	4,796	3,224	474	18	—	8
15–19	3,844	—	—	—	—	—	—	—	—	—	—	—	451	2,489	865	37	—	2
20–24	713	—	—	—	—	—	—	—	—	—	—	—	—	148	519	46	—	—
25 and over	63	—	—	—	—	—	—	—	—	—	—	—	—	—	32	31	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Births	93,960	—	80	475	1,324	2,479	3,751	5,180	5,946	6,359	6,774	30,022	18,812	9,999	2,555	157	—	47
Male ...	48,316	—	40	239	688	1,310	1,916	2,656	3,009	3,267	3,528	15,598	9,549	5,103	1,300	92	—	21
Female ...	45,644	—	40	236	636	1,169	1,835	2,524	2,937	3,092	3,246	14,424	9,263	4,896	1,255	65	—	26
Illegitimate Births	4,017	35	51	134	236	274	296	266	248	269	190	849	636	385	129	7	—	12
Male ...	2,034	18	23	69	123	145	147	129	121	142	97	446	325	177	67	3	—	2
Female ...	1,983	17	28	65	113	129	149	137	127	127	93	403	311	208	62	4	—	10
All Births ...	97,977	35	131	609	1,560	2,753	4,047	5,446	6,194	6,628	6,964	30,871	19,448	10,384	2,684	164	—	59
Male ...	50,350	18	63	308	811	1,455	2,063	2,785	3,130	3,409	3,625	16,044	9,874	5,280	1,367	95	—	23
Female ...	47,627	17	68	301	749	1,298	1,984	2,661	3,064	3,219	3,339	14,827	9,574	5,104	1,317	69	—	36

* Married in India

TABLE 11.—Fertility by Age of Mother, Scotland, 1957

	Age of Mother									
	All Ages	15–19*	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Births, 1957:—										
Total	97,977	5,088	29,279	30,871	19,448	10,384	2,684	164	—	59
Legitimate	93,960	4,358	28,010	30,022	18,812	9,999	2,555	157	—	47
Illegitimate	4,017	730	1,269	849	636	385	129	7	—	12
Rates per annum per 1,000 females:—										
All Births	77·58†	27·47	163·73	171·44	108·51	58·44	15·15	0·89	—	—
Legitimate Births ... ... (per 1,000 married females)	116·45†	456·93	315·13	218·58	131·49	68·46	18·06	1·12	—	—
Illegitimate Births ... ... (per 1,000 unmarried females, including widowed and divorced)	8·81†	4·16	14·14	19·93	17·63	12·19	3·61	0·16	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 1 aged 13 and 9 aged 14.

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Months.																	
Under One	151	5	13	12	20	21	16	11	9	2	24	9	8	1	—	—	—
1	169	3	13	14	27	21	17	17	10	11	19	9	5	3	—	—	—
2	253	6	20	33	27	27	34	26	16	15	22	11	11	5	—	—	—
Under 3	*573*	*14*	*46*	*59*	*74*	*69*	*67*	*54*	*35*	*28*	*65*	*29*	*24*	*9*	—	—	—
3	445	7	32	56	61	71	43	35	32	25	61	13	8	1	—	—	—
4	751	12	61	97	121	98	88	67	47	36	80	32	7	5	—	—	—
5	1,259	15	69	161	208	210	148	120	74	62	130	41	18	3	—	—	—
3–5	*2,455*	*34*	*162*	*314*	*390*	*379*	*279*	*222*	*153*	*123*	*271*	*86*	*33*	*9*	—	—	—
6	1,504	13	78	193	234	249	201	139	81	78	166	45	21	6	—	—	—
7	1,319	6	64	145	213	185	170	137	96	64	161	53	22	3	—	—	—
8	856	4	25	52	112	122	132	73	76	52	152	39	16	1	—	—	—
6–8	*3,679*	*23*	*167*	*390*	*559*	*556*	*503*	*349*	*253*	*194*	*479*	*137*	*59*	*10*	—	—	—
9	1,602	2	14	64	123	178	236	215	169	140	330	95	31	5	—	—	—
10	2,550	4	12	79	177	268	359	332	289	205	596	165	53	11	—	—	—
11	2,272	2	23	70	140	240	286	299	271	205	525	158	45	8	—	—	—
9–11	*6,424*	*8*	*49*	*213*	*440*	*686*	*881*	*846*	*729*	*550*	*1,451*	*418*	*129*	*24*	—	—	—
12–14	4,543	—	24	107	259	438	584	599	530	436	1,104	322	125	15	—	—	—
15–17	2,840	—	4	46	149	284	316	371	343	302	702	217	91	15	—	—	—
18–20	2,044	—	4	21	71	137	234	278	245	225	566	171	67	23	2	—	—
21–23	1,649	—	1	18	36	92	161	197	231	172	546	137	47	11	—	—	—
Years.																	
Under One	13,131	79	424	976	1,463	1,690	1,730	1,471	1,170	895	2,266	670	245	52	—	—	—
1	11,076	—	33	192	515	951	1,295	1,445	1,349	1,135	2,918	847	330	64	2	—	—
2	4,098	—	—	11	47	132	301	435	491	548	1,502	422	165	41	3	—	—
3	2,370	—	—	—	6	11	74	134	262	276	1,135	357	93	21	1	—	—
4	1,343	—	—	—	—	2	16	32	56	121	749	283	71	11	2	—	—
5	922	—	—	—	—	—	2	1	14	40	507	271	72	15	—	—	—
6	556	—	—	—	—	—	—	—	5	21	280	190	52	8	—	—	—
7	384	—	—	—	—	—	—	—	1	7	166	156	43	10	1	—	—
8	305	—	—	—	—	—	—	—	—	2	90	144	63	5	1	—	—
9	196	—	—	—	—	—	—	—	—	—	40	105	42	9	—	—	—
10–14	421	—	—	—	—	—	—	—	—	—	26	194	166	33	2	—	—
15–19	111	—	—	—	—	—	—	—	—	—	—	13	75	22	1	—	—
20 and over	10	—	—	—	—	—	—	—	—	—	—	—	2	7	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	34,923	79	457	1,179	2,031	2,786	3,418	3,518	3,348	3,045	9,679	3,652	1,419	298	14	—	—

TABLE 13.—Legitimate Births by Age of Mother and Number of Previous Children, Scotland, 1957

Number of Previous Children (including Stillborn and Dead)	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
By All Husbands.																	
None	34,346	79	457	1,179	2,031	2,783	3,417	3,512	3,340	3,031	9,565	3,462	1,235	245	10	—	—
1	26,483	1	18	137	411	824	1,389	1,754	1,999	2,342	10,247	5,147	1,892	310	11	—	1
2	15,156	—	—	8	37	139	322	523	761	974	5,564	4,333	2,091	384	20	—	—
3	7,946	—	—	—	—	4	45	137	204	300	2,562	2,646	1,644	385	19	—	—
4	4,389	—	—	—	—	1	7	19	44	94	1,227	1,509	1,117	345	26	—	—
5	2,527	—	—	—	—	—	—	1	9	23	558	857	802	265	12	—	—
6	1,417	—	—	—	—	—	—	—	2	8	200	470	514	207	16	—	—
7	753	—	—	—	—	—	—	—	—	2	79	229	302	128	13	—	—
8	382	—	—	—	—	—	—	—	—	—	14	80	171	107	10	—	—
9	225	—	—	—	—	—	—	—	—	—	5	47	102	67	4	—	—
10–14	279	—	—	—	—	—	—	—	—	—	1	32	128	103	15	—	—
15–19	11	—	—	—	—	—	—	—	—	—	—	—	1	9	1	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	46
Total	93,960	80	475	1,324	2,479	3,751	5,180	5,946	6,359	6,774	30,022	18,812	9,999	2,555	157	—	47
By Present Husband.																	
None	34,923	79	457	1,179	2,031	2,786	3,418	3,518	3,348	3,045	9,679	3,652	1,419	298	14	—	—
1	26,488	1	18	137	411	822	1,388	1,750	1,994	2,342	10,214	5,133	1,934	329	14	—	1
2	15,066	—	—	8	37	138	322	522	759	965	5,552	4,307	2,063	373	20	—	—
3	7,787	—	—	—	—	4	45	136	203	297	2,532	2,592	1,592	368	18	—	—
4	4,262	—	—	—	—	1	7	19	44	92	1,207	1,461	1,067	339	25	—	—
5	2,445	—	—	—	—	—	—	1	9	23	546	835	763	258	10	—	—
6	1,357	—	—	—	—	—	—	—	2	8	196	452	486	198	15	—	—
7	723	—	—	—	—	—	—	—	—	2	77	225	284	122	13	—	—
8	367	—	—	—	—	—	—	—	—	—	14	79	167	99	8	—	—
9	213	—	—	—	—	—	—	—	—	—	4	46	98	61	4	—	—
10–14	272	—	—	—	—	—	—	—	—	—	1	30	125	101	15	—	—
15–19	11	—	—	—	—	—	—	—	—	—	—	—	1	9	1	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	46
Total	93,960	80	475	1,324	2,479	3,751	5,180	5,946	6,359	6,774	30,022	18,812	9,999	2,555	157	—	47

Number of Previous Children (Including Stillborn and Dead)	Total Births	Duration of Present Marriage—Years															Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over	Not Stated	
By all Husbands—None	34,346	12,864	10,900	4,050	2,332	1,325	911	549	382	302	194	416	111	8	2	—	34,346
1	26,483	259	2,686	5,519	4,970	3,857	2,770	2,008	1,330	956	694	1,169	256	8	1	—	52,966
2	15,156	110	182	758	1,810	2,128	2,039	1,785	1,444	1,158	894	2,229	578	39	2	—	45,468
3	7,946	56	46	94	236	589	852	864	878	818	678	2,023	737	73	2	—	31,784
4	4,389	19	18	21	39	112	251	398	490	496	437	1,396	618	88	6	—	21,945
5	2,527	12	12	14	18	26	48	109	196	240	262	964	512	109	5	—	15,162
6	1,417	3	8	7	11	5	9	25	56	93	126	577	386	103	8	—	9,919
7	753	4	5	4	3	2	1	6	12	30	48	303	255	72	8	—	6,024
8	382	1	1	—	5	3	—	1	1	5	15	119	156	70	5	—	3,438
9	225	2	1	1	2	—	—	—	—	4	5	56	108	45	1	—	2,250
10	123	—	1	—	—	—	—	2	—	—	—	21	61	36	2	—	1,353
11	77	—	—	—	—	2	1	—	—	1	1	10	34	24	4	—	924
12	35	—	1	—	—	—	—	—	—	—	—	2	15	13	4	—	455
13	35	—	—	—	—	—	—	—	—	—	2	—	12	14	7	—	490
14	9	—	—	—	—	—	—	—	—	—	—	—	3	5	1	—	135
15 and over	*11	—	—	—	—	—	—	—	—	—	—	—	—	6	5	—	195
Not stated	46	5	4	5	4	2	4	3	2	3	4	8	2	—	—	—	46
Total	93,960	13,335	13,865	10,473	9,430	8,051	6,886	5,750	4,791	4,106	3,360	9,293	3,844	713	63	—	226,900
Total Number of Children (Including Present Birth)	226,900	14,190	17,307	18,023	19,119	18,599	17,606	16,277	15,011	13,871	12,228	38,776	20,182	5,135	576	—	—
By Present Husband—None	34,923	13,131	11,076	4,098	2,370	1,343	922	556	384	305	196	421	111	8	2	—	34,923
1	26,488	145	2,641	5,554	4,995	3,882	2,802	2,023	1,336	965	702	1,178	256	8	1	—	52,976
2	15,066	35	115	744	1,826	2,135	2,043	1,787	1,454	1,160	904	2,242	580	39	2	—	45,198
3	7,787	10	17	57	206	573	841	879	879	817	678	2,019	736	73	2	—	31,148
4	4,262	5	5	10	19	94	228	385	482	495	426	1,398	621	88	6	—	21,310
5	2,445	2	2	5	6	19	36	100	191	234	261	964	510	110	5	—	14,670
6	1,357	2	4	—	3	2	8	15	51	90	122	563	387	102	8	—	9,499
7	723	—	1	—	—	—	1	1	11	30	45	300	254	72	8	—	5,784
8	367	—	—	—	1	—	—	1	1	4	15	115	155	70	5	—	3,303
9	213	—	—	—	—	—	—	—	—	2	6	52	107	45	1	—	2,130
10	123	—	—	—	—	1	1	—	—	—	—	22	61	36	2	—	1,353
11	72	—	—	—	—	—	—	—	—	1	—	9	34	24	4	—	864
12	34	—	—	—	—	—	—	—	—	—	—	2	15	13	4	—	442
13	34	—	—	—	—	—	—	—	—	—	1	—	12	14	7	—	476
14	9	—	—	—	—	—	—	—	—	—	—	—	3	5	1	—	135
15 and over	*11	—	—	—	—	—	—	—	—	—	—	—	—	6	5	—	195
Not stated	46	5	4	5	4	2	4	3	2	3	4	8	2	—	—	—	46
Total	93,960	13,335	13,865	10,473	9,430	8,051	6,886	5,750	4,791	4,106	3,360	9,293	3,844	713	63	—	224,452
Total Children by Present Husband (including Present Birth)	224,452	13,622	16,848	17,751	18,827	18,415	17,454	16,129	14,946	13,803	12,147	38,633	20,167	5,134	576	—	—
Average Number of Children to Present Husband	2·39	1·02	1·22	1·69	2·00	2·29	2·53	2·81	3·12	3·36	3·62	4·16	5·25	7·20	9·14	—	—

Note.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* Duration of Present Marriage

20-24 years = 1 with 15 previous children; 1 with 16 previous children, 3 with 17 previous children and 1 with 19 previous children

25 years and over = 2 with 15 previous children, 1 with 17 previous children, and 2 with 18 previous children.

TABLE 15.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1957

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–59	60–69	70 and over	Not stated
All women.*—												
Married	8,519	1	45	110	126	250	380	587	1,755	2,428	2,837	—
Widowed	13,104	—	1	—	1	9	25	58	460	1,985	10,565	—
Divorced	135	—	—	2	3	11	10	10	29	33	37	—
Women stated to have had no children.—												
Married	1,387	1	20	29	26	37	52	89	311	394	428	—
Widowed	1,912	—	—	—	—	3	3	2	78	290	1,536	—
Divorced	31	—	—	1	1	3	3	3	6	6	8	—
No statement as to children.—												
Married	34	—	1	1	1	2	3	1	4	9	12	—
Widowed	103	—	—	—	—	—	1	1	2	8	91	—
Divorced	1	—	—	—	—	—	—	—	—	—	1	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Percentage of women* in each group stated to have had no children.—												
Married	16·3	100·0	44·4	26·4	20·6	14·8	13·7	15·2	17·7	16.2	15·1	—
Widowed	14·6	—	—	—	—	33·3	12·0	3·4	17·0	14·6	14·5	—
Divorced†	23·0	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 16.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1957

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No Statement as to Children					Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	67	37	29	1	42	20	21	1	—	—	—	—	—	62·7	54·1	72·4	—
1	112	35	75	2	35	13	22	—	—	—	—	—	—	31·3	37·1	29·3	—
2	125	40	83	2	47	16	31	—	—	—	—	—	—	37·6	40·0	37·3	—
3	135	52	82	1	51	23	28	—	—	—	—	—	—	37·8	44·2	34·1	—
4	173	59	110	4	57	23	32	2	—	—	—	—	—	32·9	39·0	29·1	—
5	157	55	98	4	54	22	32	—	—	—	—	—	—	34·4	40·0	32·7	—
6	184	62	117	5	57	23	31	3	—	—	—	—	—	31·0	37·1	26·5	—
7	154	56	95	3	48	21	26	1	—	—	—	—	—	31·2	37·5	27·4	—
8	198	73	120	5	62	35	26	1	—	—	—	—	—	31·3	47·9	21·7	—
9	179	73	99	7	47	17	29	1	—	—	—	—	—	26·3	23·3	29·3	—
10–14	1,218	383	805	30	338	129	199	10	—	—	—	—	—	27·8	33·7	24·7	—
15–19	1,448	563	865	20	313	143	167	3	—	—	—	—	—	21·6	25·4	19·3	—
20–29	3,846	1,459	2,360	27	752	314	435	3	—	—	—	—	—	19·6	21·5	18·4	—
30–39	5,342	2,187	3,144	11	716	319	396	1	—	—	—	—	—	13·4	14·6	12·6	—
40–49	5,172	2,056	3,111	5	463	210	252	1	1	—	1	—	—	9·0	10·2	8·1	—
50–59	2,726	1,199	1,527	—	127	51	76	—	—	—	—	—	—	4·7	4·3	5·0	—
60–69	303	115	188	—	9	2	7	—	—	—	—	—	—	3·0	1·7	3·7	—
70 and over	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	217	15	194	8	112	6	102	4	137	34	102	1	—	51·6	40·0	52·6	—
Total ...	21,758	8,519	13,104	135	3,330	1,387	1,912	31	138	34	103	1	—	15·3	16·3	14·6	23·0

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Individual numbers too small for the calculation of significant rates

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married. — Scotland, 1957

Cause of Death		Women who had Children								Women who had no Children							
		Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019	Tuberculosis	127	2	17	49	24	13	16	6	33	3	11	13	2	1	1	2
020-029	Syphilis	13	—	—	2	1	7	1	2	3	—	—	—	—	2	—	1
170	Malignant neoplasm of breast ...	537	—	9	58	114	115	127	114	148	—	—	7	42	36	36	27
171-174	Malignant neoplasm of uterus ...	291	—	6	44	70	76	56	39	52	—	2	3	13	13	15	6
175-176	Malignant neoplasm of other and unspecified female genital organs	196	1	5	15	47	44	45	39	56	—	1	6	14	19	12	4
140-165, 180-205	Malignant neoplasm of all other and unspecified sites	2,263	2	27	87	211	479	718	739	406	2	6	19	51	95	125	108
214-217	Benign neoplasm of female genital organs	13	—	1	3	2	2	1	4	6	—	—	—	1	2	2	1
241	Asthma	66	1	4	8	14	9	22	8	4	—	—	—	—	1	2	1
252	Thyrotoxicosis, with or without goitre	21	—	—	—	1	6	5	9	6	—	1	1	2	1	1	—
260	Diabetes mellitus	279	—	2	4	10	59	116	88	39	—	—	1	4	8	17	9
290-293	Anæmias	91	—	—	3	5	10	22	51	20	—	—	—	2	2	6	10
300-326	Mental, psychoneurotic and personality disorders ...	33	—	—	2	10	6	3	12	15	—	—	—	1	3	3	8
330-334	Vascular lesions affecting central nervous system	3,681	1	8	31	165	490	1,042	1,944	612	1	4	7	35	75	185	305
353	Epilepsy	11	—	—	2	3	3	3	—	2	—	—	—	1	1	—	—
410-416	Chronic rheumatic heart disease...	381	3	16	61	88	92	72	49	74	3	2	10	15	17	17	10
420-422	Arteriosclerotic and degenerative heart disease	5,496	—	6	36	162	602	1,592	3,098	973	1	2	7	33	119	299	512
430-434	Other diseases of heart	224	—	3	2	16	29	66	108	32	—	1	1	1	5	10	14
440-447	Hypertensive disease	707	—	1	6	42	86	230	342	119	—	—	2	2	20	27	68
460-466	Diseases of veins	106	—	1	7	7	28	37	26	17	—	—	—	—	5	6	6
490-493	Pneumonia	510	1	5	13	28	64	120	279	106	1	1	1	7	10	23	63
500-502	Bronchitis	419	—	1	3	24	67	130	194	56	—	—	—	2	12	18	24
560, 561, 570	Intestinal obstruction and hernia	138	—	—	2	13	26	32	65	16	—	—	—	2	2	3	9
581-586	Diseases of the liver	218	—	—	4	22	55	61	76	32	1	—	1	3	5	17	5
590-609	Diseases of the urinary and genito-urinary system ...	261	—	6	15	38	56	66	80	44	1	6	5	3	5	8	16
620-637	Diseases of female genital organs	21	—	2	5	4	4	3	3	3	—	1	1	—	—	1	—
640-689	Deliveries and complications of pregnancy and childbirth and the puerperium	40	10	21	9	—	—	—	—	2	—	2	—	—	—	—	—
	All other natural causes ...	1,760	5	28	69	127	217	365	949	328	5	13	9	25	38	73	165
E800-999	Violence	525	—	16	44	48	74	86	257	126	3	4	7	9	22	13	68
	Total ...	18,428	26	185	584	1,296	2,719	5,037	8,581	3,330	21	57	101	270	519	920	1,442

TABLE 18.—Number of Stillbirths and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1957

Counties of Cities, Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Stillbirths	Neo-natal Deaths	Combined Rates
SCOTLAND	97,977	2,378	125	1,920	23·7	19·1	42·8
Counties of Cities ...	37,101	889	63	772	23·4	20·3	43·7
Large Burghs	17,434	412	20	352	23·1	19·7	42·8
Counties (ex. Counties of Cities and Large Burghs)	43,442	1,077	42	796	24·2	17·9	42·1
Small Burghs	15,409	370	13	285	23·4	18·1	41·5
Landward	28,033	707	29	511	24·6	17·8	42·4
Northern Division ...	16,802	341	16	291	19·9	17·0	36·9
East Central Division ...	26,704	621	37	484	22·7	17·7	40·4
West Central Division ...	50,292	1,310	69	1,070	25·4	20·7	46·1
Southern Division ...	4,179	106	3	75	24·7	17·5	42·2
Aberdeen County ...	5,786	99	6	97	17	16	33
Aberdeen County of City	3,379	50	5	58	15	17	31
Remainder of County ...	2,407	49	1	39	20	16	36
Angus County	4,995	125	6	91	24	18	42
Dundee County of City...	3,453	86	5	61	24	17	42
Arbroath Burgh... ...	352	9	—	7	25	19	44
Remainder of County ...	1,190	30	1	23	25	19	43
Argyll County ...	850	28	1	13	32	15	47
Ayr County	6,382	169	5	134	26	20	46
Ayr Burgh	827	26	1	14	30	16	47
Kilmarnock Burgh ...	944	24	1	21	25	22	46
Remainder of County ...	4,611	119	3	99	25	21	46
Banff County	896	21	—	16	23	17	40
Berwick County ...	316	10	—	6	31	18	49
Bute County	251	4	—	5	16	20	35
Caithness County ...	479	17	2	10	34	20	54
Clackmannan County ...	811	18	2	21	22	25	47
Dumfries County ...	1,588	43	1	32	26	20	46
Dumfries Burgh ...	478	13	—	17	26	35	61
Remainder of County ...	1,110	30	1	15	26	13	39
Dunbarton County ...	3,638	74	2	68	20	18	38
Clydebank Burgh ...	1,145	26	1	21	22	18	40
Dumbarton Burgh ...	654	14	—	16	21	24	45
Remainder of County ...	1,839	34	1	31	18	17	35
East Lothian County ...	950	25	—	10	26	10	36
Fife County	6,038	145	10	102	23	16	40
Dunfermline Burgh ...	834	17	2	14	20	16	36
Kirkcaldy Burgh ...	946	20	1	16	21	17	37
Remainder of County ...	4,258	108	7	72	25	16	41

TABLE 18.—*continued*

Counties of Cities, Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
Inverness County ...	1,491	27	—	22	18	14	32
Inverness Burgh ...	554	13	—	10	23	18	41
Remainder of County ...	937	14	—	12	15	13	27
Kincardine County ...	427	5	—	8	12	19	30
Kinross County	101	2	—	—	19	—	19
Kirkcudbright County...	467	9	—	3	19	6	25
Lanark County	33,760	887	54	748	26	22	47
Glasgow County of City	22,415	600	42	516	26	22	48
Airdrie Burgh	694	13	—	11	18	16	34
Coatbridge Burgh ...	1,331	28	1	34	21	25	46
Hamilton Burgh ...	847	18	2	12	21	14	35
Motherwell and Wishaw Burgh ...	1,493	34	2	35	22	23	45
Rutherglen Burgh ...	436	12	—	12	27	27	54
Remainder of County ...	6,544	182	7	128	27	19	46
Midlothian County ...	10,100	205	16	198	20	19	39
Edinburgh County of City	7,854	153	11	137	19	17	36
Remainder of County ...	2,246	52	5	61	23	27	49
Moray County	967	28	1	18	28	18	46
Nairn County	146	6	—	2	39	13	53
Orkney County	292	1	1	7	3	24	27
Peebles County	227	4	—	4	17	17	35
Perth County	2,103	38	3	33	18	15	33
Perth Burgh	684	5	—	10	7	15	22
Remainder of County ...	1,419	33	3	23	23	16	39
Renfrew County ...	6,512	180	8	120	27	18	45
Greenock Burgh ...	1,653	47	3	33	28	19	47
Paisley Burgh	1,886	49	4	35	25	18	43
Port Glasgow Burgh ...	555	16	—	12	28	21	49
Remainder of County ...	2,418	68	1	40	27	16	43
Ross and Cromarty Co. ...	949	18	1	21	19	22	40
Roxburgh County ...	679	20	—	12	29	17	46
Selkirk County	301	6	1	8	20	26	46
Stirling County	3,504	90	3	61	25	17	42
Falkirk Burgh	601	16	1	12	26	19	45
Stirling Burgh	520	12	1	10	23	19	41
Remainder of County ...	2,383	62	1	39	25	16	41
Sutherland County ...	252	4	—	2	16	8	23
West Lothian County ...	1,848	52	1	31	27	16	44
Wigtown County ...	601	14	1	10	23	16	39
Zetland County	270	4	—	7	15	26	40

Number of Previous Children (Present or any Previous Husband)	Age of Mother										
	All Ages	Rate per 1,000 Births	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
None	869	25	81	345	272	108	49	13	1	—	—
1	455	17	7	108	171	108	51	9	1	—	—
2	307	20	1	32	89	99	74	8	4	—	—
3	217	27	—	15	56	62	58	23	3	—	—
4	162	36	—	4	32	51	56	18	1	—	—
5	88	34	—	—	17	27	27	15	2	—	—
6	58	39	—	—	7	15	24	11	1	—	—
7	30	38	—	—	1	7	12	9	1	—	—
8	31	75	—	—	—	6	15	10	—	—	—
9	10	43	—	—	—	3	4	3	—	—	—
10 and over	24	76	—	—	—	1	8	13	2	—	—
Not stated	2	—	—	—	—	—	—	—	—	—	2
All Legitimate Stillbirths	2,253	23·4	89	504	645	487	378	132	16	—	2
All Illegitimate Stillbirths	125	30·2	*18	28	28	17	17	12	1	—	4
All Stillbirths	2,378	23·7	107	532	673	504	395	144	17	—	6
Stillbirths per 1,000 Total Births (including Stillbirths)—											
Legitimate	23·4	—	20	18	21	25	36	49	92	—	—
Illegitimate	30·2	—	25	22	33	27	42	85	125	—	—
All Births	23·7	—	21	18	21	25	37	51	94	—	—

*None aged under 16

Table 20.—Multiple Confinements by Age of Mother (all Births, live and still), Scotland, 1957.

	Live Births		Stillbirths		Total			Age of Mother								
	Male	Female	Male	Female		Legitimate	Illegitimate	Under 20	20—24	25—29	30—34	35—39	40—44	45—49	50 and over	Not stated
Twin Births ...	2	–	–	–	427	406	21	13 (2)	94 (8)	138 (2)	117 (8)	56 (1)	9	–	–	–
	1	1	–	–	493	475	18	2	78	158 (6)	141 (4)	94 (7)	20 (1)	–	–	–
	–	2	–	–	379	364	15	11 (2)	95 (3)	114 (2)	74 (3)	70 (5)	14	1	–	–
	1	–	1	–	24	23	1	–	2	10	10 (1)	2	–	–	–	–
	1	–	–	1	14	14	–	–	3	5	3	3	–	–	–	–
	–	1	1	–	11	11	–	–	—	3	2	5	1	–	–	–
	–	1	–	1	31	28	3	1	7 (2)	12	6	4	1 (1)	–	–	–
	–	–	2	–	20	18	2	–	3	10 (2)	3	3	1	–	–	–
	–	–	1	1	3	2	1	–	1	1 (1)	1	–	–	–	–	–
	–	–	–	2	6	6	–	–	1	3	2	–	–	–	–	–
Triplet Births...	3	–	–	–	3	3	–	–	–	2	1	–	–	–	–	–
	2	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	1	2	–	–	5	5	–	–	–	–	4	1	–	–	–	–
	–	3	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	2	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
	–	–	–	3	1	1	–	–	–	1	–	–	–	–	–	–
Twin Confinements					1,408	1,347	61	27	284	454	359	237	46	1	–	–
Triplet Confinements					12	12	–	–	–	6	5	1	–	–	–	–
All Multiple Confinements					1,420	1,359	61	27	284	460	364	238	46	1	–	–
Illegitimate only					61	–	61	4	13	13	16	13	2	–	–	–
All mothers					98,923	94,842	4,081	5,168	29,527	31,078	19,583	10,540	2,782	180	–	65
Percentage of mothers who had multiple births					1·44	1·43	1·49	0·52	0·96	1·48	1·86	2·26	1·65	0·56	–	–

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets

TABLE 21.—Stillbirths, 1957—Cause, with Age of Mother

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	ALL CAUSES	B.S.	**2,378**	**107**	**532**	**673**	**504**	**395**	**144**	**17**	–	**6**
		M.	**1,195**	**49**	**269**	**351**	**248**	**192**	**78**	**6**	–	**2**
		F.	**1,183**	**58**	**263**	**322**	**256**	**203**	**66**	**11**	–	**4**
	Chronic Disease in Mother ...	M.	**29**	**2**	**6**	**12**	**4**	**3**	**1**	**1**	–	–
		F.	**27**	–	**6**	**8**	**4**	**6**	**2**	**1**	–	–
30.0	Syphilis	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	3	–	–	–	–	–	–	–
30.2	Diabetes	M.	4	–	–	3	–	–	–	1	–	–
		F.	5	–	2	2	–	1	–	–	–	–
30.3	Chronic disease of circulatory system	M.	20	2	5	7	2	3	1	–	–	–
		F.	15	–	1	4	4	3	2	1	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
30.5	Other chronic disease	M.	5	–	1	2	2	–	–	–	–	–
		F.	3	–	–	2	–	1	–	–	–	–
	Acute Disease in Mother ...	M.	**5**	–	**1**	**1**	**2**	**1**	–	–	–	–
		F.	**12**	**1**	**2**	**4**	**3**	**1**	**1**	–	–	–
31.1	Influenza	M.	2	–	1	–	–	1	–	–	–	–
		F.	5	1	–	1	2	1	–	–	–	–
31.2	Pneumonia	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	2	1	1	–	–	–	–	–
31.3	Other acute respiratory disease ...	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	M.	2	–	–	1	1	–	–	–	–	–
		F.	2	–	–	1	–	–	1	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	**113**	**4**	**30**	**29**	**19**	**18**	**12**	**1**	–	–
		F.	**105**	**4**	**22**	**29**	**25**	**16**	**7**	**2**	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
32.3*a*	Eclampsia	M.	102	4	28	26	18	13	12	1	–	–
		F.	87	2	19	26	18	14	6	2	–	–
32.3*b*	Nephritic toxæmia	M.	2	–	–	1	–	1	–	–	–	–
		F.	2	–	–	1	1	–	–	–	–	–
32.3*c*	Toxæmia not stated	M.	4	–	1	1	1	1	–	–	–	–
		F.	11	1	1	2	5	2	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	M.	1	–	–	–	–	1	–	–	–	–
		F.	4	1	2	–	–	–	1	–	–	–
32.5*b*	Infection	M.	3	–	1	–	–	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
33	**Absorbtion of toxic substance from mother**	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	**134**	**4**	**28**	**41**	**29**	**24**	**7**	–	–	**1**
		F.	**85**	**3**	**15**	**28**	**19**	**16**	**3**	**1**	–	–
34.0*a*	Abnormality of bones of pelvis with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Difficult Labour—continued											
34.0*b*	Abnormality of bones of pelvis without Immaturity	M.	1	–	–	–	–	1	–	–	–	–
		F.	3	1	1	–	–	1	–	–	–	–
34.1*a*	Disproportion with Immaturity ...	M.	15	–	1	3	5	3	3	–	–	–
		F.	9	–	1	5	–	3	–	–	–	–
34.1*b*	Disproportion without Immaturity	M.	20	–	3	13	1	3	–	–	–	–
		F.	8	–	1	4	3	–	–	–	–	–
34.2*a*	Malposition of fœtus, with Immaturity	M.	5	–	1	1	1	1	–	–	–	1
		F.	1	–	–	1	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without Immaturity	M.	50	4	15	11	10	10	–	–	–	–
		F.	36	–	6	13	7	9	–	1	–	–
34.3*a*	Abnormality of forces of labour, with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	2	1	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity	M.	13	–	1	4	5	2	1	–	–	–
		F.	9	1	2	1	2	1	2	–	–	–
34.4*a*	Operative delivery, with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	M.	2	–	1	1	–	–	–	–	–	–
		F.	3	–	1	1	1	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	M.	2	–	1	–	1	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	M.	26	–	5	8	6	4	3	–	–	–
		F.	10	–	1	1	5	2	1	–	–	–
	Other Causes in Mother ...	M.	**7**	–	**2**	**2**	**1**	–	**2**	–	–	–
		F.	**8**	**2**	**3**	**1**	**2**	–	–	–	–	–
35.0	Fall	M.	2	–	–	1	–	–	1	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
32.0, 35.1	Other accident or violence ...	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	4	–	2	–	1	–	1	–	–	–
		F.	6	1	3	1	1	–	–	–	–	–
	Placental and Cord Conditions	M.	**452**	**19**	**96**	**133**	**99**	**74**	**29**	**2**	–	–
		F.	**374**	**14**	**81**	**111**	**74**	**70**	**20**	**4**	–	–
36.0*a*	Prolapse of cord	M.	55	4	14	16	10	7	4	–	–	–
		F.	39	2	10	5	9	11	2	–	–	–
36.0*b*	Torsion of cord	M.	56	2	16	12	13	9	4	–	–	–
		F.	62	2	9	23	12	13	3	–	–	–
36.1, 36.3	Placenta prævia	M.	11	–	2	4	2	3	–	–	–	–
		F.	8	1	–	4	2	1	–	–	–	–
32.2 36.2, 36.4	Accidental hæmorrhage	M.	218	7	42	62	54	38	13	2	–	–
		F.	161	5	31	45	32	33	12	3	–	–
36.5	Placental infarct	M.	53	5	8	16	12	9	3	–	–	–
		F.	48	3	18	12	8	4	2	1	–	–
36.6	Others of placenta and cord ...	M.	59	1	14	23	8	8	5	–	–	–
		F.	56	1	13	22	11	8	1	–	–	–

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Birth Injury	M.	**47**	**4**	**12**	**12**	**10**	**8**	**1**	–	–	–
		F.	**18**	**1**	**2**	**5**	**6**	**3**	**1**	–	–	–
37*a*	Birth injury with Immaturity ...	M.	2	–	1	–	–	1	–	–	–	–
		F.	2	–	–	–	1	1	–	–	–	–
37*b*	Birth injury without Immaturity	M.	45	4	11	12	10	7	1	–	–	–
		F.	16	1	2	5	5	2	1	–	–	–
	Congenital Malformation of Fœtus	M.	**171**	**7**	**45**	**46**	**35**	**28**	**9**	**1**	–	–
		F.	**342**	**23**	**81**	**90**	**71**	**57**	**18**	**1**	–	**1**
38.0	Anencephalus	M.	70	3	18	20	15	11	3	–	–	–
		F.	219	15	57	55	44	36	12	–	–	–
38.1	Hydrocephalus	M.	63	3	23	13	11	12	1	–	–	–
		F.	61	4	10	15	17	12	1	1	–	1
38.2	Spina bifida	M.	9	–	1	3	4	1	–	–	–	–
		F.	26	2	5	7	6	4	2	–	–	–
38.3	Other malformations of the central nervous system	M.	8	1	–	2	2	1	1	1	–	–
		F.	10	–	1	5	2	–	2	–	–	–
38.4	Malformation of the cardiovascular system	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	1	1	2	–	–	–	–	–
38.5	Malformation of other specified system	M.	7	–	1	3	–	1	2	–	–	–
		F.	11	1	2	4	–	3	1	–	–	–
38.6	Monster	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
38.7	Other and unspecified malformations	M.	13	–	2	5	3	1	2	–	–	–
		F.	10	1	5	3	–	1	–	–	–	–
	Diseases of Fœtus and Ill-defined Causes	M.	**237**	**9**	**49**	**75**	**49**	**36**	**17**	**1**	–	**1**
		F.	**212**	**10**	**51**	**46**	**52**	**34**	**14**	**2**	–	**3**
39.2	Erythroblastosis (Rhesus factor)	M.	48	–	9	13	15	8	3	–	–	–
		F.	38	–	4	12	12	9	1	–	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	1	–	–	–	–
39.4	Maceration	M.	63	–	7	22	17	12	5	–	–	–
		F.	34	1	14	6	4	4	4	1	–	–
39.5*a*	Premature birth (cause not stated)	M.	15	1	7	3	4	–	–	–	–	–
		F.	19	4	6	–	7	2	–	–	–	–
39.5*b*	Debility	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
39.5*c*	Asphyxia	M.	47	6	8	15	5	8	5	–	–	–
		F.	58	4	15	12	13	8	6	–	–	–
39.5*d*	Other ill-defined	M.	53	2	14	21	6	6	3	1	–	–
		F.	45	1	11	10	12	8	3	–	–	–
39.6	Cause unknown	M.	10	–	3	1	2	2	1	–	–	1
		F.	15	–	–	6	3	2	–	1	–	3

TABLE 22.—Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1957

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	ALL CAUSES	**2,253**	**869**	**455**	**307**	**217**	**162**	**88**	**58**	**30**	**31**	**10**	**24**	**2**	**125**
	Chronic Disease in Mother ...	**52**	**26**	**7**	**9**	**3**	**2**	**2**	**2**	**1**	–	–	–	–	**4**
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	3	2	1	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	4	–	2	1	–	–	1	–	–	–	–	–	1
30.3	Chronic disease of circulatory system...	33	18	5	6	–	1	2	1	–	–	–	–	–	2
30.4	Chronic disease of genito-urinary system...	1	–	–	1	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	7	2	1	–	2	1	–	–	1	–	–	–	–	1
	Acute Disease in Mother ...	**17**	**9**	**3**	–	**1**	**2**	–	–	–	**1**	–	**1**	–	–
31.1	Influenza	7	1	3	–	–	1	–	–	–	1	–	1	–	–
31.2	Pneumonia	4	4	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	2	1	–	–	1	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	4	3	–	–	–	1	–	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	**209**	**109**	**35**	**20**	**22**	**9**	**2**	**5**	**2**	**3**	–	**2**	–	**9**
32.1	Ectopic gestation	1	1	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia...	180	96	29	17	21	6	1	4	2	2	–	2	–	9
32.3*b*	Nephritic toxæmia	4	2	2	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	15	5	3	3	1	1	–	1	–	1	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	1	1	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	5	2	1	–	–	2	–	–	–	–	–	–	–	–
32.5*b*	Infection	3	2	–	–	–	–	1	–	–	–	–	–	–	–
33	**Absorption of toxic substance rom mother ... ...**	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**204**	**80**	**45**	**22**	**16**	**18**	**11**	**4**	**1**	**1**	**1**	**4**	**1**	**15**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity ...	3	2	–	1	–	–	–	–	–	–	–	–	–	1
34.1*a*	Disproportion, with Immaturity	22	12	3	–	2	3	–	2	–	–	–	–	–	2
34.1*b*	Disproportion, without Immaturity	28	14	4	6	1	1	1	1	–	–	–	–	–	–
34.2*a*	Malposition of fœtus, with Immaturity	6	3	–	–	1	–	–	–	–	–	–	1	1	–
34.2*b*	Malposition of fœtus, without Immaturity	80	23	21	10	8	11	5	–	1	–	–	1	–	6
34.3*a*	Abnormality of forces of labour, with Immaturity	3	1	1	–	–	–	1	–	–	–	–	–	–	1
34.3*b*	Abnormality of forces of labour, without Immaturity ...	18	7	5	2	1	–	1	1	–	–	–	1	–	4
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	5	2	2	–	–	1	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 22.—*continued*

Inter-national Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—continued														
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	3	2	–	–	–	–	1	–	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	1	1	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	35	13	9	3	3	2	2	–	–	1	1	1	–	1
	Other Causes in Mother ...	**15**	**7**	**4**	**1**	–	–	**1**	–	–	**1**	–	**1**	–	–
35.0	Fall	3	1	1	–	–	–	–	–	–	–	–	1	–	–
2.0, 35.1	Other accident or violence ...	2	1	–	–	–	–	1	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	10	5	3	1	–	–	–	–	–	1	–	–	–	–
	Placental and Cord Conditions	**784**	**281**	**157**	**115**	**70**	**57**	**35**	**28**	**13**	**12**	**6**	**10**	–	**42**
36.0*a*	Prolapse of cord	90	29	19	19	8	9	1	1	2	1	–	1	–	4
36.0*b*	Torsion of cord	112	49	23	16	7	9	4	4	–	–	–	–	–	6
5.1, 36.3	Placenta prævia	18	3	4	3	3	–	3	2	–	–	–	–	–	1
32.2, 3.2, 36.4	Accidental hæmorrhage ...	359	101	75	49	37	31	22	18	8	8	5	5	–	20
36.5	Placental infarct	94	40	16	15	5	4	3	3	3	–	1	4	–	7
36.6	Others of placenta and cord ...	111	59	20	13	10	4	2	–	–	3	–	–	–	4
	Birth Injury	**61**	**31**	**15**	**3**	**5**	**4**	**1**	**1**	**1**	–	–	–	–	**4**
37*a*	Birth injury, with Immaturity ...	4	2	–	–	1	1	–	–	–	–	–	–	–	–
37*b*	Birth injury, without Immaturity	57	29	15	3	4	3	1	1	1	–	–	–	–	4
	Congenital Malformation of Fœtus	**495**	**194**	**98**	**76**	**51**	**31**	**18**	**10**	**4**	**7**	**2**	**3**	**1**	**18**
38.0	Anencephalus	280	104	57	48	29	17	10	7	2	4	1	1	–	9
38.1	Hydrocephalus	120	53	21	12	14	8	7	1	1	2	–	–	1	4
38.2	Spina bifida	33	12	6	7	1	4	–	1	–	–	1	1	–	2
38.3	Other malformations of the central nervous system ...	17	8	–	3	4	–	1	–	–	1	–	–	–	1
38.4	Malformation of the cardiovascular system	4	2	1	1	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system...	18	6	6	2	2	–	–	1	–	–	–	1	–	–
38.6	Monster	2	–	–	1	–	1	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	21	9	7	2	1	1	–	–	1	–	–	–	–	2
	Diseases of Fœtus and Ill-defined Causes	**416**	**132**	**91**	**61**	**49**	**39**	**18**	**8**	**8**	**6**	**1**	**3**	–	**33**
39.2	Erythroblastosis (Rhesus factor)	80	7	18	16	16	15	3	1	2	1	–	1	–	6
39.0, 9.1, 39.3	Other diseases of fœtus	2	–	1	1	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	92	29	22	13	6	8	3	4	4	3	–	–	–	5
39.5*a*	Premature birth (cause not stated)	27	8	6	3	5	3	1	–	–	–	–	1	–	7
39.5*b*	Debility	2	1	–	–	1	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	96	46	18	13	7	5	4	1	2	–	–	–	–	9
39.5*d*	Other ill-defined	97	36	22	13	11	5	5	2	–	2	–	1	–	1
39.6	Cause unknown	20	5	4	2	3	3	2	–	–	–	1	–	–	5

TABLE 23.—Stillbirths—Cause by Month of Registration, Scotland, 1957

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	**2,378**	**216**	**189**	**227**	**204**	**207**	**191**	**189**	**193**	**187**	**182**	**177**	**216**
	Legitimate	2 253	204	177	212	195	195	187	177	186	178	173	164	205
	Illegitimate	125	12	12	15	9	12	4	12	7	9	9	13	11
	Rates per 1,000 total births ...	24	25	24	26	23	23	24	22	23	25	21	22	27
	Chronic Disease in Mother ...	**56**	**1**	**5**	**6**	**6**	**2**	**6**	**6**	**4**	**6**	**8**	**4**	**2**
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	3	–	–	–	–	–	–	2	1	–	–	–	–
30.2	Diabetes	9	–	–	1	–	1	2	–	1	–	2	2	–
30.3	Chronic disease of circulatory system	35	–	5	4	4	–	4	4	2	3	5	2	2
30.4	Chronic disease of genito-urinary system	1	–	–	1	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	8	1	–	–	2	1	–	–	–	3	1	–	–
	Acute Disease in Mother	**17**	**–**	**–**	**1**	**3**	**–**	**–**	**1**	**–**	**3**	**4**	**3**	**2**
31.1	Influenza	7	–	–	–	–	–	–	–	–	2	4	1	–
31.2	Pneumonia	4	–	–	1	1	–	–	1	–	–	–	–	1
31.3	Other acute respiratory disease ...	2	–	–	–	–	–	–	–	–	1	–	1	–
31.0, 31.4	Other acute disease or condition ...	4	–	–	–	2	–	–	–	–	–	–	1	1
	Diseases and Conditions of Pregnancy and Childbirth ...	**218**	**26**	**18**	**17**	**26**	**18**	**26**	**13**	**19**	**11**	**16**	**13**	**15**
32.1	Ectopic gestation	1	–	–	–	–	–	–	–	–	–	–	1	–
32.3*a*	Eclampsia	189	20	16	17	22	16	22	13	15	10	15	9	14
32.3*b*	Nephritic toxæmia	4	1	–	–	1	–	1	–	1	–	–	–	–
32.3*c*	Toxæmia not stated	15	–	1	–	3	1	2	–	3	1	–	3	1
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	1	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	5	3	1	–	–	–	1	–	–	–	–	–	–
32.5*b*	Infection	3	1	–	–	–	1	–	–	–	–	1	–	–
33	**Absorption of toxic substance from mother**	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**219**	**10**	**14**	**21**	**25**	**19**	**17**	**13**	**17**	**14**	**22**	**26**	**21**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity	4	–	–	–	–	1	1	1	–	–	–	1	–
34.1*a*	Disproportion with Immaturity ...	24	1	1	4	3	4	1	–	2	–	–	5	3
34.1*b*	Disproportion without Immaturity ...	28	1	1	–	5	1	2	1	4	4	3	4	2
34.2*a*	Malposition of fœtus, with Immaturity	6	–	2	–	–	–	1	1	–	–	2	–	–
34.2*b*	Malposition of fœtus, without Immaturity	86	6	6	9	10	8	4	6	4	7	10	7	9
34.3*a*	Abnormality of forces of labour, with Immaturity	4	–	–	1	–	1	–	–	–	–	1	1	–
34.3*b*	Abnormality of forces of labour, without Immaturity	22	–	2	4	–	1	4	1	3	–	2	2	3
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	5	–	–	–	–	1	1	1	1	–	–	–	1
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity ...	3	–	–	1	–	–	–	–	–	1	–	–	1
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	1	–	–	–	–	–	–	–	–	1	–	–	–
34.6*b*	Difficult labour without mention of condition and without Immaturity	36	2	2	2	7	2	3	2	3	1	4	6	2

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 23.—*continued*

Inter-ational Nos. 30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	**15**	–	**1**	**2**	**1**	–	–	**2**	**2**	–	**2**	**3**	**2**
35.0	Fall	3	–	–	–	–	–	–	–	1	–	–	1	1
2.0, 35.1	Other accident or violence	2	–	–	1	–	–	–	–	–	–	–	1	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	10	–	1	1	1	–	–	2	1	–	2	1	1
	Placental and Cord Conditions ...	**826**	**78**	**69**	**69**	**55**	**87**	**60**	**62**	**69**	**68**	**60**	**63**	**86**
36.0*a*	Prolapse of cord	94	7	5	7	9	11	11	5	9	4	9	11	6
36.0*b*	Torsion of cord	118	17	12	9	5	14	4	5	12	11	9	6	14
3.1, 36.3	Placenta prævia	19	1	3	–	–	2	2	–	2	2	–	6	1
32.2, 3.2, 36.4	Accidental hæmorrhage	379	36	31	37	22	35	29	32	34	32	26	28	37
36.5	Placental infarct	101	8	13	8	5	17	2	8	7	9	5	6	13
36.6	Others of placenta and cord	115	9	5	8	14	8	12	12	5	10	11	6	15
	Birth Injury	**65**	**7**	**2**	**8**	**7**	**8**	**12**	**7**	**3**	**1**	**5**	**2**	**3**
37*a*	Birth injury with Immaturity ...	4	1	–	–	–	–	1	2	–	–	–	–	–
37*b*	Birth injury without Immaturity ...	61	6	2	8	7	8	11	5	3	1	5	2	3
	Congenital Malformation of Fœtus	**513**	**59**	**45**	**52**	**51**	**36**	**39**	**48**	**31**	**44**	**32**	**36**	**40**
38.0	Anencephalus	289	37	27	35	29	14	22	24	19	21	20	17	24
38.1	Hydrocephalus	124	14	9	12	14	11	6	15	7	14	7	11	4
38.2	Spina bifida	35	5	5	1	3	2	2	2	1	4	1	6	3
38.3	Other malformations of the central nervous system	18	1	1	2	2	1	4	2	–	2	–	–	3
38.4	Malformation of the cardiovascular system	4	–	–	1	2	–	–	–	–	–	–	1	–
38.5	Malformation of other specified system	18	1	3	1	–	3	2	3	1	–	1	–	3
38.6	Monster...	2	–	–	–	–	–	–	–	–	–	1	–	1
38.7	Other and unspecified malformations	23	1	–	–	1	5	3	2	3	3	2	1	2
	Diseases of Fœtus and Ill-defined Causes	**449**	**35**	**35**	**51**	**30**	**37**	**31**	**37**	**48**	**40**	**33**	**27**	**45**
39.2	Erythroblastosis (Rhesus factor) ...	86	3	11	10	7	5	5	9	8	8	6	6	8
39.0, .1, 39.3	Other diseases of fœtus	2	–	–	–	–	–	–	–	1	–	–	–	1
39.4	Maceration	97	8	5	14	7	9	6	7	10	7	6	8	10
39.5*a*	Premature birth (cause not stated) ...	34	5	3	4	2	2	1	3	–	6	2	4	2
39.5*b*	Debility	2	1	–	1	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	105	6	5	9	10	10	12	8	8	10	10	7	10
39.5*d*	Other ill-defined	98	9	9	10	4	7	7	9	17	8	7	1	10
39.6	Cause unknown	25	3	2	3	–	4	–	1	4	1	2	1	4

Table 23A.—Place of occurrence of Stillbirths by Cause, Scotland, 1957

International Nos. (Y30-Y39)	Cause of Death	Total	At Home	In Institutions
	ALL CAUSES	**2,378**	**440**	**1,938**
	Chronic Disease in Mother	**56**	**6**	**50**
30.0	Syphilis	—	—	—
30.1	Tuberculosis	3	—	3
30.2	Diabetes	9	—	9
30.3	Chronic disease of circulatory system	35	3	32
30.4	Chronic disease of genito-urinary system	1	—	1
30.5	Other chronic disease	8	3	5
	Acute Disease in Mother	**17**	**5**	**12**
31.1	Influenza	7	4	3
31.2	Pneumonia	4	—	4
31.3	Other acute respiratory disease	2	1	1
31.0, 31.4	Other acute disease or condition	4	—	4
	Diseases and Conditions of Pregnancy and Childbirth	**218**	**20**	**198**
32.1	Ectopic gestation	1	—	1
32.3*a*	Eclampsia	189	11	178
32.3*b*	Nephritic toxæmia	4	3	1
32.3*c*	Toxæmia not stated	15	4	11
32.4*a*	Acute yellow atrophy of liver	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	1
32.5*a*	Pyelitis	5	2	3
32·5*b*	Infection	3	—	3
33	**Absorption of toxic substance from mother**	—	—	—
	Difficult Labour	**219**	**64**	**155**
34.0*a*	Abnormality of bones of pelvis with immaturity	—	—	—
34.0*b*	Abnormality of bones of pelvis without immaturity	4	—	4
34.1*a*	Disproportion with immaturity	24	7	17
34.1*b*	Disproportion without immaturity	28	7	21
34.2*a*	Malposition of fœtus, with immaturity	6	2	4
34.2*b*	Malposition of fœtus, without immaturity	86	24	62
34.3*a*	Abnormality of forces of labour, with immaturity	4	3	1
34.3*b*	Abnormality of forces of labour, without immaturity	22	12	10
34.4*a*	Operative delivery, with immaturity	—	—	—
34.4*b*	Operative delivery, without immaturity	5	—	5
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity	3	1	2
34.6*a*	Difficult labour without mention of condition, but with immaturity	1	—	1
34.6*b*	Difficult labour without mention of condition, and without immaturity	36	8	28
	Other Causes in Mother	**15**	**6**	**9**
35.0	Fall	3	2	1
32.0, 35.1	Other accident or violence	2	1	1
35.2	Over-exertion	—	—	—
35.3	Other and ill-defined causes in mother	10	3	7
	Placental and Cord Conditions	**826**	**130**	**696**
36.0*a*	Prolapse of cord	94	18	76
36.0*b*	Torsion of cord	118	28	90
36.1, 36.3	Placenta prævia	19	4	15
32.2,36.2,36.4	Accidental hæmorrhage	379	28	351
36.5	Placental infarct	101	40	61
36.6	Others of placenta and cord	115	12	103
	Birth Injury	**65**	**12**	**53**
37*a*	Birth injury with immaturity	4	—	4
37*b*	Birth injury without immaturity	61	12	49
	Congenital Malformation of Foetus	**513**	**92**	**421**
38.0	Anencephalus	289	41	248
38.1	Hydrocephalus	124	25	99
38.2	Spina bifida	35	10	25
38.3	Other malformations of the central nervous system	18	4	14
38.4	Malformation of the cardiovascular system	4	—	4
38.5	Malformation of other specified system	18	5	13
38.6	Monster	2	2	—
38.7	Other and unspecified malformations	23	5	18
	Diseases of Fœtus and Ill-Defined Causes	**449**	**105**	**344**
39.2	Erythroblastosis (Rhesus factor)	86	11	75
39.0,39.1,39.3	Other diseases of fœtus	2	1	1
39.4	Maceration	97	13	84
39.5*a*	Premature birth (cause not stated)	34	20	14
39.5*b*	Debility	2	2	—
39.5*c*	Asphyxia	105	10	95
39.5*d*	Other ill-defined	98	33	65
39.6	Cause unknown	25	15	10

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dumbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	ALL CAUSES...	**2,378**	**50**	**49**	**86**	**9**	**30**	**28**	**26**	**24**	**119**	**21**	**10**	**4**	**17**	**18**	**13**	**30**	**26**	**14**	**34**	**25**	**17**	**20**	**108**	**13**	**14**	**5**	**2**	**9**
	Chronic Disease in Mother Total	**56**	**2**	**4**	**2**	–	–	**2**	–	**2**	**4**	**1**	**1**	–	–	–	–	**2**	–	–	–	–	–	**1**	**2**	–	–	–	–	**1**
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
30.2	Diabetes	9	–	1	2	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
30.3	Chronic disease of circulatory system	35	2	3	–	–	–	2	–	–	2	1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Acute Disease in Mother Total	**17**	–	**1**	–	–	–	–	–	–	**2**	**1**	**1**	–	**1**	**1**	–	–	–	–	–	–	–	–	**1**	**1**	–	–	–	–
31.1	Influenza	7	–	1	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
31.3	Other acute respiratory disease ...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**218**	**7**	**6**	**2**	–	**3**	**4**	**1**	**2**	**7**	**3**	1	1	–	**3**	**5**	**5**	**3**	–	**2**	**3**	**2**	–	**11**	–	–	**1**	–	**2**
32.1	Ectopic gestation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	189	7	5	2	–	3	3	1	2	6	3	1	1	–	2	–	4	3	–	2	3	2	–	10	–	–	–	–	1
32.3*b*	Nephritic toxæmia	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
32.3*c*	Toxæmia not stated	15	–	–	–	–	–	1	–	–	1	–	–	–	–	1	5	1	–	–	–	–	–	–	–	–	–	–	–	1
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
32.5*b*	Infection	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from mother ... ...**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**219**	**3**	**4**	**4**	–	–	–	**5**	**4**	**5**	–	–	**1**	**3**	**2**	–	**5**	**2**	**1**	**4**	**3**	**1**	**1**	**16**	**1**	**3**	–	**1**	**2**
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	24	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*b*	Disproportion without immaturity ...	28	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	2	–	–	–	1	–
34.2*a*	Malposition of fœtus, with immaturity	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	86	3	2	3	–	–	–	5	3	2	–	–	1	3	–	–	2	–	–	–	2	1	–	8	–	2	–	–	2
34.3*a*	Abnormality of forces of labour, with immaturity...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	22	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–

NOTE —Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1957—*continued*

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	36	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	1	–	–	–	2	–	1	–	–	–
	Other Causes in Mother Total	**15**	**1**	–	–	–	**1**	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.0	Fall	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	10	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Placental & Cord Conditions Total	**826**	**12**	**15**	**43**	**4**	**16**	**9**	**12**	**8**	**50**	**10**	**4**	**1**	**5**	**6**	**3**	**3**	**7**	**5**	**14**	**6**	**6**	**11**	**37**	**10**	**7**	**3**	–	–
36.0*a*	Prolapse of cord	94	2	2	2	–	–	4	–	1	2	2	2	–	–	1	–	1	–	1	–	–	1	2	5	2	1	–	–	–
36.0*b*	Torsion of cord	118	3	2	4	–	1	–	1	1	3	1	1	1	2	1	–	1	–	–	3	2	–	2	8	–	1	1	–	–
36.1, 36.3	Placenta prævia	19	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
32.2, 36.2, 36.4	Accidental hæmorrhage	379	6	5	25	1	6	5	5	5	20	2	1	–	1	1	3	1	4	4	7	1	3	1	13	4	5	1	–	–
36.5	Placental infarct	101	1	1	2	1	5	–	1	–	8	3	–	–	1	–	–	–	2	–	1	2	2	–	4	–	–	–	–	–
36.6	Others of placenta and cord	115	–	5	10	2	3	–	5	1	15	1	–	–	1	3	–	–	1	–	3	–	–	6	6	4	–	1	–	–
	Birth Injury Total	**65**	**1**	–	**2**	–	**1**	**2**	–	–	**3**	–	–	–	–	**1**	–	**1**	**2**	–	**1**	–	–	**1**	**5**	–	**1**	–	–	–
37*a*	Birth injury with immaturity ...	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	61	1	–	–	–	1	2	–	–	3	–	–	–	–	1	–	1	2	–	1	–	–	1	5	–	1	–	–	–
	Congenital Malformation of Fœtus Total	**513**	**9**	**12**	**19**	**5**	**5**	**7**	**2**	**3**	**31**	**3**	**2**	**1**	**4**	**4**	**3**	**10**	**4**	**2**	**9**	**7**	**2**	**4**	**18**	–	**1**	**1**	**1**	**3**
38.0	Anencephalus	289	5	3	10	4	2	3	2	3	22	1	1	1	1	3	1	5	3	1	4	3	1	3	12	–	1	–	–	1
38.1	Hydrocephalus	124	3	7	3	1	2	2	–	–	5	1	1	–	–	1	1	3	1	1	1	1	–	–	5	–	–	1	–	2
38.2	Spina bifida	35	1	1	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–
38.3	Other malformations of the central nervous system	18	–	–	2	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	18	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
38.6	Monster...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	23	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
	Diseases of Fœtus and Ill-Defined Causes Total	**449**	**15**	**7**	**14**	–	**4**	**4**	**6**	**5**	**17**	**2**	**1**	–	**4**	**1**	**2**	**4**	**8**	**6**	**4**	**6**	**6**	**2**	**18**	**1**	**2**	–	–	**1**
39.2	Erythroblastosis (Rhesus factor) ...	86	5	3	3	–	2	1	1	–	2	1	–	–	1	1	–	–	2	2	1	–	1	–	5	–	–	–	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	97	3	1	1	–	1	–	1	2	1	–	1	–	3	–	1	3	3	1	1	1	–	1	2	1	1	–	–	1
39.5*a*	Premature birth (cause not stated) ...	34	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	1	–	–	–	3	–	–	–	–	–
39.5*b*	Debility	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	105	–	–	4	–	1	–	2	–	4	–	–	–	–	–	–	1	1	–	–	3	5	1	6	–	–	–	–	–
39.5*d*	Other ill-defined	98	6	1	4	–	–	3	1	1	7	1	–	–	–	–	1	–	1	2	1	1	–	–	1	–	–	–	–	–
39.6	Cause unknown	25	–	1	1	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	ALL CAUSES...	**600**	**13**	**28**	**18**	**34**	**12**	**182**	**153**	**52**	**28**	**6**	**1**	**4**	**5**	**33**	**47**	**49**	**16**	**68**	**18**	**20**	**6**	**16**	**12**	**62**	**4**	**52**	**14**	**4**
	Chronic Disease in Mother Total	**13**	**2**	**1**	–	**1**	**1**	**2**	**2**	**1**	–	–	–	–	–	–	**2**	–	–	–	–	**1**	–	–	**2**	**1**	**1**	**2**	–	–
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	7	1	1	–	–	1	1	2	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	2	1	–	2	–	–
30.4	Chronic disease of genito-urinary system	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Acute Disease in Mother Total	**1**	**1**	–	–	**1**	–	**1**	**1**	–	–	–	–	–	–	–	–	–	–	–	**1**	–	–	–	–	**1**	–	**1**	–	–
31.1	Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
31.2	Pneumonia	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**57**	–	**2**	–	–	**1**	**19**	**10**	**4**	**3**	–	–	**1**	**1**	**6**	**6**	**7**	**3**	**5**	**2**	**1**	–	**3**	**1**	**6**	–	**2**	**3**	**1**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	51	–	2	–	–	1	14	10	4	3	–	–	1	1	5	6	6	2	5	2	1	–	3	1	6	–	1	3	–
32.3*b*	Nephritic toxæmia	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
32.5*b*	Infection	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from mother ... ...**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**47**	**1**	**4**	**4**	**2**	**3**	**21**	**15**	**2**	**5**	–	–	**1**	**1**	**3**	**2**	**7**	**3**	**10**	**1**	**3**	–	**3**	**2**	**3**	–	**2**	**1**	**2**
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
34.1*a*	Disproportion with immaturity ...	3	–	–	2	–	2	4	4	–	3	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
34.1*b*	Disproportion without immaturity ...	11	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–
34.2*a*	Malposition of fœtus, with immaturity	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
34.2*b*	Malposition of fœtus, without immaturity...	11	–	1	–	1	1	7	2	2	2	–	–	1	1	3	1	3	1	5	–	2	–	–	–	1	–	1	1	–
34.3*a*	Abnormality of forces of labour, with immaturity...	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	7	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	1
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1957—*continued*

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	8	1	3	1	–	–	4	6	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	Other Causes in Mother Total	**3**	–	**1**	–	**2**	–	–	**1**	**1**	–	–	–	–	–	–	**1**	**1**	–	**1**	–	–	–	–	–	–	–	**1**	–	–
35.0	Fall	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	3	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Placental & Cord Conditions Total	**200**	**2**	**4**	**7**	**16**	**4**	**61**	**42**	**19**	**9**	**4**	**1**	**1**	**3**	**10**	**16**	**15**	**5**	**24**	**9**	**9**	**5**	**3**	**3**	**26**	**2**	**18**	**1**	–
36.0*a*	Prolapse of cord	23	–	–	1	1	–	6	7	2	1	1	–	–	–	2	3	1	1	4	1	–	1	–	1	4	–	3	–	–
36.0*b*	Torsion of cord	17	1	1	1	4	1	12	5	2	1	2	–	1	–	–	4	5	1	9	1	1	2	–	–	4	–	3	1	–
36.1, 36.3	Placenta prævia	10	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
32.2, 36.2, 36.4	Accidental hæmorrhage	105	1	1	5	8	3	32	21	10	5	1	–	–	1	5	5	6	2	8	2	3	1	3	1	12	2	6	–	–
36.5	Placental infarct	31	–	–	–	2	–	9	1	–	1	–	1	–	–	–	4	3	1	1	1	4	1	–	1	3	–	3	–	–
36.6	Others of placenta and cord	14	–	1	–	1	–	2	8	5	–	–	–	–	2	3	–	–	–	2	4	1	–	–	–	3	–	2	–	–
	Birth Injury Total	**30**	–	–	–	**2**	**1**	**2**	**2**	**2**	–	–	–	–	–	–	**1**	**1**	–	–	–	–	**1**	–	**1**	–	–	**1**	–	–
37*a*	Birth injury with immaturity ...	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	30	–	–	–	2	–	2	2	1	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	1	–	–
	Congenital Malformation of Fœtus Total	**124**	**4**	**8**	**2**	**8**	**1**	**40**	**39**	**9**	**9**	**2**	–	**1**	–	**7**	**14**	**8**	**4**	**16**	**1**	**5**	–	**6**	**1**	**14**	**1**	**11**	**6**	–
38.0	Anencephalus	67	4	6	–	7	1	22	19	7	4	–	–	1	–	2	7	6	2	11	–	4	–	3	1	7	1	7	4	–
38.1	Hydrocephalus	34	–	–	–	–	–	12	7	2	3	1	–	–	–	2	2	1	1	4	1	1	–	2	–	5	–	2	2	–
38.2	Spina bifida	11	–	–	–	–	–	2	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	2	–	–
38.3	Other malformations of the central nervous system	1	–	1	–	–	–	1	2	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
38.5	Malformation of other specified system	3	–	–	1	1	–	2	4	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
38.6	Monster...	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	6	–	1	1	–	–	–	4	–	1	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**125**	**3**	**8**	**5**	**2**	**1**	**36**	**41**	**14**	**2**	–	–	–	–	**7**	**5**	**10**	**1**	**12**	**4**	**1**	–	**1**	**2**	**11**	–	**14**	**3**	**1**
39.2	Erythroblastosis (Rhesus factor) ...	21	–	4	–	–	–	11	4	3	–	–	–	–	–	–	1	–	–	4	–	–	–	–	1	2	–	1	2	1
39.0, 39.1, 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	23	1	2	3	–	–	3	9	4	–	–	–	–	–	1	2	5	–	1	1	1	–	–	1	4	–	6	–	–
39.5*a*	Premature birth (cause not stated) ...	9	1	–	–	1	–	4	1	1	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	1	–	–	–	–
39.5*b*	Debility	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	25	–	–	1	1	1	7	21	6	–	–	–	–	–	3	–	–	–	2	1	–	–	1	–	1	–	7	–	–
39.5*d*	Other ill-defined	37	1	2	1	–	–	8	3	–	1	–	–	–	–	1	–	5	1	2	2	–	–	–	–	3	–	–	–	–
39.6	Cause unknown	9	–	–	–	–	–	2	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–

TABLE 25.—Legitimate Stillbirths by Cause and Social Classification, 1957

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	**2,253**	**69**	**225**	**1,149**	**423**	**387**	—
	Chronic Disease in Mother	**52**	**1**	**8**	**28**	**7**	**8**	—
30.0	Syphilis	—	—	—	—	—	—	—
30.1	Tuberculosis	3	—	—	3	—	—	—
30.2	Diabetes	8	—	1	5	1	1	—
30.3	Chronic disease of circulatory system ...	33	1	6	18	4	4	—
30.4	Chronic disease of genito-urinary system	1	—	—	—	—	1	—
30.5	Other chronic disease	7	—	1	2	2	2	—
	Acute Disease in Mother	**17**	—	**2**	**6**	**6**	**3**	—
31.1	Influenza	7	—	1	1	4	1	—
31.2	Pneumonia	4	—	—	3	—	1	—
31.3	Other acute respiratory disease ...	2	—	1	1	—	—	—
31.0, 31.4	Other acute disease or condition ...	4	—	—	1	2	1	—
	Diseases and Conditions of Pregnancy and Childbirth ...	**209**	**8**	**18**	**116**	**39**	**28**	—
32.1	Ectopic gestation	1	—	—	—	1	—	—
32.3*a*	Eclampsia...	180	7	18	103	31	21	—
32.3*b*	Nephritic toxæmia	4	—	—	2	1	1	—
32.3*c*	Toxæmia not stated	15	1	—	9	3	2	—
32.4*a*	Acute yellow atrophy of liver	—	—	—	—	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	—	—	—	1	—
32.5*a*	Pyelitis	5	—	—	1	3	1	—
32.5*b*	Infection	3	—	—	1	—	2	—
33	**Absorption of toxic substance from mother**	—	—	—	—	—	—	—
	Difficult Labour	**204**	**6**	**25**	**98**	**40**	**35**	—
34.0*a*	Abnormality of bones of pelvis with Immaturity	—	—	—	—	—	—	—
34.0*b*	Abnormality of bones of pelvis without Immaturity	3	—	1	1	—	1	—
34.1*a*	Disproportion with Immaturity ...	22	—	3	12	3	4	—
34.1*b*	Disproportion without Immaturity ...	28	—	4	13	7	4	—
34.2*a*	Malposition of fœtus, with Immaturity	6	1	—	2	1	2	—
34.2*b*	Malposition of fœtus, without Immaturity	80	4	8	40	18	10	—
34.3*a*	Abnormality of forces of labour, with Immaturity	3	—	1	1	—	1	—
34.3*b*	Abnormality of forces of labour, without Immaturity	18	1	1	7	4	5	—
34.4*a*	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—
34.4*b*	Operative delivery, without Immaturity	5	—	1	2	—	2	—
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	—	—	—	—	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity	3	—	—	1	2	—	—
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	1	—	—	—	1	—	—
34.6*b*	Difficult labour without mention of condition, and without Immaturity ...	35	—	6	19	4	6	—

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 25.—*continued*

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	**15**	—	**1**	**8**	**3**	**3**	—
35.0	Fall	3	—	1	—	1	1	—
32.0, 35.1	Other accident or violence	2	—	—	2	—	—	—
35.2	Over-exertion	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	10	—	—	6	2	2	—
	Placental and Cord Conditions	**784**	**19**	**80**	**407**	**150**	**128**	—
36.0*a*	Prolapse of cord	90	1	6	49	22	12	—
36.0*b*	Torsion of cord	112	4	18	56	15	19	—
36.1, 36.3	Placenta prævia	18	—	1	9	4	4	—
32.2, 36.2, 36.4	Accidental hæmorrhage	359	7	32	186	67	67	—
36.5	Placental infarct	94	3	10	49	21	11	—
36.6	Others of placenta and cord	111	4	13	58	21	15	—
	Birth Injury	**61**	**1**	**5**	**32**	**14**	**9**	—
37*a*	Birth injury with Immaturity	4	—	—	—	3	1	—
37*b*	Birth injury without Immaturity ...	57	1	5	32	11	8	—
	Congenital Malformation of Fœtus...	**495**	**21**	**43**	**251**	**91**	**89**	—
38.0	Anencephalus	280	7	15	150	51	57	—
38.1	Hydrocephalus	120	6	15	53	23	23	—
38.2	Spina bifida	33	2	4	16	8	3	—
38.3	Other malformations of the central nervous system	17	2	3	7	1	4	—
38.4	Malformation of the cardiovascular system...	4	1	—	1	1	1	—
38.5	Malformation of other specified system	18	2	2	10	3	1	—
38.6	Monster	2	—	—	1	1	—	—
38.7	Other and unspecified malformations ...	21	1	4	13	3	—	—
	Diseases of Fœtus and Ill-defined Causes	**416**	**13**	**43**	**203**	**73**	**84**	—
39.2	Erythroblastosis (Rhesus factor) ...	80	1	14	39	13	13	—
39.0, 39.1, 39.3	Other diseases of fœtus	2	—	—	1	—	1	—
39.4	Maceration	92	5	12	37	17	21	—
39.5*a*	Premature birth (cause not stated) ...	27	—	1	12	8	6	—
39.5*b*	Debility	2	—	—	2	—	—	—
39.5*c*	Asphyxia	96	4	5	53	16	16	—
39.5*d*	Other ill-defined	97	3	9	48	15	22	—
39.6	Cause unknown	20	—	2	9	4	5	—

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1957

International Nos. Detailed List	Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis	1	—	1	—	—	—	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases	2	—	—	1	1	—	—
020-029	Syphilis	—	—	—	—	—	—	—
055	Diphtheria	—	—	—	—	—	—	—
056	Whooping cough ...	16	—	1	10	5	—	—
057	Meningococcal infections	14	—	—	7	2	5	—
085	Measles	2	—	—	2	—	—	—
340	Meningitis (not meningococcal or tuberculous)	25	2	1	13	6	3	—
490-493	Pneumonia (excluding newborn)	243	3	9	115	52	60	4
500-502	Bronchitis	28	—	4	15	4	5	—
470-483, 510-527	Other respiratory diseases	20	—	1	13	2	4	—
543, 571, 572	Diarrhœa (excluding newborn) gastritis & duodenitis	52	1	4	31	4	12	—
530-542, 544-570, 573-587	Other digestive diseases	41	3	4	22	8	4	—
750-759	Congenital malformations	520	13	43	292	101	68	3
760-761	Birth injuries	234	9	25	126	36	38	—
762	Asphyxia and atelectasis	483	19	29	292	56	85	2
763	Pneumonia of newborn	90	2	11	45	14	18	—
764	Diarrhœa of newborn	16	1	2	7	3	3	—
765-776	Other infantile diseases	602	18	73	310	98	101	2
780a	Convulsions	31	1	2	16	5	7	—
Remainder	All other natural causes	75	—	6	33	18	16	2
E921-E925	Accidental mechanical suffocation, etc. ...	131	1	6	59	28	37	—
E800-E920, E926-E999	Other violence ...	14	—	1	5	2	3	3
	Total ...	2,640	73	223	1,414	445	469	16

TABLE 27.—Stillbirths by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1957

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	32	—	6	15	7	3	1	—	—	—
1	18	—	1	6	7	3	1	—	—	—
2	10	—	—	1	3	5	1	—	—	—
3	6	—	—	—	3	3	—	—	—	—
4	2	—	—	—	—	2	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total Legitimate	69	—	7	22	20	16	3	—	—	1
Illegitimate	—	—	—	—	—	—	—	—	—	—
Social Class II										
None	97	2	27	45	14	7	1	1	—	—
1	53	—	3	22	12	12	4	—	—	—
2	37	1	1	13	9	10	1	2	—	—
3	19	—	—	5	7	4	3	—	—	—
4	9	—	—	1	3	4	1	—	—	—
5	3	—	—	—	2	1	—	—	—	—
6	3	—	—	—	1	1	1	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	1	—	—	—	—	—	1	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	3	—	—	—	—	1	2	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	225	3	31	86	48	40	14	3	—	—
Illegitimate	1	—	—	—	1	—	—	—	—	—
Social Class III										
None	469	43	186	143	64	26	7	—	—	—
1	236	5	61	90	57	20	2	1	—	—
2	147	—	14	43	47	39	2	2	—	—
3	119	—	10	26	35	34	14	—	—	—
4	76	—	—	15	24	30	6	1	—	—
5	42	—	—	10	8	13	10	1	—	—
6	23	—	—	3	6	12	2	—	—	—
7	9	—	—	1	1	3	4	—	—	—
8	13	—	—	—	3	7	3	—	—	—
9	5	—	—	—	1	3	1	—	—	—
10 and over	10	—	—	—	—	2	7	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	1,149	48	271	331	246	189	58	6	—	—
Illegitimate	24	5	5	8	3	2	1	—	—	—
Social Class IV										
None	138	21	64	38	8	6	1	—	—	—
1	74	1	20	26	15	11	1	—	—	—
2	63	—	9	18	23	10	3	—	—	—
3	38	—	1	13	8	10	4	2	—	—
4	40	—	1	6	12	12	9	—	—	—
5	24	—	—	3	10	7	3	1	—	—
6	17	—	—	3	4	6	4	—	—	—
7	11	—	—	—	4	3	3	1	—	—
8	9	—	—	—	2	5	2	—	—	—
9	3	—	—	—	—	1	2	—	—	—
10 and over	5	—	—	—	—	2	3	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total Legitimate	423	22	95	107	86	73	35	4	—	1
Illegitimate	36	7	12	7	3	3	4	—	—	—
Social Class V										
None	133	15	62	31	15	7	3	—	—	—
1	74	1	23	27	17	5	1	—	—	—
2	50	—	8	14	17	10	1	—	—	—
3	35	—	4	12	9	7	2	1	—	—
4	35	—	3	10	12	8	2	—	—	—
5	19	—	—	4	7	6	2	—	—	—
6	15	—	—	1	4	5	4	1	—	—
7	10	—	—	—	2	6	2	—	—	—
8	8	—	—	—	1	3	4	—	—	—
9	2	—	—	—	2	—	—	—	—	—
10 and over	6	—	—	—	1	3	1	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	387	16	100	99	87	60	22	3	—	—
Illegitimate	17	5	6	3	1	2	—	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	—	—	—	—	—	—	—	—	—	—
Illegitimate	47	1	5	10	9	10	7	1	—	4

No. of Previous Children	All Ages	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	1,656	23	457	757	302	99	17	1	—	—
1	1,353	3	144	593	439	155	19	—	—	—
2	626	—	19	183	261	136	26	1	—	—
3	203	—	6	36	84	60	17	—	—	—
4	63	—	—	5	22	27	8	1	—	—
5	28	—	—	—	10	17	1	—	—	—
6	13	—	—	—	8	3	1	1	—	—
7	4	—	—	—	2	2	—	—	—	—
8	3	—	—	—	—	1	2	—	—	—
9	2	—	—	—	—	—	2	—	—	—
10 and over	4	—	—	—	1	2	1	—	—	—
Not stated	2	—	—	—	—	—	—	—	—	2
Total	3,957	26	626	1,574	1,129	502	94	4	—	2
Illegitimate	7	—	3	1	2	1	—	—	—	—
Social Class II										
None	3,945	120	1,410	1,475	646	242	50	2	—	—
1	3,288	25	540	1,358	936	371	53	5	—	—
2	1,786	2	132	507	688	369	82	6	—	—
3	781	—	24	160	303	219	69	6	—	—
4	412	—	7	59	125	146	67	8	—	—
5	152	—	—	16	51	61	23	1	—	—
6	89	—	1	9	22	28	25	4	—	—
7	44	—	—	3	8	23	10	—	—	—
8	16	—	—	—	4	8	4	—	—	—
9	12	—	—	—	2	7	3	—	—	—
10 and over	12	—	—	—	2	4	5	1	—	—
Not stated	9	—	—	—	—	—	—	—	—	9
Total	10,546	147	2,114	3,587	2,787	1,478	391	33	—	9
Illegitimate	114	27	40	24	15	7	1	—	—	—
Social Class III										
None	20,199	2,193	9,922	5,505	1,829	623	124	3	—	—
1	14,930	287	4,745	5,951	2,780	997	163	6	—	1
2	8,145	21	1,395	3,107	2,314	1,118	179	11	—	—
3	4,177	—	315	1,375	1,408	878	196	5	—	—
4	2,209	—	67	594	789	574	177	8	—	—
5	1,247	—	10	258	444	412	119	4	—	—
6	672	—	5	89	221	263	88	6	—	—
7	341	—	—	39	104	131	59	8	—	—
8	171	—	—	3	34	82	48	4	—	—
9	98	—	—	3	21	42	29	3	—	—
10 and over	120	—	—	—	13	51	49	7	—	—
Not stated	17	—	—	—	—	—	—	—	—	17
Total	52,326	2,501	16,459	16,924	9,957	5,171	1,231	65	—	18
Illegitimate	1,034	328	398	186	76	37	9	—	—	—

No. of Previous Children	All Ages	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	4,480	685	2,233	1,027	359	143	31	2	—	—
1	3,751	110	1,493	1,292	601	220	35	—	—	—
2	2,410	12	569	917	607	258	47	—	—	—
3	1,503	—	169	517	478	281	54	4	—	—
4	886	—	37	270	298	223	52	6	—	—
5	529	—	10	133	169	152	62	3	—	—
6	313	—	—	45	113	102	50	3	—	—
7	186	—	1	14	56	80	33	2	—	—
8	98	—	—	4	21	38	32	3	—	—
9	59	—	—	—	11	28	19	1	—	—
10 and over	69	—	—	—	7	33	26	3	—	—
Not stated	10	—	—	—	—	—	—	—	—	10
Total	14,294	807	4,512	4,219	2,720	1,558	441	27	—	10
Illegitimate	965	204	380	175	119	73	11	1	—	2
Social Class V										
None	4,066	725	2,061	801	326	128	23	2	—	—
1	3,161	142	1,386	1,053	391	149	40	—	—	—
2	2,189	10	604	850	463	210	50	2	—	—
3	1,282	—	176	474	373	206	49	4	—	—
4	819	—	54	299	275	147	41	3	—	—
5	571	—	13	151	183	160	60	4	—	—
6	330	—	4	57	106	118	43	2	—	—
7	178	—	1	23	59	66	26	3	—	—
8	94	—	—	7	21	42	21	3	—	—
9	54	—	—	2	13	25	14	—	—	—
10 and over	85	—	—	1	9	39	31	5	—	—
Not stated	8	—	—	—	—	—	—	—	—	8
Total	12,837	877	4,299	3,718	2,219	1,290	398	28	—	8
Illegitimate	360	98	141	64	39	12	6	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—
Illegitimate	1,537	73	307	399	385	255	102	6	—	10

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1957

International Nos. Detailed List	Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8 months	9–11
010	Tuberculous meningitis ...	M.	1	–	–	–	–	–	–	–	–	1	
		F.	–	–	–	–	–	–	–	–	–	–	
011	Abdominal tuberculosis ...	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
001-008 012-019	Other tuberculous diseases ...	M.	–	–	–	–	–	–	–	–	–	–	
		F.	2	–	–	–	–	–	–	–	–	–	
020-029	Syphilis	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
055	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
056	Whooping cough	M.	9	1	–	–	–	–	–	4	2	3	
		F.	8	–	–	–	–	1	–	3	3	–	
057	Meningococcal infections ...	M.	11	–	–	–	–	–	–	3	4	3	
		F.	3	–	–	–	–	–	–	–	1	–	
085	Measles	M.	3	1	–	–	–	–	–	–	–	1	
		F.	–	–	–	–	–	–	–	–	–	–	
340	Meningitis, not meningococcal or tuberculous	M.	16	–	–	2	3	2	1	3	1	3	
		F.	9	–	–	1	1	3	–	1	3	–	
490-493	Pneumonia (excluding newborn)	M.	144	7	–	–	–	–	–	54	67	12	1
		F.	110	4	–	–	–	–	–	40	34	18	1
500-502	Bronchitis	M.	16	–	–	–	–	–	–	4	5	5	
		F.	12	–	–	–	–	–	–	6	3	3	
470-483 510-527	Other respiratory diseases ...	M.	11	–	–	–	–	–	–	5	2	3	
		F.	9	–	–	–	–	–	–	3	3	3	
543, 571, 572	Diarrhœa (excluding newborn) gastritis and duodenitis	M.	29	1	–	–	–	–	–	10	14	4	
		F.	25	1	–	–	–	–	–	10	12	2	
530-542 544-570 573-587	Other digestive diseases ...	M.	22	2	7	2	–	2	–	1	7	1	
		F.	22	1	3	2	–	–	–	4	9	4	
750-759	Congenital malformations ...	M.	290	11	54	72	25	16	22	51	30	14	
		F.	250	9	65	59	29	9	7	31	27	16	
760-761	Birth injuries	M.	157	11	79	67	4	3	2	2	–	–	
		F.	92	4	36	51	2	2	1	–	–	–	
762	Asphyxia and atelectasis ...	M.	316	17	187	117	6	1	1	3	–	–	
		F.	197	13	114	74	2	1	2	4	–	–	
763	Pneumonia of newborn ...	M.	62	4	5	24	15	9	9	–	–	–	
		F.	33	1	5	11	7	3	7	–	–	–	
764	Diarrhœa of newborn	M.	8	2	–	1	1	2	4	–	–	–	
		F.	10	–	–	–	4	2	4	–	–	–	
765-776	Other infantile diseases ...	M.	386	33	205	139	16	12	5	8	–	–	
		F.	267	18	141	97	12	3	4	5	2	2	
780a	Convulsions	M.	19	1	–	1	2	–	–	10	6	–	
		F.	13	–	–	2	–	–	–	5	4	1	
Remainder	All other natural causes ...	M.	50	3	–	1	3	1	–	19	9	10	
		F.	30	2	–	1	1	2	–	9	14	1	
E921-E925	Accidental mechanical suffocation, etc.	M.	78	5	–	–	1	2	3	28	29	11	
		F.	62	4	–	–	1	1	1	27	25	7	
E800-E920 E926-E999	Other violence	M.	11	4	4	1	–	–	–	–	–	3	
		F.	9	2	4	–	–	–	1	1	1	1	
	Total—Both Sexes		2,802	–	909	725	135	77	74	354	317	132	7
	Males		1,639	–	541	427	76	50	47	205	176	74	4
	Females		1,163	–	368	298	59	27	27	149	141	58	3
	Illegitimate only—Both Sexes ...		–	*162*	*61*	*44*	*6*	*4*	*5*	*20*	*9*	*9*	
	Males		–	*103*	*35*	*30*	*4*	*2*	*5*	*12*	*5*	*8*	
	Females ...		–	*59*	*26*	*14*	*2*	*2*	–	*8*	*4*	*1*	

TABLE 30.—Month of Registration of Children aged under one year dying from Selected Causes in Scotland in 1957

rnational Nos. etailed List	Cause of Death	Total	Month of Registration of Death											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis	1	–	1	–	–	–	–	–	–	–	–	–	–
011	Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–
01-008 12-019	Other tuberculous diseases	2	1	1	–	–	–	–	–	–	–	–	–	–
20-029	Syphilis	–	–	–	–	–	–	–	–	–	–	–		–
055	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough ...	17	3	6	5	–	2	–	–	1	–	–	–	–
057	Meningococcal infections	14	2	–	–	2	1	–	1	–	1	6	–	1
085	Measles	3	–	–	2	–	–	1	–	–	–	–	–	–
340	Meningitis, not meningococcal or tuberculous	25	1	4	2	3	1	2	4	2	1	1	1	3
90-493	Pneumonia (excluding newborn)	254	40	31	28	12	16	18	9	10	22	19	11	38
00-502	Bronchitis	28	8	4	5	–	–	–	–	1	2	1	2	5
70-483 10-527	Other respiratory diseases	20	3	2	1	–	–	–	1	–	2	7	2	2
43, 571, 572	Diarrhœa (excluding newborn) gastritis and duodenitis	54	7	1	14	3	4	3	5	3	5	3	4	2
30-542, 544-570, 573-587	Other digestive diseases	44	3	3	6	3	2	3	7	5	1	2	5	4
50-759	Congenital malformations ...	540	42	49	46	42	46	41	39	48	53	49	40	45
60-761	Birth injuries	249	19	18	23	27	24	16	26	18	17	21	20	20
762	Asphyxia and atelectasis	513	39	50	33	38	40	43	43	42	45	39	50	51
763	Pneumonia of newborn	95	12	10	6	6	8	8	11	4	4	8	8	10
764	Diarrhœa of newborn ...	18	5	1	–	1	3	1	3	–	2	–	2	–
765-776	Other infantile diseases	653	51	58	54	52	69	54	59	61	44	35	53	63
780a	Convulsions	32	1	1	3	1	4	2	1	4	6	–	5	4
mainder	All other natural causes	80	6	4	10	7	6	9	7	6	6	8	4	7
21-E925	Accidental mechanical suffocation, etc. ...	140	16	9	26	11	19	8	9	2	9	11	10	10
00-E920 26-E999	Other violence	20	2	1	3	2	2	2	1	–	–	3	2	2
	Total	2,802	261	254	267	210	247	211	226	207	220	213	219	267
	Illegitimate ...	*162*	*15*	*12*	*15*	*11*	*15*	*12*	*15*	*9*	*14*	*15*	*9*	*20*

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1957.

	Number of Births (Living Children)	Numbers: Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months	Rates: Under 1 yr.	Under 1 yr.* Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months
SCOTLAND	**97,977**	**2,802**	—	**1,920**	**909**	**725**	**135**	**77**	**74**	**354**	**317**	**132**	**79**	**28·6**	—	**19·6**	**9·3**	**7·4**	**1·4**	**0·8**	**0·8**	**3·6**	**3·2**	**1·3**	**0·8**
Counties of Cities	37,101	1,130	—	772	357	280	64	38	33	152	125	55	26	30·5	—	20·8	9·6	7·5	1·7	1·0	0·9	4·1	3·4	1·5	0·7
Large Burghs	17,434	529	—	352	172	123	25	18	14	64	69	28	16	30·3	—	20·2	9·9	7·1	1·4	1·0	0·8	3·7	4·0	1·6	0·9
Counties (*ex* Co. of C. and L.B.) ...	43,442	1,143	—	796	380	322	46	21	27	138	123	49	37	26·3	—	18·3	8·7	7·4	1·1	0·5	0·6	3·2	2·8	1·1	0·9
LEGITIMATE BIRTHS																									
Scotland	93.960	2,640	—	1,800	848	681	129	73	69	334	308	123	75	28·1	—	19·2	9·0	7·2	1·4	0·8	0·7	3·6	3·3	1·3	0·8
Counties of Cities	35,317	1,052	—	717	332	259	61	36	29	141	121	50	23	29·8	—	20·3	9·4	7·3	1·7	1·0	0·8	4·0	3·4	1·4	0·7
Large Burghs	16,802	499	—	328	158	116	25	16	13	60	68	27	16	29·7	—	19·5	9·4	6·9	1·5	1·0	0·8	3·6	4·0	1·6	1·0
Counties (*ex* Co. of C. and L.B.) ...	41,841	1,089	—	755	358	306	43	21	27	133	119	46	36	26·0	—	18·0	8·6	7·3	1·0	0·5	0·6	3·2	2·8	1·1	0·9
ILLEGITIMATE BIRTHS																									
Scotland	*4,017*	—	*162*	*120*	*61*	*44*	*6*	*4*	*5*	*20*	*9*	*9*	*4*	—	*40·3*	*29·9*	*15·2*	*11·0*	*1·5*	*1·0*	*1·2*	*5·0*	*2·2*	*2·2*	*1·0*
Counties of Cities	*1,784*	—	*78*	*55*	*25*	*21*	*3*	*2*	*4*	*11*	*4*	*5*	*3*	—	*43·7*	*30·8*	*14·0*	*11·8*	*1·7*	*1·1*	*2·2*	*6·2*	*2·2*	*2·8*	*1·7*
Large Burghs	*632*	—	*30*	*24*	*14*	*7*	—	*2*	*1*	*4*	*1*	*1*	—	—	*47·5*	*38·0*	*22·2*	*11·1*	—	*3·2*	*1·6*	*6·3*	*1·6*	*1·6*	—
Counties (ex Co. of C. and L.B.) ...	*1,601*	—	*54*	*41*	*22*	*16*	*3*	—	—	*5*	*4*	*3*	*1*	—	*33·7*	*25·6*	*13·7*	*10·0*	*1·9*	—	—	*3·1*	*2·5*	*1·9*	*0·6*
ABERDEEN COUNTY	5,786	134	9	97	46	39	7	3	2	15	11	9	2	23·2	*31·5*	16·8	8·0	6·7	1·2	0·5	0·3	2·6	1·9	1·6	0·3
Aberdeen County of City ...	3,379	82	6	58	21	28	6	2	1	11	5	7	1	24·3	*34·7*	17·2	6·2	8·3	1·8	0·6	0·3	3·3	1·5	2·1	0·3
Remainder of County	2,407	52	3	39	25	11	1	1	1	4	6	2	1	21·6	*26·5*	16·2	10·4	4·6	0·4	0·4	0·4	1·7	2·5	0·8	0·4
ANGUS COUNTY	4,995	127	15	91	45	30	8	6	2	15	12	7	2	25·4	*66·1*	18·2	9·0	6·0	1·6	1·2	0·4	3·0	2·4	1·4	0·4
Dundee County of City	3,453	83	13	61	33	17	6	3	2	6	9	5	2	24·0	*79·3*	17·7	9·6	4·9	1·7	0·9	0·6	1·7	2·6	1·4	0·6
Arbroath Burgh	352	8	1	7	3	2	1	1	—	—	1	—	—	22·7	*62·5*	19·9	8·5	5·7	2·8	2·8	—	—	2·8	—	—
Remainder of County	1,190	36	1	23	9	11	1	2	—	9	2	2	—	30·3	*21·3*	19·3	7·6	9·2	0·8	1·7	—	7·6	1·7	1·7	—
ARGYLL COUNTY	850	18	1	13	4	9	—	—	—	4	—	—	1	21·2	*28·6*	15·3	4·7	10·6	—	—	—	4·7	—	—	1·2
AYR COUNTY	6,382	197	11	134	64	59	6	2	3	26	19	7	11	30·9	*44·5*	21·0	10·0	9·2	0·9	0·3	0·5	4·1	3·0	1·1	1·7
Ayr Burgh	827	25	2	14	7	6	1	—	—	1	6	1	3	30·2	*40·0*	16·9	8·5	7·3	1·2	—	—	1·2	7·3	1·2	3·6
Kilmarnock Burgh	944	32	2	21	8	12	—	1	—	4	4	2	1	33·9	*62·5*	22·2	8·5	12·7	—	1·1	—	4·2	4·2	2·1	1·1
Remainder of County	4,611	140	7	99	49	41	5	1	3	21	9	4	7	30·4	*42·4*	21·5	10·6	8·9	1·1	0·2	0·7	4·6	2·0	0·9	1·5
BANFF COUNTY	896	19	—	16	6	9	—	1	—	1	1	—	1	21·2	—	17·9	6·7	10·0	—	1·1	—	1·1	1·1	—	1·1
BERWICK COUNTY	316	8	—	6	2	3	1	—	—	—	1	—	1	25·3	—	19·0	6·3	9·5	3·2	—	—	—	3·2	—	3.2
BUTE COUNTY	251	7	—	5	3	2	—	—	—	1	1	—	—	27·9	—	19·9	12·0	8·0	—	—	—	4·0	4·0	—	—
CAITHNESS COUNTY	479	13	1	10	4	4	1	—	1	—	3	—	—	27·1	*38·5*	20·9	8·4	8·4	2·1	—	2·1	—	6·3	—	—
CLACKMANNAN COUNTY	811	26	5	21	8	9	1	2	1	1	2	1	1	32·1	*147·1*	25·9	9·9	11·1	1·2	2·5	1·2	1·2	2·5	1·2	1·2
DUMFRIES COUNTY	1,588	43	2	32	15	11	3	1	2	5	3	2	1	27·1	*24·1*	20·2	9·4	6·9	1·9	0·6	1·3	3·1	1·9	1·3	0·6
Dumfries Burgh	478	21	2	17	8	6	1	1	1	3	1	—	—	43·9	*57·1*	35·6	16·7	12·6	2·1	2·1	2·1	6·3	2·1	—	—
Remainder of County	1,110	22	—	15	7	5	2	—	1	2	2	2	1	19·8	—	13·5	6·3	4·5	1·8	—	0·9	1·8	1·8	1·8	0·9
DUNBARTON COUNTY	3,638	102	7	68	40	19	3	5	1	11	12	6	5	28·0	*68·0*	18·7	11·0	5·2	0·8	1·4	0·3	3·0	3·3	1·6	1·4
Clydebank Burgh	1,145	30	1	21	11	7	1	1	1	5	2	1	1	26·2	*35·7*	18·3	9·6	6·1	0·9	0·9	0·9	4·4	1·7	0·9	0·9
Dumbarton Burgh...	654	22	1	16	9	4	2	1	—	—	3	2	1	33·6	*47·6*	24·5	13·8	6·1	3·1	1·5	—	—	4·6	3·1	1·5
Remainder of County	1,839	50	5	31	20	8	—	3	—	6	7	3	3	27·2	*92·6*	16·9	10·9	4·4	—	1·6	—	3·3	3·8	1·6	1·6
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1·6	—	10·5	2·1	5·3	2·1	1·1	—	1·1	—	—	—

Inverness County	1,491	36	2	22	13	7	1	—	1	6	5	1	2	24·1	*24·4*	14·8	8·7	4·7	0·7	—	0·7	4·0	3·4	0·7	1·3
Inverness Burgh	554	15	2	10	5	4	1	—	—	2	2	1	—	27·1	*64·5*	18·1	9·0	7·2	1·8	—	—	3·6	3·6	1·8	—
Remainder of County	937	21	—	12	8	3	—	—	1	4	3	—	2	22·4	—	12·8	8·5	3·2	—	—	1·1	4·3	3·2	—	2·1
Kincardine County	427	13	2	8	3	4	1	—	—	3	2	—	—	30·4	*90·9*	18·7	7·0	9·4	2·3	—	—	7·0	4·7	—	—
Kinross County	101	1	1	—	—	—	—	—	—	—	—	1	—	9·9	*333·3*	—	—	—	—	—	—	—	—	9·9	—
Kirkcudbright County	467	6	—	3	1	1	1	—	—	2	1	—	—	12·8	—	6·4	2·1	2·1	2·1	—	—	4·3	2·1	—	—
Lanark County	33,760	1,126	61	748	352	277	52	32	35	158	135	54	31	33·4	*45·0*	22·2	10·4	8·2	1·5	0·9	1·0	4·7	4·0	1·6	0·9
Glasgow County of City	22,415	774	49	516	239	187	39	25	26	116	88	35	19	34·5	*46·8*	23·0	10·7	8·3	1·7	1·1	1·2	5·2	3·9	1·6	0·8
Airdrie Burgh	694	17	—	11	5	3	2	—	1	2	2	1	1	24·5	—	15·9	7·2	4·3	2·9	—	1·4	2·9	2·9	1·4	1·4
Coatbridge Burgh	1,331	48	1	34	20	10	4	—	—	3	9	—	2	36·1	*41·7*	25·5	15·0	7·5	3·0	—	—	2·3	6·8	—	1·5
Hamilton Burgh	847	24	—	12	7	3	1	—	1	6	4	2	—	28·3	—	14·2	8·3	3·5	1·2	—	1·2	7·1	4·7	2·4	—
Motherwell and Wishaw Burgh ...	1,493	56	5	35	15	14	—	4	2	5	9	6	1	37·5	*135·1*	23·4	10·0	9·4	—	2·7	1·3	3·3	6·0	4·0	0·7
Rutherglen Burgh	436	17	—	12	5	5	1	—	1	1	2	1	1	39·0	—	27·5	11·5	11·5	2·3	—	2·3	2·3	4·6	2·3	2·3
Remainder of County	6,544	190	6	128	61	55	5	3	4	25	21	9	7	29·0	*30·5*	19·6	9·3	8·4	0·8	0·5	0·6	3·8	3·2	1·4	1·1
Midlothian County	10,100	272	13	198	91	72	17	11	7	27	32	10	5	26·9	*28·6*	19·6	9·0	7·1	1·7	1·1	0·7	2·7	3·2	1·0	0·5
Edinburgh County of City ...	7,854	191	10	137	64	48	13	8	4	19	23	8	4	24·3	*25·1*	17·4	8·1	6·1	1·7	1·0	0·5	2·4	2·9	1·0	0·5
Remainder of County	2,246	81	3	61	27	24	4	3	3	8	9	2	1	36·1	*53·6*	27·2	12·0	10·7	1·8	1·3	1·3	3·6	4·0	0·9	0·4
Moray County	967	27	3	18	8	9	1	—	—	1	3	3	2	27·9	*75·0*	18·6	8·3	9·3	1·0	—	—	1·0	3·1	3·1	2·1
Nairn County	146	2	—	2	1	1	—	—	—	—	—	—	—	13·7	—	13·7	6·8	6·8	—	—	—	—	—	—	—
Orkney County	292	10	—	7	5	2	—	—	—	1	2	—	—	34·2	—	24·0	17·1	6·8	—	—	—	3·4	6·8	—	—
Peebles County	227	6	—	4	1	2	—	—	1	1	1	—	—	26·4	—	17·6	4·4	8·8	—	—	4·4	4·4	4·4	—	—
Perth County	2,103	42	6	33	16	11	3	—	3	5	3	1	—	20·0	*46·9*	15·7	7·6	5·2	1·4	—	1·4	2·4	1·4	0·5	—
Perth Burgh	684	14	2	10	6	3	1	—	—	1	2	1	—	20·5	*50·0*	14·6	8·8	4·4	1·5	—	—	1·5	2·9	1·5	—
Remainder of County	1,419	28	4	23	10	8	2	—	3	4	1	—	—	19·7	*45·5*	16·2	7·0	5·6	1·4	—	2·1	2·8	0·7	—	—
Renfrew County	6,512	186	6	120	57	45	9	5	4	31	23	7	5	28·6	*28·0*	18·4	8·8	6·9	1·4	0·8	0·6	4·8	3·5	1·1	0·8
Greenock Burgh	1,653	55	4	33	16	9	3	2	3	13	6	1	2	33·3	*58·0*	20·0	9·7	5·4	1·8	1·2	1·8	7·9	3·6	0·6	1·2
Paisley Burgh	1,886	55	1	35	16	13	4	2	—	7	8	5	—	29·2	*14·3*	18·6	8·5	6·9	2·1	1·1	—	3·7	4·2	2·7	—
Port Glasgow Burgh	555	15	—	12	6	5	1	—	—	1	—	—	2	27·0	—	21·6	10·8	9·0	1·8	—	—	1·8	—	—	3·6
Remainder of County	2,418	61	1	40	19	18	1	1	1	10	9	1	1	25·2	*17·9*	16·5	7·9	7·4	0·4	0·4	0·4	4·1	3·7	0·4	0·4
Ross and Cromarty County ...	949	26	3	21	10	9	1	—	1	2	2	1	—	27·4	*71·4*	22·1	10·5	9·5	1·1	—	1·1	2·1	2·1	1·1	—
Roxburgh County	679	15	—	12	7	3	1	—	1	—	1	2	—	22·1	—	17·7	10·3	4·4	1·5	—	1·5	—	1·5	2·9	—
Selkirk County	301	8	—	8	2	4	1	—	1	—	—	—	—	26·6	—	26·6	6·6	13·3	3·3	—	3·3	—	—	—	—
Stirling County	3,504	94	6	61	24	27	2	4	4	10	11	9	3	26·8	*50·0*	17·4	6·8	7·7	0·6	1·1	1·1	2·9	3·1	2·6	0·9
Falkirk Burgh	601	15	3	12	4	4	1	2	1	—	1	2	—	25·0	*166·7*	20·0	6·7	6·7	1·7	3·3	1·7	—	1·7	3·3	—
Stirling Burgh	520	15	1	10	4	3	—	1	2	2	2	1	—	28·8	*50·0*	19·2	7·7	5·8	—	1·9	3·8	3·8	3·8	1·9	—
Remainder of County	2,383	64	2	39	16	20	1	1	1	8	8	6	3	26·9	*24·4*	16·4	6·7	8·4	0·4	0·4	0·4	3·4	3·4	2·5	1·3
Sutherland County	252	2	—	2	1	—	1	—	—	—	—	—	—	7·9	—	7·9	4·0	—	4·0	—	—	—	—	—	—
West Lothian County	1,848	48	1	31	21	8	2	—	—	5	12	—	—	26·0	*20·8*	16·8	11·4	4·3	1·1	—	—	2·7	6·5	—	—
Wigtown County	601	14	—	10	5	4	—	—	1	4	—	—	—	23·3	—	16·6	8·3	6·7	—	—	1·7	6·7	—	—	—
Zetland County	270	11	1	7	2	5	—	—	—	1	2	1	—	40·7	*90·9*	25·9	7·4	18·5	—	—	—	3·7	7·4	3·7	—

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

*—Per 1,000 illegitimate births.

TABLE 32.—Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1957

Age	Total	Males	Females
Under 1 day	909	541	368
1 day	301	167	134
2 days	199	127	72
3 ,,	107	67	40
4 ,,	43	29	14
5 ,,	46	23	23
6 ,,	29	14	15
7–13 ,,	135	76	59
14–20 ,,	77	50	27
21–27 ,,	74	47	27
28 days–Under 2 months	200	120	80
2 ,,	154	85	69
3 ,,	155	83	72
4 ,,	98	58	40
5 ,,	64	35	29
6 ,,	48	27	21
7 ,,	47	25	22
8 ,,	37	22	15
9 ,,	29	17	12
10 ,,	26	13	13
11 ,,	24	13	11
Total	2,802	1,639	1,163

TABLE 33.—Ages at Death in 1957

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 –	2,802	1,130	529	1,143	406	737
1– –	364	147	56	161	61	100
5– –	236	83	45	108	36	72
10– –	193	62	33	98	36	62
15– –	505	183	77	245	67	178
25– –	899	353	150	396	128	268
35– –	1,919	781	335	803	280	523
45– –	5,121	2,093	808	2,220	830	1,390
55– –	10,174	4,266	1,648	4,260	1,620	2,640
65– –	15,822	6,181	2,565	7,076	2,820	4,256
75– –	17,240	6,304	2,647	8,289	3,354	4,935
85 and over	5,868	1,996	814	3,058	1,244	1,814
Not stated	—	—	—	—	—	—
All Ages	61,143	23,579	9,707	27,857	10,882	16,975

TABLE 34.—Deaths, Male and Female, at each year of ag

MALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,639	1,639	–	–	–	–	50 ...	320	52	253	11	4	–
1 ...	93	93	–	–	–	–	51 ...	343	60	260	18	5	–
2 ...	50	50	–	–	–	–	52 ...	389	66	293	25	5	–
3 ...	51	51	–	–	–	–	53 ...	464	67	367	24	6	–
4 ...	29	29	–	–	–	–	54 ...	448	71	349	24	3	1
0–4 ...	1,862	1,862	–	–	–	–	50–54 ...	1,964	316	1,522	102	23	1
5 ...	34	34	–	–	–	–	55 ...	472	75	352	42	3	–
6 ...	42	42	–	–	–	–	56 ...	557	80	440	34	3	–
7 ...	21	21	–	–	–	–	57 ...	575	85	434	49	7	–
8 ...	24	24	–	–	–	–	58 ...	624	92	472	55	5	–
9 ...	25	25	–	–	–	–	59 ...	604	71	475	52	5	1
5–9 ...	146	146	–	–	–	–	55–59 ...	2,832	403	2,173	232	23	1
10 ...	27	27	–	–	–	–	60 ...	593	74	458	55	4	2
11 ...	15	15	–	–	–	–	61 ...	602	85	441	73	2	1
12 ...	28	28	–	–	–	–	62 ...	715	85	528	93	5	4
13 ...	22	22	–	–	–	–	63 ...	646	76	487	81	2	–
14 ...	23	23	–	–	–	–	64 ...	726	88	539	94	4	1
10–14 ...	115	115	–	–	–	–	60–64 ...	3,282	408	2,453	396	17	8
15 ...	18	18	–	–	–	–	65 ...	726	84	536	102	3	1
16 ...	29	29	–	–	–	–	66 ...	785	104	541	137	2	1
17 ...	29	29	–	–	–	–	67 ...	791	106	544	136	5	–
18 ...	35	33	2	–	–	–	68 ...	818	110	555	149	4	–
19 ...	30	29	1	–	–	–	69 ...	825	101	550	173	1	–
15–19 ...	141	138	3	–	–	–	65–69 ...	3,945	505	2,726	697	15	2
20 ...	29	26	3	–	–	–	70 ...	816	102	551	159	4	–
21 ...	31	28	3	–	–	–	71 ...	848	110	513	222	3	–
22 ...	36	34	2	–	–	–	72 ...	921	127	548	242	3	1
23 ...	40	28	12	–	–	–	73 ...	905	138	499	266	1	1
24 ...	38	26	12	–	–	–	74 ...	856	134	470	250	–	2
20–24 ...	174	142	32	–	–	–	70–74 ...	4,346	611	2,581	1,139	11	4
25 ...	35	24	11	–	–	–	75 ...	865	115	445	301	2	2
26 ...	44	27	17	–	–	–	76 ...	895	121	431	342	–	1
27 ...	51	31	20	–	–	–	77 ...	884	134	398	343	3	6
28 ...	54	23	29	–	2	–	78 ...	910	126	375	407	–	2
29 ...	58	22	35	–	–	1	79 ...	867	107	361	394	1	4
25–29 ...	242	127	112	–	2	1	75–79 ...	4,421	603	2,010	1,787	6	15
30 ...	52	24	28	–	–	–	80 ...	827	112	304	409	2	–
31 ...	58	20	37	1	–	–	81 ...	765	99	265	397	–	4
32 ...	62	28	32	–	1	1	82 ...	709	98	261	350	–	–
33 ...	56	21	33	–	2	–	83 ...	662	85	208	363	3	3
34 ...	54	15	38	1	–	–	84 ...	550	68	168	312	2	–
30–34 ...	282	108	168	2	3	1	80–84 ...	3,513	462	1,206	1,831	7	7
35 ...	78	30	48	–	–	–	85 ...	504	51	164	289	–	–
36 ...	80	21	56	2	1	–	86 ...	400	48	99	253	–	–
37 ...	100	19	78	3	–	–	87 ...	319	35	67	215	–	2
38 ...	61	12	47	–	2	–	88 ...	230	21	49	159	–	1
39 ...	77	21	53	1	1	1	89 ...	198	20	39	139	–	–
35–39 ...	396	103	282	6	4	1	85–89 ...	1,651	175	418	1,055	–	3
40 ...	93	24	67	–	1	1	90 ...	126	12	16	98	–	–
41 ...	110	25	82	3	–	–	91 ...	116	15	19	82	–	–
42 ...	138	32	104	2	–	–	92 ...	83	9	15	59	–	–
43 ...	153	32	113	3	2	3	93 ...	55	4	9	42	–	–
44 ...	148	28	111	6	3	–	94 ...	32	3	4	25	–	–
40–44 ...	642	141	477	14	6	4	90–94 ...	412	43	63	306	–	–
45 ...	180	32	138	5	5	–	95 ...	27	3	1	23	–	–
46 ...	214	38	165	7	4	–	96 ...	6	–	1	5	–	–
47 ...	267	47	208	9	3	–	97 ...	10	1	–	9	–	–
48 ...	260	41	204	9	6	–	98 ...	4	–	–	4	–	–
49 ...	285	64	210	10	1	–	99 ...	2	–	–	2	–	–
45–49 ...	1,206	222	925	40	19	–	95–99 ...	49	4	2	43	–	–
							100 and over	1	–	–	1	–	–
							Not stated	–	–	–	–	–	–
							All Ages	31,622	6,634	17,153	7,651	136	48

by Condition as to Marriage, in Scotland, 1957

FEMALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
...	1,163	1,163	–	–	–	–	50 ...	194	43	136	13	2	–
...	60	60	–	–	–	–	51 ...	209	49	137	19	4	–
...	31	31	–	–	–	–	52 ...	222	53	134	34	1	–
...	30	30	–	–	–	–	53 ...	261	45	175	37	4	–
...	20	20	–	–	–	–	54 ...	259	42	170	46	1	–
–4 ...	1,304	1,304	–	–	–	–	50–54 ...	1,145	232	752	149	12	–
...	18	18	–	–	–	–	55 ...	287	57	185	43	2	–
...	20	20	–	–	–	–	56 ...	309	66	178	62	3	–
...	15	15	–	–	–	–	57 ...	351	65	222	59	5	–
...	21	21	–	–	–	–	58 ...	385	83	229	69	4	–
...	16	16	–	–	–	–	59 ...	353	77	193	80	3	–
–9 ...	90	90	–	–	–	–	55–59 ...	1,685	348	1,007	313	17	–
...	21	21	–	–	–	–	60 ...	402	72	221	107	2	–
...	8	8	–	–	–	–	61 ...	442	90	240	109	3	–
...	19	19	–	–	–	–	62 ...	476	89	242	143	2	–
...	13	13	–	–	–	–	63 ...	489	95	223	167	4	–
...	17	17	–	–	–	–	64 ...	566	115	263	185	3	–
–14 ...	78	78	–	–	–	–	60–64 ...	2,375	461	1,189	711	14	–
...	14	14	–	–	–	–	65 ...	549	114	237	194	4	–
...	11	11	–	–	–	–	66 ...	606	135	252	217	2	–
...	16	16	–	–	–	–	67 ...	616	121	256	235	4	–
...	24	24	–	–	–	–	68 ...	699	130	258	307	4	–
...	18	17	1	–	–	–	69 ...	746	167	245	329	5	–
–19 ...	83	82	1	–	–	–	65–69 ...	3,216	667	1,248	1,282	19	–
...	21	13	8	–	–	–	70 ...	711	138	232	339	2	–
...	21	15	6	–	–	–	71 ...	812	170	240	399	3	–
...	19	6	13	–	–	–	72 ...	880	203	265	409	3	–
...	24	16	7	1	–	–	73 ...	982	195	275	510	2	–
...	22	10	12	–	–	–	74 ...	930	179	239	509	3	–
–24 ...	107	60	46	1	–	–	70–74 ...	4,315	885	1,251	2,166	13	–
...	33	14	19	–	–	–	75 ...	969	201	243	524	1	–
...	38	13	25	–	–	–	76 ...	941	203	220	517	1	–
...	29	7	21	–	1	–	77 ...	1,001	206	217	575	3	–
...	26	10	16	–	–	–	78 ...	1,012	202	167	638	5	–
...	48	17	30	–	1	–	79 ...	995	219	152	623	1	–
–29 ...	174	61	111	–	2	–	75–79 ...	4,918	1,031	999	2,877	11	–
...	30	10	19	–	1	–	80 ...	994	244	122	628	–	–
...	45	18	27	–	–	–	81 ...	933	208	93	631	1	–
...	39	13	26	–	–	–	82 ...	936	192	110	631	3	–
...	41	14	25	–	2	–	83 ...	790	202	73	513	2	–
...	46	15	30	1	–	–	84 ...	735	192	44	497	2	–
–34 ...	201	70	127	1	3	–	80–84 ...	4,388	1,038	442	2,900	8	–
...	68	9	52	3	4	–	85 ...	727	153	57	517	–	–
...	76	16	56	2	2	–	86 ...	577	130	28	418	1	–
...	78	17	55	4	2	–	87 ...	491	124	25	341	1	–
...	56	14	39	–	3	–	88 ...	428	94	14	319	1	–
...	63	13	50	–	–	–	89 ...	381	87	12	281	1	–
–39 ...	341	69	252	9	11	–	85–89 ...	2,604	588	136	1,876	4	–
...	83	20	59	2	2	–	90 ...	281	65	11	204	1	–
...	92	31	57	3	1	–	91 ...	238	70	5	163	–	–
...	107	18	83	6	–	–	92 ...	200	59	4	137	–	–
...	124	26	84	10	4	–	93 ...	158	33	–	124	1	–
...	134	26	100	5	3	–	94 ...	97	26	–	71	–	–
–44 ...	540	121	383	26	10	–	90–94 ...	974	253	20	699	2	–
...	143	19	111	11	2	–	95 ...	66	18	–	48	–	–
...	141	26	109	3	3	–	96 ...	36	8	–	28	–	–
...	149	27	111	10	1	–	97 ...	35	6	1	28	–	–
...	181	42	124	14	1	–	98 ...	18	3	–	15	–	–
...	192	35	133	21	3	–	99 ...	5	1	–	4	–	–
–49 ...	806	149	588	59	10	–	95–99 ...	160	36	1	123	–	–
							100 and over	17	2	–	15	–	–
							Not stated	–	–	–	–	–	–
							All Ages	29,521	7,625	8,553	13,207	136	–

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1957

International Nos. Detailed List	International Nos. Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
001-008	B1	Tuberculosis of respiratory system	M.	452	–	2	–	–	5	42	61	102	119	90	28	3	–	18	–	1	–	–	1	12	18	31	50	63	44	36
			F.	212	2	1	–	1	11	45	69	32	20	20	11	–	–	8	4	1	–	0	3	13	19	9	7	10	11	–
010-019	B2	Tuberculosis, other forms	M.	32	1	2	1	–	1	3	3	7	9	4	1	–	–	1	2	1	0	–	0	1	1	2	4	3	2	–
			F.	27	–	3	2	1	8	1	1	4	5	1	1	–	–	1	–	2	1	0	2	0	0	1	2	0	1	–
020-029	B3	Syphilis and its sequelæ ...	M.	72	–	–	–	–	–	–	4	10	28	22	5	3	–	3	–	–	–	–	–	–	1	3	12	15	8	36
			F.	22	–	–	–	–	–	–	2	3	9	3	5	–	–	1	–	–	–	–	–	–	1	1	3	1	5	–
040	B4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	B6	Dysentery, all forms ...	M.	3	–	–	–	–	1	–	–	–	1	–	1	–	–	0	–	–	–	–	0	–	–	–	0	–	2	–
			F.	5	–	–	–	–	–	–	–	1	1	1	1	1	–	0	–	–	–	–	–	–	–	0	0	0	1	7
050-051	B7	Scarlet fever and streptococcal sore throat ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	0	–	–	–	–	–	–	–	0	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	0	–	–	–	–	–	–	–	–	–	0	–	–
055	B8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	B9	Whooping cough ...	M.	10	9	1	–	–	–	–	–	–	–	–	–	–	–	0	19	1	–	–	–	–	–	–	–	–	–	–
			F.	11	8	1	2	–	–	–	–	–	–	–	–	–	–	0	18	1	1	–	–	–	–	–	–	–	–	–
057	B10	Meningococcal infections	M.	14	11	3	–	–	–	–	–	–	–	–	–	–	–	1	23	2	–	–	–	–	–	–	–	–	–	–
			F.	7	3	2	2	–	–	–	–	–	–	–	–	–	–	0	7	1	1	–	–	–	–	–	–	–	–	–
080	B12	Acute poliomyelitis ...	M.	7	–	–	1	1	3	–	2	–	–	–	–	–	–	0	–	–	0	0	1	–	1	–	–	–	–	–
			F.	4	–	–	–	–	1	2	1	–	–	–	–	–	–	0	–	–	–	–	0	1	0	–	–	–	–	–
085	B14	Measles	M.	6	3	–	3	–	–	–	–	–	–	–	–	–	–	0	6	–	1	–	–	–	–	–	–	–	–	–
			F.	10	–	5	4	–	–	–	1	–	–	–	–	–	–	0	–	3	2	–	–	–	0	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	53	8	3	2	4	2	3	8	7	3	10	2	1	–	2	17	2	1	2	1	1	2	2	1	7	3	12
			F.	53	2	3	1	1	2	3	4	9	9	7	9	3	–	2	4	2	0	0	1	1	1	3	3	3	9	20
140-205	B18	Malignant neoplasms ...	M.	5632	3	25	26	20	31	60	204	789	1515	1673	1128	158	–	228	6	14	12	9	9	17	62	236	633	1167	1759	1917
			F.	5115	4	15	8	14	24	75	298	697	1130	1452	1155	243	–	191	9	9	4	7	7	21	84	195	380	709	1189	1587
210-239	B19	Benign and unspecified neoplasms	M.	59	1	–	1	2	1	3	2	16	14	14	3	2	–	2	2	–	0	1	0	1	1	5	6	10	5	24
			F.	74	2	1	1	3	–	1	6	16	18	13	11	2	–	3	4	1	0	1	–	0	2	4	6	6	11	13
260	B20	Diabetes mellitus... ...	M.	145	1	1	–	–	1	6	4	13	26	49	38	6	–	6	2	1	–	–	0	2	1	4	11	34	59	73
			F.	360	–	–	1	–	2	5	9	19	72	141	94	17	–	13	–	–	0	–	1	1	3	5	24	69	97	111
290-293	B21	Anæmias	M.	72	–	–	1	2	3	–	–	4	4	21	30	7	–	3	–	–	0	1	1	–	–	1	2	15	47	85
			F.	142	–	–	1	–	1	1	3	9	15	35	58	19	–	5	–	–	0	–	0	0	1	3	5	17	60	124
240-254, 270-289, 294-299	B46.1	Other general diseases ...	M.	173	4	3	5	4	5	8	9	31	36	41	27	–	–	7	8	2	2	2	1	2	3	9	15	29	42	–
			F.	242	1	5	1	5	4	14	18	33	55	69	32	5	–	9	2	3	0	2	1	4	5	9	19	34	33	33
330-334	B22	Vascular lesions affecting central nervous system	M.	4030	–	1	1	4	6	15	41	197	575	1267	1554	369	–	163	–	1	0	2	2	4	12	59	240	884	2423	4478
			F.	5536	–	1	1	4	6	18	53	236	683	1598	2191	745	–	206	–	1	0	2	2	5	15	66	230	780	2255	4865

400-402	B24	Rheumatic fever	M.	26	–	–	1	1	2	4	9	2	4	2	1	–	–	1	–	–	0	0	1	1	3	1	2	1	2	–
			F.	19	–	–	–	1	3	1	2	4	4	3	1	–	–	1	–	–	–	0	1	0	1	1	1	1	1	–
410-416	B25	Chronic rheumatic heart disease	M.	303	–	–	–	1	6	36	39	80	64	47	27	3	–	12	–	–	–	0	2	10	12	24	27	33	42	36
			F.	604	–	–	–	3	16	26	92	129	142	114	66	16	–	22	–	–	–	1	4	7	26	36	48	56	68	104
420-422	B26	Arteriosclerotic and degenerative heart disease	M.	9573	–	–	–	–	1	37	197	950	1957	2740	2843	848	–	388	–	–	–	–	0	11	60	284	400	1911	4432	10291
			F.	8267	–	–	–	–	4	10	52	233	894	2331	3228	1515	–	308	–	–	–	–	1	3	15	65	301	1138	3322	9894
430-434	B27	Other diseases of heart ...	M.	298	1	2	–	–	1	3	11	31	49	97	82	21	–	12	2	1	–	–	0	1	3	9	20	68	128	255
			F.	338	2	–	–	–	3	6	4	23	48	98	121	33	–	13	4	–	–	–	1	2	1	6	16	48	125	216
440-443	B28	Hypertension with heart disease	M.	511	–	–	–	–	–	1	5	26	104	180	165	30	–	21	–	–	–	–	–	0	2	8	43	126	257	364
			F.	671	–	–	–	–	–	–	3	24	79	229	268	68	–	25	–	–	–	–	–	–	1	7	27	112	276	444
444-447	B29	Hypertension without heart disease	M.	294	–	–	–	–	–	6	7	24	69	71	83	34	–	12	–	–	–	–	–	2	2	7	29	50	129	413
			F.	330	–	–	–	–	–	1	8	30	44	89	125	33	–	12	–	–	–	–	–	0	2	8	15	43	129	216
450-468	B46.3	Other circulatory disease	M.	769	–	–	–	1	1	8	7	36	64	174	356	122	–	31	–	–	–	0	0	2	2	11	27	121	555	1481
			F.	876	1	–	–	–	1	5	17	24	62	148	378	240	–	33	2	–	–	–	0	1	5	7	21	72	389	1567
480-483	B30	Influenza	M.	335	5	9	4	1	11	15	20	35	85	84	51	15	–	14	11	5	2	0	3	4	6	10	36	59	80	182
			F.	345	9	2	11	8	15	17	18	35	51	84	60	35	–	13	20	1	5	4	4	5	5	10	17	41	62	229
490-493	B31	Pneumonia (except of new-born)	M.	1067	144	29	6	3	11	8	26	65	162	263	266	84	–	43	305	16	3	1	3	2	8	19	68	183	415	1019
			F.	975	110	24	8	5	6	10	21	45	95	191	296	164	–	36	246	14	4	2	2	3	6	13	32	93	305	1071
500-502	B32	Bronchitis...	M.	1415	16	3	3	1	–	6	21	141	423	456	275	70	–	57	34	2	1	0	–	2	6	42	177	318	429	850
			F.	598	12	1	–	–	–	2	7	32	89	180	200	75	–	22	27	1	–	–	–	1	2	9	30	88	206	490
470-475, 510-527	B46.4	Other respiratory diseases	M.	427	6	2	–	1	2	4	12	38	115	153	82	12	–	17	13	1	–	0	1	1	4	11	48	107	128	146
			F.	112	–	3	2	1	1	4	4	10	17	28	27	15	–	4	–	2	1	0	0	1	1	3	6	14	28	98
540, 541	B33	Ulcer of stomach and duodenum	M.	425	–	–	1	–	–	8	22	47	118	135	81	13	–	17	–	–	0	–	–	2	7	14	49	94	126	158
			F.	139	–	–	–	–	2	2	5	10	21	41	44	14	–	5	–	–	–	–	1	1	1	3	7	20	45	91
550-553	B34	Appendicitis	M.	68	–	2	6	1	4	6	2	11	9	10	14	3	–	3	–	1	3	0	1	2	1	3	4	7	22	36
			F.	35	1	–	1	2	1	–	2	6	5	8	8	1	–	1	2	–	0	1	0	–	1	2	2	4	8	7
560, 561, 570	B35	Intestinal obstruction and hernia	M.	219	14	1	1	1	1	3	3	16	40	64	59	16	–	9	30	1	0	0	0	1	1	5	17	45	92	194
			F.	204	9	1	1	1	–	–	3	17	33	44	71	24	–	8	20	1	0	0	–	–	1	5	11	21	73	157
543	B36.1	Gastritis and duodenitis ...	M.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	0	–	–	–	–	–	–	–	0	–	1	–	–
			F.	7	–	–	–	–	–	–	–	–	1	–	6	–	–	0	–	–	–	–	–	–	–	–	0	–	6	–
571, 572	B36.2	Diarrhœa (except of new-born)	M.	131	29	9	–	–	2	6	11	15	20	16	21	2	–	5	61	5	–	–	1	2	3	4	8	11	33	24
			F.	128	25	1	1	3	5	4	1	8	19	34	24	3	–	5	56	1	0	1	1	1	0	2	6	17	25	20
581	B37	Cirrhosis of liver ...	M.	124	–	–	–	–	–	1	16	28	33	33	12	1	–	5	–	–	–	–	–	0	5	8	14	23	19	12
			F.	119	–	–	–	–	2	2	4	18	38	36	14	5	–	4	–	–	–	–	1	1	1	5	13	18	14	33
580, 582-586	B46.5	Other diseases of liver ...	M.	61	1	–	–	–	1	1	6	2	13	20	13	4	–	2	2	–	–	–	0	0	2	1	5	14	20	49
			F.	180	1	1	1	–	–	1	1	12	25	62	62	14	–	7	2	1	0	–	–	0	0	3	8	30	64	91
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases ...	M.	77	7	2	2	1	–	1	3	8	14	19	15	5	–	3	15	1	1	0	–	0	1	2	6	13	23	61
			F.	103	11	2	–	–	–	3	6	13	24	20	20	4	–	4	25	1	–	–	–	1	2	4	8	10	21	26
590-594	B38	Nephritis and nephrosis ...	M.	252	4	2	1	5	11	16	22	40	33	62	45	11	–	10	8	1	0	2	3	5	7	12	14	43	70	133
			F.	259	1	2	1	4	13	14	16	36	44	63	58	7	–	10	2	1	0	2	4	4	5	10	15	31	60	46

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1957—*continued*

International Nos. Detailed List	International Nos. Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1	5	10	15	25	35	45	55	65	75	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
610	B39	Hyperplasia of prostate ...	M.	389				–			–	1	16	91	214	67	–	16	–	–	–	–	–	–	–	0	7	63	334	813
600-609, 611-637	B46.7	Other diseases of genito-urinary system... ...	M.	160	4			1	–	2	10	11	26	32	55	19	–	6	8	–	–	0	–	1	3	3	11	22	86	231
			F.	179	1	1	1	–	1	7	20	18	37	36	48	9	–	7	2	1	0	–	0	2	6	5	12	18	49	59
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis ...	F.	16	–	–	–	–	5	11	–	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes ...	F.	30	–	–	–		7	13	10	–	–	–	–	–	–	1	–	–	–	–	2	4	3	–	–	–	–	–
690-749	B46.8	Diseases of skin and organs of locomotion	M.	99	5	–		2	3	2	5	7	24	21	23	7	–	4	11	–	–	1	1	1	2	2	10	15	36	85
			F.	225	4		1	3	1	1	3	6	36	81	66	23	–	8	9	–	0	1	0	0	1	2	12	40	68	150
750-759	B41	Congenital malformations	M.	390	290	26	10	8	11	6	7	18	6	8	–	–	–	16	614	15	4	4	3	2	2	5	3	6	–	–
			F.	328	250	19	6	3	10	7	11	9	4	6	2	1	–	12	559	11	3	1	3	2	3	3	1	3	2	7
760-762	B42	Birth injuries, post natal asphyxia and atelectasis	M.	473	473	–	–	–	–	–	–	–	–	–	–	–	–	19	1002	–	–	–	–	–	–	–	–	–	–	–
			F.	289	289	–	–	–	–	–	–	–	–	–	–	–	–	11	647	–	–	–	–	–	–	–	–	–	–	–
763	B43.1	Pneumonia of newborn ...	M.	62	62	–						–				–	–	3	131	–	–	–	–	–	–	–	–	–	–	–
			F.	33	33	–	–					–	–	–		–	–	1	74		–	–	–	–	–	–	–	–	–	–
764	B43.2	Diarrhœa of newborn ...	M.	8	8		–					–			–	–	–	0	17	–	–	–	–			–		–	–	–
			F.	10	10		–					–					–	0	22	–	–	–	–		–	–				–
765-768	B43.3	Other infections of the newborn	M.	16	16	–			–	–	–	–		–	–		–	1	34		–	–	–	–	–		–	–	–	–
			F.	7	7		–				–	–	–	–			–	0	16		–	–	–			–		–	–	–
769-776	B44	Other diseases peculiar to early infancy	M.	370	370	–	–	–	–	–	–	–	–	–	–	–	–	15	784	–	–	–	–	–	–	–	–	–	–	–
			F.	260	260		–			–			–				–	10	582	–	–									–
794	B45.0	Senility	M.	189	–	–	–	–	–	–		–	–	13	86	90		8	–	–		–	–					9	134	1092
			F.	391			–	–	–	–	–	–	–	13	154	224	–	15	–	–								6	158	1463
780-793, 795	B45.1	Causes ill-defined and unknown	M.	162	28	4	–	1	–	4	6	20	31	30	28	10	–	7	59	2	–	0		1	2	6	13	21	44	121
			F.	111	18	3	–	–	1	1	2	10	14	20	32	10	–	4	40	2	–	–	0	0	1	3	5	10	33	65
E963, E970-979	BE49	Suicide	M.	262	–	–	–	–	20	27	39	55	64	37	16	4	–	11		–			6	8	12	16	27	26	25	49
			F.	158	–	–			5	16	31	32	37	26	10	1	–	6	–	–			1	4	9	9	12	13	10	7
E810-835	BE47	Motor vehicle accidents ...	M.	436	1	25	29	16	75	56	47	65	39	38	38	7	–	18	2	14	13	8	22	16	14	19	16	27	59	85
			F.	127	–	13	12	3	8	2	11	5	25	21	24	3		5		8	6	1	2	1	3	1	8	10	25	20
E840-845	BE48.0	Other road transport accidents	M.	17	–	–	–	–	1	1	–	5	2	3	5	–	–	1	–	–	–	–	0	0	–	1	1	2	8	–
			F.	5	–	2	–	–	–	–	–	–	–	3		–		0	–	1		–			–	–	–	1	–	–
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE 50) ...	M.	1048	88	42	34	20	81	90	113	154	142	114	109	61	–	43	186	24	15	9	24	26	34	46	59	80	170	740
			F.	748	71	13	12	7	9	17	28	44	71	79	238	159	–	28	159	8	6	3	2	5	8	12	24	39	245	1038
		All Causes	M.	31622	1639	223	146	115	315	524	1038	3170	6114	8291	7934	2113	–	1283	3471	125	65	54	94	151	314	948	2555	5783	12369	25643
			F.	29521	1163	141	90	78	190	375	881	1951	4060	7531	9306	3755	–	1100	2602	83	42	38	52	104	248	546	1366	3678	9576	24523
		Both Sexes ...		61143	2802	364	236	193	505	899	1919	5121	10174	15822	17240	5868	–	1187	3048	104	54	46	72	127	280	740	1897	4545	10687	24915

Detailed List	Abbreviated List	Causes of Death	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
001-008	B1	Tuberculosis of respiratory system ...	664	321	125	218	73	145	13	17	15	9	9	9
010-019	B2	Tuberculosis, other forms	59	24	5	30	13	17	1	1	1	1	2	1
020-029	B3	Syphilis and its sequelæ	94	48	14	32	11	21	2	3	2	1	1	1
040	B4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	B6	Dysentery, all forms	8	4	2	2	—	2	0	0	0	0	—	0
050-051	B7	Scarlet fever and streptococcal sore throat...	2	1	—	1	—	1	0	0	—	0	—	0
055	B8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	B9	Whooping cough	21	7	4	10	5	5	0	0	0	0	1	0
057	B10	Meningococcal infections	21	12	4	5	1	4	0	1	0	0	0	0
080	B12	Acute poliomyelitis	11	2	—	9	—	9	0	0	—	0	—	1
085	B14	Measles	16	6	2	8	3	5	0	0	0	0	0	0
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	40	17	49	15	34	2	2	2	2	2	2
140-205	B18	Malignant neoplasms	10,747	4,537	1,633	4,577	1,834	2,743	209	237	190	192	216	179
210-239	B19	Benign and unspecified neoplasms ...	133	62	21	50	14	36	3	3	2	2	2	2
260	B20	Diabetes mellitus	505	189	81	235	90	145	10	10	9	10	11	9
290-293	B21	Anæmias	214	74	35	105	35	70	4	4	4	4	4	5
240-254, 270-289, 294-299	B46.1	Other general diseases	415	151	65	199	69	130	8	8	8	8	8	9
330-334	B22	Vascular lesions affecting central nervous system	9,566	3,514	1,497	4,555	1,854	2,701	186	184	174	191	218	177
340	B23	Non-meningococcal meningitis	59	22	8	29	12	17	1	1	1	1	1	1
300-326, 341-398	B46.2	Other diseases of nervous system	817	331	102	384	146	238	16	17	12	16	17	16
400-402	B24	Rheumatic fever	45	19	9	17	6	11	1	1	1	1	1	1
410-416	B25	Chronic rheumatic heart disease	907	419	165	323	129	194	18	22	19	14	15	13
420-422	B26	Arteriosclerotic and degenerative heart disease	17,840	6,421	2,948	8,471	3,473	4,998	346	336	343	356	408	327
430-434	B27	Other diseases of heart	636	223	98	315	102	213	12	12	11	13	12	14
440-443	B28	Hypertension with heart disease	1,182	473	195	514	213	301	23	25	23	22	25	20
444-447	B29	Hypertension without heart disease ...	624	227	96	301	106	195	12	12	11	13	12	13
450-468	B46.3	Other circulatory disease	1,645	580	236	829	291	538	32	30	27	35	34	35
480-483	B30	Influenza	680	295	95	290	112	178	13	15	11	12	13	12
490-493	B31	Pneumonia (except of newborn)	2,042	989	306	747	269	478	40	52	36	31	32	31
500-502	B32	Bronchitis	2,013	982	300	731	284	447	39	51	35	31	33	29
470-475, 510-527	B46.4	Other respiratory diseases	539	134	81	324	92	232	10	7	9	14	11	15

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis. † Including Small Burghs and Landward.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1957—*continued*

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of Population					
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
540, 541	B33	Ulcer of stomach and duodenum	564	217	81	266	96	170	11	11	9	11	11	11
550-553	B34	Appendicitis	103	38	13	52	21	31	2	2	2	2	2	2
560, 561, 570	B35	Intestinal obstruction and hernia	423	154	68	201	85	116	8	8	8	8	10	8
543	B36.1	Gastritis and duodenitis	10	4	—	6	1	5	0	0	—	0	0	0
571, 572	B36.2	Diarrhœa (except of newborn)	259	108	50	101	30	71	5	6	6	4	4	5
581	B37	Cirrhosis of liver	243	103	35	105	42	63	5	5	4	4	5	4
580, 582-586	B46.5	Other diseases of liver	241	93	37	111	46	65	5	5	4	5	5	4
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases	180	64	30	86	36	50	3	3	3	4	4	3
590-594	B38	Nephritis and nephrosis	511	160	86	265	99	166	10	8	10	11	12	11
610	B39	Hyperplasia of prostate	389	142	43	204	67	137	8	7	5	9	8	9
600-609, 611-637	B46.7	Other diseases of genito-urinary system ...	339	138	55	146	57	89	7	7	6	6	7	6
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis	16	7	4	5	1	4	0	0	0	0	0	0
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	30	11	1	18	6	12	1	1	0	1	1	1
690-749	B46.8	Diseases of skin and organs of locomotion ...	324	111	52	161	51	110	6	6	6	7	6	7
750-759	B41	Congenital malformations	718	260	128	330	116	214	14	14	15	14	14	14
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	762	322	138	302	102	200	15	17	16	13	12	13
763	B43.1	Pneumonia of newborn	95	41	18	36	11	25	2	2	2	2	1	2
764	B43.2	Diarrhœa of newborn	18	13	1	4	2	2	0	1	0	0	0	0
765-768	B43.3	Other infections of the newborn	23	15	3	5	1	4	0	1	0	0	0	0
769-776	B44	Other diseases peculiar to early infancy ...	630	232	114	284	111	173	12	12	13	12	13	11
794	B45.0	Senility	580	93	107	380	127	253	11	5	12	16	15	17
780-793, 795	B45.1	Causes ill-defined and unknown	273	73	50	150	47	103	5	4	6	6	6	7
E963, E970-979	BE49	Suicide	420	205	58	157	72	85	8	11	7	7	8	6
E810-835	BE47	Motor vehicle accidents	563	194	101	268	81	187	11	10	12	11	10	12
E840-845	BE48.0	Other road transport accidents	22	11	3	8	4	4	0	1	0	0	0	0
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE50)	1,796	663	287	846	318	528	35	35	33	36	37	35
		All Causes	61,143	23,579	9,707	27,857	10,882	16,975	1,187	1,234	1,128	1,171	1,279	1,111

TABLE 37.—Deaths from Selected Causes and in Age-groups in Scotland, 1947-1957

International Nos. Abbreviated List	Causes of Death	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947
B1	Tuberculosis of respiratory system	664	715	860	1,010	1,159	1,409	1,886	2,439	3,086	3,418	3,393
B2	Tuberculosis, other forms	59	86	122	118	182	203	293	336	400	486	705
B3	Syphilis and its sequelæ	94	88	97	109	96	110	149	170	159	156	192
B4	Typhoid fever	—	2	1	1	2	1	1	—	—	1	5
B6	Dysentery, all forms	8	3	15	7	13	6	15	14	15	9	15
B7	Scarlet fever and streptococcal sore throat ...	2	2	3	1	4	5	1	4	8	12	13
B8	Diphtheria	—	2	—	1	2	8	5	3	14	31	45
B9	Whooping cough	21	14	10	25	41	26	98	61	96	63	223
B10	Meningococcal infections	21	27	29	41	37	45	44	35	32	47	88
B12	Acute poliomyelitis	11	9	22	21	13	12	24	64	14	23	129
B14	Measles	16	10	20	8	29	22	25	38	22	74	57
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	106	114	123	124	151	179	175	209	174	180
B18	Malignant neoplasms	10,747	10,754	10,585	10,505	10,125	10,119	9,840	10,029	9,875	9,574	9,299
B19	Benign and unspecified neoplasms	133	146	114	123	106	145	169	221	175	165	183
B20	Diabetes mellitus	505	473	459	445	439	477	559	565	531	483	481
B21	Anæmias	214	245	216	248	220	269	345	357	324	316	431
B46.1	Other general diseases	415	434	475	480	426	526	614	569	564	559	634
B22	Vascular lesions affecting central nervous system	9,566	9,680	9,607	9,562	8,895	9,087	9,122	8,732	8,052	7,536	7,932
B23	Nonmeningococcal meningitis	59	45	48	59	49	72	59	58	71	69	102
B46.2	Other diseases of nervous system	817	858	905	894	918	960	1,167	1,120	1,192	1,175	1,320
B24	Rheumatic fever	45	48	54	49	45	44	49	57	71	115	79
B25	Chronic rheumatic heart disease...	907	819	847	860	807	878	900	942	809	839	848
B26	Arteriosclerotic and degenerative heart disease	17,840	18,442	18,014	17,254	16,362	17,307	18,447	17,312	16,807	15,131	15,927
B27	Other diseases of heart	636	608	722	1,208	1,195	1,139	1,324	1,249	1,108	1,015	1,103
B28	Hypertension with heart disease	1,182	1,282	1,307	1,068	990	891	831	800	773	688	763
B29	Hypertension without heart disease	624	709	710	833	753	835	648	539	676	596	580
B46.3	Other circulatory disease	1,645	1,795	1,662	1,654	1,460	1,424	1,219	1,257	1 007	988	1,048
B30	Influenza	680	262	212	176	272	316	958	386	395	139	342
B31	Pneumonia (except of newborn)	2,042	1,916	1,828	1,728	1,694	1,881	2,297	2,117	2,264	1,985	2,573
B32	Bronchitis	2,013	2,077	2,086	1,843	1,752	2,025	2,488	2,259	2,136	1,807	2,360
B46.4	Other respiratory diseases	539	594	587	583	587	634	657	632	681	645	673
B33	Ulcer of stomach and duodenum	564	608	666	656	561	639	619	629	611	582	574
B34	Appendicitis	103	91	87	106	114	118	118	154	192	190	184

B35	Intestinal obstruction and hernia	423	403	399	408	397	424	394	370	401	471	509
B36.1	Gastritis and duodenitis	10	18	16	17	22	18	34	36	34	38	37
B36.2	Diarrhœa (except of newborn)	259	294	336	264	283	310	438	477	536	729	1,169
B37	Cirrhosis of liver	243	213	167	182	170	166	169	163	157	167	165
B46.5	Other diseases of liver	241	246	240	254	253	265	302	271	289	262	259
B46.6	Other digestive diseases	180	196	165	177	167	173	225	172	195	206	192
B38	Nephritis and nephrosis	511	528	530	570	580	568	650	699	760	766	822
B39	Hyperplasia of prostate	389	421	451	430	395	453	425	509	517	540	499
B46.7	Other diseases of genito urinary system ...	339	379	333	346	333	310	376	339	350	425	352
B40.0	Puerperal sepsis including post-abortive sepsis	16	15	11	15	20	22	28	23	20	27	35
B40.1	Other puerperal causes	30	36	32	55	66	70	71	83	103	132	200
B46.8	Diseases of skin and organs of locomotion ...	324	320	307	332	260	233	246	240	227	251	254
B41	Congenital malformations	718	662	622	676	618	610	602	613	598	637	758
B42	Birth injuries, post natal asphyxia and atelectasis	762	727	697	710	655	670	628	647	707	746	872
B43.1	Pneumonia of newborn	95	111	117	122	94	113	166	146	155	142	180
B43.2	Diarrhœa of newborn	18	15	11	6	16	24	34	35	60	93	170
B43.3	Other infections of the newborn	23	18	19	21	12	10	9	14	8	12	22
B44	Other diseases peculiar to early infancy ...	630	601	659	690	682	829	884	958	963	1,137	1,508
B45.0	Senility	580	747	839	925	852	1,025	1,292	1,283	1,336	1,326	1,629
B45.1	Cause ill-defined and unknown	273	250	290	709	765	898	1,071	997	1,130	1,173	1,453
BE49	Suicide	420	403	394	302	281	281	276	269	298	343	291
BE47	Motor vehicle accidents	563	558	597	526	563	451	516	489	470	480	505
BE48.0	Other road transport accidents	22	30	38	35	37	32	49	41	49	59	60
BE48.1	Other violence (BE 50)	1,796	1,651	1,891	1,809	1,885	1,771	1,743	1,799	1,756	1,726	1,778
	All Causes	61,143	61,792	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200
	Ages at Death											
	Under 1	2,802	2,727	2,811	2,861	2,800	3,181	3,391	3,569	3,961	4,486	6,309
	1– 4	364	371	411	435	499	539	664	694	751	805	995
	5– 9	236	189	252	229	286	282	309	279	357	388	480
	10–14	193	154	176	152	189	162	200	207	267	361	375
	15–24	505	503	576	633	709	787	895	1,148	1,482	1,638	1,803
	25–34	899	943	1,068	1,138	1,172	1,213	1,432	1,574	1,816	1,953	2,093
	35–44	1,919	1,829	1,949	1,978	2,118	2,188	2,426	2,569	2,741	2,852	2,939
	45–54	5,121	5,054	5,138	5,340	5,078	5,224	5,444	5,350	5,317	5,177	5,425
	55–64	10,174	9,924	9,773	9,811	9,171	9,500	9,942	9,891	9,556	9,207	9,540
	65–74	15,822	16,189	16,038	15,705	15,461	16,274	17,282	16,547	16,369	15,245	16,131
	75–84	17,240	18,048	17,727	17,614	16,446	17,002	18,197	17,014	16,080	14,586	15,449
	85 and over	5,868	5,861	5,726	5,484	4,947	5,158	5,596	5,152	4,771	4,281	4,661
	Not stated	—	—	—	—	2	—	—	2	20	—	—
	All Ages	61,143	61,792	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

Note.—Deaths from 1947 to 1949 have been classified as far as possible according to the sixth revision, and in addition amended figures are given for 1950. See footnote Table 35 (page 130).

TABLE 38.—Death-rates from Selected Causes and in Age-Groups in Scotland, 1947-1957

International Nos. Abbreviated List	Causes of Death	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947
		Death-rate per 100,000 of population										
B1	Tuberculosis of respiratory system	13	14	17	20	23	28	37	48	60	67	67
B2	Tuberculosis, other forms	1	2	2	2	4	4	6	7	8	10	14
B3	Syphilis and its sequelæ	2	2	2	2	2	2	3	3	3	3	4
B4	Typhoid fever	–	0	0	0	0	0	0	—	—	0	0
B6	Dysentery, all forms	0	0	0	0	0	0	0	0	0	0	0
B7	Scarlet fever and streptococcal sore throat ...	0	0	0	0	0	0	0	0	0	0	0
B8	Diphtheria	–	0	0	0	0	0	0	0	0	1	1
B9	Whooping cough	0	0	0	0	1	1	2	1	2	1	4
B10	Meningococcal infections	0	1	1	1	1	1	1	1	1	1	2
B12	Acute poliomyelitis	0	0	0	0	0	0	0	1	0	0	3
B14	Measles	0	0	0	0	1	0	0	1	0	1	1
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	2	2	2	2	3	3	3	4	3	4
B18	Malignant neoplasms	209	209	206	205	198	198	192	196	193	188	183
B19	Benign and unspecified neoplasms	3	3	2	2	2	3	3	4	3	3	4
B20	Diabetes mellitus	10	9	9	9	9	9	11	11	10	9	9
B21	Anæmias	4	5	4	5	4	5	7	7	6	6	8
B46.1	Other general diseases	8	8	9	9	8	10	12	11	11	11	12
B22	Vascular lesions affecting central nervous system	186	188	187	187	174	178	178	170	158	148	156
B23	Nonmeningococcal meningitis	1	1	1	1	1	1	1	1	1	1	2
B46.2	Other diseases of nervous system	16	17	18	17	18	19	23	22	23	23	26
B24	Rheumatic fever	1	1	1	1	1	1	1	1	1	2	2
B25	Chronic rheumatic heart disease...	18	16	17	17	16	17	18	18	16	16	17
B26	Arteriosclerotic and degenerative heart disease	346	358	351	337	320	338	361	338	329	297	313
B27	Other diseases of heart	12	12	14	24	23	22	26	24	22	20	22
B28	Hypertension with heart disease	23	25	25	21	19	17	16	16	15	13	15
B29	Hypertension without heart disease	12	14	14	16	15	16	13	11	13	12	11
B46.3	Other circulatory disease	32	35	32	32	29	28	24	25	20	19	21
B30	Influenza	13	5	4	3	5	6	19	8	8	3	7
B31	Pneumonia (except of newborn)	40	37	36	34	33	37	45	41	44	39	51
B32	Bronchitis	39	40	41	36	34	40	49	44	42	35	46
B46.4	Other respiratory diseases	10	12	11	11	11	12	13	12	13	13	13
B33	Ulcer of stomach and duodenum	11	12	13	13	11	12	12	12	12	11	11
B34	Appendicitis	2	2	2	2	2	2	2	3	4	4	4
B35	Intestinal obstruction and hernia	8	8	8	8	8	8	8	7	8	9	10
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)

B36.1	Gastritis and duodenitis	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B36.2	Diarrhœa (except of newborn)	5	6	7	5	6	6	9	9	10	14	23
B37	Cirrhosis of liver	5	4	3	4	3	3	3	3	3	3	3
B46.5	Other diseases of liver	5	5	5	5	5	5	6	5	6	5	5
B46.6	Other digestive diseases	3	4	3	3	3	3	4	3	4	4	4
B38	Nephritis and nephrosis	10	10	10	11	11	11	13	14	15	15	16
B39	Hyperplasia of prostate	8	8	9	8	8	9	8	10	10	11	10
B46.7	Other diseases of genito-urinary system ...	7	7	6	7	7	6	7	7	7	8	7
B40.0	Puerperal sepsis including post-abortive sepsis	0	0	0	0	0	0	1	0	0	1	1
B40.1	Other puerperal causes	1	1	1	1	1	1	1	2	2	3	4
B46.8	Diseases of skin and organs of locomotion ...	6	6	6	6	5	5	5	5	4	5	5
B41	Congenital malformations	14	13	12	13	12	12	12	12	12	12	15
B42	Birth injuries, post natal asphyxia and atelectasis	15	14	14	14	13	13	12	13	14	15	17
B43.1	Pneumonia of newborn	2	2	2	2	2	2	3	3	3	3	4
B43.2	Diarrhœa of newborn	0	0	0	0	0	0	1	1	1	2	3
B43.3	Other infections of the newborn	0	0	0	0	0	0	0	0	0	0	0
B44	Other diseases peculiar to early infancy ...	12	12	13	13	13	16	17	19	19	22	30
B45.0	Senility	11	15	16	18	17	20	25	25	26	26	32
B45.1	Cause ill-defined and unknown	5	5	6	14	15	18	21	19	22	23	29
BE49	Suicide	8	8	8	6	5	5	5	5	6	7	6
BE47	Motor vehicle accidents	11	11	12	10	11	9	10	10	9	9	10
BE48.0	Other road transport accidents	0	1	1	1	1	1	1	1	1	1	1
BE48.1	Other violence (BE50)	35	32	37	35	37	35	34	35	34	34	35
	ALL CAUSES	1,187	1,201	1,201	1,198	1,150	1,203	1,286	1,248	1,242	1,196	1,302
	AGES AT DEATH					Death-rate per 1,000 of age-group population						
	Under 1	30·5	29·7	31·8	32·5	32·2	37·2	38·5	40·1	42·8	46·4	58·9
	1– 4	1·0	1·1	1·2	1·3	1·4	1·5	1·7	1·8	2·1	2·3	3·1
	5– 9	0·5	0·4	0·6	0·5	0·6	0·7	0·8	0·7	0·9	1·0	1·2
	10–14	0·5	0·4	0·5	0·4	0·5	0·4	0·5	0·5	0·7	0·9	1·0
	15–24	0·7	0·7	0·8	0·9	1·0	1·1	1·2	1·5	2·0	2·2	2·3
	25–34	1·3	1·3	1·5	1·5	1·6	1·7	2·0	2·2	2·5	2·6	2·8
	35–44	2·8	2·6	2·8	2·9	3·0	3·0	3·3	3·4	3·6	3·8	3·9
	45–54	7·4	7·3	7·5	7·8	7·5	7·8	8·2	8·2	8·3	8·2	8·7
	55–64	19·0	18·9	19·0	19·5	18·5	19·3	20·4	20·3	19·7	19·0	19·9
	65–74	45·4	46·8	46·6	45·5	44·9	47·3	50·2	47·9	47·5	44·1	47·0
	75–84	106·9	114·2	113·4	113·7	108·4	114·5	125·7	119·0	115·8	107·2	116·8
	85 and over	249·2	256·0	258·8	247·3	228·6	246·1	277·8	256·0	245·6	230·8	266·4
	Not stated	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	11·87	12·01	12·01	11·98	11·50	12·03	12·86	12·48	12·42	11·96	13·02

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnotes (pages 7, 130 and 135).

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1957. Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis All Forms	Tuberculosis Respiratory	Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	–	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	–	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	–	–	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	–	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	*61*	*3*	*5*	*1,237*	*337*	*1,447*	*517*	*5,678*	*3,930*	*6,329*	*4,507*	*6,402*	*1,342*	*2,606*
1926	39	3	–	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	–	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	–	–	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	–	–	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	*30*	*1*	*0*	*707*	*184*	*791*	*479*	*4,663*	*3,296*	*6,938*	*4,160*	*6,664*	*978*	*2,916*
1931	20	1	–	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	–	–	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	–	–	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	–	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	–	–	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	*22*	*0*	–	*545*	*253*	*626*	*435*	*3,917*	*2,906*	*7,498*	*3,439*	*5,397*	*961*	*2,781*
1936	27	–	–	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	–	–	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	–	–	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	–	–	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	–	–	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	*19*	–	–	*311*	*95*	*388*	*463*	*3,658*	*2,776*	*8,019*	*3,405*	*4,667*	*1,028*	*3,277*
1941	7	–	–	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	–	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	–	–	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	–	–	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	–	–	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	*10*	–	*5*	*94*	*21*	*283*	*269*	*3,974*	*3,009*	*8,688*	*2,679*	*3,057*	*1,077*	*4,352*
1946	8	–	–	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	–	–	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	–	–	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	–	–	–	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	–	1	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50 §	*3*	*0*	*1*	*55*	*5*	*109*	*37*	*3,649*	*3,111*	*9,323*	*2,402*	*2,609*	*756*	*2,620*
1951	1	-	–	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	–	22	5	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	–	–	29	4	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	–	–	8	–	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	–	–	20	1	10	–	982	860	10,585	2,126	2,025	214	2,920
1951-55	*1*	*0*	–	*21*	*2*	*40*	*3*	*1,448*	*1,265*	*10,235*	*2,123*	*2,149*	*230*	*2,695*
1956	2	–	–	10	1	14	2	801	715	10,754	2,135	2,122	166	2,642
1957	–	–	–	16	–	21	–	723	664	10,747	2,108	2,543	124	2,801

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481*a*. page 172)

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis"

§Deaths from 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1957. Quinquennial Averages

Year	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis All Forms	Tuberculosis Respiratory	Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0	–	55	5	29	11	119	83	125	117	169	25	50
1923	1	0	–	23	7	20	10	118	82	130	74	99	24	51
1924	1	–	–	33	8	33	9	116	80	134	100	158	24	53
1925	1	0	–	11	8	36	10	111	77	137	86	120	24	58
1921-25	*1*	*0*	*0*	*26*	*7*	*30*	*11*	*117*	*81*	*130*	*92*	*131*	*28*	*53*
1926	1	0	–	19	7	10	10	100	70	137	78	120	22	55
1927	1	0	–	14	4	18	10	100	71	143	87	137	20	61
1928	1	–	–	21	3	22	10	97	68	142	74	126	21	60
1929	0	–	–	3	2	19	10	95	68	147	111	182	20	62
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63
1926-30	*1*	*0*	–	*15*	*4*	*16*	*10*	*96*	*68*	*143*	*86*	*137*	*20*	*60*
1931	0	0	–	13	3	20	7	87	62	148	80	112	18	56
1932	0	–	–	18	5	9	8	84	61	153	75	126	23	58
1933	0	–	–	1	6	16	7	80	60	153	74	111	22	58
1934	0	0	–	21	7	8	12	75	57	153	57	96	17	57
1935	1	–	–	3	4	11	10	74	57	157	65	105	18	55
1931-35	*0*	*0*	–	*11*	*5*	*13*	*9*	*80*	*59*	*153*	*70*	*110*	*20*	*57*
1936	1	–	–	12	3	8	8	74	55	159	69	103	24	57
1937	0	–	–	2	2	14	9	74	56	157	73	123	21	61
1938	0	–	–	11	2	4	9	69	52	162	50	80	19	58
1939	0	–	–	0	1	8	8	70	54	161	55	65	20	68
‡1940	0	–	–	5	1	4	14	82	62	170	97	99	19	77
1936-40	*0*	–	–	*6*	*2*	*8*	*10*	*74*	*56*	*162*	*69*	*94*	*21*	*64*
‡1941	0	–	–	2	1	15	11	85	63	174	67	79	23	115
‡1942	0	–	1	3	1	2	6	82	62	179	52	60	22	69
‡1943	0	–	–	2	0	7	5	83	62	185	62	76	19	67
‡1944	0	–	–	1	0	4	4	82	62	186	50	59	27	57
‡1945	0	–	–	2	0	3	3	79	60	192	52	47	23	53
1941-45	*0*	–	*0*	*2*	*0*	*6*	*6*	*82*	*62*	*183*	*57*	*64*	*23*	*72*
‡1946	0	–	–	2	0	2	2	79	64	180	55	61	16	51
1947	0	–	–	1	0	4	1	81	67	178	50	57	25	52
1948	0	–	–	1	0	1	1	77	67	184	38	43	15	51
1949	–	–	–	0	0	2	0	68	60	188	46	50	10	50
1950	–	0	0	1	0	1	0	54	48	196	46	47	8	51
1946-50	*0*	*0*	*0*	*1*	*0*	*2*	*1*	*72*	*61*	*184*	*47*	*52*	*15*	*52*
1951	0	–	–	0	0	2	0	43	37	192	53	55	7	51
1952	0	0	–	0	0	1	0	32	28	198	41	41	4	50
1953	0	–	–	1	0	1	0	26	23	198	35	37	4	54
1954	0	–	–	0	–	0	0	22	20	205	36	38	3	52
1955	0	–	–	0	0	0	–	19	17	206	41	39	4	57
1951-55	*0*	*0*	–	*0*	*0*	*1*	*0*	*28*	*25*	*200*	*41*	*42*	*4*	*53*
1956	0	–	–	0	0	0	0	16	14	209	42	41	3	51
1957	–	–	–	0	–	0	–	14	13	209	41	49	2	54

*, †, §. See footnotes, Table 39. ‡ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poisoning in Scotland in 1957

Accidental Poisoning

International Nos. Detailed List		M.	F.	Total
870	Morphine and other opium derivatives:—			
	Morphine	1	–	1
871	Barbituric acid and its derivatives:—			
	Butobarbitone, phenobarbitone, and pentobarbitone ...	1	–	1
	Carbrital	3	3	6
	Cyclobarbitone	1	1	2
	Medinal	–	1	1
	Nembutal	1	2	3
	Nembutal and phenobarbitone	–	1	1
	Phenobarbitone	1	2	3
	Seconal	2	2	4
	Sodium amytal	3	1	4
	Soneryl	3	4	7
	Tuinal	3	–	3
	Barbiturate (unspecified) ...	5	1	6
872	Aspirin and salicylates:—			
	Aspirin	–	1	1
873	Bromides:—			
	Persomnia	1	–	1
874	Analgesic and soporific drugs:—			
	Chloral hydrate	1	1	2
	Hypnotic drug (unspecified) ...	–	1	1
876	Strychnine	1	1	2
	Carried forward ...	27	22	49
	Brought forward ...	27	22	49
878	Other and unspecified drugs:—			
	Glyceryl trinitrate	1	–	1
	Sleeping tablets	–	1	1
880	Alcohol:—			
	Alcohol	1	–	1
	Methyl alcohol	1	–	1
	Methanol	–	1	1
882	Industrial solvents:—			
	Industrial solvent of unknown nature	1	–	1
883	Corrosive aromatics, acids and Caustic alkalis:—			
	Ammonia	1	1	2
888	Other and unspecified solid and liquid substances:—			
	Phosphorus	1	–	1
890	Gases in domestic use	92	103	195
891	Motor vehicle exhaust gas ...	2	–	2
892	Other carbon monoxide gas ...	3	1	4
	Total ...	130	129	259

Suicidal and Self-inflicted Poisoning

		M.	F.	Total
970	Analgesic and soporific substances:—			
	Aspirin	2	2	4
	Butobarbitone	1	–	1
	Carbrital	1	1	2
	Carbrital and nembutal ...	1	–	1
	Cyclobarbitone	–	3	3
	Digitalis and barbiturate ...	1	–	1
	Digoxin	–	1	1
	Doriden, phenobarbitone and belladonna	–	1	1
	Mysoline	1	–	1
	Nembutal	1	3	4
	Phenobarbitone	3	1	4
	Phenobarbitone, pentobarbitone and amphetamine ...	1	–	1
	Seconal	1	–	1
	Sodium amytal	2	3	5
	Sodium barbitone	–	1	1
	Soneryl	–	2	2
	Barbiturate (unspecified) ...	3	1	4
	Carried forward ...	18	19	37
	Brought forward ...	18	19	37
971	Other solid and liquid substances:—			
	Arsenic	1	–	1
	Carbolic	1	1	2
	Cresol	1	–	1
	Cyanide	4	–	4
	Lysol	3	2	5
	Phenol	–	1	1
	Phosphorus	1	–	1
	Rat poison	1	–	1
	Silver nitrate	1	–	1
972	Gases in domestic use	127	91	218
973	Carbon monoxide	2	–	2
	Total ...	160	114	274

Deaths under Anæsthetics (Secondary Cause)

Name of Anæsthetic	M.	F.	Total
Chloroform and ether	–	2	2
Ether	1	–	1
Ether and nitrous oxide	11	7	18
Ether, nitrous oxide, atropine and trichlorethylene	–	1	1
Ether, nitrous oxide and boramine ...	–	1	1
Ether, nitrous oxide, brevidil and thiopentone*	1	–	1
Ether, nitrous oxide and cyclopropane	–	1	1
Ether, nitrous oxide, gallamine (flaxedil) and thiopentone ...	–	1	1
Ether, nitrous oxide and trichlorethylene	–	1	1
Ether and cyclopropane	1	–	1
Ether, thiopentone and curare ...	1	–	1
Nitrous oxide	2	–	2
Nitrous oxide, and cyclopropane ...	–	2	2
Nitrous oxide and flaxedil	1	3	4
Nitrous oxide and pethidine ...	1	–	1
Nitrous oxide and scoline	1	–	1
Nitrous oxide and thiopentone ...	1	7	8
Nitrous oxide, thiopentone, arfonad, scoline and trichlorethylene ...	1	–	1
Nitrous oxide, thiopentone, brevidil, flaxedil and pethidine	–	2	2
Nitrous oxide, thiopentone, brevidil and pethidine	2	–	2
Nitrous oxide, thiopentone, brevidil and trichlorethylene	–	1	1
Nitrous oxide, thiopentone and curare	2	–	2
Nitrous oxide, thiopentone, curare and cyclopropane	1	–	1
Nitrous oxide, thiopentone, curare and xylocaine	1	–	1
Nitrous oxide, thiopentone, eulissin and scoline	–	1	1
Nitrous oxide, thiopentone and flaxedil	3	1	4
Nitrous oxide, thiopentone, flaxedil and cyclopropane	–	1	1
Nitrous oxide, thiopentone, flaxedil and pethidine	1	–	1
Nitrous oxide, thiopentone, flaxedil, pethidine and tubarine	–	1	1
Nitrous oxide, thiopentone, flaxedil and trichlorethylene	–	1	1
Nitrous oxide, thiopentone, flaxedil and triethioxide	–	1	1
Carried forward ...	32	35	67

Name of Anæsthetic	M.	F.	Total
Brought forward ...	32	35	67
Nitrous oxide, thiopentone, pethidine and scoline	–	1	1
Nitrous oxide, thiopentone, procaine and tubarine	1	–	1
Nitrous oxide, thiopentone and scoline	1	1	2
Nitrous oxide, thiopentone and trichlorethylene	4	1	5
Nitrous oxide, thiopentone, trichlorethylene and tubocurarine ...	–	1	1
Nitrous oxide, thiopentone and tubarine	3	1	4
Nitrous oxide, thiopentone and tubocurarine	–	1	1
Nitrous oxide, thiopentone, tubocurarine and xylocaine	–	1	1
Nitrous oxide and trichlorethylene ...	8	1	9
Nitrous oxide, trichlorethylene and flaxedil	1	–	1
Thiopentone	1	4	5
Thiopentone, brevidil, pethidine and tubocurarine	1	–	1
Thiopentone and cyclopropane ...	2	–	2
Thiopentone, cyclopropane and curare	–	1	1
Thiopentone, cyclopropane and flaxedil	–	1	1
Thiopentone, cyclopropane and tubocurarine	1	1	2
Thiopentone, flaxedil and pethidine	1	–	1
Thiopentone, flaxedil and triethioxide	1	–	1
Thiopentone and nitrogen monoxide	–	1	1
Thiopentone, pethidine and tubarine	–	1	1
Thiopentone, pethidine, arfonad and tubarine	–	1	1
Thiopentone and scoline	1	–	1
Thiopentone and tubarine	–	1	1
Cocaine	–	1	1
Cyclopropane	4	3	7
Cyclopropane and flaxedil	1	–	1
Cyclopropane and tubarine	–	1	1
Nupercaine and xylocaine	1	–	1
Anæsthetic not stated	3	3	6
Total ...	67	62	129

* All cases of "pentothal" and "sodium pentothal" where they have been so described, are listed under "thiopentone".

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	ALL CAUSES—Both Sexes		**61143**	**2802**	**153**	**81**	**81**	**49**	**236**	**193**	**224**	**281**	**416**	**483**	**737**	**1182**	**2012**	**3109**	**4517**	**5657**	**7161**	**8661**	**9339**	**7901**	**5868**	–
	Males		**31622**	**1639**	**93**	**50**	**51**	**29**	**146**	**115**	**141**	**174**	**242**	**282**	**396**	**642**	**1206**	**1964**	**2832**	**3282**	**3945**	**4346**	**4421**	**3513**	**2113**	–
	Females		**29521**	**1163**	**60**	**31**	**30**	**20**	**90**	**78**	**83**	**107**	**174**	**201**	**341**	**540**	**806**	**1145**	**1685**	**2375**	**3216**	**4315**	**4918**	**4388**	**3755**	–
	I. INFECTIVE AND PARASITIC DISEASES	Total M.	**650**	**32**	**4**	**5**	**1**	**1**	**7**	**5**	**2**	**10**	**27**	**21**	**42**	**36**	**56**	**71**	**85**	**75**	**74**	**52**	**27**	**10**	**7**	–
		Total F.	**352**	**15**	**10**	**3**	**2**	–	**11**	**3**	**7**	**15**	**23**	**28**	**44**	**34**	**30**	**19**	**20**	**24**	**14**	**19**	**15**	**12**	**4**	–
	TUBERCULOSIS (001-019)	Total M.	*484*	*1*	–	*3*	*1*	–	*1*	–	*1*	*5*	*25*	*20*	*35*	*29*	*47*	*62*	*69*	*59*	*56*	*38*	*23*	*6*	*3*	–
		Total F.	*239*	*2*	*2*	*2*	–	–	*2*	*2*	*7*	*12*	*19*	*27*	*43*	*27*	*25*	*11*	*8*	*17*	*11*	*10*	*7*	*5*	–	–
	Respiratory Tuberculosis (001-008)	Total M.	452	–	–	1	1	–	–	–	–	5	24	18	33	28	41	61	63	56	55	35	22	6	3	–
		Total F.	212	2	1	–	–	–	–	1	2	9	18	27	43	26	22	10	7	13	10	10	6	5	–	–
001	Respiratory with occupational disease of lung	M.	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	3	8	4	3	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–
002	Pulmonary	M.	426	–	–	1	1	–	–	–	–	5	24	18	33	28	41	57	61	53	46	31	19	6	2	–
		F.	211	2	1	–	–	–	–	1	2	9	18	27	43	26	21	10	7	13	10	10	6	5	–	–
003	Pleural	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
004	Primary complex with symptoms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
005	Tracheobronchial glandular with symptoms	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
007	Other respiratory	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008	Unspecified site	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Tuberculosis—other forms (010-019)	Total M.	32	1	–	2	–	–	1	–	1	–	1	2	2	1	6	1	6	3	1	3	1	–	–	–
		Total F.	27	–	1	2	–	–	2	1	5	3	1	–	–	1	3	1	1	4	1	–	1	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system	M.	8	1	–	2	–	–	1	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
		F.	7	–	1	1	–	–	2	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
011	Intestines, peritoneum and mesenteric glands	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
		F.	7	–	–	–	–	–	–	–	1	2	–	–	–	–	1	1	–	1	–	–	1	–	–	–
	Bones and Joints, active or unspecified—																									
012.0	Vertebral column	M.	5	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
012.3	Other bones and joints (012. 1 & 2) ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Late effects of Bones and Joints—																									
013.0	Vertebral column	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013.3	Other bones and joints (013. 1 & 2) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014	Skin and subcutaneous cellular tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
015	Lymphatic system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
016	Genito-urinary system	M.	10	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	3	1	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–
017	Adrenal glands	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
018	Other organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Syphilis and its sequelæ (020-029)—TOTAL	M.	72	–	–	–	–	–	–	–	–	–	–	–	3	1	5	5	14	14	12	10	3	2	3	–
		F.	22	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	6	3	1	2	2	3	–	–
020	Congenital syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	M.	22	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	5	3	5	1	1	2	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	2	2	2	–	–
023	Other cardiovascular syphilis ...	M.	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	1	4	2	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: −1	1−	2−	3−	4−	5−	10−	15−	20−	25−	30−	35−	40−	45−	50−	55−	60−	65−	70−	75−	80−	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Syphilis and its sequelæ (020-029)—*continued*																									
024	Tabes dorsalis	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	3	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
025	General paralysis of insane	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	4	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
026	Other syphilis of central nervous system	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	–	–
027	Other forms of late syphilis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
028	Latent syphilis...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
029	Syphilis unqualified	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gonococcal infection and other venereal diseases (030-039)—																									
030	Acute or unspecified gonorrhœa ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
031	Chronic gonococcal infection of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
032	Gonococcal infection of joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Gonococcal infection of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Gonococcal infection of other sites ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
035	Late effects of gonococcal infection ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
037	Lymphogranuloma venereum ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Granuloma inguinale venereal ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
039	Other and unspecified venereal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Infectious Diseases commonly arising in intestinal tract (040-049)—																									
040	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041	Paratyphoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other salmonella infections	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
043	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045	Bacillary dysentery	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
046	Amœbiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
047	Other protozoal dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
048	Unspecified forms of dysentery ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
049	Food poisoning (infection and intoxication)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Bacterial Diseases (050-064)—																									
050	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
052	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other Bacterial Diseases (050-064)—*continued*																									
053	Septicæmia and pyæmia	M.	14	8	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	1	–	–
		F.	6	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	1	–	–	–
054	Bacterial toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	M.	10	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	11	8	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	M.	14	11	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	3	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
059	Tularæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	Leprosy...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus...	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
062	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
063	Gas gangrene	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
064	Other bacterial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Spirochætal diseases, except syphilis (070-074)—																									
070	Vincent's infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
071	Relapsing fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
072	Leptospirosis icterohæmorrhagica (Weil's disease)	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
073	Yaws	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
074	Other spirochætal and leptospirochætal infections	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Diseases attributable to viruses (080-096)																									
080	Acute poliomyelitis	M.	7	–	–	–	–	–	1	1	–	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
081	Late effects of acute poliomyelitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis ...	M.	5	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	–	1	–	1	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
083	Late effects of acute infectious encephalitis	M.	13	–	–	–	–	–	–	1	–	–	–	–	1	4	2	1	1	–	2	1	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	2	–	2	2	–	–	–
084	Smallpox	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	M.	6	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	–	3	1	1	–	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
086	Rubella (German measles)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
087	Chickenpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
088	Herpes Zoster	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
089	Mumps	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Diseases attributable to Viruses (080-096)—*continued*																									
092	Infectious hepatitis	M.	8	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	1	–	2	1	–	–	–	–
		F.	13	1	–	–	–	–	1	–	–	–	–	–	–	2	1	1	1	1	–	2	2	1	–	–
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
096	Other diseases attributable to viruses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Typhus and other rickettsial diseases (100-108)—																									
100	Louse-borne epidemic typhus ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
101	Flea-borne endemic typhus (murine)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Brill's disease, not specified as louse- or flea-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Mite-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolhynian fever (trench fever) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Typhus, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108	Other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malaria (110-117)—																									
110	Vivax malaria (benign tertian) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Malariæ malaria (quartan)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112	Falciparum malaria (malignant tertian)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113	Ovale malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Mixed malarial infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
115	Blackwater fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Other and unspecified forms of malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Recurrent induced malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other infective and parasitic diseases (120-138)—																									
120	Leishmaniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Trypanosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Other protozoal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
123	Schistosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Other trematode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other infective and parasitic diseases (120-138)—*continued*																									
126	Other cestode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	Filariasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Trichiniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Ankylostomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130	Infestation with worms of other, mixed and unspecified type ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Dermatophytosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
132	Actinomycosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Coccidioidomycosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134	Other fungus infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Scabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Pediculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Other arthropod infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Other infective and parasitic diseases	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	II. NEOPLASMS	TOTAL M.	**5691**	**4**	**8**	**6**	**7**	**4**	**27**	**22**	**18**	**14**	**29**	**34**	**67**	**139**	**302**	**503**	**712**	**817**	**862**	**825**	**693**	**438**	**160**	–
		TOTAL F.	**5189**	**6**	**2**	**4**	**5**	**5**	**9**	**17**	**12**	**12**	**31**	**45**	**101**	**203**	**297**	**416**	**514**	**634**	**694**	**771**	**675**	**491**	**245**	–
	MALIGNANT NEOPLASMS (140-205)	TOTAL M.	*5632*	*3*	*8*	*6*	*7*	*4*	*26*	*20*	*17*	*14*	*28*	*32*	*66*	*138*	*296*	*493*	*702*	*813*	*855*	*818*	*690*	*438*	*158*	–
		TOTAL F.	*5115*	*4*	*2*	*4*	*4*	*5*	*8*	*14*	*12*	*12*	*30*	*45*	*99*	*199*	*287*	*410*	*504*	*626*	*687*	*765*	*672*	*483*	*243*	–
	Malignant neoplasm of buccal cavity and pharynx (140-148)—																									
140	Lip	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	2	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
141	Tongue	M.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	4	8	13	8	2	–
		F.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	3	7	4	2	–
142	Salivary gland	M.	11	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	1	2	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	1	1	–
143	Floor of mouth	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	5	6	5	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–
144.*a*	Palate upper alveoli	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	5	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
144.*b*	Cheek internal	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	5	1	3	2	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
145	Oral mesopharynx	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	1	3	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Nasopharynx	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–	1	1	–	–
147	Hypopharynx	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	3	2	–	–	–
148.*a*	Pharynx	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	6	6	4	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	3	1	–	1	–
148.*b*	Throat	M.	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	3	1	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–	–
	Malignant neoplasm of digestive organs and peritoneum (150-159)—																									
150	Œsophagus	M.	171	–	–	–	–	–	–	–	–	–	–	1	1	2	4	10	14	26	28	31	24	18	12	–
		F.	142	–	–	–	–	–	–	–	–	–	–	–	1	–	3	8	11	18	20	25	32	16	8	–
151	Stomach	M.	874	–	–	–	–	–	–	–	–	–	1	6	5	22	57	78	111	123	135	129	101	76	30	–
		F.	820	–	–	–	–	–	–	–	–	–	2	3	5	9	25	26	66	103	118	153	144	118	48	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*																									
152.*a*	Duodenum	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	1	3	–	–
152.*b*	Small intestine	M.	16	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	2	3	2	3	3	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	4	–	1	–	–
153.*a*	Large intestine	M.	475	–	–	–	–	–	–	–	–	–	3	1	4	13	12	30	42	33	68	89	95	65	20	–
		F.	640	–	–	–	–	–	–	–	–	–	1	3	1	19	20	28	56	67	89	108	109	90	49	–
153.*b*	Undefined intestine	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	3	2	4	–	–
		F.	33	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	5	5	3	8	5	4	–
154	Rectum	M.	352	–	–	–	–	–	–	–	–	1	1	3	8	6	14	25	29	36	55	69	50	41	14	–
		F.	267	–	–	–	–	–	–	–	–	–	–	1	7	7	8	16	21	31	36	43	51	28	18	–
	Biliary passages and liver stated to be primary—																									
155.*a*	Liver	M.	50	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	8	8	7	9	5	2	–
		F.	21	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	3	6	2	3	–	–
155.*b*	Gall bladder	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	3	1	5	3	–	–
		F.	64	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	7	13	11	13	8	6	–	–
155.*c*	Bile ducts	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	2	2	3	3	2	1	–
		F.	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	–	1	4	3	3	1	–
156	Liver, secondary and unspecified	M.	38	–	–	–	–	1	–	–	–	–	–	1	1	1	–	3	7	5	6	6	3	4	–	–
		F.	58	–	–	–	–	–	–	–	1	–	1	–	1	–	–	3	2	8	12	15	7	6	2	–
157	Pancreas	M.	228	–	–	–	–	–	–	–	–	–	2	–	1	7	15	15	33	32	36	28	35	19	5	–
		F.	193	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	21	17	32	40	31	25	14	–
158	Peritoneum	M.	19	–	–	–	–	–	–	–	1	1	–	–	–	1	2	2	3	3	3	2	–	–	1	–
		F.	28	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	–	5	4	4	4	2	1	–
159	Unspecified digestive organs	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	–	1	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	1	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Malignant neoplasm of respiratory system (160-165)—																									
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	2	3	1	3	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	3	1	2	1	–	–
161	Larynx	M.	67	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	9	12	8	9	15	6	2	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	2	3	2	2	–	–
	Trachea, bronchus, lung specified as primary—																									
162.*a*	Trachea...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
162.*b*	Bronchus	M.	974	–	–	–	–	–	–	–	1	–	1	4	14	28	66	124	184	210	165	105	53	16	3	–
		F.	161	–	–	–	–	–	–	–	–	–	1	2	2	11	10	16	11	24	26	29	17	10	2	–
162.*c*	Lung	M	801	–	–	–	–	–	–	–	–	–	1	4	5	17	61	100	141	165	138	95	49	19	6	–
		F	142	–	–	–	–	–	–	–	–	–	–	2	2	7	9	11	15	17	30	21	14	9	5	–
162.*d*	Pleura	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Lung and bronchus, unspecified as primary or secondary—																									
163.*a*	Trachea...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*b*	Bronchus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*c*	Lung	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*d*	Pleura	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Mediastinum	M.	15	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	1	4	1	2	–	–	–
		F.	5	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–
165	Thoracic organs secondary	M.	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	2	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Malignant neoplasm of breast and genito-urinary organs (170-181)—																									
170	Breast	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
		F.	940	–	–	–	–	–	–	–	–	–	3	10	25	57	87	119	95	121	120	110	103	52	38	–
171	Cervix uteri	F.	232	–	–	–	–	–	–	–	–	–	1	5	18	19	33	31	29	32	21	19	8	9	7	–
172	Corpus uteri	F.	30	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	3	4	4	3	3	2	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of breast and genito-urinary organs (170-181)—*continued*																									
173	Uterus, other parts including chorion-epithelioma	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Uterus, unspecified	F.	159	–	–	–	–	–	–	–	–	–	1	2	5	8	12	21	27	17	14	25	10	14	3	–
175	Ovary, Fallopian tube, broad ligament	F.	290	–	–	–	–	–	–	–	1	1	4	4	6	20	25	47	37	45	33	32	23	10	2	–
176	Other and unspecified female genital organs	F.	41	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	3	8	8	8	4	–
177	Prostate	M.	373	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	15	25	49	91	98	68	23	–
178	Testis	M.	22	–	–	–	–	–	–	–	–	2	8	1	4	–	1	1	2	–	–	2	–	1	–	–
179.*a*	Penis	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	3	2	1	–
179.*b*	Scrotum	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
179.*c*	Other male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Kidney	M.	110	1	2	–	2	–	2	–	–	1	1	–	1	5	5	10	12	19	16	17	11	4	1	–
		F.	63	–	–	–	–	–	1	–	–	–	–	–	–	2	4	1	9	11	15	7	9	3	1	–
181.*a*	Bladder	M.	198	–	–	–	–	–	–	–	–	–	–	–	1	2	8	8	22	22	32	32	35	25	11	–
		F.	82	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	9	8	8	19	10	13	8	–
181.*b*	Other urinary organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
	Malignant neoplasm of other and unspecified sites (190-199)—																									
190	Melanoma of skin	M.	19	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	2	4	2	2	1	1	–	–
		F.	22	–	–	–	–	–	–	–	–	–	–	2	2	2	1	3	2	2	3	1	1	2	1	–
191.*a*	Skin of face	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	4	3	5	2	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	3	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

191.*b*	Anus	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–		
191.*c*	Skin, other parts	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	2	3	–	1	–		
		F.	16	–	–	–		–	–	–	–	–	1	–	1	–	–	1	1	2	2	1	1	2	4	–		
192	Eye	M.	7	–	–	–	1	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	1	1	–	–		
		F.	9	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	1	2	1	–	1	–		
193.*a*	Brain	M.	83	–	–	1	–	–	5	3	1	–	2	–	3	5	11	11	15	14	9	3	–	–	–	–		
		F.	87	–	–	–	1	1	2	4	2	1	6	2	4	6	12	13	19	9	3	1	1	–	–	–		
193.*b*	Spinal cord	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–		
193.*c*	Other parts of nervous system ...	M.	7	–	1	1	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
194	Thyroid gland	M.	11	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	2	1	2	1	1	–		
		F.	45	–	–	–	–	–	–	1	–	–	–	1	1	–	2	4	3	3	5	14	4	4	3	–		
195	Other endocrine glands	M.	9	–	2	1	–	–	–	–	–	–	2	–	–	1	–	–	–	1	1	–	1	–	–	–		
		F.	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–	–	–	–	–	–		
196.*a*	Jaw	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	4	1	1	–		
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–		
196.*b*	Spine	M.	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	3	3	–	1	–	1	–		
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	3	–	2	2	1	–		
196.*c*	Other bones	M.	37	–	1	–	–	–	2	1	3	–	1	1	–	1	1	5	3	5	3	1	5	3	1	–		
		F.	28	–	–	–	1	–	–	4	1	–	–	–	2	1	2	3	4	3	3	1	2	1	–	–		
197	Connective tissue	M.	17	–	–	–	–	–	1	1	1	–	–	–	1	1	1	1	2	1	1	3	2	–	1	–		
		F.	15	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	–	–	1	3	–	3	1	–		
198	Lymph nodes, secondary and unspecified	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–		
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–		
199.*a*	Other sites	M.	20	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2	1	1	1	4	5	3	1	–		
		F.	23	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	1	4	3	4	2	1	–		
199.*b*	Unspecified	M.	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	1	–	1	–	–		
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	2	1	–		
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—																											
200	Lymphosarcoma and reticulosarcoma	M.	47	–	–	–	–	–	2	1	1	4	1	–	2	2	5	7	8	2	4	5	–	3	–	–		
		F.	49	–	–	–	–	–	2	1	1	3	–	1	1	3	3	7	5	6	7	3	4	2	–	–		
201	Hodgkin's disease	M.	50	–	–	–	–	–	3	3	–	2	4	2	3	–	6	6	5	5	8	–	2	1	–	–		
		F.	32	–	–	–	–	–	–	1	1	2	3	1	2	2	–	3	3	2	7	1	2	1	1	–		
202	Other forms of lymphoma (reticulosis)	M.	17	1	–	–	–	–	–	1	–	–	–	1	–	2	1	3	3	2	–	1	1	1	–	–		
		F.	14	1	–	–	1	–	–	–	–	–	–	–	1	1	–	1	3	–	4	1	1	–	–	–		

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—*continued*																									
203	Multiple myeloma (plasmocytoma) ...	M.	24	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	4	4	4	–	–	–
		F.	39	–	–	–	–	–	–	1	–	–	1	–	1	1	1	2	3	6	5	9	5	3	1	–
204.0	Lymphatic leukæmia	M.	56	–	–	3	2	–	4	6	2	–	–	1	2	–	–	3	3	8	6	7	6	3	–	–
		F.	40	–	–	2	1	2	1	–	1	1	–	–	2	3	1	–	2	3	9	4	5	3	–	–
204.1	Myeloid leukæmia	M.	42	–	–	–	–	–	1	1	–	–	–	2	3	3	4	6	5	6	2	4	4	1	–	–
		F.	23	–	–	–	–	–	–	–	–	1	–	1	2	–	–	2	1	5	1	2	6	2	–	–
204.4	Other and unspecified (204.2 & 3) ...	M.	44	1	2	–	1	–	3	2	6	1	–	1	–	3	1	2	3	3	7	7	1	–	–	–
		F.	46	1	1	2	–	1	1	2	4	3	2	–	–	2	1	2	3	4	6	4	4	2	1	–
205	Mycosis fungoides	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–
	Benign neoplasm (210-229)—																									
210	Buccal cavity and pharynx	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211	Other parts of digestive system ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
212	Respiratory system	M.	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Uterine fibromyoma	F.	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	1	–	–	2	–	–
215	Other uterus	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
216	Ovary	F.	12	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	1	1	1	2	1	–
217	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
218	Male genital organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
219.*a*	Bladder	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
219.*b*	Kidney and other urinary organs ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
220	Melanoma of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
222	Other skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
223	Brain and other parts of nervous system	M.	17	–	–	–	–	–	–	–	–	–	–	2	–	–	4	3	4	–	2	2	–	–	–	–
		F.	20	–	–	–	–	–	–	1	–	–	–	–	–	3	3	3	4	1	2	3	–	–	–	–
224	Endocrine glands	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
225	Bone and cartilage	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
226	Lipoma	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
227	Other muscular and connective tissue	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
228	Hæmangioma and lymphangioma ...	M.	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
229	Other and unspecified organs and tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Neoplasm of unspecified nature (230-239)—																									
230	Digestive organs	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
231	Respiratory organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
232	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
234	Ovary	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
235	Other female genital organs ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasm of unspecified nature (230-239)—*continued*																									
236.*a*	Bladder	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
236.*b*	Other genito-urinary organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
237	Brain and other parts of nervous system	M.	15	–	–	–	–	–	1	1	–	–	–	–	–	1	1	4	4	2	–	1	–	–	–	–
		F.	17	1	–	–	1	–	1	–	–	–	–	–	–	–	3	3	3	4	1	–	–	–	–	–
238	Skin and musculoskeletal system ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
239	Other and unspecified organs ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES																									
	Total	M.	**306**	**4**	**1**	**1**	**1**	–	**4**	**4**	**3**	**3**	**6**	**7**	**9**	**4**	**20**	**22**	**31**	**30**	**42**	**45**	**48**	**15**	**6**	–
		F.	**570**	**1**	**2**	**1**	–	–	**2**	**4**	**3**	**2**	**7**	**9**	**13**	**12**	**25**	**20**	**45**	**77**	**90**	**111**	**91**	**34**	**21**	–
	Allergic disorders (240-245)—																									
240	Hay fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
241	Asthma	M.	106	–	–	1	–	–	3	1	3	2	3	3	5	1	10	9	16	7	11	12	11	8	–	–
		F.	95	–	1	–	–	–	–	2	1	2	4	2	4	6	13	4	5	9	19	8	11	3	1	–
242	Angioneurotic œdema...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
243	Urticaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Diseases of thyroid gland (250-254)—																									
250	Simple goitre	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
251	Non-toxic nodular goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
252	Thyrotoxicosis with or without goitre	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	–	1	1	2	–	3	2	8	4	2	4	1	–	–	–
253	Myxœdema and cretinism	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	–	–
		F.	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	8	5	5	9	2	3	–
254	Other diseases of thyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Diabetes mellitus (260)—																									
260	Diabetes mellitus	M.	145	1	–	–	1	–	–	–	–	1	3	3	2	2	7	6	11	15	24	25	31	7	6	–
		F.	360	–	–	–	–	–	1	–	2	–	1	4	5	4	8	11	24	48	58	83	67	27	17	–
	Diseases of other endocrine glands (270-277)—																									
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
271	Diseases of parathyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
272	Diseases of pituitary gland	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	5	1	1	–	–	–	–
273	Diseases of thymus gland	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	M.	8	–	–	–	–	–	1	2	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	2	–	–	–	–
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—*continued*																									
	Avitaminoses and other metabolic diseases (280-289)—																									
280	Beriberi	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
282	Scurvy	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
283	Active rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
285	Osteomalacia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
286	Other avitaminoses and nutritional deficiency states	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	2	–	–	–
		F.	10	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	2	2	–	2	–	–
287	Obesity, not specified as of endocrine origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
288	Gout	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
289	Other metabolic diseases	M.	11	2	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	1	1	1	–	–	–
		F.	11	–	–	1	–	–	1	1	–	–	1	–	–	1	–	–	1	1	1	2	1	–	–	–
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																									
	Total	M.	**84**	**1**	–	**1**	–	–	**2**	**2**	**1**	**2**	–	**1**	–	–	**1**	**5**	**1**	**4**	**10**	**14**	**16**	**16**	**7**	–
		F.	**174**	–	–	–	–	**2**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**2**	**7**	**9**	**4**	**16**	**15**	**29**	**33**	**26**	**20**	–
290.*a*	Pernicious anæmia	M.	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	5	11	11	6	–
		F.	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	7	4	13	22	15	14	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290.b	Sub-acute combined degeneration without mention of pernicious anæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
291	Iron deficiency anæmias (hypochromic anæmias)	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	2	1	–	–
292	Other anæmias of specified type ...	M.	19	–	–	–	–	–	1	2	1	1	–	–	–	–	–	2	–	–	4	5	2	1	–	–
		F.	29	–	–	–	–	–	1	–	–	–	–	–	2	1	3	1	1	4	4	5	4	1	2	–
293	Anæmia of unspecified type	M.	10	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	1	3	1	–
		F.	27	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	3	5	5	8	3	–
294	Polycythæmia	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	2	–	–	–	–
295	Hæmophilia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
296	Purpura and other hæmorrhagic conditions	M.	5	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
		F.	10	–	–	–	–	1	–	–	–	1	1	–	1	1	–	2	–	1	1	–	–	–	1	–
297	Agranulocytosis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–
298	Diseases of spleen	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	1	–	1	–	–	–	–	–	–	1	1	1	1	2	2	–	1	–	–
299	Other diseases of blood and blood-forming organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
	TOTAL	M.	**55**	**5**	**1**	–	–	**1**	**2**	**1**	–	**1**	**4**	–	**1**	**3**	**5**	**2**	**1**	**7**	**5**	**2**	**7**	**5**	**2**	–
		F.	**77**	**3**	–	–	**1**	–	**2**	**1**	–	**1**	–	**2**	**1**	**1**	**6**	**6**	**6**	**5**	**6**	**5**	**17**	**7**	**7**	–
	Psychoses (300-309)—																									
300	Schizophrenic disorders (dementia præcox)	M.	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
301	Manic-depressive reaction	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–
302	Involutional melancholia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
303	Paranoia and paranoid states ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
304	Senile psychosis	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	5	1	–
		F.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	13	7	7	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— *continued*																									
	Psychoses (300-309)—*continued*																									
305	Presenile psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–	–	–	–
306	Psychosis with cerebral arteriosclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
307	Alcoholic psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
308	Psychosis of other demonstrable etiology	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
309	Other and unspecified psychoses ...	M.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–
	Psychoneurotic disorders (310-318)—																									
310	Anxiety reaction without mention of somatic symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
311	Hysterical reaction without mention of anxiety reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
312	Phobic reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
313	Obsessive-compulsive reaction ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
314	Neurotic-depressive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
318	Psychoneurotic disorders, other, mixed, and unspecified types	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–
	Disorders of character, behaviour and intelligence (320-326)—																									
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
321	Immature personality...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
322	Alcoholism	M.	8	–	–	–	–	–	–	–	–	–	1	–	–	–	4	1	–	1	1	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–
323	Other drug addiction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
324	Primary childhood behaviour disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
325	Mental deficiency	M.	15	5	1	–	–	1	1	1	–	1	2	–	–	2	–	–	1	–	–	–	–	–	–	–
		F.	8	3	–	–	1	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
326	Other and unspecified disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS TOTAL	M.	**4377**	**21**	**4**	**10**	**6**	**3**	**6**	**16**	**9**	**7**	**16**	**21**	**28**	**43**	**91**	**160**	**289**	**336**	**571**	**774**	**886**	**708**	**372**	–
		F.	**5933**	**13**	**2**	**5**	**7**	**2**	**7**	**8**	**12**	**5**	**19**	**24**	**24**	**61**	**105**	**178**	**289**	**467**	**680**	**1009**	**1237**	**1017**	**762**	–
	Vascular lesions affecting central nervous system (330-334)—	M.	4030	–	–	1	–	–	1	4	3	3	5	10	16	25	68	129	264	311	525	742	860	694	369	–
		F.	5536	–	–	1	–	–	1	4	3	3	7	11	15	38	86	150	259	424	632	966	1192	999	745	–
330	Subarachnoid hæmorrhage	M.	82	–	–	–	–	–	–	2	1	3	4	5	6	6	13	7	9	11	10	2	2	1	–	–
		F.	137	–	–	–	–	–	–	2	2	1	5	4	6	12	18	14	20	18	12	11	6	4	2	–
331	Cerebral hæmorrhage	M.	1566	–	–	1	–	–	1	2	1	–	–	3	8	15	38	76	140	152	229	307	274	226	93	–
		F.	2293	–	–	–	–	–	1	2	1	1	2	3	6	21	52	90	174	225	306	425	449	326	209	–
332	Cerebral embolism and thrombosis ...	M.	2056	–	–	–	–	–	–	–	–	–	1	1	1	3	15	41	107	128	258	369	504	399	229	–
		F.	2726	–	–	1	–	–	–	–	–	1	–	3	3	4	16	44	59	161	286	469	651	584	444	–
333	Spasm of cerebral arteries	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— *continued*																									
	Vascular lesions affecting central nervous system (330-334)—*continued*																									
334	Other and ill-defined vascular lesions affecting central nervous system	M.	325	–	–	–	–	–	–	–	1	–	–	1	1	1	2	5	8	20	28	64	80	68	46	–
		F.	380	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	6	20	28	61	86	85	90	–
	Inflammatory diseases of central nervous system (340-345)—																									
340	Meningitis, except meningococcal and tuberculous	M.	33	16	1	1	1	–	–	–	–	1	3	–	1	1	1	1	2	2	–	2	–	–	–	–
		F.	26	9	1	–	1	1	–	1	–	–	–	–	–	1	2	2	2	1	5	–	–	–	–	–
341	Phlebitis and thrombophlebitis of intracranial venous sinuses ...	M.	7	1	2	1	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
342	Intracranial and intraspinal abscess	M.	7	1	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
		F.	6	–	–	–	1	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	13	–	–	2	–	–	2	1	1	–	–	–	–	1	2	–	1	–	3	–	–	–	–	–
		F.	9	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–
344	Late effects of intracranial abscess or pyogenic infection	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
345	Multiple sclerosis	M.	60	–	–	–	–	–	–	–	–	–	2	1	4	5	8	14	11	9	5	1	–	–	–	–
		F.	93	–	–	–	–	–	–	1	1	–	3	6	5	13	10	17	8	12	9	4	4	–	–	–
	Other diseases of central nervous system (350-357)—																									
350	Paralysis agitans	M.	70	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	3	14	22	16	5	1	–
		F.	89	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	11	21	18	24	7	4	–
351	Cerebral spastic infantile paralysis ...	M.	16	–	–	1	2	2	–	3	1	–	1	2	–	1	–	–	–	–	3	–	–	–	–	–
		F.	13	1	–	2	2	1	4	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	2	3	7	1	–
		F.	43	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	4	5	7	9	5	10	–
353	Epilepsy	M.	44	1	1	4	1	–	2	4	1	2	3	4	4	4	4	2	3	–	4	–	–	–	–	–
		F.	41	–	1	1	1	–	1	–	3	1	5	2	2	4	1	3	8	–	–	6	–	1	1	–
354	Migraine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
355	Other diseases of brain	M.	21	–	–	–	–	1	1	2	–	–	–	1	–	2	1	3	–	2	2	2	3	1	–	–
		F.	25	–	–	1	1	–	–	–	–	–	1	1	–	3	1	2	3	3	3	1	4	1	–	–
356	Motor neurone disease and muscular atrophy	M.	28	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	1	3	8	3	4	1	–	–
		F.	27	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	8	3	4	2	2	1	–
357	Other diseases of spinal cord	M.	8	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	1	1	1	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	1	–	–
	Diseases of nerves and peripheral ganglia (360-369)—																									
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
361	Trigeminal neuralgia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
363	Sciatica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
364	Polyneuritis and polyradiculitis ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
365	Erythrœdema polyneuritica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
368	Other diseases of peripheral nerves except autonomic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
369	Diseases of peripheral autonomic nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— *continued*																									
	Inflammatory diseases of eye (370-379)—																									
370	Conjunctivitis and ophthalmia ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
371	Blepharitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
372	Hordeolum (stye)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
373	Iritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
374	Keratitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
375	Choroiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
376	Other inflammation of uveal tract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
377	Inflammation of optic nerve and retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
378	Inflammation of lachrymal glands and ducts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
379	Other inflammatory diseases of eye ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases and conditions of eye (380-389)—																									
380	Refractive errors	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
381	Corneal ulcer	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
382	Corneal opacity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
383	Pterygium	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
384	Strabismus	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	Cataract	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
386	Detachment of retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
387	Glaucoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
388	Other diseases of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
389	Blindness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases of ear and mastoid process (390-398)—																									
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391	Otitis media without mention of mastoiditis	M.	8	2	–	–	1	–	–	2	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
392	Otitis media with mastoiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
393	Mastoiditis without mention of otitis media	M.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
395	Ménière's disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
396	Other diseases of ear and mastoid process	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)— *continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM Total	M.	**11774**	**1**	**1**	–	**1**	–	**1**	**3**	**5**	**6**	**31**	**64**	**92**	**183**	**423**	**726**	**1050**	**1261**	**1539**	**1772**	**1906**	**1651**	**1058**	–
		F.	**11105**	**3**	–	–	–	–	–	**4**	**9**	**18**	**21**	**28**	**61**	**117**	**193**	**274**	**500**	**773**	**1251**	**1761**	**2100**	**2087**	**1905**	–
	Rheumatic fever (400-402)—																									
400	Without mention of heart involvement	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
401	With heart involvement	M.	23	–	–	–	–	–	–	1	–	2	1	2	5	4	2	–	1	3	1	–	1	–	–	–
		F.	19	–	–	–	–	–	–	1	1	2	1	–	1	1	2	2	3	1	2	1	1	–	–	–
402	Chorea	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	HEART DISEASE (410-443) Total	M.	*10685*	*1*	*1*	–	*1*	–	–	*1*	*5*	*3*	*24*	*53*	*83*	*169*	*400*	*687*	*989*	*1185*	*1437*	*1627*	*1703*	*1414*	*902*	–
		F.	*9880*	*2*	–	–	–	–	–	*3*	*8*	*15*	*17*	*25*	*51*	*100*	*167*	*242*	*460*	*703*	*1163*	*1609*	*1865*	*1818*	*1632*	–
	Chronic rheumatic heart disease (410-416)—																									
410	Mitral valve	M.	218	–	–	–	–	–	–	1	2	2	14	14	10	18	25	28	26	20	15	17	15	8	3	–
		F.	473	–	–	–	–	–	–	2	4	7	8	14	26	50	47	50	63	49	42	43	33	23	12	–
411	Aortic valve specified as rheumatic	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	2	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–
412	Tricuspid valve	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
413	Pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
414	Other endocarditis specified as rheumatic	M.	26	–	–	–	–	–	–	–	–	–	1	3	–	1	1	5	4	4	5	–	2	–	–	–
		F.	41	–	–	–	–	–	–	–	1	3	1	1	2	3	3	4	7	1	3	4	5	1	2	–
415	Other myocarditis specified as rheumatic	M.	12	–	–	–	–	–	–	–	1	–	–	–	–	1	3	1	–	1	4	1	–	–	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	1	3	2	3	–	1	–
416	Other heart disease specified as rheumatic	M.	38	–	–	–	–	–	–	–	1	–	1	3	4	3	7	7	4	2	3	1	1	1	–	–
		F.	69	–	–	–	–	–	–	1	1	–	–	2	3	6	13	9	11	6	11	4	–	1	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Arteriosclerotic and degenerative heart disease (420-422)—																									
420.0	Arteriosclerotic heart disease ...	M.	180	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	10	13	20	25	38	49	22	–
		F.	155	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	10	14	29	34	35	28	–
420.1	Coronary thrombosis (420.2)	M.	5762	–	–	–	–	–	–	–	–	1	5	25	58	119	315	560	772	853	930	875	692	403	154	–
		F.	3416	–	–	–	–	–	–	–	–	3	2	1	10	24	66	111	234	397	622	721	605	401	219	–
421	Chronic endocarditis not specified as rheumatic	M.	168	–	–	–	–	–	–	–	–	–	3	1	3	7	6	9	28	28	19	20	22	12	10	–
		F.	189	–	–	–	–	–	–	–	1	–	–	3	3	4	6	8	18	19	27	32	28	28	12	–
422.0	Fatty degeneration of heart	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	1	–	–
		F.	27	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	4	6	3	3	3	3	1	–
422.1	Myocardial degeneration with arteriosclerosis	M.	1911	–	–	–	–	–	–	–	–	–	–	1	–	–	5	3	27	62	129	270	463	532	419	–
		F.	2574	–	–	–	–	–	–	–	–	–	1	–	1	2	1	7	22	43	123	322	555	695	802	–
422.2	Other myocardial degeneration ...	M.	1546	–	–	–	–	–	–	–	–	–	–	2	3	5	18	32	56	108	178	270	334	297	243	–
		F.	1906	–	–	–	–	–	–	–	–	–	2	–	1	5	12	19	42	96	166	269	390	451	453	–
	Other diseases of heart (430-434)—																									
430	Acute and subacute endocarditis ...	M.	20	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	3	–	6	3	–	–	–	–
		F.	12	–	–	–	–	–	–	–	1	–	2	1	1	–	1	1	–	2	–	2	1	–	–	–
431	Acute myocarditis not specified as rheumatic	M.	42	1	1	–	1	–	–	–	–	–	–	–	–	2	2	–	3	5	10	8	1	6	2	–
		F.	37	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	2	1	7	4	8	4	4	–
432	Acute pericarditis specified as non-rheumatic	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Functional disease of heart	M.	98	–	–	–	–	–	–	–	1	–	–	–	–	2	5	4	2	6	9	16	24	21	8	–
		F.	174	1	–	–	–	–	–	–	–	–	–	–	–	1	3	5	10	7	26	29	39	32	21	–
434	Other and unspecified diseases of heart	M.	136	–	–	–	–	–	–	–	–	–	–	1	3	3	6	9	13	17	16	27	13	17	11	–
		F.	115	–	–	–	–	–	–	–	–	2	1	2	1	–	5	3	13	13	14	16	22	15	8	–
	Hypertensive disease (440-447)—																									
440	Essential benign hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
441	Essential malignant hypertension with heart disease	M.	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	1	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–
442	Hypertensive heart disease with arteriolar nephrosclerosis ...	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	5	6	3	–
		F.	40	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	9	11	13	–
443	Other and unspecified hypertensive heart disease	M.	473	–	–	–	–	–	–	–	–	–	–	1	1	2	1	20	35	60	84	88	93	61	27	–
		F.	624	–	–	–	–	–	–	–	–	–	–	–	1	1	4	16	27	51	99	123	130	117	55	–
444	Essential benign hypertension without mention of heart	M.	125	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	15	18	19	19	14	15	16	–
		F.	171	–	–	–	–	–	–	–	–	–	–	–	1	2	5	9	10	21	22	32	32	23	14	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM—*continued*																									
	Hypertensive Disease (440-447)—*continued*																									
445	Essential malignant hypertension without mention of heart ...	M.	48	–	–	–	–	–	–	–	–	–	3	1	2	5	4	9	16	4	3	1	–	–	–	–
		F.	25	–	–	–	–	–	–	–	–	–	–	1	2	3	8	3	–	3	3	1	1	–	–	–
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M.	69	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	5	4	12	5	9	17	13	–
		F.	56	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	5	4	16	16	5	–
447	Other hypertensive disease without mention of heart	M.	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	5	7	15	13	5	–
		F.	78	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	17	19	18	14	–
	Diseases of arteries (450-456)—																									
450	General arteriosclerosis	M.	544	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	5	17	34	72	132	160	116	–
		F.	622	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	8	23	53	127	186	220	–
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M.	63	–	–	–	–	–	–	–	–	–	1	2	–	2	1	5	5	12	10	11	7	6	1	–
		F.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	3	9	10	6	4	–
452	Other aneurysm, except of heart and aorta	M.	5	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	1	–	3	–	1	2	2	–	–	–	–	1	–	–
453	Peripheral vascular disease	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	–	3	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
454	Arterial embolism and thrombosis	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	4	1	4	–
455	Gangrene of unspecified cause ...	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	3	4	2	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	4	9	–
456	Other diseases of arteries	M.	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	1	–	–	–
		F.	10	1	–	–	–	–	–	–	–	1	1	–	1	3	–	2	–	1	–	–	–	–	–	–
	Diseases of veins and other diseases of circulatory system (460-468)—																									
460	Varicose veins of lower extremities ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	3	1	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hæmorrhoids	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
462	Varicose veins of other specified sites	M.	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	2	2	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
463	Phlebitis and thrombophlebitis of lower extremities	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	1	3	–	–	1	–
464	Phlebitis and thrombophlebitis of other sites	M.	4	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	1	2	–	–	1	–
465	Pulmonary embolism and infarction	M.	40	–	–	–	–	–	–	–	–	–	–	1	1	-	5	3	3	5	4	7	7	3	1	–
		F.	40	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	4	8	4	4	7	6	–	–
466	Other venous embolism and thrombosis	M.	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	6	3	7	15	5	13	–	–
		F.	72	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	4	11	11	16	15	5	1	–
467	Other diseases of circulatory system	M.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–
468	Certain diseases of lymph nodes and lymph channels	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	VIII. DISEASES OF THE RESPIRATORY SYSTEM TOTAL	M.	**3244**	**171**	**22**	**10**	**5**	**6**	**13**	**6**	**12**	**12**	**17**	**16**	**22**	**57**	**87**	**192**	**334**	**451**	**504**	**452**	**381**	**293**	**181**	–
		F.	**2050**	**131**	**18**	**5**	**5**	**2**	**21**	**14**	**8**	**14**	**20**	**13**	**26**	**24**	**41**	**81**	**112**	**140**	**209**	**274**	**290**	**293**	**289**	–
	Acute upper respiratory infections (470-475)—																									
470	Acute nasopharyngitis (common cold)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
471	Acute sinusitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
472	Acute pharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
473	Acute tonsillitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
474	Acute laryngitis and tracheitis ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
475	Acute upper respiratory infection of multiple or unspecified sites ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Influenza (480-483)—	Total M.	335	5	5	2	1	1	4	1	5	6	9	6	10	10	14	21	34	51	54	30	25	26	15	–
		Total F.	345	9	1	1	–	–	11	8	5	10	12	5	8	10	12	23	24	27	41	43	36	24	35	–
480	With pneumonia	M.	206	2	2	–	1	–	2	1	2	5	7	4	7	10	10	13	22	35	30	21	12	12	8	–
		F.	200	5	–	1	–	–	7	2	4	9	8	3	5	6	10	17	20	16	24	26	17	8	12	–
481.*a*	With other respiratory complications	M.	51	–	1	1	–	–	–	–	1	–	–	–	1	–	3	4	10	6	9	4	6	5	–	–
		F.	44	1	1	–	–	–	–	1	–	1	–	–	1	2	2	2	3	3	2	6	6	7	6	–
481.*b*	Unqualified	M.	76	3	2	1	–	1	–	–	2	1	2	2	2	–	1	4	2	10	15	5	7	9	7	–
		F.	97	3	–	–	–	–	3	4	1	–	4	2	2	2	–	4	1	8	14	11	12	9	17	–
482	With digestive manifestations, but without respiratory symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
483	With nervous manifestations, but without digestive or respiratory symptoms	M.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia (490-493)—	Total M.	1067	144	15	6	4	4	6	3	6	5	3	5	6	20	20	45	63	99	122	141	129	137	84	–
		Total F.	975	110	16	3	3	2	8	5	2	4	5	5	13	8	14	31	40	55	71	120	142	154	164	–
490	Lobar	M.	207	12	2	2	1	–	1	–	2	–	–	–	4	6	9	18	20	17	25	37	21	19	11	–
		F.	162	6	–	–	1	–	–	–	–	1	–	–	5	3	4	9	9	7	15	33	20	21	28	–
491	Broncho	M.	745	117	12	4	1	4	5	2	3	4	3	4	2	10	8	20	41	71	80	90	94	105	65	–
		F.	722	90	13	3	2	2	8	5	2	3	5	3	7	4	9	19	26	41	47	80	115	116	122	–
492	Primary atypical	M.	11	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	1	–	–
		F.	10	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–
493	Other and unspecified	M.	104	12	1	–	1	–	–	1	1	1	–	1	–	3	3	7	2	11	16	12	12	12	8	–
		F.	81	11	1	–	–	–	–	–	–	–	–	2	1	1	1	3	4	7	7	7	7	17	12	–
	Bronchitis (500-502)—	Total M.	1415	16	1	1	–	1	3	1	–	–	3	3	4	17	39	102	185	238	250	206	173	102	70	–
		Total F.	598	12	1	–	–	–	–	–	–	–	2	–	3	4	12	20	39	50	83	97	100	100	75	–
500	Acute Bronchitis	M.	102	16	1	1	–	1	2	1	–	–	–	–	–	–	3	4	5	7	7	14	13	15	12	–
		F.	135	12	1	–	–	–	–	–	–	–	1	–	2	2	2	3	4	4	14	22	19	22	27	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
501.a	Bronchitis, unqualified	M.	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	3	5	6	5	10	–
		F.	26	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	4	3	7	7	–
501.b	Bronchitis unqualified, with heart disease	M.	65	–	–	–	–	–	–	–	–	–	1	–	–	–	2	5	5	6	10	10	11	10	5	–
		F.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	6	7	9	5	–
502.a	Chronic bronchitis	M.	464	–	–	–	–	–	1	–	–	–	1	1	2	9	8	30	66	95	82	66	57	27	19	–
		F.	148	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	9	17	27	27	28	18	14	–
502.b	Chronic bronchitis with heart disease	M.	746	–	–	–	–	–	–	–	–	–	1	2	2	8	26	62	107	124	148	111	86	45	24	–
		F.	257	–	–	–	–	–	–	–	–	–	1	–	–	1	6	12	24	29	37	38	43	44	22	–
	Other diseases of respiratory system (510-527)—																									
510	Hypertrophy of tonsils and adenoids	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511	Peritonsillar abscess (quinsy) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
512	Chronic pharyngitis and naso-pharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
513	Chronic sinusitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
514	Deflected nasal septum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
515	Nasal polyp	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	6	2	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518	Empyema	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
519	Pleurisy	M.	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	2	3	1	1	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	–
520	Spontaneous pneumothorax	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
521	Abscess of lung	M.	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–
522	Pulmonary congestion and hypostasis	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	4	3	–
		F.	21	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	–	3	4	8	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Other diseases of respiratory system—*continued*																									
523	Pneumoconiosis due to silica and silicates (occupational)	M.	229	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	27	45	52	46	39	12	2	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	3	6	3	2	1	–
		F.	9	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	1	2	1	–	1	–
526	Bronchiectasis	M.	56	–	–	–	–	–	–	–	–	–	–	1	2	6	5	5	7	6	8	9	1	4	2	–
		F.	37	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	7	2	6	9	1	4	2	–
527	Other diseases of lung and pleural cavity	M.	64	1	1	–	–	–	–	–	–	1	2	–	–	3	1	7	12	8	11	7	5	5	–	–
		F.	18	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–	1	2	1	3	2	3	–
	IX. DISEASES OF THE DIGESTIVE SYSTEM																									
	Total	M.	**1108**	**51**	**7**	**2**	**4**	**1**	**10**	**3**	**3**	**5**	**7**	**19**	**21**	**42**	**55**	**73**	**125**	**122**	**127**	**172**	**133**	**82**	**44**	–
		F.	**915**	**47**	**2**	**1**	**1**	**1**	**4**	**6**	**2**	**8**	**5**	**7**	**8**	**14**	**34**	**50**	**80**	**86**	**112**	**133**	**150**	**99**	**65**	–
	Diseases of buccal cavity and œsophagus (530-539)—																									
530	Dental caries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531	Abscesses of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
533	Disorders of occlusion, eruption and tooth development	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
534	Toothache from unspecified cause ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
535	Other diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
536	Stomatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
537	Diseases of salivary glands	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
538	Other diseases of buccal cavity ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
539	Diseases of œsophagus	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	2	–	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	3	6	1	–	–
	Diseases of stomach and duodenum (540-545)—																									
540	Ulcer of stomach	M.	157	–	–	–	–	–	–	–	–	–	1	1	–	4	8	7	18	27	23	26	20	17	5	–
		F.	81	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	8	4	10	14	14	12	10	–
541	Ulcer of duodenum	M.	268	–	–	–	–	–	1	–	–	–	–	6	6	12	15	17	43	30	39	47	29	15	8	–
		F.	58	–	–	–	–	–	–	–	–	2	1	–	1	2	2	2	5	4	7	10	9	9	4	–
542	Gastrojejunal ulcer	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
543	Gastritis and duodenitis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	–	–
544	Disorders of function of stomach ...	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
545	Other diseases of stomach and duodenum	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	3	–	2	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	1	–
	Appendicitis (550-553)—																									
550	Acute appendicitis	M.	66	–	–	1	–	1	6	1	2	2	2	3	1	1	5	5	6	3	4	6	7	7	3	–
		F.	33	1	–	–	–	–	1	2	1	–	–	–	2	–	1	3	4	1	6	2	3	5	1	–
551	Appendicitis unqualified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
552	Other appendicitis	M.																								
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	IX. DISEASES OF THE DIGESTIVE SYSTEM—*continued*																									
	Hernia of abdominal cavity (560-561)—																									
560	Without mention of obstruction ...	M.	24	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	2	3	4	1	1	–
		F.	23	5	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	2	–	2	1	4	–
561	With obstruction	M.	60	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	7	12	11	8	8	–
		F.	82	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	8	8	6	14	24	11	6	–
	Other diseases of intestines and peritoneum (570-578)—																									
570	Intestinal obstruction, without mention of hernia	M.	135	6	–	–	1	–	1	1	–	1	1	2	1	2	2	8	8	19	19	21	23	12	7	–
		F.	99	4	1	–	–	–	1	1	–	–	–	–	1	2	3	4	5	8	13	9	17	16	14	–
	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—																									
571.0	Between 4 weeks and 2 years ...	M.	35	29	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571.1	2 years and over	M.	21	–	–	–	3	–	–	–	–	–	–	1	2	4	–	1	1	2	1	1	2	2	1	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	5	2	–	2	–
572	Chronic enteritis and ulcerative colitis	M.	75	–	–	–	–	–	–	–	1	1	2	3	2	3	4	10	10	7	2	12	13	4	1	–
		F.	86	–	–	–	–	1	1	3	1	4	1	3	1	–	4	3	8	7	11	15	16	6	1	–
573	Functional disorders of intestines ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
574	Anal fissure and fistula	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
575	Abscess of anal and rectal regions ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
576	Peritonitis	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	2	1	–	2	–
		F.	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–
577	Peritoneal adhesion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritoneum	M.	12	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	3	2	–	2	–
		F.	20	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	4	1	5	2	2	1	–
	Diseases of liver, gall-bladder, and pancreas (580-587)—																									
580	Acute and subacute yellow atrophy of liver	M.	7	1	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	2	–	–	–	–	–	–
		F.	10	1	1	–	–	–	1	–	–	–	–	1	—	–	–	2	–	–	1	3	–	–	–	–
581	Cirrhosis of liver	M.	124	–	–	–	–	–	–	–	–	–	–	1	7	9	15	13	16	17	20	13	9	3	1	–
		F.	119	–	–	–	–	–	–	–	–	2	–	2	1	3	6	12	18	20	22	14	9	5	5	–
582	Suppurative hepatitis and liver abscess	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
583	Other diseases of liver	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	2	1	–	–
584	Cholelithiasis	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	9	4	1	1	–
		F.	72	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	4	14	13	18	7	6	–
585	Cholecystitis without mention of calculi	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	2	7	2	2	3	–
		F.	78	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	8	19	17	16	7	–
586	Other diseases of gall-bladder and biliary ducts	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	–	1	1	–
587	Diseases of pancreas	M.	30	6	1	1	–	–	2	1	–	–	–	–	–	–	1	–	4	1	3	3	2	4	1	–
		F.	45	11	–	1	1	–	–	–	–	–	1	–	–	4	6	4	3	4	3	2	4	1	–	–
	X. DISEASES OF THE GENITO-URINARY SYSTEM TOTAL	M.	**801**	**8**	**1**	–	**1**	–	**1**	**6**	**2**	**9**	**7**	**11**	**11**	**21**	**23**	**29**	**31**	**44**	**76**	**109**	**171**	**143**	**97**	–
		F.	**438**	**2**	**1**	–	**1**	**1**	**2**	**4**	**6**	**8**	**9**	**12**	**14**	**22**	**22**	**32**	**33**	**48**	**48**	**51**	**66**	**40**	**16**	–
	Nephritis and nephrosis (590-594)—																									
590	Acute nephritis	M.	13	3	–	–	–	–	–	2	–	1	–	–	1	–	1	2	–	2	–	1	–	–	–	–
		F.	6	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
591	Nephritis with œdema, including nephrosis	M.	21	1	–	–	–	–	–	1	1	1	2	1	1	1	2	2	–	3	1	1	2	–	1	–
		F.	16	–	–	–	–	–	1	–	1	3	1	–	1	1	1	1	–	1	1	1	2	1	–	–
592	Chronic nephritis	M.	186	–	–	–	1	–	–	2	1	7	4	7	8	10	13	17	14	13	23	24	22	11	9	–
		F.	204	–	–	–	–	–	–	3	5	4	4	6	4	10	12	18	12	26	28	25	26	17	4	–
593	Nephritis not specified as acute or chronic	M.	32	–	1	–	–	–	1	–	–	–	1	1	–	1	3	–	1	–	8	4	6	4	1	–
		F.	33	–	–	–	–	–	–	1	–	–	2	1	–	–	2	2	1	3	5	3	7	3	3	–
594	Other renal sclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	X. DISEASES OF THE GENITO-URINARY SYSTEM—*continued*																									
	Other diseases of urinary system (600-609)—																									
600	Infections of kidney	M.	82	4	–	–	–	–	–	–	–	–	–	2	–	5	4	2	6	6	7	8	19	10	9	–
		F.	109	–	–	–	–	–	–	–	–	–	2	2	3	4	4	6	16	14	10	14	15	13	6	–
601	Hydronephrosis	M.	14	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	2	2	3	–	–	1	1	–
		F.	15	–	–	–	1	–	1	–	–	1	–	–	1	1	–	1	1	–	1	3	4	–	–	–
602	Calculi of kidney and ureter	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	2	1	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–
603	Other diseases of kidney and ureter ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
604	Calculi of other parts of urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
605	Cystitis	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	3	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	4	3	2	–
606	Other diseases of bladder	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
607	Urethritis (non-venereal)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	3	2	2	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
	Diseases of male genital organs (610-617)—																									
610	Hyperplasia of prostate	M.	389	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	14	27	64	109	105	67	–
611	Prostatitis	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	2	3	–
612	Other diseases of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
613	Hydrocele	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
614	Orchitis and epididymitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
615	Redundant prepuce and phimosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases of breast, ovary, fallopian tube and parametrium (620-626)—																									
620	Chronic cystic disease of breast ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
622	Acute salpingitis and oöphoritis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
623	Chronic salpingitis and oöphoritis ...	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
624	Salpingitis and oöphoritis, unqualified	F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
625	Other diseases of ovary and fallopian tube	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
626	Diseases of parametrium and pelvic peritoneum	F.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–
	Diseases of uterus and other female genital organs (630-637)—																									
630	Infective disease of uterus, vagina and vulva	F.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
631	Uterovaginal prolapse	F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	3	–	–	1	–
632	Malposition of uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
633	Other diseases of uterus	F.	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–
634	Disorders of menstruation	F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
635	Menopausal symptoms	F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM Total	F.	46	–	–	–	–	–	–	–	1	11	14	10	7	3	–	–	–	–	–	–	–	–	–	–
	Complications of pregnancy (640-649)—																									
640	Pyelitis and pyelonephritis of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
641	Other infections of genito-urinary tract during pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.2	Eclampsia (642.3)	F.	4	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
642.4	Hyperemesis gravidarum	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.5	Other toxæmias of pregnancy (642.0 & .1)	F.	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
643	Placenta prævia	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
644	Other hæmorrhage of pregnancy ...	F.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
646	Anæmia of pregnancy	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
649	Pregnancy associated with other conditions	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Abortion (650-652)—																									
650	Without mention of sepsis or toxæmia	F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
651	With sepsis	F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
652	With toxæmia, without mention of sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Delivery without complication (660)—																									
660	Delivery without complication ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Delivery with specified complication (670-678)—																									
670.*a*	Placenta prævia	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
670.*b*	Other hæmorrhage of pregnancy ...	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
671	Retained placenta	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
672	Other postpartum hæmorrhage ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
673	Abnormality of bony pelvis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
674	Disproportion or malposition of fœtus	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
675	Prolonged labour of other origin ...	F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
676	Laceration of perineum, without mention of other laceration ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
677	Other trauma	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
678	Other complications of childbirth ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Complications of the puerperium (680-689)—																									
680	Puerperal urinary infection without other sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
682	Puerperal phlebitis and thrombosis ...	F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
683	Pyrexia of unknown origin during the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism ...	F.	6	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
685	Puerperal eclampsia	F.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
686	Other forms of puerperal toxæmia ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
687	Cerebral hæmorrhage in the puerperium	F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
688	Other and unspecified complications of the puerperium	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: −1	1−	2−	3−	4−	5−	10−	15−	20−	25−	30−	35−	40−	45−	50−	55−	60−	65−	70−	75−	80−	85 and over	Not stated
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE Total	M.	20	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	2	–	1	2	1	–
		F.	28	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	3	2	2	7	2	4	4	–
	Infections of skin and subcutaneous tissue (690-698)—																									
690	Boil and carbuncle	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis ...	M.	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–
693	Other cellulitis and abscess with lymphangitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Other diseases of skin and subcutaneous tissue (700-716)—																									
700	Seborrhœic dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
701	Eczema	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
702	Occupational dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	1	–	–	1	–
704	Pemphigus	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
705	Erythematous conditions	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
		F.	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–
706	Psoriasis and similar disorders ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	–
716	Other diseases of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																									
	TOTAL	M.	**79**	**2**	–	–	–	–	–	**2**	**2**	**1**	**2**	–	**2**	**3**	–	**4**	**7**	**9**	**10**	**9**	**14**	**6**	**6**	–
		F.	**197**	**3**	–	–	–	–	**1**	**2**	**1**	–	–	–	**1**	**1**	–	**6**	**12**	**19**	**26**	**46**	**37**	**23**	**19**	–
	Arthritis and rheumatism except rheumatic fever (720-727)—																									
720	Acute arthritis due to pyogenic organisms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—*continued*																									
	Arthritis and rheumatism except rheumatic fever—continued																									
721	Acute non-pyogenic arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	23	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	4	3	2	4	1	1	–
		F.	138	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	8	15	22	34	29	13	11	–
723	Osteo-arthritis (arthrosis) and allied conditions	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	5	–	4	–
		F.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	5	1	6	3	–
724	Other specified forms of arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
725	Arthritis, unspecified	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
726	Muscular rheumatism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
727	Rheumatism, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–
	Osteomyelitis and other diseases of bone and joint (730-738)—																									
730	Osteomyelitis and periostitis ...	M.	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	1	–
		F.	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
731	Osteitis deformans	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	1	–
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
733	Other diseases of bone	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
734	Internal derangement of knee joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
738	Other diseases of joint	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of musculoskeletal system (740-749)—																									
740	Bunion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	14	2	–	–	–	–	–	2	2	1	1	–	1	–	–	1	–	1	2	–	–	1	–	–
		F.	9	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–
745	Curvature of spine	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1	2-	3	4	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75	80-	85 and over	Not stated
	XIV. CONGENITAL MALFORMATIONS Total	M.	**390**	**290**	**21**	**2**	**2**	**1**	**10**	**8**	**9**	**2**	**3**	**3**	**4**	**3**	**7**	**11**	**6**	–	**5**	**3**	–	–	–	–
		F.	**328**	**250**	**13**	**4**	–	**2**	**6**	**3**	**6**	**4**	**5**	**2**	**7**	**4**	**5**	**4**	**2**	**2**	**6**	–	**2**	–	**1**	–
750	Monstrosity	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
751	Spina bifida and meningocele ...	M.	71	65	3	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	73	67	3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
752	Congenital hydrocephalus	M.	34	24	4	1	1		2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	36	29	2	–	–	1	1		1	1	–	–	–	–	–		–	1	–	–	–	–	–	–
753	Other congenital malformations of nervous system and sense organs	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–		–	–	–	–	–	–	–	–
754	Congenital malformations of circulatory system	M.	127	85	7	1	1	–	6	5	7	2	3	2	1	1	–	2	2	–	2	–	–	–	–	–
		F.	113	73	5	2	–	1	3	3	3	2	5	2	5	1	3	3	–	–	1	–	1	–	–	–
755	Cleft palate and harelip	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.0	Congenital pyloric stenosis	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.2	Other congenital malformations of digestive system (756.1)	M.	60	50	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–
		F.	30	25	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
757	Congenital malformations of genito-urinary system	M.	46	21	1	–	–	–	1	2	–	–	–	1	1	2	6	7	2		2	–	–	–	–	–
		F.	19	5	1	1	–	–	–	–	–	–	–	–	2	2	2	1	1	1	2	–	–	–	1	–
758	Congenital malformations of bone and joint	M.	7	4	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	6	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
759	Other and unspecified congenital malformations, not elsewhere classified	M.	21	17	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
		F.	24	20	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	XV. CERTAIN DISEASES OF EARLY INFANCY Total	M.	**929**	**929**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	**599**	**599**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Birth injuries, asphyxia and infections of newborn (760-769)—																									
760	Intracranial and spinal injury at birth	M.	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761	Other birth injury	M.	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762	Post-natal asphyxia and atelectasis ...	M.	316	316	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	197	197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	Pneumonia of newborn	M.	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	Diarrhœa of newborn	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765	Ophthalmia neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766	Pemphigus neonatorum	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767	Umbilical sepsis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768	Other sepsis of newborn	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769	Neonatal disorders arising from maternal toxæmia	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases peculiar to early infancy (770-776)—																									
770	Hæmolytic disease of newborn (Erythroblastosis)	M.	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771	Hæmorrhagic disease of newborn ...	M.	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
772	Nutritional maladjustment	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*a*	Congenital debility without immaturity	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*b*	Congenital debility with immaturity	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*c*	Other ill-defined diseases peculiar to early infancy	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XV. CERTAIN DISEASES OF EARLY INFANCY—*continued*																									
	Other diseases peculiar to early infancy (770-776)—*continued*																									
774	Immaturity with mention of any other subsidiary condition ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
775	Immaturity subsidiary to some other cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M.	271	271	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS Total	M.	**351**	**28**	**3**	**1**	–	–	–	**1**	–	–	**1**	**3**	**2**	**4**	**6**	**14**	**21**	**10**	**23**	**20**	**44**	**70**	**100**	–
		F.	**502**	**18**	**2**	**1**	–	–	–	–	**1**	–	–	**1**	–	**2**	**5**	**5**	**8**	**6**	**12**	**21**	**76**	**110**	**234**	–
	Symptoms referable to systems or organs (780-789)—																									
	Certain symptoms referable to nervous system and special senses:—																									
780.*a*	Convulsions under 5	M.	21	19	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	16	13	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780.*b*	Other certain symptoms referable to nervous system and special senses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
781	Other symptoms referable to nervous system and special senses ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cardiovascular and lymphatic systems—																									
782.4	Heart failure	M.	37	–	–	–	–	–	–	1	–	–	1	–	1	1	2	3	6	4	5	5	1	4	3	–
		F.	23	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	2	4	5	2	2	2	–
782.5	Syncope	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
		F.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
782.9	Other symptoms of cardiovascular and lymphatic systems (782.0-3 and 6-8)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
784	Upper gastro-intestinal tract... ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	–
785	Abdomen and lower gastro-intestinal system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
786	Genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
787	Limbs and back	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
788	Other general symptoms	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
789	Abnormal urinary constituents of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Senility and ill-defined diseases (790-795)—																									
790	Nervousness and debility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
792	Uræmia unqualified	M.	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	1	1	–
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	10	29	57	90	–
		F.	391	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	11	60	94	224	–
795.0	Other ill-defined (795.1)	M.	82	8	2	–	–	–	–	–	–	–	–	1	1	1	3	9	15	5	12	5	10	6	4	–
		F.	43	3	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	4	3	11	8	3	–
795.5	Unknown or unspecified (795.2-4) ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)																									
	TOTAL	M.	**1763**	**89**	**20**	**12**	**23**	**12**	**63**	**36**	**75**	**102**	**92**	**82**	**95**	**104**	**129**	**150**	**136**	**111**	**95**	**97**	**94**	**74**	**72**	–
		F.	**1038**	**71**	**8**	**7**	**8**	**5**	**24**	**10**	**14**	**8**	**17**	**18**	**31**	**39**	**36**	**45**	**57**	**76**	**51**	**78**	**127**	**145**	**163**	–
	Railway accidents (E800-E802)—																									
E800	Railroad employee	M.	30	–	–	–	–	–	–	–	3	1	2	–	3	–	1	9	4	4	3	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Railway accidents (E800-E802)—*continued*																									
E801	Passenger	M.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E802	Other and unspecified person ...	M.	16	–	–	–	–	–	–	–	1	–	–	–	–	2	–	4	1	3	2	–	2	–	1	–
		F.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
	MOTOR VEHICLE ACCIDENTS (E810-E835) ... ... TOTAL	M.	**436**	**1**	**7**	**2**	**11**	**5**	**29**	**16**	**35**	**40**	**37**	**19**	**19**	**28**	**35**	**30**	**21**	**18**	**17**	**21**	**27**	**11**	**7**	–
		F.	**127**	–	**2**	**5**	**2**	**4**	**12**	**3**	**5**	**3**	**1**	**1**	**6**	**5**	**1**	**4**	**10**	**15**	**12**	**9**	**14**	**10**	**3**	–
	Motor vehicle traffic accidents (E810-E825)—																									
E810	Collision with railway train	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E811	Collision with street car	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	187	–	7	2	11	5	29	8	4	1	9	3	2	9	13	8	8	5	12	16	20	9	6	–
		F.	91	–	1	5	2	3	8	2	2	1	–	1	–	2	–	3	7	11	9	8	13	10	3	–
E813	Pedal cyclist	M.	20	–	–	–	–	–	–	5	4	–	–	1	1	–	1	3	1	1	–	1	1	1	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E814	Rider or passenger of motor cycle in collision with non-motor vehicle or object	M.	6	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E815	Rider or passenger of motor cycle in collision with other motor vehicle	M.	55	–	–	–	–	–	–	1	9	13	11	2	2	6	1	7	3	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E816	Two or more motor vehicles	M.	44	1	–	–	–	–	–	1	1	5	3	5	4	7	3	7	1	1	1	–	3	–	1	–
		F.	15	–	1	–	–	–	2	–	1	–	–	–	2	2	–	–	–	3	2	1	1	–	–	–
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E818	Collision with animal or animal-drawn vehicle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object	M.	4	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E820	While boarding and alighting ...	M.	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	1	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
E821	Rider of motor cycle not involving collision	M.	40	–	–	–	–	–	–	–	8	12	6	1	2	2	7	–	–	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E822	Overturning in roadway	M.	5	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E823	Running off roadway	M.	28	–	–	–	–	–	–	–	3	3	4	3	2	2	4	2	1	–	2	1	1	–	–	–
		F.	8	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–	3	–	–	–	–	–	–	–
E824	Other non-collision motor vehicle traffic accident	M.	9	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	2	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E825	Unspecified nature	M.	16	–	–	–	–	–	–	–	1	1	1	1	–	1	3	–	3	4	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Motor vehicle non-traffic accidents (E830-E835)—																									
E830	Pedestrian	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E831	Pedal cyclist	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E832	Rider or passenger of motor cycle ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E833	Two or more motor vehicles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E834	While boarding and alighting ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E835	Other and unspecified nature ...	M.	9	–	–	–	–	–	–	1	2	–	–	1	1	–	1	–	–	1	–	–	2	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Other road vehicle accidents (E840-E845)—																									
E840	Street car accident to pedestrian ...	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	4	–	–
		F.	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
E841	Other street car accident except collision with motor vehicle	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E842	Accident to pedestrian caused by pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: −1	1−	2−	3−	4−	5−	10−	15−	20−	25−	30−	35−	40−	45−	50−	55−	60−	65−	70−	75−	80−	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other road vehicle accidents (E840-E845)—*continued*																									
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	1	–	1	–	1	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E844	Accident to pedestrian caused by other non-motor road vehicle ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Water transport accidents (E850-E858)—																									
E850	Submersion of occupant of small boat	M.	4	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E851	Other water transport injury by submersion	M.	28	–	–	–	–	–	–	–	1	2	1	4	5	–	3	5	5	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E852	Fall on stairs and ladders in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport...	M.	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E854	Falls on same level in water transport	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aircraft accidents (E860-E866)—																										
E860	Accident to personnel in military aircraft	M.	7	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E861	Injury to occupant by accident to commercial "transport" aircraft	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other aircraft	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ACCIDENTAL POISONING ... (E870-E895) ... ... TOTAL ...	M.	**130**	–	**1**	**1**	–	–	**1**	**1**	**2**	**2**	**8**	**5**	**7**	**7**	**8**	**12**	**12**	**13**	**10**	**14**	**9**	**9**	**8**	–
		F.	**129**	–	–	–	–	–	–	**1**	**3**	**1**	**6**	**4**	**4**	**6**	**9**	**5**	**9**	**10**	**6**	**18**	**23**	**14**	**10**	–
	Accidental poisoning by solid and liquid substances (E870-E888)—																										
E870	Morphine and other opium derivatives	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E871	Barbituric acid and derivatives ...	M.	23	–	–	–	–	–	–	–	–	1	3	2	1	1	3	4	3	2	2	1	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	1	4	1	1	–	3	2	2	2	1	1	–	–	–	–	–
E872	Aspirin and salicylates	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E873	Bromides	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
E875	Sulphonamides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E877	Belladonna, hyoscine and atropine ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Accidental poisoning by solid and liquid substances (E870—E888)—*continued*																									
E878	Other and unspecified drugs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E881	Petroleum products	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids and caustic alkalis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E886	Arsenic, and antimony, and their compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E890a	Utility (illuminating) gas, stated as accidental	M.	37	–	–	1	–	–	1	1	–	–	2	1	1	2	1	4	3	–	3	7	2	4	4	–
		F.	56	–	–	–	–	–	–	1	1	–	1	1	2	3	2	–	5	3	–	9	17	6	5	–
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.	55	–	–	–	–	–	–	–	–	1	3	2	2	–	3	3	6	11	5	5	6	4	4	–
		F.	47	–	–	–	–	–	–	–	1	–	1	2	1	3	2	3	1	5	4	7	5	8	4	–
E891	Motor vehicle exhaust gas	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E892	Other carbon-monoxide gas	M.	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E893	Cyanide gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E895	Unspecified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental falls (E900-E904)—																									
E900	On stairs	M.	42	–	–	–	–	–	–	–	–	–	1	2	2	–	2	1	3	7	4	6	6	2	6	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	2	3	3	3	–
E901	From ladders	M.	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
E902	From one level to another	M.	83	–	3	–	–	–	6	4	2	4	3	7	3	7	11	8	9	5	2	2	3	2	2	–
		F.	25	–	–	–	1	–	1	–	–	1	2	1	1	3	2	2	3	1	1	–	1	2	3	–
E903	On same level	M.	23	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	4	2	1	6	3	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	5	9	8	5	–
E904	Unspecified falls	M.	104	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	3	4	15	16	25	35	–
		F.	327	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	9	19	62	98	129	–
	Other accidents (E910-E936)—																									
E910	Blow from falling object	M.	71	–	1	–	2	–	1	–	1	4	7	6	10	3	8	11	8	7	–	1	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E911	Caused by vehicle	M.	7	–	–	–	–	–	–	–	1	1	–	–	–	–	2	3	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E912	Caused by machinery...	M.	25	–	–	–	–	–	–	–	–	2	2	2	3	5	2	3	2	1	2	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E913	Caused by cutting and piercing instruments	M.	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E914	Caused by electrical current	M.	14	–	2	–	–	–	–	–	1	2	4	1	1	–	–	–	1	1	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other accidents (E910-E936)—*continued*																									
E915	Caused by explosion of pressure vessel	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	Caused by fire and explosion of combustible material	M.	73	2	–	–	1	1	2	–	4	4	1	6	8	6	8	5	4	3	4	4	4	3	3	–
		F.	52	1	1	2	3	1	6	1	–	1	–	–	–	4	1	3	3	8	3	3	2	5	4	–
E917	Caused by hot substance, corrosive liquid, and steam	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	2	–	–	–	1	–
		F.	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–
E918	Caused by radiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E919	Caused by firearm	M.	7	–	–	–	1	–	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E920	Foreign body entering eye and adnexa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	76	48	2	–	1	1	–	–	1	1	1	–	3	3	–	4	3	4	1	1	2	–	–	–
		F.	48	39	–	–	1	–	1	–	–	–	–	–	–	–	1	–	3	1	–	–	–	1	1	–
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E923	Foreign body entering other orifice ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E924	Accidental mechanical suffocation in bed and cradle	M.	26	22	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	16	8	1	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	1	–	–	–	–	–
		F.	8	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E927	Accidents caused by bites and stings of venomous animals and insects	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	161	–	2	7	6	5	18	10	15	10	6	6	4	8	10	5	13	9	5	10	8	3	1	–
		F.	46	–	1	–	–	–	1	4	1	–	1	1	1	4	4	5	8	7	4	1	2	1	–	–
E930	High and low air pressure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E932	Excessive cold	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E933	Hunger, thirst and exposure ...	M.	6	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	3	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents ...	M.	11	2	–	–	–	–	–	2	–	–	1	1	–	–	–	2	–	1	–	1	–	1	–	–
		F.	9	1	1	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	2	–	–	–
	Complications due to non-therapeutic medical and surgical procedures (E940-E946)—																									
E940	Generalized vaccinia following vaccination	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E941	Post-vaccinal encephalitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E942	Other complications of smallpox vaccination...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for non-therapeutic purpose	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)—*continued*																									
E946	Other complications due to nontherapeutic medical and surgical procedures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)—																									
E950	In surgical treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E951	In infusion or transfusion	M.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E952	In local applications	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E953	In administration of drugs or biologicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E954	In anæsthesia	M.	3	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E955	Other and unspecified therapeutic misadventure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E958	Late complication of irradiation ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Late effects of injury and poisoning (E960-E985)—																									
E960	Motor vehicle accident	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E962	Other accidental injury	M.	13	–	–	–	–	–	–	–	–	–	–	1	1	3	–	2	2	2	–	–	–	2	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E965	Injuries due to war operations ...	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	4	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUICIDE AND SELF-INFLICTED INJURY (E970-E979) TOTAL	M.	**262**	–	–	–	–	–	–	–	**4**	**16**	**10**	**17**	**17**	**22**	**22**	**33**	**38**	**26**	**25**	**12**	**13**	**3**	**4**	–
		F.	**158**	–	–	–	–	–	–	–	**4**	**1**	**5**	**11**	**16**	**15**	**15**	**17**	**13**	**24**	**13**	**13**	**7**	**3**	**1**	–
E970	Poisoning by analgesic and soporific substances	M.	18	–	–	–	–	–	–	–	1	1	–	–	2	2	1	2	4	–	2	–	2	–	1	–
		F.	19	–	–	–	–	–	–	–	–	–	–	3	2	2	4	–	2	3	1	1	1	–	–	–
E971	Poisoning by other solid and liquid substances	M.	13	–	–	–	–	–	–	–	–	2	–	1	2	–	2	2	1	1	–	1	–	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–
E972	Poisoning by gases in domestic use ...	M.	127	–	–	–	–	–	–	–	–	10	5	10	6	11	10	19	17	11	16	7	3	1	1	–
		F.	91	–	–	–	–	–	–	–	4	1	3	6	11	6	7	9	9	15	7	8	4	1	–	–
E973	Poisoning by other gases	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E974	Injury by hanging and strangulation	M.	24	–	–	–	–	–	–	–	–	1	2	1	2	4	3	5	2	2	–	–	2	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–
E975	Injury by submersion (drowning) ...	M.	26	–	–	–	–	–	–	–	1	–	–	–	1	1	3	3	3	6	3	1	3	1	–	–
		F.	30	–	–	–	–	–	–	–	–	–	2	1	2	4	3	7	1	4	3	2	–	1	–	–
E976	Injury by firearms and explosives ...	M.	14	–	–	–	–	–	–	–	–	1	2	–	1	2	2	1	2	1	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E977	Injury by cutting and piercing instruments	M.	11	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	3	1	1	1	1	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
E978	Injury by jumping from high place ...	M.	12	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	2	2	1	2	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–
E979	Injury by other and unspecified means	M.	15	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	6	2	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1957 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—																									
E980	Non-accidental poisoning by another person	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E981	Assault by firearm and explosive ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E982	Assault by cutting and piercing instruments	M.	4	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E983	Assault by other means	M.	10	3	–	1	–	–	–	–		1	–	2	–	–	–	1	1	–	–	1	–	–	–	–
		F.	8	3	1	–	–	–	–	–		–	1	–	–	–	–	–		–	1	1	1	–	–	–
E984	Injury by intervention of police ...	M.	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Injury resulting from operations of war (E990-E999)—																									
E990	Gas and chemicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E991	Gunshot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E992	Grenade and land-mine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E993	Bomb	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E994	Marine mine, depth charge, and torpedo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E995	Explosion of artillery shell	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E996	Explosion of undetermined origin ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E997	Aircraft destruction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E998	Other and unspecified means ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E999	Occurring after cessation of hostilities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 43.—Causes of Death by Months—Scotland, 1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		ALL CAUSES—Both Sexes ...	**61143**	**5782**	**5119**	**5274**	**5017**	**5043**	**4366**	**4450**	**4280**	**4807**	**5956**	**5272**	**57**
		All Tuberculosis (001-019) TOTAL	723	72	79	70	53	61	39	41	42	40	80	83	6
001-008	1	Respiratory system	664	67	73	66	50	53	35	39	37	37	71	77	5
010	2	Meninges and central nervous system	15	1	1	1	–	1	2	–	4	1	2	2	
011	3	Intestines, peritoneum and mesenteric glands	11	2	–	–	2	3	–	–	–	1	2	–	
012, 013	4	Bones and joints	11	–	4	1	–	2	1	1	–	–	–	2	
014-019	5	All other forms	22	2	1	2	1	2	1	1	1	1	5	2	
		Syphilis (020-029) TOTAL	94	8	9	6	14	10	8	5	5	6	12	4	
020	6	Congenital syphilis	1	1	–	–	–	–	–	–	–	–	–	–	
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	
024	8	Tabes dorsalis	11	–	–	1	1	2	1	1	2	–	1	–	
025	9	General paralysis of insane ...	17	–	2	1	3	–	2	–	1	2	4	1	
022-023, 026-029	10	All other syphilis	65	7	7	4	10	8	5	4	2	4	7	3	
030-035	11	Gonococcal infection	1	–	–	–	–	–	–	–	–	–	–	–	
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	
041, 042	13	Paratyphoid fever and other salmonella infections	3	–	–	–	2	–	–	–	–	–	–	1	
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	
044	15	Brucellosis (undulant fever) ...	1	1	–	–	–	–	–	–	–	–	–	–	
045-048	16	Dysentery, all forms	8	1	–	1	1	1	1	2	–	–	–	–	
050	17	Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	
051	18	Streptococcal sore throat ...	2	1	–	–	–	–	–	–	–	–	–	1	
052	19	Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	
053	20	Septicæmia and pyæmia	20	2	–	1	1	1	1	3	–	3	2	5	
055	21	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	
056	22	Whooping cough	21	5	7	5	–	2	–	–	1	–	1	–	
057	23	Meningococcal infections	21	2	–	2	3	1	–	2	1	1	7	1	
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	
061	26	Tetanus	4	1	–	–	–	1	–	–	1	–	1	–	
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	
080	28	Acute poliomyelitis	11	–	–	–	1	–	–	2	3	2	1	1	
082	29	Acute infectious encephalitis ...	11	–	1	1	1	–	–	2	1	2	2	1	
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	28	5	1	3	2	3	2	2	3	2	4	1	
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	
085	32	Measles	16	4	2	3	2	1	3	–	–	1	–	–	
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	
092	34	Infectious hepatitis	21	3	1	3	–	2	1	1	1	2	2	4	
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	
100-108	36	Typhus and other rickettsial diseases	–	–	–	–	–	–	–	–	–	–	–	–	
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	
125	39	Hydatid disease	1	–	–	–	–	–	–	–	–	–	1	–	
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	
124, 126, 128, 130	42	Other diseases due to helminths ...	–	–	–	–	–	–	–	–	–	–	–	–	
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	16	2	1	1	2	2	1	–	3	1	2	–	
		Malignant neoplasms (140-205) TOTAL	10747	877	801	879	914	964	866	937	860	919	930	884	9
140-148	44	Buccal cavity and pharynx ...	256	22	20	19	30	20	25	21	25	20	17	18	
150	45	Œsophagus	313	22	28	16	28	34	28	25	27	27	25	30	
151	46	Stomach...	1694	138	130	142	146	146	131	146	142	137	164	136	1
152, 153	47	Intestine (except rectum) ...	1202	99	90	108	106	118	76	113	82	98	85	106	1
154	48	Rectum	619	47	46	60	57	54	40	62	41	60	63	40	
161	49	Larynx	84	7	8	7	6	6	7	8	4	10	4	8	
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	2081	162	167	159	155	176	189	181	158	185	201	181	1
170	51	Breast	944	95	62	74	90	88	75	83	73	58	81	82	
171	52	Cervix uteri	232	21	15	23	19	20	22	16	23	20	14	18	
172-174	53	Other and unspecified parts of uterus	190	16	14	13	16	17	14	14	21	17	17	14	
177	54	Prostate	373	25	22	31	34	35	33	25	30	45	25	34	
190-191	55	Skin	110	7	12	13	5	7	7	13	8	15	7	10	

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

nternational lassification: ailed List	Inter-mediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		Malignant neoplasms (140-205) —*continued*													
, 197	56	Bone and connective tissue ...	135	14	8	13	12	8	5	15	12	14	12	9	13
-160, , 165, , 176, -181, -195, , 199	57	All other and unspecified sites...	1983	169	136	160	168	187	168	164	173	164	166	163	165
204	58	Leukæmia and aleukæmia ...	251	18	21	13	20	22	19	26	18	28	27	18	21
)-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	280	15	22	28	22	26	27	25	23	21	22	17	32
)-239	60	Benign neoplasms and neoplasms of unspecified nature	133	15	9	12	9	15	7	12	8	10	12	13	11
), 251	61	Non-toxic goitre	3	1	–	–	–	–	1	–	–	1	–	–	–
252	62	Thyrotoxicosis with or without goitre	34	1	3	4	4	1	5	3	1	5	3	3	1
260	63	Diabetes mellitus	505	52	50	41	40	30	39	33	32	59	46	43	40
)-286	64	Avitaminosis and other deficiency states	24	1	3	3	3	3	–	3	–	–	3	1	4
290	65*a*	Pernicious and other hyperchromic anæmias	120	14	13	10	9	12	8	8	3	13	9	9	12
1-293	65*b*	Other anæmias	94	6	12	7	9	10	8	4	7	4	8	9	10
)-245, 3, 254,)-277, 7-289, 4-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	354	34	23	26	27	34	26	25	32	32	39	26	30
)-309	67	Psychoses	83	7	6	8	9	6	9	5	5	9	8	5	6
)-324, 326	68	Psychoneuroses and disorders of personality	26	4	3	4	3	1	–	2	1	1	2	1	4
325	69	Mental deficiency	23	2	–	1	1	3	3	4	–	–	4	–	5
330	70*a*	Subarachnoid hæmorrhage ...	219	24	19	15	23	25	14	12	20	12	15	22	18
331	70*b*	Cerebral hæmorrhage	3859	347	359	355	333	334	290	288	249	290	329	327	358
332	70*c*	Cerebral embolism and thrombosis	4782	442	400	431	396	432	370	339	328	349	386	426	483
3, 334	70*d*	Other vascular lesions affecting central nervous system ...	706	59	67	57	64	74	40	43	40	60	58	62	82
340	71	Non-meningococcal meningitis ...	59	6	7	5	5	1	6	6	6	3	2	5	7
345	72	Multiple sclerosis	153	21	7	12	11	12	14	9	21	10	13	10	13
353	73	Epilepsy	85	7	6	4	5	10	10	5	5	10	6	10	7
0-379	74	Inflammatory diseases of eye ...	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	2	–	1	–	–	1	–	–	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	–	–	–	–	–	–
1-393	77	Otitis media and mastoiditis ...	15	3	–	3	2	1	1	3	–	1	1	–	–
350	78*a*	Paralysis agitans	159	14	10	8	13	16	9	16	12	19	12	9	21
1-344, 1, 352, 4-369, 0-384, 6, 388-0, 394-398	78*b*	All other diseases of the nervous system and sense organs ...	271	28	22	20	23	13	18	20	25	22	26	23	31
0-402	79	Rheumatic fever	45	4	–	5	6	6	6	3	3	3	1	3	5
		Heart disease (410-443) Total	20565	2115	1784	1778	1717	1658	1443	1476	1443	1557	1847	1752	1995
0-416	80	Chronic rheumatic heart disease	907	88	74	93	58	74	63	65	59	78	105	55	95
420	81*a*	Arteriosclerotic heart disease (including coronary disease) ...	9513	950	804	748	799	754	671	703	706	752	828	845	953
421	81*b*	Chronic endocarditis not specified as rheumatic	353	45	33	42	30	33	25	17	18	25	28	31	30
422.0	81*c*	Fatty degeneration of heart ...	37	4	4	1	5	4	1	1	5	1	2	1	4
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4485	487	408	425	374	362	301	302	308	326	392	392	408
422.2	81*e*	Other myocardial degeneration	3452	364	303	302	286	257	257	248	234	237	339	284	341
0-432	82*a*	Acute non-rheumatic heart disease	113	10	12	9	5	10	5	8	6	14	12	7	15
3-434	82*b*	Other and unspecified diseases of heart	523	50	38	51	53	48	26	42	31	38	48	48	50
0-443	83	Hypertension with heart disease	1182	117	108	107	107	116	94	90	76	86	93	89	99
4-447	84	Hypertension without mention of heart	624	53	59	61	51	51	47	46	48	52	55	54	47
450	85*a*	General arteriosclerosis	1166	107	107	90	106	117	85	84	67	75	115	81	132
1-456	85*b*	Other diseases of arteries ...	205	27	16	26	24	11	8	10	15	10	19	19	20
0-468	86	Other diseases of circulatory system	274	24	29	24	20	24	25	13	22	17	24	21	31
0-475	87	Acute upper respiratory infections	9	2	–	1	–	–	–	1	–	1	2	–	2

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
480-483	88	Influenza	680	10	11	8	7	3	2	2	4	95	402	103	3[illegible]
490	89	Lobar pneumonia	369	36	31	36	31	22	19	20	15	40	54	30	3[illegible]
491	90	Bronchopneumonia	1467	131	121	132	98	77	66	60	66	113	287	141	17[illegible]
492, 493	91	Primary atypical, other and unspecified pneumonia	206	27	18	25	14	16	11	10	8	9	36	15	17
		Bronchitis (500-502) Total	2013	249	235	204	136	130	90	65	78	133	238	184	271
500	92	Acute	237	45	37	25	17	12	1	2	5	17	30	21	2[illegible]
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	1100	131	122	119	64	70	53	40	50	78	111	104	15[illegible]
501*a*, 502*a*	93*b*	Chronic and unqualified—otherwise defined	676	73	76	60	55	48	36	23	23	38	97	59	88
510	94	Hypertrophy of tonsils and adenoids	2	–	–	–	1	–	–	–	–	–	–	–	1
518, 521	95	Empyema and abscess of lung ...	20	4	–	1	4	2	1	2	2	1	–	2	1
519	96	Pleurisy	18	1	1	2	3	–	1	–	5	1	2	2	[illegible]
511-517, 520, 522-527	97	All other respiratory diseases ...	490	46	54	51	44	41	25	30	18	37	50	49	4[illegible]
530-535	98	Diseases of teeth and supporting structures	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
540	99	Ulcer of stomach	238	26	16	24	17	14	14	18	15	20	18	32	2[illegible]
541	100	Ulcer of duodenum	326	31	34	26	27	33	26	24	24	20	22	39	2[illegible]
543	101	Gastritis and duodenitis	10	4	–	–	1	–	1	1	–	–	1	1	[illegible]
550-553	102	Appendicitis	103	6	9	13	13	4	13	15	4	11	8	3	[illegible]
560, 561, 570	103	Intestinal obstruction and hernia	423	49	30	33	34	30	29	35	37	34	29	38	4[illegible]
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	60	8	2	14	4	5	4	5	3	5	3	5	[illegible]
571.1	104*b*	Gastro-enteritis over 2 years ...	38	6	6	2	3	1	3	3	4	3	6	–	1
572	104*c*	Chronic enteritis and ulcerative colitis	161	12	10	14	11	13	13	13	20	14	16	13	1[illegible]
581	105	Cirrhosis of liver	243	16	13	24	23	22	24	19	22	23	22	14	2[illegible]
584, 585	106	Cholelithiasis and cholecystitis ...	193	14	9	25	15	16	16	16	17	19	10	17	1[illegible]
580, 582, 583, 586	107*a*	Other diseases of liver	48	2	3	2	5	5	1	7	6	5	6	4	[illegible]
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	180	14	16	11	14	15	11	16	21	7	16	22	1[illegible]
590	108	Acute nephritis	19	1	1	–	2	1	1	3	1	3	3	2	[illegible]
591-594	109	Chronic, other and unspecified nephritis	492	42	41	44	44	31	53	42	34	39	51	40	3[illegible]
600	110	Infections of kidney	191	10	17	24	11	12	19	10	15	28	15	21	[illegible]
602, 604	111	Calculi of urinary system ...	19	1	3	–	3	–	2	2	4	–	1	1	[illegible]
610	112	Hyperplasia of prostate	389	40	31	28	45	33	24	27	32	32	39	28	3[illegible]
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	32	3	1	1	4	2	1	1	2	3	7	5	[illegible]
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	97	1	7	10	10	15	3	6	12	6	10	10	[illegible]
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	12	–	2	1	1	–	–	–	2	2	2	1	[illegible]
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	11	–	1	–	2	–	1	2	1	–	1	1	[illegible]
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	7	–	–	1	–	–	1	–	1	–	2	1	[illegible]
671, 672	117*b*	Postpartum hæmorrhage ...	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
650	118	Abortion without mention of sepsis or toxæmia	2	–	–	–	–	–	–	–	1	–	1	–	[illegible]
651	119	Abortion with sepsis	4	1	–	–	1	–	–	–	–	1	1	–	[illegible]
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium...	10	2	1	–	–	2	–	–	2	1	2	–	[illegible]
690-698	121	Infections of skin and subcutaneous tissue	19	3	1	2	2	1	2	1	1	3	–	1	[illegible]
720-725	122	Arthritis and spondylitis	207	22	17	19	14	25	14	20	7	9	27	20	1[illegible]

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

rnational sification		Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
ed t	Inter-mediate List "A"														
27	123	Muscular rheumatism and rheumatism unspecified...	5	1	1	1	–	1	–	1	–	–	–	–	–
	124	Osteomyelitis and periostitis ...	9	1	3	–	2	–	1	1	–	–	–	–	1
45-	125	Ankylosis and acquired musculoskeletal deformities	2	–	–	1	1	–	–	–	–	–	–	–	–
16, 36, 44	126	All other diseases of skin and musculoskeletal system ...	82	8	6	8	7	10	6	4	5	7	5	8	8
		Congenital malformations and certain diseases of early infancy (750-776) Total	2246	186	199	172	178	207	172	197	189	171	172	194	209
	127	Spina bifida and meningocele ...	144	15	10	9	8	12	13	11	18	9	13	14	12
	128	Congenital malformations of circulatory system	240	24	23	21	20	20	14	12	20	22	24	20	20
'52, '55-)	129	All other congenital malformations	334	20	30	26	26	31	23	32	26	28	32	27	33
761 !	130	Birth injuries	249	19	18	23	27	24	16	26	18	17	21	20	20
	131	Post-natal asphyxia and atelectasis	513	39	50	33	38	40	43	43	42	45	39	50	51
3	132*a*	Pneumonia of newborn ...	95	13	9	6	6	8	8	11	4	4	8	8	10
t	132*b*	Diarrhœa of newborn	18	5	1	–	1	3	1	3	–	2	–	2	–
68)	132*c*	Other infections of newborn ...	23	1	8	2	–	1	1	–	2	1	5	2	–
	133	Hæmolytic disease of newborn	64	5	3	4	3	10	5	5	8	3	3	3	12
771 2	134	All other defined diseases of early infancy	68	6	4	3	6	4	6	5	7	8	6	4	9
76	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified ...	498	39	43	45	43	54	42	49	44	32	21	44	42
4	136	Senility without mention of psychosis	580	68	41	63	48	45	58	27	36	44	41	46	63
793 5	137	Ill-defined and unknown causes ...	273	27	23	22	27	20	19	18	20	35	20	16	26
		"E" code alternative classification of accidents, poisonings and violence (external causes) *Violence* (800-999) Total	2801	269	187	244	201	239	205	257	232	229	240	243	255
)- 335	138	Motor vehicle accidents ...	563	37	32	32	37	49	40	54	51	56	56	63	56
)- 345	139*a*	Other road transport accidents	22	3	3	2	–	–	2	2	1	1	2	1	5
)- 302)- 366	139*b*	Other transport accidents ...	110	11	5	6	10	8	7	24	10	10	6	9	4
)- 395	140	Accidental poisoning	259	36	22	23	15	16	19	15	14	23	27	20	29
)- 904	141	Accidental falls	655	76	42	53	52	60	48	58	53	49	47	56	61
912	142	Accident caused by machinery	25	2	1	2	–	2	2	1	3	3	5	2	2
916	143	Accident caused by fire and explosion of combustible material	125	21	12	12	2	6	4	1	3	6	7	22	29
7, 918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	12	1	4	1	–	1	1	–	–	1	–	2	1
919	145	Accident caused by firearm ...	8	–	–	–	1	1	–	–	3	1	1	1	–
929	146	Accidental drowning and submersion	207	17	15	23	23	19	19	25	15	19	13	11	8
1- 925	147*a*	Accidental mechanical suffocation, etc.	194	22	9	27	16	23	16	18	8	11	20	12	12
0-. 911, 3- 915, 0, 6- 928, 0- 962	147*b*	All other accidental causes ...	162	7	15	17	10	14	17	14	20	10	10	13	15
3, 0- 979	148	Suicide and self-inflicted injury	420	32	27	40	34	39	23	42	49	35	40	29	30
4, 0- 985	149	Homicide and injury purposely inflicted by other persons (not in war)	29	4	–	4	1	1	5	3	1	–	6	1	3
5, 0- 999	150	Injury resulting from operations of war	10	–	–	2	–	–	2	–	1	4	–	1	–

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
		ALL CAUSES—Both Sexes		**61,143**	**2,802**	**364**	**236**	**193**	**505**	**899**	**1,919**	**5,121**	**10,174**	**15,822**	**23,108**	—
		Males		**31,622**	**1,639**	**223**	**146**	**115**	**315**	**524**	**1,038**	**3,170**	**6,114**	**8,291**	**10,047**	—
		Females		**29,521**	**1,163**	**141**	**90**	**78**	**190**	**375**	**881**	**1,951**	**4,060**	**7,531**	**13,061**	—
		All Tuberculosis (001-019)	Total M.	484	1	4	1	—	6	45	64	109	128	94	32	—
			Total F.	239	2	4	2	2	19	46	70	36	25	21	12	—
001-008	1	Respiratory system	M.	452	—	2	—	—	5	42	61	102	119	90	31	—
			F.	212	2	1	—	1	11	45	69	32	20	20	11	—
010	2	Meninges and central nervous system	M.	8	1	2	1	—	—	2	—	—	2	—	—	—
			F.	7	—	2	2	—	1	—	1	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	4	—	—	—	—	—	—	—	1	1	1	1	—
			F.	7	—	—	—	—	3	—	—	2	1	—	1	—
012, 013	4	Bones and joints	M.	7	—	—	—	—	1	—	—	4	1	1	—	—
			F.	4	—	—	—	—	2	—	—	—	1	1	—	—
014-019	5	All other forms	M.	13	—	—	—	—	—	1	3	2	5	2	—	—
			F.	9	—	1	—	1	2	1	—	1	3	—	—	—
		Syphilis (020-029)	Total M.	72	—	—	—	—	—	—	4	10	28	22	8	—
			Total F.	22	—	—	—	—	—	—	2	3	9	3	5	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	10	—	—	—	—	—	—	1	1	5	3	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	15	—	—	—	—	—	—	—	4	6	5	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
022, 023, 026-029	10	All other syphilis	M.	47	—	—	—	—	—	—	3	5	17	14	8	—
			F.	18	—	—	—	—	—	—	1	2	8	2	5	—
030-035	11	Gonococcal infection	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	3	—	—	—	—	1	—	—	—	1	—	1	—
			F.	5	—	—	—	—	—	—	—	1	1	1	2	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	1	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	1	—	1	1	—	2	—
053	20	Septicæmia and pyæmia	M.	14	8	1	—	—	—	1	—	—	2	—	1	—
			F.	6	1	—	—	—	1	1	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	10	9	1	—	—	—	—	—	—	—	—	—	—
			F.	11	8	1	2	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	14	11	3	—	—	—	—	—	—	—	—	—	—
			F.	7	3	2	2	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	—	1	—	1	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	7	—	—	1	1	3	—	2	—	—	—	—	—
			F.	4	—	—	—	—	1	2	1	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	5	—	2	—	3	—	—	—	—	—	—	—	—
			F.	6	—	2	—	1	1	1	1	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	14	—	—	—	1	—	—	6	3	1	3	—	—
			F.	14	—	—	—	—	—	1	—	5	4	2	2	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	6	3	—	3	—	—	—	—	—	—	—	—	—
			F.	10	—	5	4	—	—	—	1	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	8	—	—	1	—	1	—	1	1	1	3	—	—
			F.	13	1	—	1	—	—	—	2	2	2	2	3	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093. 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	7	—	—	—	—	—	1	1	2	—	2	1	—
			F.	9	—	1	—	—	—	—	1	1	—	1	5	—
		Malignant neoplasms (140-205)	Total M.	5,632	3	25	26	20	31	60	204	789	1,515	1,673	1,286	—
			Total F.	5,115	4	15	8	14	24	75	298	697	1,130	1,452	1,398	—
140-148	44	Buccal cavity and pharynx	M.	175	—	1	—	—	—	1	2	11	24	54	82	—
			F.	81	—	—	—	—	—	1	4	9	22	17	28	—
150	45	Œsophagus	M.	171	—	—	—	—	—	1	3	14	40	59	54	—
			F.	142	—	—	—	—	—	—	1	11	29	45	56	—
151	46	Stomach	M.	874	—	—	—	—	—	7	27	135	234	264	207	—
			F.	820	—	—	—	—	—	5	14	51	169	271	310	—
152, 153	47	Intestine, except rectum	M.	508	—	—	—	1	—	4	19	45	83	167	189	—
			F.	694	—	—	—	—	—	4	24	50	135	211	270	—
154	48	Rectum	M.	352	—	—	—	—	1	4	14	39	65	124	105	—
			F.	267	—	—	—	—	—	1	14	24	52	79	97	—
161	49	Larynx	M.	67	—	—	—	—	—	—	1	5	21	17	23	—
			F.	17	—	—	—	—	—	—	1	2	5	5	4	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	1,777	—	—	—	—	1	11	64	351	700	504	146	—
			F.	304	—	—	—	—	—	5	22	46	68	106	57	—
170	51	Breast	M.	4	—	—	—	—	—	—	—	—	—	3	1	—
			F.	940	—	—	—	—	—	13	82	206	216	230	193	—
171	52	Cervix uteri	F.	232	—	—	—	—	—	6	37	64	61	40	24	—
172-174	53	Other and unspecified parts of uterus	F.	190	—	—	—	—	—	4	14	37	53	47	35	—
177	54	Prostate	M.	373	—	—	—	—	—	—	1	3	40	140	189	—
190, 191	55	Skin	M.	59	—	—	—	—	1	1	2	5	10	21	19	—
			F.	51	—	—	—	—	—	3	5	6	8	11	18	—
196, 197	56	Bone and connective tissue	M.	78	—	1	3	2	4	2	5	12	15	14	20	—
			F.	57	—	1	—	4	1	—	7	10	8	14	12	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M	910	1	15	10	3	8	17	44	119	224	245	224	—
			F.	1,073	2	4	4	5	6	24	51	158	256	312	251	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
204	58	Leukæmia and aleukæmia	M.	142	1	8	8	9	9	4	11	16	28	33	15	—
			F.	109	1	9	2	2	10	3	9	6	18	26	23	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	142	1	—	5	5	7	8	11	34	31	28	12	—
			F.	138	1	1	2	3	7	6	13	17	30	38	20	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	59	1	—	1	2	1	3	2	16	14	14	5	—
			F.	74	2	1	1	3	—	1	6	16	18	13	13	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
252	62	Thyrotoxicosis with or without goitre	M.	6	—	—	—	—	—	—	—	—	4	2	—	—
			F.	28	—	—	—	—	—	2	2	5	12	6	1	—
260	63	Diabetes mellitus	M.	145	1	1	—	—	1	6	4	13	26	49	44	—
			F.	360	—	—	1	—	2	5	9	19	72	141	111	—
280-286	64	Avitaminosis and other deficiency states	M.	14	—	—	—	—	—	—	—	1	3	7	3	—
			F.	10	—	1	—	1	—	—	1	—	1	4	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	40	—	—	—	—	—	—	—	1	2	9	28	—
			F.	80	—	—	—	—	—	—	—	2	10	17	51	—
291-293	65*b*	Other anæmias	M.	32	—	—	1	2	3	—	—	3	2	12	9	—
			F.	62	—	—	1	—	1	1	3	7	5	18	26	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	152	4	3	5	4	5	8	8	30	29	32	24	—
			F.	202	1	4	1	4	4	12	15	28	42	57	34	—
300-309	67	Psychoses	M.	29	—	—	—	—	—	1	2	2	5	6	13	—
			F.	54	—	—	—	—	1	2	—	3	9	11	28	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	11	—	—	1	—	—	1	—	5	2	1	1	—
			F.	15	—	—	—	—	—	—	2	8	2	—	3	—
325	69	Mental deficiency	M.	15	5	2	1	1	1	2	2	—	1	—	—	—
			F.	8	3	1	2	1	—	—	—	1	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	82	—	—	—	2	4	9	12	20	20	12	3	—
			F.	137	—	—	—	2	3	9	18	32	38	23	12	—
331	70*b*	Cerebral hæmorrhage	M.	1,566	—	1	1	2	1	3	23	114	292	536	593	—
			F.	2,293	—	—	1	2	2	5	27	142	399	731	984	—
332	70*c*	Cerebral embolism and thrombosis	M.	2,056	—	—	—	—	—	2	4	56	235	627	1,132	—
			F.	2,726	—	1	—	—	1	3	7	60	220	755	1,679	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	326	—	—	—	—	1	1	2	7	28	92	195	—
			F.	380	—	—	—	—	—	1	1	2	26	89	261	—
340	71	Non-meningococcal meningitis	M.	33	16	3	—	—	1	3	2	2	4	2	—	—
			F.	26	9	3	—	1	—	—	1	4	3	5	—	—
345	72	Multiple sclerosis	M.	60	—	—	—	—	—	3	9	22	20	6	—	—
			F.	93	—	—	—	1	1	9	18	27	20	13	4	—
353	73	Epilepsy	M.	44	1	6	2	4	3	7	8	6	3	4	—	—
			F.	41	—	3	1	—	4	7	6	4	8	6	2	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	10	2	1	—	2	1	—	2	2	—	—	—	—
			F.	5	1	—	—	—	1	—	1	—	—	1	1	—
350	78*a*	Paralysis agitans	M.	70	—	—	—	—	—	—	—	4	8	36	22	—
			F.	89	—	—	—	—	—	—	—	3	12	39	35	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	129	2	12	3	6	5	9	9	18	15	30	20	—
			F.	142	3	9	5	2	5	9	6	9	30	27	37	—
400-402	79	Rheumatic fever	M.	26	—	—	1	1	2	4	9	2	4	2	1	—
			F.	19	—	—	—	1	3	1	2	4	4	3	1	—
		Heart disease (410-443) TOTAL	M.	10,685	1	2	—	1	8	77	252	1,087	2,174	3,064	4,019	—
			F.	9,880	2	—	—	3	23	42	151	409	1,163	2,772	5,315	—
410-416	80	Chronic rheumatic heart disease	M.	303	—	—	—	1	6	36	39	80	64	47	30	—
			F.	604	—	—	—	3	16	26	92	129	142	114	82	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	5,942	—	—	—	—	1	30	179	876	1,648	1,850	1,358	—
			F.	3,571	—	—	—	—	3	3	34	179	644	1,386	1,322	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	168	—	—	—	—	—	4	10	15	56	39	44	—
			F.	189	—	—	—	—	1	3	7	14	37	59	68	—
422.0	81*c*	Fatty degeneration of heart	M.	6	—	—	—	—	—	—	—	1	—	4	1	—
			F.	27	—	—	—	—	—	1	2	1	10	6	7	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	1,911	—	—	—	—	—	1	—	8	89	399	1,414	—
			F.	2,574	—	—	—	—	—	1	3	8	65	445	2,052	—
422.2	81*e*	Other myocardial degeneration	M.	1,546	—	—	—	—	—	2	8	50	164	448	874	—
			F.	1,906	—	—	—	—	—	2	6	31	138	435	1,294	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	64	1	2	—	—	—	2	3	7	11	29	9	—
			F.	49	1	—	—	—	1	3	2	7	5	13	17	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	234	—	—	—	—	1	1	8	24	38	68	94	—
			F.	289	1	—	—	—	2	3	2	16	43	85	137	—
440-443	83	Hypertension with heart disease	M.	511	—	—	—	—	—	1	5	26	104	180	195	—
			F.	671	—	—	—	—	—	—	3	24	79	229	336	—
444-447	84	Hypertension without mention of heart	M.	294	—	—	—	—	—	6	7	24	69	71	117	—
			F.	330	—	—	—	—	—	1	8	30	44	89	158	—
450	85*a*	General arteriosclerosis	M.	544	—	—	—	—	—	—	—	8	22	106	408	—
			F.	622	—	—	—	—	—	—	—	3	10	76	533	—
451-456	85*b*	Other diseases of arteries	M.	107	—	—	—	—	1	5	4	12	22	31	32	—
			F.	98	1	—	—	—	1	2	7	10	12	21	44	—
460-468	86	Other diseases of circulatory system	M.	118	—	—	—	1	—	3	3	16	20	37	38	—
			F.	156	—	—	—	—	—	3	10	11	40	51	41	—
470-475	87	Acute upper respiratory infections	M.	4	1	—	—	1	—	—	—	—	—	—	2	—
			F.	5	—	2	—	—	—	—	—	1	1	—	1	—
480-483	88	Influenza	M.	335	5	9	4	1	11	15	20	35	85	84	66	—
			F.	345	9	2	11	8	15	17	18	35	51	84	95	—
490	89	Lobar pneumonia	M.	207	12	5	1	—	2	—	10	27	37	62	51	—
			F.	162	6	1	—	—	1	—	8	13	16	48	69	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	745	117	21	5	2	7	7	12	28	112	170	264	—
			F.	722	90	20	8	5	5	8	11	28	67	127	353	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	115	15	3	—	1	2	1	4	10	13	31	35	—
			F.	91	14	3	—	—	—	2	2	4	12	16	38	—
		Bronchitis (500-502) TOTAL	M.	1,415	16	3	3	1	—	6	21	141	423	456	345	—
			F.	598	12	1	—	—	—	2	7	32	89	180	275	—
500	92	Acute	M.	102	16	3	2	1	—	—	—	7	12	21	40	—
			F.	135	12	1	—	—	—	1	4	5	8	36	68	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	811	—	—	—	—	—	4	10	95	242	279	181	—
			F.	289	—	—	—	—	—	1	1	18	54	85	130	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	502	—	—	1	—	—	2	11	39	169	156	124	—
			F.	174	—	—	—	—	—	—	2	9	27	59	77	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	1	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	10	2	—	—	—	—	—	—	4	2	1	1	—
			F.	10	—	—	—	—	—	—	1	1	1	3	4	—
519	96	Pleurisy	M.	10	—	—	—	—	1	—	—	—	2	2	5	—
			F.	8	—	—	—	—	—	—	—	—	1	2	5	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	403	3	2	—	—	1	4	12	34	111	150	86	—
			F.	87	—	—	1	1	1	4	3	8	14	23	32	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	157	—	—	—	—	—	2	4	15	45	49	42	—
			F.	81	—	—	—	—	—	1	2	6	12	24	36	—
541	100	Ulcer of duodenum	M.	268	—	—	1	—	—	6	18	32	73	86	52	—
			F.	58	—	—	—	—	2	1	3	4	9	17	22	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	—	1	—	2	—	—
			F.	7	—	—	—	—	—	—	—	—	1	—	6	—
550-553	102	Appendicitis	M.	68	—	2	6	1	4	6	2	11	9	10	17	—
			F.	35	1	—	1	2	1	—	2	6	5	8	9	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	219	14	1	1	1	1	3	3	16	40	64	75	—
			F.	204	9	1	1	1	—	—	3	17	33	44	95	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	35	29	6	—	—	—	—	—	—	—	—	—	—
			F.	25	25	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	21	—	3	—	—	—	1	6	1	3	2	5	—
			F.	17	—	—	—	—	—	—	—	1	4	8	4	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	75	—	—	—	—	2	5	5	14	17	14	18	—
			F.	86	—	1	1	3	5	4	1	7	15	26	23	—
581	105	Cirrhosis of liver	M.	124	—	—	—	—	—	1	16	28	33	33	13	—
			F.	119	—	—	—	—	2	2	4	18	38	36	19	—
584-585	106	Cholelithiasis and cholecystitis	M.	43	—	—	—	—	—	—	1	1	8	20	13	—
			F.	150	—	—	—	—	—	—	—	7	18	54	71	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	18	1	—	—	—	1	1	5	1	5	—	4	—
			F.	30	1	1	1	—	—	1	1	5	7	8	5	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	77	7	2	2	1	—	1	3	8	14	19	20	—
			F.	103	11	2	—	—	—	3	6	13	24	20	24	—
590	108	Acute nephritis	M.	13	3	—	—	2	1	—	1	3	2	1	—	—
			F.	6	1	2	—	—	—	—	—	—	1	—	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	239	1	2	1	3	10	16	21	37	31	61	56	—
			F.	253	—	—	1	4	13	14	16	36	43	63	63	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	82	4	—	—	—	—	2	5	6	12	15	38	—
			F.	109	—	—	—	—	—	4	7	10	30	24	34	—
602, 604	111	Calculi of urinary system	M.	13	—	—	—	—	—	—	—	3	5	3	2	—
			F.	6	—	—	—	—	—	—	1	—	1	2	2	—
610	112	Hyperplasia of prostate	M.	389	—	—	—	—	—	—	—	1	16	91	281	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	16	—	—	—	—	—	—	—	—	2	3	11	—
			F.	16	—	—	—	—	—	—	2	2	—	2	10	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	49	—	—	—	1	—	—	5	2	7	11	23	—
			F.	48	1	1	1	—	1	3	10	6	6	8	11	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	12	—	—	—	—	4	8	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	11	—	—	—	—	3	6	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	7	—	—	—	—	2	2	3	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	1	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	4	—	—	—	—	1	3	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	10	—	—	—	—	1	4	5	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	12	2	—	—	—	—	—	—	1	7	1	1	—
			F.	7	—	—	—	—	—	—	1	—	1	2	3	—
720-725	122	Arthritis and spondylitis	M.	43	—	—	—	—	—	—	2	2	11	11	17	—
			F.	164	—	—	—	—	—	—	2	4	27	65	66	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	5	—	—	—	—	—	—	—	1	—	—	4	—
730	124	Osteomyelitis and periostitis	M.	4	—	—	—	—	—	1	1	—	1	—	1	—
			F.	5	3	—	—	—	—	—	—	—	—	—	2	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	39	3	—	—	2	3	1	2	4	4	9	11	—
			F.	43	1	—	1	2	1	1	—	1	8	14	14	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	1,319	1,219	26	10	8	11	6	7	18	6	8	—	—
			Total F.	927	849	19	6	3	10	7	11	9	4	6	3	—
751	127	Spina bifida and meningocele	M.	71	65	4	—	1	—	—	1	—	—	—	—	—
			F.	73	67	3	2	—	—	—	—	—	1	—	—	—
754	128	Congenital malformations of circulatory system	M.	127	85	9	6	5	9	5	2	2	2	2	—	—
			F.	113	73	8	3	3	5	7	6	6	—	1	1	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	192	140	13	4	2	2	1	4	16	4	6	—	—
			F.	142	110	8	1	—	5	—	5	3	3	5	2	—

760-761	130	Birth injuries	F.	92	92	—	—	—	—	—	—	—	—	—	—	—
			M.	316	316	—	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis	F.	197	197	—	—	—	—	—	—	—	—	—	—	—
			M.	62	62	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	33	33	—	—	—	—	—	—	—	—	—	—	—
			M.	8	8	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	10	10	—	—	—	—	—	—	—	—	—	—	—
			M.	16	16	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	7	7	—	—	—	—	—	—	—	—	—	—	—
			M.	35	35	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	29	29	—	—	—	—	—	—	—	—	—	—	—
			M.	41	41	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	27	27	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	294	294	—	—	—	—	—	—	—	—	—	—	—
			F.	204	204	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	189	—	—	—	—	—	—	—	—	—	13	176	—
			F.	391	—	—	—	—	—	—	—	—	—	13	378	—
780-793, 795	137	Ill-defined and unknown causes	M.	162	28	4	—	1	—	4	6	20	31	30	38	—
			F.	111	18	3	—	—	1	1	2	10	14	20	42	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	1,763	89	67	63	36	177	174	199	279	247	192	240	—
			F.	1038	71	28	24	10	22	35	70	81	133	129	435	—
E810-E835	138	Motor vehicle accidents	M.	436	1	25	29	16	75	56	47	65	39	38	45	—
			F.	127	—	13	12	3	8	2	11	5	25	21	27	—
E840-E845	139*a*	Other road transport accidents	M.	17	—	—	—	—	1	1	—	5	2	3	5	—
			F.	5	—	2	—	—	—	—	—	—	—	3	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	102	—	—	2	1	16	11	16	26	21	6	3	—
			F.	8	—	—	—	—	1	—	1	3	3	—	—	—
E870-E895	140	Accidental poisoning	M.	130	—	2	1	1	4	13	14	20	25	24	26	—
			F.	129	—	—	—	1	4	10	10	14	19	24	47	—
E900-E904	141	Accidental falls	M.	256	—	3	6	4	7	15	14	29	31	40	107	—
			F.	399	—	1	1	—	1	3	6	8	17	36	326	—
E912	142	Accident caused by machinery	M.	25	—	—	—	—	2	4	8	5	3	3	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	73	2	2	2	—	8	7	14	13	7	8	10	—
			F.	52	1	7	6	1	1	—	4	4	11	6	11	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	—	—	—	—	—	—	2	1	—	2	1	—
			F.	6	1	—	—	—	—	—	—	—	—	1	4	—
E919	145	Accident caused by firearm	M.	7	—	1	1	2	2	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	161	—	20	18	10	25	12	12	15	22	15	12	—
			F.	46	—	1	1	4	1	2	5	9	15	5	3	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	120	78	7	—	—	2	2	10	8	7	4	2	—
			F.	74	62	1	3	—	—	—	—	1	5	—	2	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	142	5	6	3	2	13	22	21	34	22	5	9	—
			F.	20	3	2	1	1	—	—	2	3	—	5	3	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	262	—	—	—	—	20	27	39	55	64	37	20	—
			F.	158	—	—	—	—	5	16	31	32	37	26	11	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	16	3	1	1	—	2	4	1	2	1	1	—	—
			F.	13	4	1	—	—	1	1	—	2	1	2	1	—
E965, E990-E999	150	Injuries resulting from operations of war	M.	10	—	—	—	—	—	—	1	—	3	6	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups (Glasgow, Edinburgh, Aberdeen and Dundee)—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		23,579	1,130	147	83	62	183	353	781	2,093	4,266	6,181	8,300	—
		Males		12,110	680	88	53	34	109	205	414	1,293	2,571	3,192	3,471	—
		Females		11,469	450	59	30	28	74	148	367	800	1,695	2,989	4,829	—
		All Tuberculosis (001-019)	Total M.	236	1	2	1	—	3	20	27	56	60	43	23	—
			Total F.	109	1	1	1	—	4	22	36	16	9	10	9	—
001-008	1	Respiratory system	M.	222	—	1	—	—	2	19	26	53	57	42	22	—
			F.	99	1	1	—	—	1	21	36	15	6	9	9	—
010	2	Meninges and central nervous system	M.	4	1	1	1	—	—	1	—	—	—	—	—	—
			F.	2	—	—	1	—	1	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
			F.	3	—	—	—	—	1	—	—	1	1	—	—	—
012, 013	4	Bones and joints	M.	4	—	—	—	—	1	—	—	2	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
014-019	5	All other forms	M.	3	—	—	—	—	—	—	1	—	1	1	—	—
			F.	3	—	—	—	—	1	1	—	—	1	—	—	—
		Syphilis (020-029)	Total M.	41	—	—	—	—	—	—	3	5	14	16	3	—
			Total F.	7	—	—	—	—	—	—	2	2	2	—	1	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	9	—	—	—	—	—	—	—	2	2	5	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	29	—	—	—	—	—	—	3	3	11	9	3	—
			F.	5	—	—	—	—	—	—	1	1	2	—	1	—
030-035	11	Gonococcal infection	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	2	—	—	—	—	1	—	—	—	—	—	1	—
			F	2	—	—	—	—	—	—	—	—	1	—	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(e)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	6	2	1	—	—	—	1	—	1	—	—	1	—
			F.	3	1	—	—	—	—	—	—	—	2	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
			F.	3	1	—	2	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	9	6	3	—	—	—	—	—	—	—	—	—	—
			F.	3	1	2	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	—	—	—	1	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	4	—	1	—	1	—	1	1	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	9	—	—	—	1	—	—	4	2	—	2	—	—
			F.	3	—	—	—	—	—	—	—	2	—	—	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	5	—	3	2	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	1	—	—	—	—	—	—	1	—	—
			F.	6	—	—	—	—	—	—	2	1	1	2	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	3	—	—	—	—	—	1	1	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
		Malignant neoplasms (140-205)	TOTAL M.	2,434	2	11	7	4	17	23	84	358	705	716	507	—
			TOTAL F.	2,103	2	9	4	8	8	30	118	290	477	596	561	—
140-148	44	Buccal cavity and pharynx ...	M.	72	—	—	—	—	—	—	2	4	6	30	30	—
			F.	24	—	—	—	—	—	—	1	3	7	5	8	—
150	45	Œsophagus ...	M.	76	—	—	—	—	—	—	2	6	19	24	25	—
			F.	45	—	—	—	—	—	—	—	2	10	15	18	—
151	46	Stomach ...	M.	355	—	—	—	—	—	2	14	71	99	96	73	—
			F.	358	—	—	—	—	—	4	7	25	78	120	124	—
152, 153	47	Intestine, except rectum ...	M.	202	—	—	—	—	—	3	7	22	34	62	74	—
			F.	255	—	—	—	—	—	1	8	20	47	83	96	—
154	48	Rectum ...	M.	139	—	—	—	—	1	2	6	13	22	46	49	—
			F.	112	—	—	—	—	—	—	3	9	26	28	46	—
161	49	Larynx ...	M.	37	—	—	—	—	—	—	—	3	10	10	14	—
			F.	7	—	—	—	—	—	—	1	2	2	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	887	—	—	—	—	1	7	30	180	349	251	69	—
			F.	179	—	—	—	—	—	4	13	23	39	63	37	—
170	51	Breast ...	M.	3	—	—	—	—	—	—	—	—	—	2	1	—
			F.	374	—	—	—	—	—	7	29	84	93	84	77	—
171	52	Cervix uteri ...	F.	94	—	—	—	—	—	—	14	29	24	16	11	—
172-174	53	Other and unspecified parts of uterus ...	F.	60	—	—	—	—	—	1	5	11	19	15	9	—
177	54	Prostate ...	M.	120	—	—	—	—	—	—	—	1	17	51	51	—
190, 191	55	Skin ...	M.	21	—	—	—	—	—	1	—	1	2	9	8	—
			F.	19	—	—	—	—	—	2	2	1	4	5	5	—
196, 197	56	Bone and connective tissue ...	M.	34	—	1	1	1	3	1	1	2	10	8	6	—
			F.	24	—	1	—	4	—	—	5	4	3	4	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	385	1	6	5	—	3	5	16	38	114	104	93	—
			F.	447	1	3	3	1	3	9	23	68	107	123	106	—
204	58	Leukæmia and aleukæmia ...	M.	55	—	4	1	2	5	1	3	7	11	13	8	—
			F.	50	1	4	—	1	4	—	4	3	7	15	11	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	48	1	—	—	1	4	1	3	10	12	10	6	—
			F.	55	—	1	1	2	1	2	3	6	11	19	9	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	31	1	—	1	2	—	3	1	6	5	8	4	—
			F.	31	—	1	1	1	—	—	3	7	7	5	6	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	9	—	—	—	—	—	1	1	2	3	2	—	—
260	63	Diabetes mellitus	M.	53	1	—	—	—	—	1	3	4	9	21	14	—
			F.	136	—	—	—	—	—	2	2	7	29	56	40	—
280-286	64	Avitaminosis and other deficiency states	M.	8	—	—	—	—	—	—	—	1	2	3	2	—
			F.	7	—	1	—	1	—	—	—	—	—	3	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	12	—	—	—	—	—	—	—	—	—	5	7	—
			F.	25	—	—	—	—	—	—	—	—	1	6	18	—
291-293	65*b*	Other anæmias	M.	12	—	—	1	—	2	—	—	2	1	3	3	—
			F.	25	—	—	1	—	—	1	—	3	2	9	9	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	52	1	—	1	2	2	2	4	14	12	8	6	—
			F.	74	—	—	—	—	1	6	5	11	12	21	18	—
300-309	67	Psychoses	M.	16	—	—	—	—	—	1	1	1	4	5	4	—
			F.	28	—	—	—	—	—	—	—	1	3	6	18	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	7	—	—	—	—	—	—	—	5	—	1	1	—
			F.	8	—	—	—	—	—	—	2	3	2	—	1	—
325	69	Mental deficiency	M.	5	1	1	—	—	1	1	1	—	—	—	—	—
			F.	5	2	1	—	1	—	—	—	1	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	23	—	—	—	2	2	1	3	6	6	2	1	—
			F.	62	—	—	—	1	1	6	7	13	18	11	5	—
331	70*b*	Cerebral hæmorrhage	M.	507	—	—	—	2	1	1	10	35	106	161	191	—
			F.	823	—	—	1	1	—	2	9	51	148	260	351	—
332	70*c*	Cerebral embolism and thrombosis	M.	712	—	—	—	—	—	1	2	21	83	223	382	—
			F.	1050	—	—	—	—	1	2	3	24	94	270	656	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	150	—	—	—	—	—	1	1	3	9	44	92	—
			F.	187	—	—	—	—	—	—	—	1	13	45	128	—
340	71	Non-meningococcal meningitis	M.	13	7	1	—	—	—	—	1	—	3	1	—	—
			F.	9	4	1	—	—	—	—	1	2	—	1	—	—
345	72	Multiple sclerosis	M.	17	—	—	—	—	—	2	3	5	5	2	—	—
			F.	35	—	—	—	1	—	3	9	9	8	4	1	—
353	73	Epilepsy	M.	15	—	3	—	2	—	1	3	2	2	2	—	—
			F.	19	—	1	—	—	1	3	3	2	3	5	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	—	1	—	—	—	—	—	2	—	—	—	—
			F.	3	1	—	—	—	1	—	1	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	24	—	—	—	—	—	—	—	—	2	14	8	—
			F.	34	—	—	—	—	—	—	—	1	6	15	12	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	46	1	8	1	2	1	1	3	5	6	10	8	—
			F.	65	—	2	3	1	3	3	4	3	16	13	17	—
400-402	79	Rheumatic fever	M.	10	—	—	—	1	—	2	3	1	2	1	—	—
			F.	9	—	—	—	—	1	—	2	2	1	2	1	—
		Heart disease (410-443)	Total M.	3,834	1	—	—	—	2	37	104	435	875	1,089	1,291	—
			Total F.	3,702	—	—	—	—	12	17	64	179	479	1,105	1,846	—
410-416	80	Chronic rheumatic heart disease	M.	132	—	—	—	—	2	17	15	38	29	18	13	—
			F.	287	—	—	—	—	9	13	40	74	74	49	28	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	2,192	—	—	—	—	—	16	70	338	654	651	463	—
			F.	1,456	—	—	—	—	1	—	15	68	264	589	519	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	63	—	—	—	—	—	2	6	7	23	12	13	—
			F.	83	—	—	—	—	—	—	3	8	17	25	30	—
422.0	81*c*	Fatty degeneration of heart	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	7	—	—	—	—	—	—	—	—	4	1	2	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	631	—	—	—	—	—	—	—	3	30	147	451	—
			F.	851	—	—	—	—	—	—	1	2	25	150	673	—
422.2	81*e*	Other myocardial degeneration	M.	505	—	—	—	—	—	1	5	27	74	157	241	—
			F.	633	—	—	—	—	—	2	3	13	56	151	408	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	17	1	—	—	—	—	—	2	2	1	10	1	—
			F.	15	—	—	—	—	1	1	1	3	1	4	4	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	91	—	—	—	—	—	—	4	11	20	31	25	—
			F.	100	—	—	—	—	1	1	1	5	15	36	41	—
440-443	83	Hypertension with heart disease	M.	203	—	—	—	—	—	1	2	9	44	63	84	—
			F.	270	—	—	—	—	—	—	—	6	23	100	141	—
444-447	84	Hypertension without mention of heart disease	M.	108	—	—	—	—	—	5	2	9	25	35	32	—
			F.	119	—	—	—	—	—	1	4	8	18	39	49	—
450	85*a*	General arteriosclerosis	M.	174	—	—	—	—	—	—	—	4	6	37	127	—
			F.	204	—	—	—	—	—	—	—	1	4	15	184	—
451-456	85*b*	Other diseases of arteries	M.	56	—	—	—	—	1	3	2	6	13	15	16	—
			F.	41	—	—	—	—	—	—	3	5	7	9	17	—
460-468	86	Other diseases of circulatory system	M.	39	—	—	—	—	—	1	—	8	9	10	11	—
			F.	66	—	—	—	—	—	—	3	4	13	25	21	—
470-475	87	Acute upper respiratory infections	M.	2	1	—	—	—	—	—	—	—	—	—	1	—
			F.	4	—	1	—	—	—	—	—	1	1	—	1	—
480-483	88	Influenza	M.	135	1	3	2	—	7	6	9	13	42	35	17	—
			F.	160	3	—	2	4	6	7	9	14	31	39	45	—
490	89	Lobar pneumonia	M.	100	2	3	—	—	1	—	5	13	21	32	23	—
			F.	82	4	—	—	—	—	—	2	7	10	22	37	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)															
491	90	Bronchopneumonia	M.	400	59	10	2	—	4	5	7	12	31	53	177	—
			F.	316	27	8	—	1	1	1	5	12	31	53	177	—
492, 493	91	Primary atypical, and other unspecified pneumonia	M.	51	5	—	—	—	—	1	2	7	5	17	14	—
			F.	40	6	2	—	—	—	1	1	1	5	8	16	—
		Bronchitis (500-502) TOTAL	M.	694	7	1	3	—	—	4	8	67	217	230	157	—
			F.	288	8	1	—	—	—	1	3	22	53	90	110	—
500	92	Acute	M.	43	7	1	2	—	—	—	—	3	4	9	17	—
			F.	52	8	1	—	—	—	1	2	3	7	10	20	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	400	—	—	—	—	—	2	6	47	131	137	77	—
			F.	141	—	—	—	—	—	—	—	12	27	50	52	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	251	—	—	1	—	—	2	2	17	82	84	63	—
			F.	95	—	—	—	—	—	—	1	7	19	30	38	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	6	2	—	—	—	—	—	—	2	1	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
519	96	Pleurisy	M.	3	—	—	—	—	—	—	—	—	—	1	2	—
			F.	4	—	—	—	—	—	—	—	—	1	2	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	81	1	—	—	—	—	2	5	12	20	22	19	—
			F.	32	—	—	1	—	—	2	—	4	6	6	13	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	63	—	—	—	—	—	2	2	7	20	20	12	—
			F.	31	—	—	—	—	—	—	—	3	5	6	17	—
541	100	Ulcer of duodenum	M.	97	—	—	—	—	—	3	6	14	27	27	20	—
			F.	26	—	—	—	—	1	1	2	3	4	6	9	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	—	1	—	2	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	26	—	2	3	1	1	2	1	2	2	6	6	—
			F.	12	—	—	—	1	—	—	2	1	2	3	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	71	6	—	—	—	—	1	—	4	12	24	24	—
			F.	83	3	—	—	—	—	—	1	7	12	17	43	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	10	8	2	—	—	—	—	—	—	—	—	—	—
			F.	12	12	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	8	—	2	—	—	—	—	2	—	3	—	1	—
			F.	6	—	—	—	—	—	—	—	—	2	1	3	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	34	—	—	—	—	1	3	2	7	8	5	8	—
			F.	38	—	1	—	—	2	2	—	3	6	10	14	—
581	105	Cirrhosis of liver	M.	51	—	—	—	—	—	1	7	13	13	10	7	—
			F.	52	—	—	—	—	2	—	2	4	13	18	13	—
584,585	106	Cholelithiasis and cholecystitis	M.	14	—	—	—	—	—	—	—	—	4	7	3	—
			F.	62	—	—	—	—	—	—	—	4	7	24	27	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	9	—	—	—	—	1	—	4	1	2	—	1	—
			F.	8	—	—	—	—	—	—	1	1	1	3	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	21	4	1	1	—	—	—	2	2	3	6	2	—
			F.	43	7	1	—	—	—	1	2	3	7	10	12	—
590	108	Acute nephritis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	4	1	2	—	—	—	—	—	—	—	—	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	69	—	1	—	—	4	3	10	7	7	21	16	—
			F.	86	—	—	1	1	8	4	6	10	17	20	19	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	40	3	—	—	—	—	1	2	5	5	8	16	—
			F.	54	—	—	—	—	—	2	4	4	16	15	13	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	—	1	3	—	1	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
610	112	Hyperplasia of prostate	M.	142	—	—	—	—	—	—	—	1	7	32	102	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 608	114*a*	Diseases of bladder	M.	5	—	—	—	—	—	—	—	—	1	2	2	—
			F.	5	—	—	—	—	—	—	—	—	—	1	4	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	14	—	—	—	—	—	—	1	1	5	4	3	—
			F.	13	1	—	—	—	—	1	4	2	—	3	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	3	2	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	2	—	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	1	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	1	1	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	4	—	—	—	—	1	1	2	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	6	1	—	—	—	—	—	—	1	3	—	1	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
720-725	122	Arthritis and spondylitis	M.	12	—	—	—	—	—	—	—	1	5	2	4	—
			F.	58	—	—	—	—	—	—	2	2	12	28	14	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	10	2	—	—	—	1	—	1	—	1	3	2	—
			F.	18	—	—	1	—	—	—	—	1	5	5	6	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	526	494	8	3	2	3	3	2	6	2	3	—	—
			F.	357	326	7	3	1	6	4	5	1	1	2	1	—
751	127	Spina bifida and meningocele	M.	22	19	2	—	1	—	—	—	—	—	—	—	—
			F.	21	19	—	2	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	45	35	3	1	1	1	3	—	—	—	1	—	—
			F.	50	32	5	1	1	4	4	2	1	—	—	—	—

763	132a	Pneumonia of newborn	M.	27	27	—	—	—	—	—	—	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—	—
764	132b	Diarrhœa of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
765-768	132c	Other infections of newborn	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	13	13	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	125	125	—	—	—	—	—	—	—	—	—	—	—
			F.	68	68	—	—	—	—	—	—	—	—	—	30	—
794	136	Senility without mention of psychosis	M.	30	—	—	—	—	—	—	—	—	—	4	59	—
			F.	63	—	—	—	—	—	—	—	—	—	—	4	—
780-793, 795	137	Ill-defined and unknown causes	M.	46	16	1	—	1	—	2	2	8	6	6	8	—
			F.	27	9	2	—	—	—	—	—	—	4	4		—
		"E" code.—Alternative classification of accidents, poisonings and violence (external causes)														
		Violence (E800-E999) TOTAL	M.	643	39	23	25	11	52	59	66	88	94	95	91	—
			F.	430	29	11	7	4	6	15	27	38	63	51	179	—
E810-E835	138	Motor vehicle accidents	M.	145	—	9	13	7	22	18	15	23	11	17	10	—
			F.	49	—	6	3	1	2	—	3	4	11	4	15	—
E840-E845	139a	Other road transport accidents	M.	8	—	—	—	—	—	—	—	2	1	1	4	—
			F.	3	—	—	—	—	—	—	—	—	—	3	—	—
E800-E802, E850-E866	139b	Other transport accidents	M.	25	—	—	—	—	5	—	2	6	9	3	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
E870-E895	140	Accidental poisoning	M.	58	—	—	—	—	3	7	6	6	13	12	11	—
			F.	65	—	—	—	—	1	4	4	10	9	11	26	—
E900-E904	141	Accidental falls	M.	109	—	1	4	3	2	7	7	9	13	18	45	—
			F.	154	—	—	1	—	—	—	3	5	9	14	122	—
E912	142	Accident caused by machinery	M.	5	—	—	—	—	—	—	3	1	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	23	1	2	1	—	2	1	2	5	3	3	3	—
			F.	23	1	3	2	1	—	—	2	2	5	2	5	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	3	—	—	—	—	—	—	1	—	—	1	1	—
			F.	3	—	—	—	—	—	—	—	—	—	—	3	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	38	—	7	5	1	1	3	5	2	5	7	2	—
			F.	15	—	—	—	2	1	1	—	3	6	1	1	—
E921-E925	147a	Accidental mechanical suffocation, etc.	M.	52	36	2	—	—	—	1	4	3	4	1	1	—
			F.	30	24	1	1	—	—	—	—	—	4	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147b	All other accidental causes	M.	28	2	1	2	—	2	4	3	6	5	1	2	—
			F.	8	1	—	—	—	—	—	1	1	—	3	2	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	135	—	—	—	—	14	15	17	24	28	25	12	—
			F.	70	—	—	—	—	1	9	13	12	18	12	5	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	8	—	1	—	—	1	3	1	1	—	1	—	—
			F.	8	3	1	—	—	1	1	—	1	—	1	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	6	—	—	—	—	—	—	—	—	2	4	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		9,707	529	56	45	33	77	150	335	808	1,648	2,565	3,461	—
		Males		5,092	294	31	25	19	46	91	186	506	1,020	1,368	1,506	—
		Females		4,615	235	25	20	14	31	59	149	302	628	1,197	1,955	—
		All Tuberculosis (001-019)	Total M.	83	—	1	—	—	3	14	17	13	21	11	3	—
			Total F.	47	—	—	—	1	6	8	17	7	4	4	—	—
001-008	1	Respiratory system	M.	80	—	—	—	—	3	13	17	13	20	11	3	—
			F.	45	—	—	—	1	5	8	17	7	3	4	—	—
010	2	Meninges and central nervous system	M.	2	—	1	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
014-019	5	All other forms	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
		Syphilis (020-029)	Total M.	8	—	—	—	—	—	—	—	2	3	2	1	—
			Total F.	6	—	—	—	—	—	—	—	—	3	—	3	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	4	—	—	—	—	—	—	—	—	2	1	1	—
			F.	6	—	—	—	—	—	—	—	—	3	—	3	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	—	—	—	—	—	—	—	—	—	—	—	1	—
			F.	2	—	—	—	—	—	1	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	2	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	3	—	—	—	—	—	—	2	—	—	1	—	—
			F.	3	—	—	—	—	—	—	—	1	2	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	—	—	1	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	2	—	1	—	—	—	—	1	—	—	—	—	—
		Malignant neoplasms (140-205) TOTAL	M.	896	—	5	7	7	4	12	36	127	234	261	203	—
			F.	737	1	2	2	2	3	12	45	92	156	223	199	—
140-148	44	Buccal cavity and pharynx	M.	27	—	—	—	—	—	—	—	2	2	7	16	—
			F.	10	—	—	—	—	—	1	—	2	2	3	2	—
150	45	Œsophagus	M.	22	—	—	—	—	—	1	—	3	3	7	8	—
			F.	22	—	—	—	—	—	—	—	1	5	6	10	—
151	46	Stomach	M.	134	—	—	—	—	—	2	2	20	33	45	32	—
			F.	111	—	—	—	—	—	—	1	4	16	45	45	—
152, 153	47	Intestines, except rectum	M.	85	—	—	—	—	—	1	6	6	16	27	29	—
			F.	112	—	—	—	—	—	1	6	8	22	28	47	—
154	48	Rectum	M.	61	—	—	—	—	—	—	2	8	18	19	14	—
			F.	31	—	—	—	—	—	—	5	1	4	14	7	—
161	49	Larynx	M.	6	—	—	—	—	—	—	—	—	1	2	3	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary...	M.	292	—	—	—	—	—	1	11	54	113	86	27	—
			F.	41	—	—	—	—	—	—	3	8	10	14	6	—
170	51	Breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	142	—	—	—	—	—	3	14	27	32	42	24	—
171	52	Cervix uteri	F.	38	—	—	—	—	—	4	6	7	9	8	4	—
172-174	53	Other and unspecified parts of uterus	F.	34	—	—	—	—	—	1	1	7	13	9	3	—
177	54	Prostate	M.	60	—	—	—	—	—	—	—	1	7	18	34	—
190, 191	55	Skin	M.	15	—	—	—	—	1	—	2	2	4	4	2	—
			F.	6	—	—	—	—	—	—	1	—	1	2	2	—
196, 197	56	Bone and connective tissue	M.	10	—	—	—	—	1	—	1	1	2	3	2	—
			F.	7	—	—	—	—	—	—	—	4	1	1	1	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	143	—	4	1	1	—	5	9	23	30	37	33	—
			F.	153	—	1	—	2	1	1	6	20	36	46	40	—
204	58	Leukæmia and aleukæmia	M.	28	—	1	4	4	2	1	2	3	3	6	2	—
			F.	12	—	1	2	—	—	—	1	1	2	3	2	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	13	—	—	2	2	—	1	1	4	2	—	1	—
			F.	16	1	—	—	—	2	1	1	2	2	2	5	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	10	—	—	—	—	1	—	—	5	2	2	—	—
			F.	11	—	—	—	—	—	—	2	2	4	1	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	4	—	—	—	—	—	1	—	1	1	1	—	—
260	63	Diabetes mellitus	M.	27	—	1	—	—	—	1	—	2	3	8	12	—
			F.	54	—	—	1	—	—	1	2	—	11	25	14	—
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	1	—	1	1	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	5	—	—	—	—	—	—	—	1	1	1	2	—
			F.	17	—	—	—	—	—	—	—	1	4	5	7	—
291-293	65*b*	Other anæmias	M.	4	—	—	—	2	1	—	—	—	1	—	—	—
			F.	9	—	—	—	—	1	—	1	1	1	1	4	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	25	1	—	1	1	2	1	2	3	3	8	3	—
			F.	31	1	2	1	—	—	2	2	5	9	4	5	—
300-309	67	Psychoses	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	3	—	—	—	—	—	—	—	—	1	—	2	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	2	—	—	—	—	—	—	—	2	—	—	—	—
325	69	Mental deficiency	M.	2	1	—	—	—	—	—	1	—	—	—	—	—
			F.	2	1	—	1	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	23	—	—	—	—	—	3	1	7	7	5	—	—
			F.	19	—	—	—	—	—	—	2	4	7	3	3	—
331	70*b*	Cerebral hæmorrhage	M.	255	—	—	—	—	—	—	5	10	52	90	98	—
			F.	371	—	—	—	—	—	1	4	31	68	123	144	—
332	70*c*	Cerebral embolism and thrombosis	M.	336	—	—	—	—	—	—	1	9	47	107	172	—
			F.	391	—	1	—	—	—	—	1	9	29	115	236	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	43	—	—	—	—	—	—	—	2	3	12	26	—
			F.	59	—	—	—	—	—	—	1	—	4	14	40	—
340	71	Non-meningococcal meningitis	M.	3	1	—	—	—	1	—	1	—	—	—	—	—
			F.	5	2	—	—	—	—	—	—	1	—	2	—	—
345	72	Multiple sclerosis	M.	10	—	—	—	—	—	1	1	3	3	2	—	—
			F.	15	—	—	—	—	—	3	4	5	1	2	—	—
353	73	Epilepsy	M.	4	—	1	—	—	—	1	—	—	1	1	—	—
			F.	5	—	—	—	—	1	1	—	1	2	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	—	—	—	1	—	—	2	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	9	—	—	—	—	—	—	—	—	2	5	2	—
			F.	10	—	—	—	—	—	—	—	—	—	5	5	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	22	—	2	1	1	1	2	—	4	3	4	4	—
			F.	12	1	—	—	—	1	2	—	3	1	3	1	—
400-402	79	Rheumatic fever	M.	6	—	—	—	—	—	1	3	—	1	—	1	—
			F.	3	—	—	—	—	1	—	—	1	1	—	—	—
		Heart disease (410-443) TOTAL	M.	1,777	—	—	—	1	4	14	47	180	364	538	629	—
			F.	1,629	1	—	—	1	4	2	34	76	193	466	852	—
410-416	80	Chronic rheumatic heart disease	M.	60	—	—	—	1	3	8	6	19	9	9	5	—
			F.	105	—	—	—	1	3	2	22	22	27	18	10	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	954	—	—	—	—	—	4	36	146	280	319	169	—
			F.	533	—	—	—	—	1	—	7	32	94	202	197	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	20	—	—	—	—	—	—	1	2	7	7	3	—
			F.	17	—	—	—	—	—	—	1	1	7	5	3	—
422.0	81*c*	Fatty degeneration of heart	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	7	—	—	—	—	—	—	2	—	2	2	1	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	343	—	—	—	—	—	—	—	1	20	82	240	—
			F.	442	—	—	—	—	—	—	—	1	14	97	330	—
422.2	81*e*	Other myocardial degeneration	M.	273	—	—	—	—	—	—	1	2	24	68	178	—
			F.	359	—	—	—	—	—	—	2	8	20	90	239	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	14	—	—	—	—	—	1	1	2	5	2	3	—
			F.	8	—	—	—	—	—	—	—	2	—	5	1	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	36	—	—	—	—	1	1	2	4	5	14	9	—
			F.	40	1	—	—	—	—	—	—	3	7	12	17	—
440-443	83	Hypertension with heart disease	M.	77	—	—	—	—	—	—	—	4	14	37	22	—
			F.	118	—	—	—	—	—	—	—	7	22	35	54	—
444-447	84	Hypertension without mention of heart	M.	44	—	—	—	—	—	1	1	5	13	8	16	—
			F.	52	—	—	—	—	—	—	2	7	6	13	24	—
450	85*a*	General arteriosclerosis	M.	80	—	—	—	—	—	—	—	—	4	16	60	—
			F.	84	—	—	—	—	—	—	—	—	—	14	70	—
451-456	85*b*	Other diseases of arteries	M.	16	—	—	—	—	—	—	2	2	3	4	5	—
			F.	13	—	—	—	—	—	1	1	1	1	4	5	—
460-468	86	Other diseases of circulatory system	M.	22	—	—	—	—	—	1	1	2	4	7	7	—
			F.	21	—	—	—	—	—	—	1	2	7	4	7	—
470-475	87	Acute upper respiratory infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	53	—	2	—	—	1	3	3	5	15	17	7	—
			F.	42	3	1	2	—	3	2	2	5	7	9	8	—
490	89	Lobar pneumonia	M.	29	3	—	—	—	—	—	1	6	6	7	6	—
			F.	16	—	—	—	—	—	—	1	1	1	6	7	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
491	90	Bronchopneumonia	M.	103	23	3	—	1	1	1	1	3	16	29	25
			F.	130	26	4	2	—	1	4	2	5	14	21	51
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	16	5	—	—	—	—	—	2	1	1	4	3
			F.	12	—	—	—	—	—	1	—	1	2	1	7
		Bronchitis (500-502) TOTAL	M.	226	2	1	—	—	—	1	6	22	72	73	49
			F.	74	1	—	—	—	—	—	1	2	12	23	35
500	92	Acute	M.	15	2	1	—	—	—	—	—	1	2	4	5
			F.	19	1	—	—	—	—	—	—	—	—	6	12
501*b*,502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	137	—	—	—	—	—	1	2	17	42	47	28
			F.	41	—	—	—	—	—	—	—	2	9	10	20
501*a*,502*a*	93*b*	Chronic and unqualified otherwise defined	M.	74	—	—	—	—	—	—	4	4	28	22	16
			F.	14	—	—	—	—	—	—	1	—	3	7	3
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1
511-517, 520, 522-527	97	All other respiratory diseases	M.	65	—	—	—	—	1	1	2	6	16	25	14
			F.	13	—	—	—	—	—	—	1	—	2	4	6
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	20	—	—	—	—	—	—	—	2	5	9	4
			F.	16	—	—	—	—	—	1	1	2	2	7	3
541	100	Ulcer of duodenum	M.	38	—	—	—	—	—	—	1	5	14	12	6
			F.	7	—	—	—	—	—	—	—	—	3	1	3
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Appendicitis	M.	8	—	—	1	—	—	1	—	2	2	1	1
			F.	5	1	—	1	1	—	—	—	2	—	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	36	2	—	—	1	—	—	—	2	7	9	15
			F.	32	2	—	—	—	—	—	—	3	7	6	14
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	9	9	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	5	—	—	—	—	—	1	2	—	—	1	1
			F.	4	—	—	—	—	—	—	—	—	—	4	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	12	—	—	—	—	—	—	—	3	2	4	3
			F.	13	—	—	1	2	—	—	—	—	5	3	2
581	105	Cirrhosis of liver	M.	19	—	—	—	—	—	—	—	3	7	8	1
			F.	16	—	—	—	—	—	1	1	3	7	4	—
584-585	106	Cholelithiasis and cholecystitis	M.	3	—	—	—	—	—	—	—	—	—	2	1
			F.	24	—	—	—	—	—	—	—	1	2	10	11
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	1	—	—	—	—	—	1	—	—	—	—
			F.	8	1	1	—	—	—	1	—	—	1	3	1
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	15	1	1	—	—	—	—	1	—	3	3	6
			F.	15	1	—	—	—	—	—	1	1	6	2	4
590	108	Acute nephritis	M.	2	—	—	—	—	—	—	—	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	39	1	—	1	—	1	4	4	11	4	7	6
			F.	45	—	—	—	3	3	2	1	5	6	14	11

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: −1	1−	5−	10−	15−	25−	35−	45−	55−	65−	75 and over	Not stated
600	110	Infections of kidney	M.	9	1	—	—	—	—	1	—	—	3	2	2	—
			F.	16	—	—	—	—	—	1	3	2	4	3	3	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	1	1	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	43	—	—	—	—	—	—	—	—	2	10	31	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	11	—	—	—	1	—	—	—	1	1	3	5	—
			F.	11	—	—	—	—	1	1	—	1	2	2	4	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	4	—	—	—	—	1	3	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	2	1	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	8	—	—	—	—	—	—	—	—	4	2	2	—
			F.	23	—	—	—	—	—	—	—	—	6	5	12	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	7	—	—	—	1	1	—	1	—	1	1	2	—
			F.	8	1	—	—	2	—	—	—	—	—	2	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	229	209	3	4	—	2	2	2	3	1	3	—	—
			TOTAL F.	173	167	2	—	—	—	—	—	2	1	—	1	—
751	127	Spina bifida and meningocele	M.	17	17	—	—	—	—	—	—	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	28	16	3	4	—	2	1	1	—	—	1	—	—
			F.	14	12	—	—	—	—	—	—	1	—	—	1	—

750, 752, 753.

762	131	Post-natal asphyxia ...	M.	12	12	—	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	7	7	—	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	52	52	—	—	—	—	—	—	—	—	—	—	—
			F.	41	41	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	30	—	—	—	—	—	—	—	—	—	4	26	—
			F.	77	—	—	—	—	—	—	—	—	—	3	74	—
794	136	Senility without mention of psychosis	M.	28	4	1	—	—	—	1	2	3	4	6	7	—
			F.	22	5	1	—	—	—	1	1	1	2	4	7	—
780-793, 795	137	Ill-defined and unknown causes														
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	286	23	10	10	1	21	23	33	48	55	29	33	—
			F.	163	10	7	7	2	5	5	11	10	19	25	62	—
E810-E835	138	Motor vehicle accidents	M.	74	—	4	7	—	12	6	5	12	11	8	9	—
			F.	27	—	2	5	1	2	1	1	1	5	6	3	—
E840-E845	139*a*	Other road transport accidents	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	20	—	—	—	—	2	2	1	7	7	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
E870-E895	140	Accidental poisoning	M.	26	—	—	—	—	1	2	2	3	7	4	7	—
			F.	24	—	—	—	—	1	3	2	1	4	5	8	—
E900-E904	141	Accidental falls	M.	39	—	1	1	—	—	4	2	9	5	5	12	—
			F.	56	—	1	—	—	—	—	1	1	1	9	43	—
E912	142	Accident caused by machinery	M.	7	—	—	—	—	—	1	2	1	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	3	—	—	—	—	2	—	—	—	—	1	—	—
			F.	12	—	1	2	—	—	—	1	2	2	—	4	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	30	—	4	2	1	2	4	3	4	6	1	3	—
			F.	5	—	—	—	1	—	—	1	—	1	2	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	26	18	—	—	—	—	1	2	—	3	1	1	—
			F.	11	10	—	—	—	—	—	—	—	—	—	1	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	21	3	1	—	—	2	—	7	3	3	1	1	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	34	—	—	—	—	—	3	9	8	11	3	—	—
			F.	24	—	—	—	—	2	1	5	4	6	3	3	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
		ALL CAUSES—Both Sexes		10,882	406	61	36	36	67	128	280	830	1,620	2,820	4,598	—
		Males		5,322	225	35	24	21	33	67	145	505	933	1,477	1,857	—
		Females		5,560	181	26	12	15	34	61	135	325	687	1,343	2,741	—
		All Tuberculosis (001-019)	Total M.	55	—	—	—	—	—	—	3	15	14	20	3	—
			Total F.	31	—	1	—	1	4	6	7	5	3	3	1	—
001-008	1	Respiratory system	M.	50	—	—	—	—	—	—	3	13	13	18	3	—
			F.	23	—	—	—	—	1	6	6	3	3	3	1	—
010	2	Meninges and central nervous system	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	2	—	1	—	—	—	—	1	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	1	—	—	1	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
014-019	5	All other forms	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	3	—	—	—	1	1	—	—	1	—	—	—	—
		Syphilis (020-029)	Total M.	7	—	—	—	—	—	—	1	—	4	1	1	—
			Total F.	4	—	—	—	—	—	—	—	—	1	2	1	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	3	—	—	—	—	—	—	—	—	1	1	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	3	2	1	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	2	1	1	—
			F.	4	—	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	—	—	2	—	—	—	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	3	1	—	—	—	—	—	—	—	—	—	2	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	2	—	—	—	—	—	—	—	2	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
		Malignant neoplasms (140-205)	Total M.	886	—	4	6	2	2	6	35	114	223	271	223	—
			Total F.	948	—	1	1	2	7	10	55	129	206	258	279	—
140-148	44	Buccal cavity and pharynx ...	M.	37	—	1	—	—	—	1	—	2	6	7	20	—
			F.	23	—	—	—	—	—	—	2	2	9	5	5	—
150	45	Œsophagus ...	M.	29	—	—	—	—	—	—	—	2	8	11	8	—
			F.	37	—	—	—	—	—	—	1	4	5	13	14	—
151	46	Stomach ...	M.	138	—	—	—	—	—	—	5	17	36	41	39	—
			F.	159	—	—	—	—	—	1	2	10	29	45	72	—
152, 153	47	Intestines, except rectum ...	M.	91	—	—	—	1	—	—	3	7	11	34	35	—
			F.	138	—	—	—	—	—	—	3	9	31	44	51	—
154	48	Rectum ...	M.	64	—	—	—	—	—	1	3	8	9	25	18	—
			F.	44	—	—	—	—	—	—	4	3	9	10	18	—
161	49	Larynx ...	M.	9	—	—	—	—	—	—	—	—	6	2	1	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	240	—	—	—	—	—	—	8	41	100	75	16	—
			F.	39	—	—	—	—	—	—	3	6	7	14	9	—
170	51	Breast ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	170	—	—	—	—	—	1	14	39	33	41	42	—
171	52	Cervix uteri ...	F.	38	—	—	—	—	—	1	5	10	13	5	4	—
172-174	53	Other and unspecified parts of uterus ...	F.	38	—	—	—	—	—	1	2	7	11	6	11	—
177	54	Prostate ...	M.	60	—	—	—	—	—	—	—	1	5	22	32	—
190, 191	55	Skin ...	M.	10	—	—	—	—	—	—	—	1	2	3	4	—
			F.	13	—	—	—	—	—	—	2	1	2	3	5	—
196, 197	56	Bone and connective tissue ...	M.	16	—	—	1	—	—	1	2	3	1	2	6	—
			F.	11	—	—	—	—	—	—	1	—	2	5	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	143	—	2	2	—	1	2	9	20	30	38	39	—
			F.	190	—	—	1	1	2	3	9	34	44	56	40	—
204	58	Leukæmia and aleukæmia ...	M.	23	—	1	2	1	1	—	2	3	6	4	3	—
			F.	22	—	1	—	1	3	1	3	—	5	5	3	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	26	—	—	1	—	—	1	3	9	3	7	2	—
			F.	24	—	—	—	—	2	2	4	4	6	5	1	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
			F.	11	1	—	—	—	—	—	—	2	3	3	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	6	—	—	—	—	—	—	—	—	4	1	1	—
260	63	Diabetes mellitus	M.	25	—	—	—	—	—	—	—	1	6	9	9	—
			F.	65	—	—	—	—	—	2	1	6	9	25	22	—
280-286	64	Avitaminosis and other deficiency states	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
290	65a	Pernicious and other hyperchromic anæmias	M.	6	—	—	—	—	—	—	—	—	—	—	6	—
			F.	16	—	—	—	—	—	—	—	—	1	1	14	—
291-293	65b	Other anæmias	M.	4	—	—	—	—	—	—	—	—	—	3	1	—
			F.	9	—	—	—	—	—	—	1	1	—	5	2	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	23	1	2	—	1	1	—	1	5	2	7	3	—
			F.	37	—	2	—	3	1	1	2	4	10	9	5	—
300-309	67	Psychoses	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
			F.	6	—	—	—	—	—	1	—	—	—	1	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	3	—	—	—	—
325	69	Mental deficiency	M.	3	1	1	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
330	70a	Subarachnoid hæmorrhage	M.	21	—	—	—	—	1	1	5	6	4	2	2	—
			F.	18	—	—	—	—	1	1	5	6	1	3	1	—
331	70b	Cerebral hæmorrhage	M.	329	—	—	—	—	—	2	—	23	54	113	137	—
			F.	424	—	—	—	—	—	1	8	27	73	125	190	—
332	70c	Cerebral embolism and thrombosis	M.	381	—	—	—	—	—	1	1	11	39	113	216	—
			F.	564	—	—	—	—	—	—	2	10	35	158	359	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M.	61	—	—	—	—	—	—	—	2	7	19	33	—
			F.	56	—	—	—	—	—	—	—	—	4	16	36	—
340	71	Non-meningococcal meningitis	M.	7	2	1	—	—	—	2	—	1	—	1	—	—
			F.	5	1	1	—	—	—	—	—	1	2	—	—	—
345	72	Multiple sclerosis	M.	17	—	—	—	—	—	—	2	9	6	—	—	—
			F.	16	—	—	—	—	—	1	1	5	7	—	2	—
353	73	Epilepsy	M.	10	—	1	1	1	1	2	2	2	—	—	—	—
			F.	9	—	2	1	—	—	2	1	1	2	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	1	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
350	78a	Paralysis agitans	M.	14	—	—	—	—	—	—	—	1	3	5	5	—
			F.	16	—	—	—	—	—	—	—	1	3	6	6	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: −1	1−	5−	10−	15−	25−	35−	45−	55−	65−	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	17	—	—	—	1	2	1	1	3	1	6	2	—
			F.	29	2	1	1	1	—	3	1	2	4	4	10	—
400-402	79	Rheumatic fever	M.	4	—	—	1	—	—	—	1	1	—	1	—	—
			F.	2	—	—	—	—	1	—	—	—	1	—	—	—
		Heart disease (410-443) Total	M.	1,936	—	2	—	—	—	14	42	180	352	587	759	—
			F.	1,981	—	—	—	—	6	6	16	48	201	489	1,215	—
410-416	80	Chronic rheumatic heart disease	M.	50	—	—	—	—	—	6	8	13	11	7	5	—
			F.	79	—	—	—	—	3	2	8	11	19	20	16	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,079	—	—	—	—	—	6	32	148	253	364	276	—
			F.	700	—	—	—	—	1	2	5	25	126	247	294	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	36	—	—	—	—	—	2	1	4	13	4	12	—
			F.	32	—	—	—	—	1	1	2	2	2	9	15	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	—	—	—	2	1	—
			F.	4	—	—	—	—	—	—	—	—	1	2	1	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	361	—	—	—	—	—	—	—	1	19	75	266	—
			F.	572	—	—	—	—	—	—	—	1	13	78	480	—
422.2	81*e*	Other myocardial degeneration	M.	272	—	—	—	—	—	—	—	1	28	89	154	—
			F.	414	—	—	—	—	—	—	1	2	22	78	311	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	17	—	2	—	—	—	—	—	2	4	7	2	—
			F.	8	—	—	—	—	—	1	—	2	1	1	3	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	23	—	—	—	—	—	—	1	2	3	5	12	—
			F.	54	—	—	—	—	1	—	—	1	5	13	34	—
440-443	83	Hypertension with heart disease	M.	95	—	—	—	—	—	—	—	9	21	34	31	—
			F.	118	—	—	—	—	—	—	—	4	12	41	61	—
444-447	84	Hypertension without mention of heart	M.	48	—	—	—	—	—	—	2	4	8	11	23	—
			F.	58	—	—	—	—	—	—	1	6	8	14	29	—
450	85*a*	General arteriosclerosis	M.	91	—	—	—	—	—	—	—	—	4	17	70	—
			F.	130	—	—	—	—	—	—	—	2	2	19	107	—
451-456	85*b*	Other diseases of arteries	M.	11	—	—	—	—	—	—	—	—	2	4	5	—
			F.	15	—	—	—	—	—	—	1	2	2	2	8	—
460-468	86	Other diseases of circulatory system	M.	19	—	—	—	1	—	—	1	3	2	7	5	—
			F.	25	—	—	—	—	—	1	1	2	5	8	8	—
470-475	87	Acute upper respiratory infections	M.	2	—	—	—	1	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	50	2	—	1	—	—	3	5	5	8	13	13	—
			F.	62	1	1	2	3	3	3	4	6	5	18	16	—
490	89	Lobar pneumonia	M.	30	3	2	—	—	—	—	1	3	5	8	8	—
			F.	19	1	—	—	—	—	—	1	—	1	8	8	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	88	10	—	1	1	1	2	1	6	13	20	33	—
			F.	98	12	3	2	1	1	1	2	3	6	17	50	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	21	1	—	—	—	1	—	—	2	3	5	9	—
			F.	13	3	—	—	—	—	—	—	1	2	2	5	—
		Bronchitis (500-502) TOTAL	M.	189	1	—	—	1	—	—	1	16	53	67	50	—
			F.	95	—	—	—	—	—	1	1	4	7	30	52	—
500	92	Acute	M.	20	1	—	—	1	—	—	—	2	2	5	9	—
			F.	23	—	—	—	—	—	—	—	1	1	10	11	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	95	—	—	—	—	—	—	—	7	27	38	23	—
			F.	38	—	—	—	—	—	1	1	2	5	8	21	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	74	—	—	—	—	—	—	1	7	24	24	18	—
			F.	34	—	—	—	—	—	—	—	1	1	12	20	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
519	96	Pleurisy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	67	—	—	—	—	—	—	1	6	21	28	11	—
			F.	21	—	—	—	1	—	1	1	2	2	6	8	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	28	—	—	—	—	—	—	—	1	7	10	10	—
			F.	11	—	—	—	—	—	—	—	—	2	5	4	—
541	100	Ulcer of duodenum	M.	46	—	—	1	—	—	—	2	5	8	22	8	—
			F.	11	—	—	—	—	1	—	1	—	—	6	3	—
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	13	—	—	1	—	1	—	—	3	4	1	3	—
			F.	8	—	—	—	—	—	—	—	1	1	1	5	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	45	3	—	—	—	—	1	1	6	8	9	17	—
			F.	40	2	1	1	1	—	—	—	5	2	11	17	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	6	5	1	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	7	—	—	—	—	—	1	1	1	—	2	2	—
			F.	13	—	—	—	—	1	1	1	1	1	6	2	—
581	105	Cirrhosis of liver	M.	18	—	—	—	—	—	—	1	—	7	7	3	—
			F.	24	—	—	—	—	—	1	—	4	11	6	2	—
584,585	106	Cholelithiasis and cholecystitis	M.	13	—	—	—	—	—	—	1	1	1	5	5	—
			F.	26	—	—	—	—	—	—	—	—	5	5	16	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	—	—	—	—	—	1	—	—	—	—	1	—
			F.	5	—	—	—	—	—	—	—	2	2	1	—	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	21	1	—	—	—	—	—	—	1	5	5	9	—
			F.	15	1	1	—	—	—	1	—	1	3	4	4	—
590	108	Acute nephritis	M.	4	2	—	—	—	—	—	1	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	48	—	—	—	1	3	3	1	9	8	9	14	—
			F.	46	—	—	—	—	1	2	4	8	4	15	12	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	12	—	—	—	—	—	—	—	—	2	3	7	—
			F.	17	—	—	—	—	—	1	—	2	5	1	8	—
602, 604	111	Calculi of urinary system	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
610	112	Hyperplasia of prostate	M.	67	—	—	—	—	—	—	—	—	4	14	49	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	3	—	—	—	—	—	—	—	—	—	1	2	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	10	—	—	—	—	—	—	3	—	—	1	6	—
			F.	9	—	1	—	—	—	—	2	1	3	1	1	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	—	3	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	2	—	—	—	—	—	1	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
720-725	122	Arthritis and spondylitis	M.	7	—	—	—	—	—	—	1	—	—	3	3	—
			F.	26	—	—	—	—	—	—	—	1	3	11	11	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	—	—	—	—	—	—	—	1	1	2	2	—
			F.	9	—	—	—	—	—	1	—	—	—	5	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	196	179	6	—	3	2	1	2	2	—	1	—	—
			Total F.	147	134	7	1	—	—	1	—	1	2	1	—	—
751	127	Spina bifida and meningocele	M.	6	5	1	—	—	—	—	—	—	—	—	—	—
			F.	18	16	1	—	—	—	—	—	—	1	—	—	—
754	128	Congenital malformations of circulatory system	M.	25	16	2	—	2	2	1	1	1	—	—	—	—
			F.	15	11	2	1	—	—	1	—	—	—	—	—	—

762	131	Postnatal asphyxia and atelectasis	F.	24	24	—	—	—	—	—	—	—	—	—	—	—
			M.	7	7	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	4	4	—	—	—	—	—	—	—	—	—	—	—
			M.	1	1	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	1	1	—	—	—	—	—	—	—	—	—	—	—
			M.	1	1	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	8	8	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	3	3	—	—	—	—	—	—	—	—	—	—	—
			M.	12	12	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	2	2	—	—	—	—	—	—	—	—	—	—	—
			M.	46	46	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	F.	40	40	—	—	—	—	—	—	—	—	—	—	—
			M.	35	—	—	—	—	—	—	—	—	—	2	33	—
794	136	Senility without mention of psychosis	F.	92	—	—	—	—	—	—	—	—	—	1	91	—
			M.	27	2	—	—	—	—	1	1	2	6	6	9	—
780-793, 795	137	Ill-defined and unknown causes	F.	20	1	—	—	—	—	—	—	2	2	3	12	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	262	8	15	9	7	18	25	23	49	33	32	43	—
			F.	213	16	3	2	2	5	7	14	15	27	23	99	—
			M.	67	—	5	3	3	11	9	7	7	7	6	9	—
E810-E835	138	Motor vehicle accidents	F.	14	—	2	—	—	1	—	3	—	3	3	2	—
			M.	4	—	—	—	—	—	1	—	2	—	1	—	—
E840-E845	139*a*	Other road transport accidents	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	15	—	—	—	—	1	2	2	5	3	1	1	—
E800-E802, E850-E866	139*b*	Other transport accidents	F.	2	—	—	—	—	—	—	—	1	1	—	—	—
			M.	23	—	2	1	—	—	2	1	3	4	5	5	—
E870-E895	140	Accidental poisoning	F.	26	—	—	—	1	1	1	2	2	5	5	9	—
			M.	39	—	—	—	—	—	1	2	7	3	8	18	—
E900-E904	141	Accidental falls	F.	96	—	—	—	—	—	3	1	—	3	5	84	—
			M.	2	—	—	—	—	—	—	1	1	—	—	—	—
E912	142	Accident caused by machinery	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	10	1	—	—	—	—	—	2	2	1	1	3	—
E916	143	Accident caused by fire and explosion of combustible material	F.	6	—	1	1	—	1	—	—	—	1	2	—	—
			M.	1	—	—	—	—	—	—	—	—	—	1	—	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	F.	1	1	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
E919	145	Accident caused by firearm	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	25	—	4	4	3	2	1	—	5	2	2	2	—
E929	146	Accidental drowning and submersion	F.	10	—	—	1	—	—	—	—	3	5	1	—	—
			M.	14	7	3	—	—	1	—	—	3	—	—	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	F.	17	14	—	—	—	—	—	—	1	1	—	1	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	22	—	1	—	1	1	5	2	5	3	2	2	—
			F.	2	—	—	—	1	—	—	—	—	—	—	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	36	—	—	—	—	1	4	6	9	9	4	3	—
			F.	36	—	—	—	—	2	3	8	7	7	7	2	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	3	—	—	1	—	1	—	—	—	1	—	—	—
			F.	3	1	—	—	—	—	—	—	1	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
		ALL CAUSES—Both Sexes		**16,975**	**737**	**100**	**72**	**62**	**178**	**268**	**523**	**1,390**	**2,640**	**4,256**	**6,749**	—
		Males		**9,098**	**440**	**69**	**44**	**41**	**127**	**161**	**293**	**866**	**1,590**	**2,254**	**3,213**	—
		Females		**7,877**	**297**	**31**	**28**	**21**	**51**	**107**	**230**	**524**	**1,050**	**2,002**	**3,536**	—
		All Tuberculosis (001-019)	TOTAL M.	110	—	1	—	—	—	11	17	25	33	20	3	—
			TOTAL F.	52	1	2	1	—	5	10	10	8	9	4	2	—
001-008	1	Respiratory system	M.	100	—	1	—	—	—	10	15	23	29	19	3	—
			F.	45	1	—	—	—	4	10	10	7	8	4	1	—
010	2	Meninges and central nervous system	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	3	—	1	1	—	—	—	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	1	—	—	—	—	—	1	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	7	—	—	—	—	—	1	2	1	3	—	—	—
			F.	2	—	1	—	—	—	—	—	—	1	—	—	—
		Syphilis (020-029)	TOTAL M.	16	—	—	—	—	—	—	—	3	7	3	3	—
			TOTAL F.	5	—	—	—	—	—	—	—	1	3	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	1	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
022, 023, 026-029	10	All other syphilis	M.	11	—	—	—	—	—	—	—	2	3	3	3	—
			F.	4	—	—	—	—	—	—	—	1	2	1	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	7	5	—	—	—	—	—	—	—	1	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	5	—	—	1	1	2	—	1	—	—	—	—	—
			F.	4	—	—	—	—	1	2	1	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	2	—	2	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	4	—	—	—	—	—	1	—	2	—	1	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	1	—	1	—	—	—	—	—	—	—	—	—
			F.	3	—	1	1	—	—	—	1	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	3	—	—	1	—	—	—	—	—	1	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
086-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	5	—	—	—	—	—	—	—	1	—	1	3	—
		Malignant neoplasms (140-205)	TOTAL M.	1,416	1	5	6	7	8	19	49	190	353	425	353	—
			TOTAL F.	1,327	1	3	1	2	6	23	80	186	291	375	359	—
140-148	44	Buccal cavity and pharynx	M.	39	—	—	—	—	—	—	—	3	10	10	16	—
			F.	24	—	—	—	—	—	—	1	2	4	4	13	—
150	45	Œsophagus	M.	44	—	—	—	—	—	—	1	3	10	17	13	—
			F.	38	—	—	—	—	—	—	—	4	9	11	14	—
151	46	Stomach	M.	247	—	—	—	—	—	3	6	27	66	82	63	—
			F.	192	—	—	—	—	—	—	4	12	46	61	69	—
152, 153	47	Intestine, except rectum	M.	130	—	—	—	—	—	—	3	10	22	44	51	—
			F.	189	—	—	—	—	—	2	7	13	35	56	76	—
154	48	Rectum	M.	88	—	—	—	—	—	1	3	10	16	34	24	—
			F.	80	—	—	—	—	—	1	2	11	13	27	26	—
161	49	Larynx	M.	15	—	—	—	—	—	—	1	2	4	3	5	—
			F.	6	—	—	—	—	—	—	—	—	2	3	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	358	—	—	—	—	—	3	15	76	138	92	34	—
			F.	45	—	—	—	—	—	1	3	9	12	15	5	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	254	—	—	—	—	—	2	25	56	58	63	50	—
171	52	Cervix uteri	F.	62	—	—	—	—	—	1	12	18	15	11	5	—
172-174	53	Other and unspecified parts of uterus	F.	58	—	—	—	—	—	1	6	12	10	17	12	—
177	54	Prostate	M.	133	—	—	—	—	—	—	1	—	11	49	72	—
190, 191	55	Skin	M.	13	—	—	—	—	—	—	—	1	2	5	5	—
			F.	13	—	—	—	—	—	1	—	4	1	1	6	—
196, 197	56	Bone and connective tissue	M.	18	—	—	1	1	—	—	1	6	2	1	6	—
			F.	15	—	—	—	—	1	—	1	2	2	4	5	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	239	—	3	2	2	4	5	10	38	50	66	59	—
			F.	283	1	—	—	1	—	11	13	36	69	87	65	—
204	58	Leukæmia and aleukæmia	M.	36	1	2	1	2	1	2	4	3	8	10	2	—
			F.	25	—	3	—	—	3	2	1	2	4	3	7	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	55	—	—	2	2	3	5	4	11	14	11	3	—
			F.	43	—	—	1	1	2	1	5	5	11	12	5	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	15	—	—	—	—	—	—	1	4	6	4	—	—
			F.	21	1	—	—	2	—	1	1	5	4	4	3	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
252	62	Thyrotoxicosis with or without goitre	M.	4	—	—	—	—	—	—	—	—	4	—	—	—
			F.	9	—	—	—	—	—	—	1	2	4	2	—	—
260	63	Diabetes mellitus	M.	40	—	—	—	—	1	4	1	6	8	11	9	—
			F.	105	—	—	—	—	2	—	4	6	23	35	35	—
280-286	64	Avitaminosis and other deficiency states	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	17	—	—	—	—	—	—	—	—	1	3	13	—
			F.	22	—	—	—	—	—	—	—	1	4	5	12	—
291-293	65*b*	Other anæmias	M.	12	—	—	—	—	—	—	—	1	—	6	5	—
			F.	19	—	—	—	—	—	—	1	2	2	3	11	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	52	1	1	3	—	—	5	1	8	12	9	12	—
			F.	60	—	—	—	1	2	3	6	8	11	23	6	—
300-309	67	Psychoses	M.	8	—	—	—	—	—	—	1	—	—	1	6	—
			F.	17	—	—	—	—	1	1	—	2	5	4	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	3	—	—	1	—	—	1	—	—	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
325	69	Mental deficiency	M.	5	2	—	—	1	—	1	—	—	1	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	15	—	—	—	—	1	4	3	1	3	3	—	—
			F.	38	—	—	—	1	1	2	4	9	12	6	3	—
331	70*b*	Cerebral hæmorrhage	M.	475	—	1	1	—	—	—	8	46	80	172	167	—
			F.	675	—	—	—	1	2	1	6	33	110	223	299	—
332	70*c*	Cerebral embolism and thrombosis	M.	627	—	—	—	—	—	—	—	15	66	184	362	—
			F.	721	—	—	—	—	—	1	1	17	62	212	428	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	72	—	—	—	—	1	—	1	—	9	17	44	—
			F.	78	—	—	—	—	—	1	—	1	5	14	57	—
340	71	Non-meningococcal meningitis	M.	10	6	1	—	—	—	1	—	1	1	—	—	—
			F.	7	2	1	—	1	—	—	—	—	1	2	—	—
345	72	Multiple sclerosis	M.	16	—	—	—	—	—	—	3	5	6	2	—	—
			F.	27	—	—	—	—	1	2	4	8	4	7	1	—
353	73	Epilepsy	M.	15	1	1	1	1	2	3	3	2	—	1	—	—
			F.	8	—	—	—	—	2	1	2	—	1	1	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	1	—	—	1	1	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
350	78*a*	Paralysis agitans	M.	23	—	—	—	—	—	—	—	3	1	12	7	—
			F.	29	—	—	—	—	—	—	—	1	3	13	12	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	44	1	2	1	2	1	5	5	6	5	10	6	—
			F.	36	—	6	1	—	1	1	1	1	9	7	9	—
400-402	79	Rheumatic fever	M.	6	—	—	—	—	2	1	2	—	1	—	—	—
			F.	5	—	—	—	1	—	1	—	1	1	1	—	—
		Heart disease (410-443) TOTAL	M.	3,138	—	—	—	—	2	12	59	292	583	850	1,340	—
			F.	2,568	1	—	—	2	1	17	37	106	290	712	1,402	—
410-416	80	Chronic rheumatic heart disease	M.	61	—	—	—	—	1	5	10	10	15	13	7	—
			F.	133	—	—	—	2	1	9	22	22	22	27	28	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,717	—	—	—	—	1	4	41	244	461	516	450	—
			F.	882	—	—	—	—	—	1	7	54	160	348	312	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	49	—	—	—	—	—	—	2	2	13	16	16	—
			F.	57	—	—	—	—	—	2	1	3	11	20	20	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	—	1	—	2	—	—
			F.	9	—	—	—	—	—	1	—	1	3	1	3	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	576	—	—	—	—	—	1	—	3	20	95	457	—
			F.	709	—	—	—	—	—	1	2	4	13	120	569	—
422.2	81*e*	Other myocardial degeneration	M.	496	—	—	—	—	—	1	2	20	38	134	301	—
			F.	500	—	—	—	—	—	—	—	8	40	116	336	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	16	—	—	—	—	—	1	—	1	1	10	3	—
			F.	18	1	—	—	—	—	1	1	—	3	3	9	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	84	—	—	—	—	—	—	1	7	10	18	48	—
			F.	95	—	—	—	—	—	2	1	7	16	24	45	—
440-443	83	Hypertension with heart disease	M.	136	—	—	—	—	—	—	3	4	25	46	58	—
			F.	165	—	—	—	—	—	—	3	7	22	53	80	—
444-447	84	Hypertension without mention of heart	M.	94	—	—	—	—	—	—	2	6	23	17	46	—
			F.	101	—	—	—	—	—	—	1	9	12	23	56	—
450	85*a*	General arteriosclerosis	M.	199	—	—	—	—	—	—	—	4	8	36	151	—
			F.	204	—	—	—	—	—	—	—	—	4	28	172	—
451-456	85*b*	Other diseases of arteries	M.	24	—	—	—	—	—	2	—	4	4	8	6	—
			F.	29	1	—	—	—	1	1	2	2	2	6	14	—
460-468	86	Other diseases of circulatory system	M.	38	—	—	—	—	—	1	1	3	5	13	15	—
			F.	44	—	—	—	—	—	2	5	3	15	14	5	—
470-475	87	Acute upper respiratory infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	97	2	4	1	1	3	3	3	12	20	19	29	—
			F.	81	2	—	5	1	3	5	3	10	8	18	26	—
490	89	Lobar pneumonia	M.	48	4	—	1	—	1	—	3	5	5	15	14	—
			F.	45	1	1	—	—	1	—	4	5	4	12	17	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	154	25	8	2	—	1	1	3	7	16	31	60	—
			F.	178	25	5	4	3	2	2	2	8	16	36	75	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	27	4	3	—	1	1	—	—	—	4	5	9	—
			F.	26	5	1	—	—	—	—	1	1	3	5	10	—
		Bronchitis (500-502) TOTAL	M.	306	6	1	—	—	—	1	6	36	81	86	89	—
			F.	141	3	—	—	—	—	—	2	4	17	37	78	—
500	92	Acute	M.	24	6	1	—	—	—	—	—	1	4	3	9	—
			F.	41	3	—	—	—	—	—	2	1	—	10	25	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	179	—	—	—	—	—	1	2	24	42	57	53	—
			F.	69	—	—	—	—	—	—	—	2	13	17	37	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	103	—	—	—	—	—	—	4	11	35	26	27	—
			F.	31	—	—	—	—	—	—	—	1	4	10	16	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	—	—	—	—	—	—	—	2	1	—	1	—
			F.	7	—	—	—	—	—	—	1	—	1	2	3	—
519	96	Pleurisy	M.	6	—	—	—	—	1	—	—	—	1	1	3	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	190	2	2	—	—	—	1	4	10	54	75	42	—
			F.	21	—	—	—	—	1	1	1	2	4	7	5	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	46	—	—	—	—	—	—	2	5	13	10	16	—
			F.	23	—	—	—	—	—	—	1	1	3	6	12	—
541	100	Ulcer of duodenum	M.	87	—	—	—	—	—	3	9	8	24	25	18	—
			F.	14	—	—	—	—	—	—	—	1	2	4	7	—
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	5	—	—	—	—	—	—	—	—	1	—	4	—
550-553	102	Appendicitis	M.	21	—	—	1	—	2	3	1	4	1	2	7	—
			F.	10	—	—	—	—	1	—	—	2	2	4	1	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	67	3	1	1	—	1	1	2	4	13	22	19	—
			F.	49	2	—	—	—	—	—	2	2	12	10	21	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	10	7	3	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	7	—	1	—	—	—	—	2	1	—	1	2	—
			F.	6	—	—	—	—	—	—	—	1	2	3	—	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	22	—	—	—	—	1	1	2	3	7	3	5	—
			F.	22	—	—	—	1	2	1	—	3	3	7	5	—
581	105	Cirrhosis of liver	M.	36	—	—	—	—	—	—	8	12	6	8	2	—
			F.	27	—	—	—	—	—	—	1	7	7	8	4	—
584-585	106	Cholelithiasis and cholecystitis	M.	13	—	—	—	—	—	—	—	—	3	6	4	—
			F.	38	—	—	—	—	—	—	—	2	4	15	17	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	5	—	—	—	—	—	—	—	—	3	—	2	—
			F.	9	—	—	1	—	—	—	—	2	3	1	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	20	1	—	1	1	—	1	—	5	3	5	3	—
			F.	30	2	—	—	—	—	1	3	8	8	4	4	—
590	108	Acute nephritis	M.	6	1	—	—	2	1	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	83	—	1	—	2	2	6	6	10	12	24	20	—
			F.	76	—	—	—	—	1	6	5	13	16	14	21	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	21	—	—	—	—	—	—	3	1	2	2	13	—
			F.	22	—	—	—	—	—	—	—	2	5	5	10	—
602, 604	111	Calculi of urinary system	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
610	112	Hyperplasia of prostate	M.	137	—	—	—	—	—	—	—	—	3	35	99	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	6	—	—	—	—	—	—	—	—	1	—	5	—
			F.	7	—	—	—	—	—	—	1	1	—	1	4	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	14	—	—	—	—	—	—	1	—	1	3	9	—
			F.	15	—	—	1	—	—	1	4	2	1	2	4	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	6	—	—	—	—	1	3	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
720-725	122	Arthritis and spondylitis	M.	16	—	—	—	—	—	—	1	1	2	4	8	—
			F.	57	—	—	—	—	—	—	—	1	6	21	29	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	—	—	—	4	—
730	124	Osteomyelitis and periostitis	M.	2	—	—	—	—	—	1	—	—	—	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	16	1	—	—	1	1	1	—	3	1	3	5	—
			F.	8	—	—	—	—	1	—	—	—	3	2	2	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	368	337	9	3	3	4	—	1	7	3	1	—	—
			TOTAL F.	250	222	3	2	2	4	2	6	5	—	3	1	—
751	127	Spina bifida and meningocele	M.	26	24	1	—	—	—	—	1	—	—	—	—	—
			F.	20	18	2	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	29	18	1	1	2	4	—	—	1	2	—	—	—
			F.	34	18	1	1	2	1	2	4	4	—	1	—	—
750, 752, 753,			M.	64	46	7	2	1	—	—	—	6	1	1	—	—

762	131	Post-natal asphyxia and atelectasis	M.	95	95	—	—	—	—	—	—	—	—	—	—
			F.	46	46	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	16	16	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	14	14	—	—	—	—	—	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	9	9	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	71	71	—	—	—	—	—	—	—	—	—	—
			F.	55	55	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	94	—	—	—	—	—	—	—	—	—	7	87
			F.	159	—	—	—	—	—	—	—	—	—	5	154
780-793, 795	137	Ill-defined and unknown causes	M.	61	6	2	—	—	—	—	1	7	15	12	18
			F.	42	3	—	—	—	1	—	1	7	6	9	15
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	572	19	19	19	17	86	67	77	94	65	36	73
			F.	232	16	7	8	2	6	8	18	18	24	30	95
E810-E835	138	Motor vehicle accidents	M.	150	1	7	6	6	30	23	20	23	10	7	17
			F.	37	—	3	4	1	3	1	4	—	6	8	7
E840-E845	139*a*	Other road transport accidents	M.	4	—	—	—	—	1	—	—	1	1	—	1
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	42	—	—	2	1	8	7	11	8	2	1	2
			F.	3	—	—	—	—	1	—	—	1	1	—	—
E870-E895	140	Accidental poisonings	M.	23	—	—	—	1	—	2	5	8	1	3	3
			F.	14	—	—	—	—	1	2	2	1	1	3	4
E900-E904	141	Accidental falls	M.	69	—	1	1	1	5	3	3	4	10	9	32
			F.	93	—	—	—	—	1	—	1	2	4	8	77
E912	142	Accident caused by machinery	M.	11	—	—	—	—	2	3	2	2	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	37	—	—	1	—	4	6	10	6	3	3	4
			F.	11	—	2	1	—	—	—	1	—	3	2	2
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	1	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1
E919	145	Accident caused by firearm	M.	7	—	1	1	2	2	—	—	1	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	68	—	5	7	5	20	4	4	4	9	5	5
			F.	16	—	1	—	1	—	1	4	3	3	1	2
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	28	17	2	—	—	1	—	4	2	—	2	—
			F.	16	14	—	2	—	—	—	—	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	71	—	3	1	1	8	13	9	20	11	1	4
			F.	9	2	1	1	—	—	—	1	2	—	2	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	57	—	—	—	—	5	5	7	14	16	5	5
			F.	28	—	—	—	—	—	3	5	9	6	4	1
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	3	1	—	—	—	—	1	—	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1957

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
		ALL CAUSES—Both Sexes		20,965	1,201	151	86	55	186	368	766	2,045	3,742	5,539	6,826	—
		Males		11,146	688	97	57	31	111	207	421	1,287	2,254	2,921	3,072	—
		Females		9,819	513	54	29	24	75	161	345	758	1,488	2,618	3,754	—
		All Tuberculosis (001-019)	TOTAL M.	271	1	3	1	—	5	28	37	61	69	47	19	—
			TOTAL F.	135	1	2	2	—	9	30	44	21	8	11	7	—
001-008	1	Respiratory system	M.	255	—	2	—	—	4	26	36	59	64	46	18	—
			F.	125	1	1	—	—	5	29	44	21	7	10	7	—
010	2	Meninges and central nervous system	M.	7	1	1	1	—	—	2	—	—	2	—	—	—
			F.	4	—	1	2	—	1	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	4	—	—	—	—	1	—	—	2	1	—	—	—
			F.	2	—	—	—	—	1	—	—	—	—	1	—	—
014-019	5	All other forms	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	3	—	—	—	—	1	1	—	—	1	—	—	—
		Syphilis (020-029)	TOTAL M.	25	—	—	—	—	—	—	1	4	9	10	1	—
			TOTAL F.	7	—	—	—	—	—	—	1	—	5	—	1	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	6	—	—	—	—	—	—	—	—	3	3	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
022, 023, 026-029	10	All other syphilis	M.	16	—	—	—	—	—	—	1	4	5	5	1	—
			F.	5	—	—	—	—	—	—	—	—	4	—	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	1	1	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	4	3	—	—	—	—	1	—	—	—	—	—	—
			F.	2	1	—	—	—	—	1	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
			F.	4	3	1	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	6	3	3	—	—	—	—	—	—	—	—	—	—
			F.	4	2	2	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	—	—	—	1	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	1	—	1	—	1	1	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	8	—	—	—	—	—	—	4	1	1	2	—	—
			F.	4	—	—	—	—	—	—	—	3	—	—	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	1	—	1	—	—	—	—	—	—	—	—	—
			F.	5	—	1	4	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	1	1	1	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44F—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
		Malignant neoplasms (140-205)	TOTAL M.	2,006	2	16	7	4	15	20	83	319	547	572	421	—
			TOTAL F.	1,738	2	7	3	3	9	25	96	255	400	513	425	—
140-148	44	Buccal cavity and pharynx	M.	52	—	—	—	—	—	—	1	3	4	19	25	—
			F.	20	—	—	—	—	—	1	1	1	5	6	6	—
150	45	Œsophagus	M.	58	—	—	—	—	—	—	2	5	10	23	18	—
			F.	49	—	—	—	—	—	—	1	2	10	19	17	—
151	46	Stomach	M.	302	—	—	—	—	—	3	10	55	79	92	63	—
			F.	309	—	—	—	—	—	2	4	22	74	111	96	—
152, 153	47	Intestine, except rectum	M.	181	—	—	—	1	—	2	8	19	32	53	66	—
			F.	239	—	—	—	—	—	1	9	22	45	72	90	—
154	48	Rectum	M.	111	—	—	—	—	1	1	6	15	21	36	31	—
			F.	92	—	—	—	—	—	—	4	10	17	32	29	—
161	49	Larynx	M.	22	—	—	—	—	—	—	—	3	8	4	7	—
			F.	4	—	—	—	—	—	—	—	1	1	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	720	—	—	—	—	1	4	32	153	276	190	64	—
			F.	128	—	—	—	—	—	1	10	20	29	45	23	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	323	—	—	—	—	—	7	24	74	84	77	57	—
171	52	Cervix uteri	F.	73	—	—	—	—	—	2	14	20	17	14	6	—
172-174	53	Other and unspecified parts of uterus	F.	58	—	—	—	—	—	1	1	12	22	13	9	—
177	54	Prostate	M.	118	—	—	—	—	—	—	—	1	12	42	63	—
190, 191	55	Skin	M.	20	—	—	—	—	1	1	2	1	4	6	5	—
			F.	13	—	—	—	—	—	1	1	2	3	3	3	—
196, 197	56	Bone and connective tissue	M.	30	—	1	1	1	3	1	2	3	7	8	3	—
			F.	17	—	—	—	2	—	—	3	4	2	4	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	309	1	9	4	—	3	4	14	46	80	77	71	—
			F.	340	—	2	1	1	2	7	18	58	80	97	74	—
204	58	Leukæmia and aleukæmia	M.	43	—	6	1	—	4	1	3	4	5	14	5	—
			F.	33	1	4	—	—	4	—	3	2	4	7	8	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	39	1	—	1	2	2	3	3	11	9	7	—	—
			F.	40	1	1	2	—	3	2	3	5	7	12	4	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	20	—	—	1	1	—	1	1	5	4	5	2	—
			F.	27	—	1	—	—	—	—	3	6	9	6	2	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	14	—	—	—	—	—	1	2	4	5	2	—	—
260	63	Diabetes mellitus	M.	50	1	—	—	—	—	1	1	5	7	18	17	—
			F.	107	—	—	—	—	—	3	—	5	23	44	32	—
280-286	64	Avitaminosis and other deficiency states	M.	9	—	—	—	—	—	—	—	1	2	5	1	—
			F.	7	—	—	—	1	—	—	1	—	—	3	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	10	—	—	—	—	—	—	—	—	—	4	6	—
			F.	27	—	—	—	—	—	—	—	2	5	5	15	—
291-293	65*b*	Other anæmias	M.	11	—	—	—	1	2	—	—	1	1	3	3	—
			F.	21	—	—	—	—	—	—	—	3	1	9	8	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	53	2	1	1	1	3	3	3	14	9	12	4	—
			F.	62	—	1	1	1	1	6	5	6	16	18	7	—
300-309	67	Psychoses	M.	14	—	—	—	—	—	1	—	—	4	3	6	—
			F.	15	—	—	—	—	—	—	—	—	2	3	10	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	5	—	—	—	—	—	—	—	3	1	—	1	—
			F.	6	—	—	—	—	—	—	—	4	1	—	1	—
325	69	Mental deficiency	M.	5	3	1	—	—	—	—	1	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	24	—	—	—	1	3	3	3	5	5	3	1	—
			F.	45	—	—	—	1	—	5	4	10	16	6	3	—
331	70*b*	Cerebral hæmorrhage	M.	528	—	1	—	1	1	1	12	43	103	179	187	—
			F.	748	—	—	—	1	—	2	11	61	137	242	294	—
332	70*c*	Cerebral embolism and thrombosis	M.	649	—	—	—	—	—	—	1	25	80	195	348	—
			F.	860	—	—	—	—	1	1	3	23	81	238	513	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	114	—	—	—	—	—	1	1	2	9	30	71	—
			F.	135	—	—	—	—	—	—	1	1	11	26	96	—
340	71	Non-meningococcal meningitis	M.	12	5	—	—	—	1	1	1	—	4	—	—	—
			F.	8	3	—	—	—	—	—	1	1	1	2	—	—
345	72	Multiple sclerosis	M.	17	—	—	—	—	—	1	3	6	4	3	—	—
			F.	37	—	—	—	1	—	4	12	8	7	3	2	—
353	73	Epilepsy	M.	16	—	3	—	2	—	1	4	2	3	1	—	—
			F.	17	—	—	—	—	1	4	4	2	3	3	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	6	1	1	—	1	—	—	1	2	—	—	—	—
			F.	3	1	—	—	—	1	—	1	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	32	—	—	—	—	—	—	—	—	3	21	8	—
			F.	24	—	—	—	—	—	—	—	1	2	14	7	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	46	1	6	1	1	2	2	4	8	8	8	5	—
			F.	56	—	4	2	1	2	4	3	7	12	9	12	—
400-402	79	Rheumatic fever	M.	10	—	—	—	—	—	2	5	—	1	2	—	—
			F.	7	—	—	—	—	1	—	2	1	1	1	1	—
		Heart disease (410-443) Total	M.	3,597	1	—	—	—	4	38	93	434	794	1,069	1,164	—
			F.	3,172	—	—	—	2	13	18	67	184	426	973	1,489	—
410-416	80	Chronic rheumatic heart disease	M.	123	—	—	—	—	3	19	14	38	22	17	10	—
			F.	286	—	—	—	2	11	14	47	67	69	53	23	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,998	—	—	—	—	1	15	62	341	583	629	367	—
			F.	1,124	—	—	—	—	—	1	13	74	219	466	351	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	58	—	—	—	—	—	2	5	9	22	10	10	—
			F.	75	—	—	—	—	—	1	1	6	15	27	25	—
422.0	81*c*	Fatty degeneration of heart	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	9	—	—	—	—	—	1	2	—	2	1	3	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	588	—	—	—	—	—	—	—	3	29	150	406	—
			F.	744	—	—	—	—	—	—	—	2	27	148	567	—
422.2	81*e*	Other myocardial degeneration	M.	568	—	—	—	—	—	1	6	25	84	173	279	—
			F.	643	—	—	—	—	—	1	3	15	62	164	398	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	19	1	—	—	—	—	—	1	2	3	9	3	—
			F.	18	—	—	—	—	1	—	1	5	2	4	5	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	68	—	—	—	—	—	—	3	6	15	20	24	—
			F.	85	—	—	—	—	1	—	—	7	9	30	38	—
440-443	83	Hypertension with heart disease	M.	175	—	—	—	—	—	1	2	10	36	61	65	—
			F.	188	—	—	—	—	—	—	—	8	21	80	79	—
444-447	84	Hypertension without mention of heart	M.	83	—	—	—	—	—	2	5	6	19	22	29	—
			F.	114	—	—	—	—	—	1	4	11	18	40	40	—
450	85*a*	General arteriosclerosis	M.	166	—	—	—	—	—	—	—	4	3	41	118	—
			F.	179	—	—	—	—	—	—	—	1	3	27	148	—
451-456	85*b*	Other diseases of arteries	M.	30	—	—	—	—	—	1	3	4	8	6	8	—
			F.	26	—	—	—	—	—	—	1	3	7	5	10	—
460-468	86	Other diseases of circulatory system	M.	32	—	—	—	—	—	—	—	7	8	7	10	—
			F.	38	—	—	—	—	—	—	3	4	12	10	9	—
470-475	87	Acute upper respiratory infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	1	—	—	—	—	—	1	—	—	1	—
480-483	88	Influenza	M.	112	1	4	2	—	8	6	6	11	28	32	14	—
			F.	128	4	2	4	3	3	7	10	14	27	29	25	—
490	89	Lobar pneumonia	M.	109	3	3	—	—	—	—	6	18	18	41	20	—
			F.	68	3	—	—	—	—	—	4	6	6	22	27	—
					(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	317	57	11	1	1	5	1	7	10	54	75	95	—
			F.	250	46	6	2	—	1	6	1	8	30	50	100	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	37	3	—	—	—	—	1	2	6	5	15	5	—
			F.	30	5	—	—	—	—	1	1	2	5	7	9	—
		Bronchitis (500-502) TOTAL	M.	634	7	2	2	—	—	3	7	76	198	194	145	—
			F.	266	9	—	—	—	—	1	4	16	51	84	101	—
500	92	Acute	M.	35	7	2	2	—	—	—	—	—	7	6	11	—
			F.	51	9	—	—	—	—	1	3	3	5	12	18	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	380	—	—	—	—	—	2	3	56	112	121	86	—
			F.	143	—	—	—	—	—	—	—	10	28	44	61	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	219	—	—	—	—	—	1	4	20	79	67	48	—
			F.	72	—	—	—	—	—	—	1	3	18	28	22	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	6	2	—	—	—	—	—	—	2	1	—	1	—
			F.	5	—	—	—	—	—	—	1	1	—	1	2	—
519	96	Pleurisy	M.	5	—	—	—	—	1	—	—	—	1	1	2	—
			F.	3	—	—	—	—	—	—	—	—	1	2	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	120	—	—	—	—	1	1	6	15	22	37	38	—
			F.	24	—	—	—	—	—	2	1	2	4	4	11	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	56	—	—	—	—	—	1	3	8	18	17	9	—
			F.	23	—	—	—	—	—	1	1	1	3	8	9	—
541	100	Ulcer of duodenum	M.	80	—	—	—	—	—	1	7	11	26	20	15	—
			F.	22	—	—	—	—	2	1	2	2	4	4	7	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	—	1	—	2	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	23	—	2	4	—	1	3	1	2	1	6	3	—
			F.	12	—	—	—	2	1	—	1	2	1	2	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	77	6	—	—	—	—	1	—	2	18	32	18	—
			F.	72	2	—	1	—	—	—	1	6	16	15	31	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	11	10	1	—	—	—	—	—	—	—	—	—	—
			F.	12	12	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	9	—	1	—	—	—	—	3	—	3	1	1	—
			F.	5	—	—	—	—	—	—	—	—	3	2	—	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	33	—	—	—	—	—	3	3	8	6	7	6	—
			F.	35	—	1	1	1	3	3	—	3	3	8	12	—
581	105	Cirrhosis of liver	M.	46	—	—	—	—	—	1	5	13	9	11	7	—
			F.	47	—	—	—	—	1	1	1	5	12	20	7	—
584-585	106	Cholelithiasis and cholecystitis	M.	9	—	—	—	—	—	—	—	—	3	4	2	—
			F.	46	—	—	—	—	—	—	—	2	6	14	24	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	8	1	—	—	—	—	1	2	1	3	—	—	—
			F.	10	—	1	—	—	—	1	—	2	3	3	—	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	22	2	1	—	1	—	—	3	2	3	5	5	—
			F.	31	6	1	—	—	—	1	1	2	6	7	7	—
590	108	Acute nephritis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	4	1	1	—	—	—	—	—	—	—	—	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	84	1	1	—	—	5	7	9	16	9	20	16	—
			F.	84	—	—	—	2	7	4	6	16	16	24	9	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	22	2	—	—	—	—	1	2	4	5	2	6	—
			F.	34	—	—	—	—	—	3	4	2	10	10	5	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	1	—	2	1	—
			F.	3	—	—	—	—	—	—	1	—	—	—	2	—
610	112	Hyperplasia of prostate	M.	107	—	—	—	—	—	—	—	1	4	25	77	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	6	—	—	—	—	—	—	—	—	—	2	4	—
			F.	4	—	—	—	—	—	—	1	—	—	—	3	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	19	—	—	—	—	—	—	2	2	3	4	8	—
			F.	15	1	—	—	—	1	—	2	—	4	4	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	3	2	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	1	—	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	5	1	—	—	—	—	—	—	—	2	1	1	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
720-725	122	Arthritis and spondylitis	M.	13	—	—	—	—	—	—	—	—	5	3	5	—
			F.	58	—	—	—	—	—	—	1	2	13	24	18	—
726, 727	123	Muscular rheumatism and rheumatism, unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	9	—	—	—	2	1	—	1	—	—	1	4	—
			F.	17	1	—	1	1	—	1	—	—	2	2	9	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	545	501	13	5	2	6	3	3	8	1	3	—	—
			F.	386	364	7	2	1	4	1	3	2	1	1	—	—
751	127	Spina bifida and meningocele	M.	33	28	3	—	1	—	—	1	—	—	—	—	—
			F.	29	28	—	1	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	55	39	6	2	1	4	2	—	—	—	1	—	—
			F.	40	29	3	1	1	3	1	1	1	—	—	—	—
750, 752, 753			M.	79	56	4	3	—	2	1	2	8	1	2	—	—

762	131	Post-natal asphyxia and atelectasis	M.	147	147	—	—	—	—	—	—	—	—	—	—	—
			F.	103	103	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	26	26	—	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	8	8	—	—	—	—	—	—	—	—	—	—	—
			F.	12	12	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	11	11	—	—	—	—	—	—	—	—	—	—	—
			F.	11	11	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	112	112	—	—	—	—	—	—	—	—	—	—	—
			F.	65	65	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	49	—	—	—	—	—	—	—	—	—	3	46	—
			F.	92	—	—	—	—	—	—	—	—	—	6	86	—
780-793, 795	137	Ill-defined and unknown causes	M.	71	17	2	—	1	—	2	3	10	12	10	14	—
			F.	36	10	3	—	—	—	1	1	3	4	6	8	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	617	45	21	30	11	45	63	70	96	88	75	73	—
			F.	304	34	10	6	2	7	16	23	28	41	43	94	—
E810-E835	138	Motor vehicle accidents	M.	159	—	9	16	8	21	21	16	22	14	18	14	—
			F.	35	—	4	2	1	2	—	1	4	9	7	5	—
E840-E845	139*a*	Other road transport accidents	M.	11	—	—	—	—	—	—	—	3	1	3	4	—
			F.	4	—	1	—	—	—	—	—	—	—	3	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	23	—	—	—	—	1	—	3	8	8	3	—	—
			F.	3	—	—	—	—	—	—	1	1	1	—	—	—
E870-E895	140	Accidental poisoning	M.	49	—	1	—	—	3	8	4	8	11	9	5	—
			F.	35	—	—	—	—	2	6	5	6	2	10	4	—
E900-E904	141	Accidental falls	M.	100	—	—	3	1	2	10	7	12	14	17	34	—
			F.	99	—	—	—	—	—	—	4	4	9	9	73	—
E912	142	Accident caused by machinery	M.	13	—	—	—	—	1	1	4	3	2	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	25	1	2	2	—	3	1	2	6	2	2	4	—
			F.	32	1	3	3	1	—	—	4	4	7	3	6	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	3	—	—	—	—	—	—	1	1	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	40	1	4	7	1	3	2	5	2	5	7	3	—
			F.	11	—	—	—	—	—	2	2	1	5	1	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	51	40	2	—	—	—	1	2	3	3	—	—	—
			F.	31	29	—	1	—	—	—	—	—	1	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	42	3	2	2	1	2	5	11	7	7	—	2	—
			F.	7	2	1	—	—	—	—	1	1	—	1	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	90	—	—	—	—	7	11	14	20	20	11	7	—
			F.	40	—	—	—	—	2	7	5	7	7	8	4	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	8	—	1	—	—	1	3	1	1	—	1	—	—
			F.	6	2	1	—	—	1	1	—	—	—	1	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
		ALL CAUSES	61143	2121	1530	2275	244	964	924	538	572	2748	612	338	255	302	465	327	753	465	265	1133	526	479	564	2415	339	687	325	77	374
		All Tuberculosis (001-019) ... ... TOTAL	723	12	6	19	1	8	12	3	2	18	4	1	2	3	3	3	6	8	3	11	3	1	6	11	4	10	1	2	2
001-008	1	Respiratory system	664	10	6	17	1	7	12	3	2	15	3	1	2	1	2	3	6	7	3	10	3	1	6	9	4	8	1	2	1
010	2	Meninges and central nervous system ...	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	11	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1
012, 013	4	Bones and joints	11	1	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014-019	5	All other forms	22	1	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
		Syphilis (020-029) ... ... TOTAL	94	7	–	3	–	2	2	1	2	–	1	–	–	–	1	1	3	–	–	1	–	1	2	–	1	–	–	1	–
020	6	Congenital syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	11	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–
025	9	General paralysis of insane	17	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022, 023, 026-029	10	All other syphilis	65	5	–	1	–	2	1	–	2	–	1	–	–	–	1	1	2	–	–	–	–	–	2	–	1	–	–	–	–
030-035	11	Gonococcal infection	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
045-048	16	Dysentery, all forms	8	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	20	1	–	1	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
055	21	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	21	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–
057	23	Meningococcal infections	21	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	11	–	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
082	29	Acute infectious encephalitis	11	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	28	–	–	2	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	16	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	1
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	21	1	1	2	–	–	–	2	–	1	1	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES	**13178**	**325**	**543**	**428**	**791**	**340**	**3532**	**6005**	**1143**	**538**	**111**	**275**	**201**	**468**	**1117**	**890**	**1163**	**212**	**1638**	**818**	**602**	**331**	**426**	**328**	**1363**	**186**	**902**	**364**	**308**
		All Tuberculosis (001-019) ... TOTAL	277	3	6	10	11	6	57	37	7	5	3	2	2	5	5	21	24	2	26	10	6	1	6	5	13	1	4	2	1
001-008	1	Respiratory system	260	3	6	9	11	6	53	34	7	4	3	1	1	4	3	21	23	2	22	8	6	1	5	5	13	1	4	1	1
010	2	Meninges and central nervous system ...	5	–	–	–	–	–	2	1	–	1	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014-019	5	All other forms	5	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	1	1	–	–	1	–	–	–	–	1	–
		Syphilis (020-029) ... ... TOTAL	22	–	1	–	–	–	7	16	1	–	–	–	1	2	1	–	2	–	2	–	3	–	–	1	–	–	3	3	–
020	6	Congenital syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	6	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	1	–
022, 023, 026-029	10	All other syphilis	15	–	1	–	–	–	5	13	1	–	–	–	1	2	1	–	1	–	–	–	2	–	–	–	–	–	2	2	–
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	3	–	1	–	–	–	–	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
055	21	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	4	–	–	–	–	–	1	1	–	–	–	–	–	–	–	3	–	–	4	–	–	–	–	–	–	–	1	–	–
057	23	Meningococcal infections	8	–	1	–	–	–	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
082	29	Acute infectious encephalitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
081,083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	8	–	1	–	–	–	2	2	–	–	–	–	–	–	–	3	2	–	–	–	2	–	–	–	1	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	16	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	1	1	–	–	–	–
		Malignant neoplasms (140-205) TOTAL	10747	419	268	456	44	154	152	77	89	438	103	49	41	34	86	50	126	76	52	223	87	79	103	394	60	104	60	17	54
140-148	44	Buccal cavity and pharynx	256	10	13	17	2	8	7	1	2	13	6	–	–	3	1	–	2	1	1	2	2	1	2	14	1	2	2	–	4
150	45	Œsophagus	313	12	5	11	2	7	7	4	3	12	5	3	–	–	5	2	8	1	1	11	1	1	1	12	2	8	–	1	1
151	46	Stomach	1694	56	37	89	9	27	23	13	18	78	15	4	7	9	10	9	23	17	5	34	14	14	9	57	8	10	14	2	7
152, 153	47	Intestine (except rectum)	1202	46	33	52	4	25	27	6	9	51	6	4	9	1	11	4	20	7	6	24	14	8	12	47	9	10	6	1	7
154	48	Rectum	619	30	22	29	2	7	8	3	4	24	5	2	2	1	5	4	7	5	3	16	6	5	6	20	3	10	4	2	5
161	49	Larynx	84	1	1	4	–	1	2	–	–	3	1	1	–	–	1	–	–	–	–	1	1	–	2	3	–	2	–	2	–
162, 163	50	Trachea, bronchus and lung not specified as secondary	2081	85	34	92	10	18	17	14	14	75	16	10	11	4	14	13	15	23	11	39	16	18	15	71	9	7	7	1	6
170	51	Breast	944	31	27	25	5	13	13	9	6	30	15	6	2	4	8	2	12	7	6	30	7	11	15	32	9	8	6	2	5
171	52	Cervix uteri	232	8	11	10	–	2	1	2	2	10	4	5	2	1	1	1	3	2	–	3	3	3	1	4	–	3	1	–	2
172-174	53	Other and unspecified parts of uterus ...	190	8	5	6	1	3	2	4	3	12	3	–	–	1	1	1	2	1	–	4	1	2	1	5	2	3	–	–	2
177	54	Prostate	373	14	7	10	1	10	6	1	–	15	6	3	2	1	2	3	4	1	2	7	1	1	5	16	1	5	3	1	1
190, 191	55	Skin	110	3	1	7	–	2	3	2	1	7	–	1	–	–	–	1	3	1	1	1	1	–	3	4	1	–	1	–	2
196, 197	56	Bone and connective tissue	135	6	5	5	–	1	1	–	1	6	1	1	–	–	1	–	3	–	–	1	–	–	1	7	–	3	1	1	2
155, 160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	1983	86	55	83	7	22	29	17	22	81	11	8	4	6	19	9	20	8	12	36	16	12	20	78	11	27	10	4	6
204	58	Leukæmia and aleukæmia	251	12	4	11	1	3	1	1	2	11	2	1	1	1	3	–	2	1	1	7	1	2	8	12	3	–	3	–	4
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	280	11	8	5	–	5	5	–	2	10	7	–	1	2	4	1	2	1	3	7	3	1	2	12	1	6	2	–	–
210-239	60	Benign neoplasms and neoplasms of unspecified nature	133	10	3	5	–	1	1	2	1	8	1	–	–	–	1	–	1	1	–	4	–	1	–	4	–	1	1	–	1
250-251	61	Nontoxic goitre	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	34	–	2	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	44	All other diseases classified as infective and parasitic	2	–	–	–	–	–	1	2	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
		Malignant neoplasms (140-205) TOTAL	2451	52	84	59	135	55	547	1211	224	84	20	26	35	90	175	163	189	45	305	127	111	50	82	49	206	26	146	63	42
140-148	44	Buccal cavity and pharynx	42	2	3	2	6	1	10	27	3	–	1	–	1	3	6	2	3	–	4	3	6	1	1	3	4	–	2	2	1
150	45	Œsophagus	72	1	2	5	4	1	12	26	7	3	2	–	2	2	3	2	6	–	10	4	1	1	2	2	9	2	4	1	1
151	46	Stomach	408	6	14	7	11	15	103	160	38	20	2	4	3	9	18	27	30	11	45	24	21	7	10	3	32	5	26	12	5
152, 153	47	Intestine (except rectum)	246	7	11	12	19	6	66	113	23	10	3	1	6	11	31	15	25	10	38	17	5	6	11	5	21	6	12	3	4
154	48	Rectum	118	2	10	2	6	1	33	74	12	4	–	1	2	6	9	8	12	4	22	6	7	5	4	2	13	–	9	6	1
161	49	Larynx	23	–	–	–	–	–	4	16	1	–	–	1	1	–	1	3	1	–	–	–	2	–	1	1	1	–	1	–	1
162, 163	50	Trachea, bronchus and lung not specified as secondary	617	10	12	10	21	13	87	272	37	9	1	3	5	18	22	42	39	10	55	6	12	7	21	10	33	–	32	10	2
170	51	Breast	213	5	5	5	11	4	50	108	23	5	2	3	4	10	21	10	11	5	25	14	10	6	3	3	19	1	8	4	10
171	52	Cervix uteri	49	1	–	3	2	3	10	27	4	1	–	–	–	3	2	3	5	–	2	6	2	2	5	2	5	3	3	4	–
172-174	53	Other and unspecified parts of uterus ...	28	1	4	1	3	1	16	18	2	2	1	–	1	–	3	2	3	1	7	3	2	2	3	–	5	–	3	2	3
177	54	Prostate	59	4	3	4	10	–	24	37	11	6	1	3	1	5	5	8	4	2	18	7	5	3	1	4	11	1	3	1	3
190,191	55	Skin	20	1	–	–	2	–	4	10	4	1	1	–	–	–	3	1	5	–	1	2	2	–	1	1	2	1	1	–	1
196, 197	56	Bone and connective tissue	33	–	–	2	5	2	1	14	3	2	1	–	2	1	2	1	1	–	7	–	1	–	2	1	3	–	2	1	1
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	422	10	16	6	29	7	87	241	43	18	3	10	6	17	37	33	37	1	58	26	29	9	13	9	38	6	30	15	8
204	58	Leukæmia and aleukæmia	56	–	2	–	3	1	15	26	6	–	2	–	–	4	4	4	3	1	4	6	2	1	2	1	4	1	4	1	–
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	45	2	2	–	3	–	25	42	7	3	–	–	1	1	8	2	4	–	9	3	4	–	2	2	6	–	6	1	1
210-239	60	Benign neoplasms and neoplasms of unspecified nature	33	1	–	5	1	–	7	14	2	2	1	1	–	3	2	3	1	1	5	–	1	1	–	1	–	–	1	–	–
250-251	61	Nontoxic goitre	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	8	–	–	–	–	–	6	–	–	–	–	–	–	–	–	2	2	–	4	–	–	–	–	–	2	–	–	2	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
260	63	Diabetes mellitus	505	29	15	20	1	8	9	2	2	26	3	3	5	4	8	4	4	4	3	10	4	4	4	18	2	3	6	1	2
280-286	64	Avitaminosis and other deficiency states ...	24	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	120	6	3	6	1	4	1	2	1	2	1	3	–	1	–	–	1	–	1	3	2	–	4	5	–	2	1	–	–
291-293	65*b*	Other anæmias	94	2	7	5	2	1	–	1	1	2	–	1	–	–	–	–	1	–	–	1	2	–	3	2	1	3	–	–	1
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	354	17	10	12	–	3	4	4	6	15	3	–	3	–	3	3	3	3	2	8	3	2	4	21	–	6	2	–	–
300-309	67	Psychoses	83	7	2	1	–	2	1	1	–	1	–	–	1	–	–	–	–	–	–	7	–	1	1	6	–	1	–	–	1
310-324, 326	68	Psychoneuroses and disorders of personality	26	1	–	2	–	–	1	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
325	69	Mental deficiency	23	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	1	–
330	70*a*	Subarachnoid hæmorrhage	219	6	8	6	2	–	2	1	4	9	2	–	–	1	–	3	–	2	1	4	3	3	1	9	1	3	–	–	1
331	70*b*	Cerebral hæmorrhage	3859	96	102	105	15	57	64	28	28	131	41	25	27	26	34	20	68	30	16	74	32	30	40	176	17	53	9	2	31
332	70*c*	Cerebral embolism and thrombosis	4782	196	174	199	23	90	65	38	44	217	47	32	23	21	20	26	71	34	23	86	47	33	30	199	22	53	30	4	37
333, 334	70*d*	Other vascular lesions affecting central nervous system	706	24	11	32	1	12	8	9	9	29	4	6	2	1	5	6	13	8	3	6	8	8	11	36	–	8	2	–	4
340	71	Non-meningococcal meningitis	59	–	1	6	–	–	–	1	1	4	1	–	1	–	4	–	1	–	–	3	–	1	–	1	–	–	–	–	–
345	72	Multiple sclerosis	153	4	5	6	2	4	2	3	–	10	4	1	2	1	–	–	1	1	–	2	4	1	2	6	–	3	–	–	1
353	73	Epilepsy	85	2	4	3	–	3	2	–	1	3	1	–	–	1	1	2	1	–	–	2	1	–	1	1	–	1	–	–	1
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	15	–	1	–	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
350	78*a*	Paralysis agitans	159	8	3	3	–	3	2	2	2	12	4	–	–	1	3	–	3	2	–	1	1	1	–	6	1	3	1	–	2
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	271	5	5	14	1	6	11	2	1	6	2	1	2	2	2	–	5	–	1	5	1	2	1	7	1	2	–	1	2
400-402	79	Rheumatic fever	45	2	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–
		Heart Disease (410-443) ... TOTAL	20565	638	470	722	86	349	364	233	217	1019	233	136	91	115	151	112	254	158	71	412	180	171	216	757	136	227	112	24	135
410-416	80	Chronic rheumatic heart disease	907	42	13	33	–	5	7	4	11	34	9	7	2	2	5	6	9	11	3	18	5	4	8	34	1	6	4	–	3
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	9513	354	258	358	44	170	159	97	91	448	101	60	37	35	55	70	107	70	33	217	97	85	93	317	51	99	60	8	45
421	81*b*	Chronic endocarditis not specified as rheumatic	357	15	10	7	3	7	4	1	4	7	9	6	–	1	3	1	5	1	1	9	1	–	6	13	1	14	–	1	4
422.0	81*c*	Fatty degeneration of heart	33	–	1	2	–	–	1	–	–	1	–	1	–	1	–	–	–	3	–	–	3	–	–	2	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed Nos.	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
260	63	Diabetes mellitus	90	5	7	4	4	4	30	50	5	2	–	5	1	2	7	7	12	1	13	4	6	2	3	6	12	2	11	–	1
280-286	64	Avitaminosis and other deficiency states ...	12	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	20	–	2	2	2	1	10	5	5	2	1	–	–	1	1	–	4	–	4	1	2	2	-	1	2	1	1	–	–
291-293	65*b*	Other anæmias	23	–	2	–	–	1	6	7	4	1	–	1	–	–	1	–	1	–	2	1	1	–	–	1	2	–	1	1	2
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	66	5	5	–	6	3	14	31	10	5	–	4	3	2	6	4	5	1	13	5	2	–	–	1	12	4	6	2	2
300-309	67	Psychoses	25	2	–	–	–	–	5	11	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	3	–	–	–	–
310-324, 326	68	Psychoneuroses and disorders of personality	9	–	–	–	–	1	–	3	–	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–
325	69	Mental deficiency	7	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–
330	70*a*	Subarachnoid hæmorrhage	45	–	4	–	3	–	9	28	8	1	1	1	2	4	4	2	6	–	4	3	2	1	3	2	8	–	2	1	3
331	70*b*	Cerebral hæmorrhage...	757	32	31	27	59	23	225	372	62	33	14	22	10	25	84	59	76	3	104	63	44	14	27	40	85	10	76	28	27
332	70*c*	Cerebral embolism and thrombosis	925	20	28	21	73	23	227	442	82	33	10	24	21	29	106	59	117	15	132	80	47	42	36	33	107	11	72	47	36
333, 334	70*d*	Other vascular lesions affecting central nervous system	189	1	6	4	11	3	21	92	13	5	1	3	5	7	8	–	7	–	9	10	6	7	5	3	10	2	8	1	3
340	71	Nonmeningococcal meningitis	13	–	1	–	–	1	6	3	1	2	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–	1	1	–	–
345	72	Multiple sclerosis	35	1	3	2	1	–	10	7	1	1	–	1	–	3	2	2	1	1	4	2	–	–	–	2	3	–	2	2	2
353	73	Epilepsy	23	–	1	1	1	–	6	6	4	1	1	–	–	–	–	1	–	–	3	1	–	–	–	1	3	–	1	–	–
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	6	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
350	78*a*	Paralysis agitans	27	1	1	1	3	2	10	20	2	1	–	1	–	–	2	–	3	–	6	1	1	1	–	–	2	1	1	4	4
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	72	1	4	2	1	–	14	20	3	3	–	1	–	1	6	3	6	2	4	4	6	1	2	3	11	1	4	3	5
400-402	79	Rheumatic fever	7	1	–	1	1	–	2	6	–	2	–	–	1	2	–	–	2	–	3	1	1	–	–	1	1	–	–	–	–
		Heart Disease (410-443) ... TOTAL	4126	103	199	170	240	113	1191	2000	384	203	37	91	68	167	396	300	404	79	565	269	215	133	142	89	489	69	269	115	100
410-416	80	Chronic rheumatic heart disease	264	7	14	7	20	10	51	75	10	7	1	5	–	11	4	16	22	4	22	1	5	5	2	4	30	1	8	8	2
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	1952	41	73	73	115	48	522	984	180	94	15	40	29	90	194	100	168	24	239	115	100	69	71	50	229	29	131	61	58
421	81*b*	Chronic endocarditis not specified as rheumatic	88	1	–	3	–	2	26	36	2	2	–	1	3	3	6	3	6	–	15	5	1	4	1	–	9	1	2	2	1
422.0	81*c*	Fatty degeneration of heart	3	–	–	–	–	–	3	2	1	–	–	1	–	–	–	1	–	1	–	1	1	–	2	–	1	–	1	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'db'rt Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4485	167	117	131	14	69	56	43	49	243	54	17	30	40	36	13	50	35	9	77	31	14	62	204	50	33	24	4	46
422.2	81*e*	Other myocardial degeneration	3452	45	32	118	14	69	106	73	37	182	47	29	19	29	34	14	60	26	16	68	30	48	29	126	19	48	16	7	26
430-432	82*a*	Acute non-rheumatic heart disease ...	113	2	1	1	1	3	1	1	3	6	1	1	–	1	1	–	1	–	1	2	1	5	1	8	1	1	–	–	–
433, 434	82*b*	Other and unspecified diseases of heart ...	523	10	15	32	3	8	10	2	5	27	3	1	1	3	6	2	10	3	4	6	2	6	5	16	1	12	–	3	3
440-443	83	Hypertension with heart disease ...	1182	53	23	35	7	18	20	12	17	71	9	14	2	3	11	6	12	9	4	15	10	9	12	37	12	14	8	1	8
444-447	84	Hypertension without mention of heart ...	624	26	13	19	4	13	9	1	5	32	10	4	3	3	4	2	7	8	7	12	5	3	7	36	6	7	3	–	4
450	85*a*	General arteriosclerosis	1166	37	37	23	2	13	22	7	15	51	16	7	4	9	7	3	22	5	7	28	19	7	9	43	4	12	17	–	10
451-456	85*b*	Other diseases of arteries	205	13	9	16	1	1	5	1	1	8	–	–	–	1	1	1	1	2	1	2	4	4	–	6	4	1	2	–	–
460-468	86	Other diseases of circulatory system ...	274	14	7	14	2	3	–	4	2	14	–	4	–	1	2	5	4	1	3	6	2	–	3	18	2	2	1	–	1
470-475	87	Acute upper respiratory infections	9	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
480-483	88	Influenza	680	20	7	43	1	12	7	9	8	33	7	1	2	4	6	3	7	4	3	13	3	5	3	24	2	6	1	3	1
490	89	Lobar pneumonia	369	10	6	18	–	2	4	2	4	3	4	3	1	1	3	–	1	4	–	2	5	2	1	14	2	6	4	1	1
491	90	Bronchopneumonia	1467	61	36	74	7	31	6	20	7	51	13	4	3	7	11	12	12	9	6	13	12	12	6	37	6	18	10	1	11
492, 493	91	Primary atypical, other and unspecified pneumonia	206	9	8	8	–	–	1	1	1	3	2	2	1	–	11	2	1	3	1	5	2	2	1	6	3	5	–	1	1
		Bronchitis (500-502) ... ... TOTAL	2013	57	37	70	4	23	12	9	15	59	7	8	3	4	16	10	14	15	11	29	8	17	22	95	3	7	3	2	5
500	92	Acute...	237	4	8	3	2	–	1	1	2	7	2	1	1	–	2	1	3	–	–	5	3	3	1	21	2	1	1	–	–
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary	1100	28	17	38	2	13	4	6	7	39	3	4	2	–	8	5	1	11	9	17	3	11	17	31	–	3	2	2	3
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	676	25	12	29	–	10	7	2	6	13	2	3	–	4	6	4	10	4	2	7	2	3	4	43	1	3	–	–	2
510	94	Hypertrophy of tonsils and adenoids ...	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	20	–	2	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
519	96	Pleurisy	18	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	490	11	3	14	2	5	3	2	5	38	4	2	–	–	1	2	3	3	–	6	15	2	3	31	2	3	–	1	2
530-535	98	Diseases of teeth and supporting structures...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	238	10	7	10	–	–	2	2	1	17	1	2	3	–	–	1	1	1	1	1	3	2	2	11	3	2	–	–	2
541	100	Ulcer of duodenum	326	15	11	8	1	6	4	1	3	17	2	–	2	1	–	–	6	2	–	6	2	4	1	20	2	4	–	–	4
543	101	Gastritis and duodenitis	10	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
550-553	102	Appendicitis	103	5	1	2	1	2	1	–	3	8	1	–	–	2	–	–	2	1	1	3	–	1	–	1	–	2	1	1	–
560,561, 570	103	Intestinal obstruction and hernia	423	12	14	25	2	7	5	2	4	13	9	–	–	5	3	1	5	5	–	5	4	6	1	22	2	7	5	–	5
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	60	1	–	6	–	3	–	1	1	4	–	–	–	–	–	1	1	1	2	1	–	–	–	4	1	–	–	–	–
571.1	104*b*	Gastro-enteritis over 2 years	38	–	–	2	–	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	1	1	–	3	–	–	–	–	–
572	104*c*	Chronic enteritis and ulcerative colitis ...	161	5	6	11	–	3	2	2	–	4	1	–	–	–	1	–	2	2	–	5	3	1	3	7	3	1	–	–	1
581	105	Cirrhosis of liver	243	6	9	8	–	5	7	2	2	7	4	–	–	–	3	2	4	1	2	2	1	2	1	8	2	3	2	–	2
584-585	106	Cholelithiasis and cholecystitis	193	6	5	10	–	3	4	–	4	5	1	–	1	1	–	1	5	1	2	2	1	1	1	12	–	1	2	–	2
580, 582, 583, 586	107*a*	Other diseases of liver	48	1	–	2	1	2	1	–	1	2	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	180	4	5	6	1	1	2	2	1	12	2	1	1	–	1	–	2	1	–	1	2	5	2	7	1	1	2	–	2
590	108	Acute nephritis	19	1	1	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	712	17	62	49	45	26	250	472	104	29	9	24	23	34	109	99	91	29	159	67	70	22	34	10	121	13	55	13	19
422.2	81*e*	Other myocardial degeneration	755	27	38	26	44	15	217	220	48	55	9	11	9	20	59	46	88	14	89	57	24	27	22	16	64	19	39	14	13
430-432	82*a*	Acute non-rheumatic heart disease ...	20	1	–	–	3	3	16	9	3	–	–	3	1	–	1	1	1	–	3	1	1	–	–	–	1	–	1	–	–
433, 434	82*b*	Other and unspecified diseases of heart ...	97	1	2	4	3	7	39	52	20	8	1	2	–	4	9	8	10	–	11	6	5	2	2	4	8	4	5	4	6
440-443	83	Hypertension with heart disease ...	235	8	10	8	10	2	67	150	16	8	2	4	3	5	14	26	18	7	27	16	8	4	8	5	26	2	27	13	1
444-447	84	Hypertension without mention of heart ...	120	5	5	5	4	1	40	62	8	3	2	2	4	3	14	9	7	3	14	12	8	–	9	2	8	2	12	3	4
450	85*a*	General arteriosclerosis	184	8	3	7	5	14	78	134	35	5	2	7	5	8	20	12	29	3	35	20	22	6	11	5	11	9	44	4	4
451-456	85*b*	Other diseases of arteries	40	–	1	–	1	1	11	28	3	1	2	–	1	5	3	1	3	1	3	3	2	–	1	–	5	1	3	–	–
460-468	86	Other diseases of circulatory system ...	45	–	–	3	3	–	17	32	3	3	–	2	–	4	4	3	2	2	8	6	4	1	2	2	5	1	3	3	1
470-475	87	Acute upper respiratory infections	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480-483	88	Influenza	174	1	4	3	5	3	34	58	10	7	–	9	3	3	6	14	14	2	19	4	8	2	5	3	25	3	14	6	3
490	89	Lobar pneumonia	128	3	5	2	2	3	18	26	8	3	–	4	2	1	6	2	6	1	12	3	–	2	3	2	10	–	9	2	2
491	90	Bronchopneumonia	408	10	21	8	20	9	69	173	25	8	1	1	3	17	29	20	25	5	22	9	4	5	5	8	36	4	16	5	5
492, 493	91	Primary atypical, other and unspecified pneumonia	51	–	1	–	3	–	5	23	1	3	–	1	2	2	2	5	3	–	2	3	2	–	–	–	4	1	8	2	2
		Bronchitis (500-502) ... ... TOTAL	628	15	13	13	24	15	125	227	42	7	4	6	6	9	32	25	47	4	45	15	12	8	23	6	46	5	39	6	1
500	92	Acute...	55	3	1	4	3	3	15	33	11	–	–	1	–	–	5	3	3	–	4	3	4	–	1	1	2	–	5	1	1
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary	363	8	7	3	10	9	78	112	25	1	3	2	3	6	17	13	34	–	24	8	4	3	16	4	30	2	24	5	–
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	210	4	5	6	11	3	32	82	6	6	1	3	3	3	10	9	10	4	17	4	4	5	6	1	14	3	10	–	–
510	94	Hypertrophy of tonsils and adenoids ...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	7	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	–	–
519	96	Pleurisy	5	–	–	–	–	–	1	2	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	57	7	6	5	19	4	92	31	12	5	–	2	–	4	5	3	–	–	3	4	4	1	3	6	30	2	19	3	–
530-535	98	Diseases of teeth and supporting structures...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	54	1	3	3	–	1	15	20	3	3	1	–	2	2	9	5	3	1	3	3	4	3	3	1	3	1	3	1	2
541	100	Ulcer of duodenum	66	–	2	3	7	1	15	34	5	3	–	3	1	5	8	4	5	–	12	9	3	1	1	3	5	–	4	1	3
543	101	Gastritis and duodenitis	4	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
550-553	102	Appendicitis	23	–	2	1	–	–	9	8	1	1	–	–	–	–	4	3	–	–	4	–	2	1	–	–	3	1	–	1	–
560,561, 570	103	Intestinal obstruction and hernia	80	–	5	4	13	3	26	37	8	4	–	4	2	2	10	6	8	1	15	2	2	1	2	1	10	2	1	4	1
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	13	–	1	1	1	2	6	2	1	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–
571.1	104*b*	Gastro-enteritis over 2 years	7	1	2	–	–	1	2	5	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	2	–	2
572	104*c*	Chronic enteritis and ulcerative colitis ...	42	2	2	–	4	2	9	14	1	2	–	–	–	–	2	–	4	–	3	–	1	2	–	–	5	–	1	1	1
581	105	Cirrhosis of liver	66	3	4	3	–	1	13	23	5	3	–	–	–	–	5	5	2	–	9	2	3	–	1	2	4	–	1	–	3
584-585	106	Cholelithiasis and cholecystitis	38	1	–	1	3	–	11	22	5	2	2	1	1	3	6	1	2	1	3	5	2	–	4	1	3	–	3	1	–
580, 582, 583, 586 536-539, 542, 544-545,	107*a*	Other diseases of liver	7	–	–	1	1	1	5	7	1	1	–	–	–	–	1	2	–	–	3	–	–	–	1	1	–	–	–	–	–
573-578, 587	107*b*	Other diseases of digestive system	33	2	–	3	1	1	8	21	2	3	–	–	2	–	9	3	2	1	4	2	2	1	3	1	7	–	4	–	–
590	108	Acute nephritis	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	1	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dumb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
591-594	109	Chronic, other and unspecified nephritis ...	492	13	11	13	4	8	12	7	5	22	9	4	2	3	3	2	2	4	3	11	3	4	7	26	2	9	1	3	1
600	110	Infections of kidney	91	11	3	13	1	3	1	1	1	9	–	–	–	–	–	2	4	3	–	1	3	3	2	10	1	1	3	–	2
602, 604	111	Calculi of urinary system	19	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
610	112	Hyperplasia of prostate	389	20	22	16	3	8	4	–	5	15	6	2	1	2	4	1	5	4	1	8	3	1	1	21	1	4	1	–	6
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	32	3	1	–	–	–	1	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	97	3	4	4	1	2	–	3	1	5	–	1	1	–	3	1	1	2	1	1	–	–	2	2	–	–	2	–	–
640, 641, 681, 632, 684	115	Sepsis of pregnancy, childbirth and the puerperium	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	11	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	7	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
671, 672	117*b*	Postpartum hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	10	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue ...	19	1	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
720-725	122	Arthritis and spondylitis	207	7	5	2	–	3	3	–	–	5	5	3	–	1	2	2	1	3	–	5	2	2	–	8	4	–	3	–	–
726, 727	123	Muscular rheumatism and rheumatism unspecified	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
730	124	Osteomyelitis and periostitis	9	–	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	82	4	1	2	1	2	1	–	1	4	1	1	–	–	1	2	1	1	–	4	1	–	–	4	–	–	1	–	–
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2246	70	49	64	7	30	16	15	24	112	17	8	6	14	22	17	17	24	15	42	12	15	19	85	10	16	13	1	5
751	127	Spina bifida and meningocele	144	3	2	–	–	4	–	3	2	8	–	–	–	–	1	2	–	4	1	3	–	1	3	12	1	2	–	1	2
754	128	Congenital malformations of circulatory system	240	7	11	6	–	3	2	1	2	11	2	1	–	3	3	–	2	3	–	7	2	1	3	6	1	1	1	–	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
591-594	109	Chronic, other and unspecified nephritis ...	97	4	2	5	8	4	41	32	4	6	–	4	–	6	9	5	7	3	15	9	7	2	1	1	13	–	1	9	3
600	110	Infections of kidney	43	1	1	–	1	1	7	17	5	1	–	2	1	3	2	3	–	1	6	–	–	–	–	–	4	2	4	–	–
602, 604	111	Calculi of urinary system	4	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	2	–	1	–	–
610	112	Hyperplasia of prostate	65	1	1	4	6	–	23	41	9	4	–	4	1	1	5	4	6	–	7	11	1	6	1	2	8	1	4	2	6
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	5	–	–	–	1	–	7	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	1	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	15	1	–	2	5	–	10	5	2	2	1	–	–	1	3	–	–	–	3	–	1	–	1	1	2	1	–	1	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	2	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
690-698	121	Infections of skin and subcutaneous tissue ...	7	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
720-725	122	Arthritis and spondylitis	37	–	2	–	2	5	17	24	5	3	1	1	–	1	6	1	6	–	6	3	2	1	–	3	5	1	4	2	3
726, 727	123	Muscular rheumatism and rheumatism unspecified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	12	–	–	–	2	–	6	10	–	1	–	1	1	–	2	1	5	1	3	1	–	1	1	–	2	–	–	–	–
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	594	13	38	13	40	14	152	155	71	21	2	7	6	14	26	40	44	13	32	27	14	10	13	12	47	3	38	12	8
751	127	Spina bifida and meningocele	35	–	3	–	2	2	13	5	3	1	–	–	2	–	1	2	3	1	4	1	2	–	–	1	3	1	4	–	–
754	128	Congenital malformations of circulatory system	61	1	1	3	5	–	13	21	5	2	–	–	2	2	3	6	9	2	6	3	1	3	1	1	4	–	4	1	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1957.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	334	9	5	6	2	6	1	1	2	16	2	1	2	3	5	2	4	4	2	9	2	–	–	16	3	3	4	–	–
760, 761	130	Birth injuries	249	4	6	6	1	3	2	1	1	12	1	1	1	1	1	5	5	1	1	5	1	2	4	4	1	2	–	–	–
762	131	Postnatal asphyxia and atelectasis ...	513	18	10	18	1	2	5	5	11	37	4	–	–	2	3	2	2	4	2	7	4	1	5	9	2	3	1	–	–
763	132*a*	Pneumonia of newborn	95	5	3	4	1	–	–	–	1	5	2	–	–	2	3	2	–	–	–	–	2	–	–	2	–	–	1	–	2
764	132*b*	Diarrhœa of newborn	18	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	23	–	–	1	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
770	133	Hæmolytic disease of newborn	64	3	3	1	–	2	3	–	2	1	–	1	1	–	–	–	–	–	1	2	1	1	–	2	1	1	2	–	–
769, 771, 772	134	All other defined diseases of early infancy	68	1	–	–	–	–	1	1	1	2	1	1	–	–	–	1	1	1	1	1	–	1	1	4	1	–	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	498	20	9	19	2	9	2	2	2	16	5	3	2	3	6	2	3	6	7	8	–	7	3	30	–	4	4	–	–
794	136	Senility without mention of psychosis ...	580	5	24	2	5	12	24	4	4	18	2	4	3	9	11	2	16	8	7	7	3	3	3	18	5	29	3	4	12
780-793, 795	137	Ill-defined and unknown causes	273	1	4	1	1	1	9	2	7	10	3	2	13	4	1	–	1	3	1	2	–	3	2	16	–	9	2	1	2
	E Code	Alternative classification of accidents, poisonings and violence (external cause) *Violence* (800-999) ... ... TOTAL	2801	108	71	120	10	49	47	21	26	142	20	10	3	17	20	17	37	15	12	39	26	27	31	134	21	38	17	4	14
E810-E835	138	Motor vehicle accidents	563	20	23	25	2	6	4	7	4	40	2	3	–	4	2	4	12	5	1	9	8	2	6	21	5	12	3	1	4
E840-E845	139*a*	Other road transport accidents	22	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	110	3	5	1	–	2	15	3	–	3	3	–	–	–	–	2	3	1	–	2	1	2	3	4	–	1	–	–	–
E870-E895	140	Accidental poisoning	259	11	2	22	4	6	3	2	5	3	2	–	1	2	7	–	–	2	1	5	2	6	4	11	2	1	1	–	–
E900-E904	141	Accidental falls	655	33	14	22	2	10	14	2	6	29	8	5	1	7	4	5	6	1	4	11	6	4	3	29	4	9	4	1	4
E912	142	Accident caused by machinery	25	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	125	2	2	4	–	3	–	–	–	19	–	–	–	1	–	–	1	1	–	–	1	–	4	12	–	4	–	1	–
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
E919	145	Accident caused by firearm	8	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E929	146	Accidental drowning and submersion ...	207	4	7	5	–	1	4	3	–	13	1	–	1	–	2	2	10	–	2	2	1	4	2	9	5	3	4	–	–
E921-E925	147*a*	Accidental mechanical suffocation, etc. ...	194	4	6	11	1	1	–	2	2	9	–	–	–	–	1	2	2	1	2	4	2	–	–	5	2	2	1	–	–
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	162	1	3	2	–	2	–	–	3	6	–	–	–	2	1	–	1	1	–	3	2	2	1	17	–	3	1	–	2
E963, E970-E979	148	Suicide and self-inflicted injury	420	27	6	26	1	16	7	1	5	17	2	2	–	1	3	2	1	2	2	2	3	6	8	23	1	1	2	1	4
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	29	1	1	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
E965, E990-E999	150	Injury resulting from operations of war ...	10	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	87	3	8	2	3	2	23	20	14	6	1	–	–	3	5	8	6	1	5	5	2	2	3	–	5	1	4	4	1
760, 761	130	Birth injuries	83	1	–	1	5	2	12	13	9	3	–	2	–	–	6	5	6	1	6	6	2	1	1	2	4	–	3	2	1
762	131	Postnatal asphyxia and atelectasis ...	148	5	16	6	9	4	53	32	14	4	1	1	2	2	1	4	12	6	15	5	–	1	–	–	4	1	4	1	4
763	132*a*	Pneumonia of newborn	24	–	1	–	3	–	6	8	1	1	–	1	–	–	1	3	1	2	2	–	–	–	1	3	–	–	2	–	–
764	132*b*	Diarrhœa of newborn	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
765-768	132*c*	Other infections of newborn	10	–	–	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
770	133	Hæmolytic disease of newborn	11	–	–	–	1	–	3	4	3	1	–	–	–	–	1	–	–	–	4	1	–	–	–	–	3	–	1	2	1
769, 771, 772	134	All other defined diseases of early infancy	13	–	–	–	2	–	7	6	3	–	–	1	–	2	–	3	–	–	3	1	1	2	–	–	1	–	3	–	–
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	112	3	9	1	10	4	22	42	17	3	–	2	–	5	8	9	7	2	7	5	6	1	7	5	23	–	13	1	–
794	136	Senility without mention of psychosis ...	60	4	4	9	13	3	44	26	5	4	–	22	1	4	16	10	2	4	9	33	6	8	3	10	11	8	3	5	6
780-793, 795	137	Ill-defined and unknown causes	62	2	1	3	7	–	23	9	1	5	1	1	2	–	6	11	4	1	9	7	1	2	1	1	3	2	5	–	2
	E Code	Alternative classification of accidents, poisonings, and violence (external cause)																													
		Violence (800-999) ... ... TOTAL	567	12	25	16	35	12	161	278	42	34	2	7	5	24	53	49	55	10	78	37	22	11	18	13	65	7	40	13	14
E810-E835	138	Motor vehicle accidents	114	4	7	4	12	4	29	35	10	7	–	1	1	5	17	7	12	3	14	6	4	–	3	4	10	–	7	5	3
E840-E845	139*a*	Other road transport accidents	11	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	–	–	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	13	1	2	–	2	–	4	10	1	6	–	–	–	1	2	3	1	–	4	3	–	–	–	–	–	–	1	1	1
E870-E895	140	Accidental poisoning	58	1	1	4	–	–	11	32	3	3	–	–	2	6	3	7	1	2	7	3	3	3	1	1	1	–	1	–	–
E900-E904	141	Accidental falls	124	2	4	2	6	4	34	84	10	8	1	2	–	5	7	15	15	1	20	11	3	5	5	5	16	1	7	3	7
E912	142	Accident caused by machinery	4	–	2	–	1	–	5	1	1	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	–	–	1	–	–
E916	143	Accident caused by fire and explosion of combustible material	34	–	1	1	1	2	11	6	1	–	–	–	–	–	2	–	5	–	2	–	–	1	–	–	1	–	1	–	1
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	2	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
E919	145	Accident caused by firearm	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–
E929	146	Accidental drowning and submersion ...	31	–	1	–	4	–	15	13	2	6	1	1	–	1	8	6	1	1	6	5	2	–	3	–	10	3	2	–	–
E921-E925	147*a*	Accidental mechanical suffocation, etc. ...	54	–	2	2	4	–	11	13	4	1	–	2	–	1	2	7	5	1	5	1	3	–	2	1	6	1	5	1	–
E910, E911, E913-E915, E920, E926-E928, E930-E962 E963,	147*b*	All other accidental causes	19	2	2	1	3	1	22	14	3	2	–	–	–	–	4	1	3	1	7	1	1	–	–	1	8	1	11	1	–
E970-E979 E964,	148	Suicide and self-inflicted injury	89	2	3	2	2	1	14	63	7	–	–	1	2	4	5	3	9	1	11	4	4	1	3	–	9	1	4	1	2
E980-E985 E965,	149	Homicide and injury purposely inflicted by other persons (not in war)	12	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
E990-E999	150	Injury resulting from operations of war ...	2	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)														ABERDEEN-COUNTY (excluding County of City)													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		2121	58	24	7	6	4	10	26	69	165	368	552	616	216	1530	39	13	8	4	4	14	20	48	116	200	345	527	192
		Males		1037	34	18	4	4	3	5	20	33	100	214	286	255	61	770	27	8	6	3	2	8	14	22	62	124	169	256	69
		Females		1084	24	6	3	2	1	5	6	36	65	154	266	361	155	760	12	5	2	1	2	6	6	26	54	76	176	271	123
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	1	–	2	2	2	1	–	4	–	–	–	–	–	–	–	1	1	2	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	6	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	221	–	–	–	–	1	1	1	6	27	62	78	41	5	112	–	–	1	–	–	–	3	3	14	28	29	29	5
			F.	198	–	–	–	–	1	1	2	13	25	43	45	56	12	156	–	1	–	–	–	2	1	15	27	23	42	38	7
210-239	19	Benign and unspecified neoplasms	M.	7	–	–	–	–	–	–	1	–	2	–	3	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	3	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	8	–	–	–	–	–	–	–	1	–	3	3	1	–	5	–	–	–	–	–	–	–	–	2	2	1	–	–
			F.	21	–	–	–	–	–	–	–	1	1	5	6	4	4	16	–	–	–	–	–	–	–	1	–	1	2	6	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	4	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	5	–	–	–	–	–	–	–	–	1	–	–	2	2	6	–	–	–	–	–	–	–	–	–	–	3	2	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	7	–	–	–	–	–	–	1	–	1	4	1	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
			F.	11	–	–	1	–	–	–	1	2	–	1	1	5	–	8	–	–	–	–	–	–	1	–	1	1	4	–	1
330-334	22	Vascular lesions affecting central nervous system	M.	111	–	–	–	1	–	–	1	3	21	39	41	5	123	–	–	–	–	–	–	–	–	4	15	35	55	14
			F.	211	–	–	–	–	–	–	1	5	27	61	93	24	172	–	–	–	–	–	–	2	4	10	12	40	72	32
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	8	–	–	1	–	1	–	2	–	2	2	–	–	–	10	–	1	1	–	–	–	2	1	1	1	2	–	–
			F.	20	–	–	1	–	–	–	–	2	–	2	3	10	2	12	–	–	–	–	–	–	–	1	1	1	4	2	3
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	16	–	–	–	–	–	–	–	2	3	6	4	1	–	6	–	–	–	–	–	–	–	1	–	2	2	1	–
			F.	26	–	–	–	–	–	–	–	6	8	5	4	3	–	7	–	–	–	–	–	–	1	2	1	2	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	286	–	–	–	–	–	–	2	9	31	67	66	84	27	227	–	–	–	–	–	–	1	3	16	45	51	88	23
			F.	295	–	–	–	–	–	1	–	1	7	25	92	107	62	181	–	–	–	–	–	–	–	–	3	22	51	79	36
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	11	–	–	1	–	–	–	–	–	1	–	1	7	1
			F.	9	–	–	–	–	–	–	1	–	–	2	3	3	–	5	–	–	–	–	–	–	–	–	–	–	–	2	3

480-483	30	Influenza	F.	10	–	–	–	–	1	–	2	2	1	1	2	3	5	25	–	2	–	–	–	–	1	1	1	4	4	10	2
			M.	47	–	7	1	1	–	–	1	–	–	4	11	17	7	25	–	1	1	–	–	–	–	–	1	1	3	7	11
490-493	31	Pneumonia (except of newborn)	F.	33	–	4	1	–	–	–	–	1	2	4	3	11	7	22	–	–	1	–	–	–	–	1	2	3	5	8	2
			M.	41	–	–	–	1	–	–	1	2	4	12	9	11	1	22	–	–	–	–	–	–	–	–	–	2	4	5	4
500-502	32	Bronchitis	F.	16	–	–	–	–	–	–	–	–	3	4	3	4	2	15	–	–	–	–	–	–	–	–	–	–	2	–	1
			M.	11	–	1	–	–	–	–	1	1	1	2	3	1	1	3	–	–	–	–	–	–	–	–	–	–	1	2	1
470-475, 510-527	46.4	Other respiratory diseases ...	F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	18	–	–	–	–	–	–	–	–	3	2	10	3	–	14	–	–	–	1	–	–	1	–	3	3	3	3	–
			F.	7	–	–	–	–	–	–	–	–	1	1	1	2	2	4	–	–	–	–	–	–	–	–	1	–	–	1	2
			M.	2	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	F.	3	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	9	1	–	–	–	–	–	–	–	1	1	2	3	1	8	–	–	–	–	–	–	–	–	1	1	3	2	1
			F.	3	–	–	–	–	–	–	–	–	1	–	–	–	2	6	1	–	–	–	–	–	–	–	–	–	2	3	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	1	–	–	–	–	–	–	1	1	1	1	–	4	–	–	–	–	–	1	1	1	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	4	–	–	–	–	–	–	–	–	2	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	5	–	–	–	–	–	–	–	1	2	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	–	–	–	–	–	1	1	1	3	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	4	–	–	–	–	–	–	1	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	–	1	–	–	4	–	–	7	–	1	–	–	–	1	–	–	–	1	–	4	–
			F.	9	–	–	–	–	–	–	–	1	–	1	3	3	1	5	–	–	–	–	–	–	1	1	1	–	–	2	–
610	39	Hyperplasia of prostate ...	M.	20	–	–	–	–	–	–	–	–	–	–	6	11	3	22	–	–	–	–	–	–	–	–	–	2	5	10	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	11	–	–	–	–	–	–	–	–	1	3	3	3	1	4	–	–	–	–	–	–	–	–	–	–	2	1	1
			F.	7	–	–	–	–	–	–	1	1	–	1	3	1	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	4	–	2	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–
			F.	8	–	–	–	–	–	–	–	–	–	4	3	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
750-759	41	Congenital malformations ...	M.	11	3	4	–	–	–	–	1	1	1	–	1	–	–	10	3	2	–	1	–	2	–	–	–	1	1	–	–
			F.	8	4	1	–	1	–	1	–	–	–	–	–	–	1	8	3	1	–	–	1	1	–	–	1	–	1	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	15	14	1	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	4	–	–	–	–	–	–	–	2	8	–	–	–	–	–	–	–	–	–	–	1	3	4
			F.	3	–	–	–	–	–	–	–	–	–	–	–	–	3	16	–	–	–	–	–	–	–	–	–	–	2	3	6
780-793, 795	45.1	Causes ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
E963, E970-979	49	Suicide	M.	16	–	–	–	–	3	3	1	1	4	1	3	–	–	4	–	–	–	–	–	–	1	–	1	2	–	–	–
			F.	11	–	–	–	–	–	–	–	2	2	5	2	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	15	–	–	2	–	–	1	3	4	2	1	1	1	–	20	–	–	1	1	2	2	2	4	2	3	1	2	–
			F.	5	–	–	–	–	–	1	–	–	–	2	1	1	–	3	–	–	1	–	–	–	–	–	–	–	1	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	22	–	1	–	1	–	–	2	1	4	2	4	4	3	27	–	2	1	–	–	2	1	5	6	3	4	2	1
			F.	39	–	1	–	–	–	–	–	–	1	4	8	9	16	15	–	1	–	1	–	–	–	–	1	2	2	6	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957 —*continued*

International Classification		Causes of Death		DUNDEE COUNTY OF CITY														ARBROATH BURGH													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**2275**	**61**	**22**	**16**	**9**	**6**	**16**	**24**	**64**	**177**	**421**	**578**	**644**	**237**	**244**	**7**	**1**	–	–	–	**2**	**4**	**4**	**11**	**44**	**59**	**83**	**29**
		Males		**1119**	**41**	**17**	**6**	**6**	**4**	**11**	**12**	**37**	**107**	**258**	**287**	**267**	**66**	**101**	**3**	–	–	–	–	–	**4**	**1**	**7**	**24**	**25**	**31**	**6**
		Females		**1156**	**20**	**5**	**10**	**3**	**2**	**5**	**12**	**27**	**70**	**163**	**291**	**377**	**171**	**143**	**4**	**1**	–	–	–	**2**	–	**3**	**4**	**20**	**34**	**52**	**23**
001-008	1	Tuberculosis of respiratory system	M.	12	–	–	–	–	–	–	–	–	2	5	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	217	–	–	–	–	1	1	2	7	29	77	60	37	3	25	–	–	–	–	–	–	1	–	5	9	4	6	–
			F.	239	–	–	2	–	1	–	5	8	29	47	67	65	15	19	–	–	–	–	–	–	–	–	1	6	6	6	–
210-239	19	Benign and unspecified neoplasms	M.	4	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	6	–	–	–	–	–	–	–	–	–	2	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	14	–	–	–	–	–	–	–	–	–	3	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	2	1	5	–	3	–	–	–	–	–	–	–	–	–	1	–	1	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	1	–	2	–	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	140	–	–	–	–	–	–	1	–	6	17	45	49	22	12	–	–	–	–	–	–	–	–	–	2	4	6	–
			F.	202	–	–	–	–	–	–	–	2	6	22	67	65	40	29	–	–	–	–	–	–	–	2	1	3	6	12	5
340	23	Non-meningococcal meningitis	M.	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	14	–	–	–	1	1	1	–	1	2	2	5	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	16	–	–	–	–	–	–	–	–	2	5	4	5	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	12	–	–	–	–	–	–	3	1	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	26	–	–	–	–	–	1	–	4	6	8	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	306	–	–	–	–	–	–	–	9	32	64	83	100	18	32	–	–	–	–	–	–	–	–	2	6	9	12	3
			F.	310	–	–	–	–	–	–	–	3	7	34	75	125	66	43	–	–	–	–	–	–	–	–	–	5	13	20	5
430-434	27	Other diseases of heart ...	M.	17	–	–	–	–	–	–	–	1	3	4	7	1	1	3	–	–	–	–	–	–	1	–	–	–	1	–	1
			F.	16	–	–	–	–	–	–	–	–	1	3	6	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
440-443	28	Hypertension with heart	M.	18									2	6	5	5		3	–	–	–	–	–	–	–	–	1	1	1	–	
444-447	29	Hypertension without heart	M.	12																											

490-493	31	Pneumonia (except of newborn)	M.	30	–	1	1	–	–	–	1	1	2	10	7	20	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	50	–	1	4	–	–	–	–	–	1	3	12	15	14	7	–	–	–	–	–	–	–	1	–	–	4	2	–
500-502	32	Bronchitis	M.	58	–	–	–	–	–	–	–	1	3	20	20	10	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	12	–	–	–	–	–	–	–	–	–	2	3	4	3	3	–	–	–	–	–	–	–	–	–	–	–	2	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	9	–	–	–	–	–	–	–	1	–	2	4	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	13	–	–	–	–	–	–	–	–	–	3	4	5	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	11	1	–	–	–	–	–	–	–	–	5	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	14	2	–	–	–	–	–	–	–	2	2	–	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	8	–	3	1	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	2	–	–	–	–	–	–	–	2	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	2	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	3	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	1	2	–	5	–	4	–	–	–	–	–	–	–	–	–	1	2	–	1
610	39	Hyperplasia of prostate ...	M.	16	–	–	–	–	–	–	–	–	–	–	2	12	2	3	–	–	–	–	–	–	–	–	–	–	–	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	2	1	3	–	3	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations ...	M.	8	5	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	1	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	16	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	2	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	18	–	–	–	–	–	1	1	5	5	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	1	2	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	17	–	–	–	2	–	4	–	2	3	2	3	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	8	–	–	–	1	–	–	–	1	–	2	1	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	32	–	6	2	1	–	–	1	2	3	8	5	3	1	4	1	–	–	–	–	–	1	–	–	–	2	–	–
			F.	37	–	1	–	–	–	–	–	–	–	3	3	20	10	3	–	–	–	–	–	–	–	–	–	1	–	2	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh)														ARGYLL COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		964	23	13	1	1	1	3	11	27	48	117	269	303	147	224	13	5	2	2	–	6	12	28	53	135	258	285	125
		Males		456	11	7	–	1	–	1	3	17	32	73	144	124	43	103	12	1	2	1	–	3	10	16	35	84	137	147	55
		Females		508	12	6	1	–	1	2	8	10	16	44	125	179	104	121	1	4	–	1	–	3	2	12	18	51	121	138	70
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	1	–	1	2	1	–	9	–	–	–	–	–	–	–	2	2	2	3	–	–
			F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	76	–	1	–	–	–	–	–	5	3	13	29	18	7	82	–	–	–	–	–	–	–	3	8	20	23	21	7
			F.	78	–	–	–	–	–	–	–	4	8	14	24	21	7	70	–	–	–	–	–	–	1	4	5	12	20	24	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	7	–	–	–	–	–	–	–	1	–	1	2	3	–	7	–	–	–	–	–	–	–	1	–	1	2	2	1
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	60	–	–	–	–	–	–	–	1	1	8	20	22	8	63	–	–	–	–	–	–	–	–	3	10	14	24	12
			F.	99	–	–	–	–	–	–	1	–	2	9	28	40	19	76	–	–	–	–	–	–	–	2	3	5	31	24	11
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	9	–	–	–	–	–	–	–	2	–	1	5	1	–	7	–	–	–	–	–	–	2	2	1	–	1	1	–
			F.	9	–	–	–	–	–	1	1	–	1	1	3	–	2	12	–	1	–	–	–	–	–	–	1	3	4	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	2	–	1	4	–	–	–	–	–	–	–	–	1	1	2	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	159	–	–	–	–	–	–	–	2	13	25	46	51	22	186	–	–	–	–	–	–	–	1	10	31	67	58	19
			F.	156	–	–	–	–	–	–	–	–	1	9	35	69	42	140	–	–	–	–	–	–	–	1	2	12	41	59	25
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	1	1	1	2	–	–	6	–	–	–	–	–	–	–	–	1	–	1	4	–
			F.	6	–	–	–	–	–	–	1	–	–	1	2	2	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1
[illegible]	[illegible]	Hypertension with heart	M.	9	–	–	–	–	–	–	–	1	1	1	4	2	–	10	–	–	–	–	–	–	–	–	3	3	3	1	1
444-447	29	Hypertension without heart	M.	8	–	–	–	–	–	–	–	–	–	–	[illegible]	[illegible]	[illegible]	[illegible]	–	–	–	–	–	–	–	–	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

490-493	31	Pneumonia (except of newborn)	F.	23	–	–	1	–	–	–	–	1	–	1	6	3	5	3	–	1	–	–	–	–	–	–	–	–	1	–	1
			M.	12	–	–	–	–	–	–	–	–	–	3	5	4	–	11	–	–	–	–	–	–	–	–	1	2	3	3	2
500-502	32	Bronchitis	F.	11	–	–	–	–	–	–	–	–	–	–	2	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			M.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	1	–	–	–	–	1	–	1	1	–
540-541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	–	1	4	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	1	–	–	–	–	–	1	1	–	2	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	4	–	–	–	–	–	–	–	1	1	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	1	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	4	–	–	–	–	–	–	–	1	1	–	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	1	–	–	2	1	1	–	7	–	–	–	–	–	–	–	1	1	2	–	3	–
			F.	3	–	–	–	–	–	–	1	1	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	1	2	5	–	4	–	–	–	–	–	–	–	–	–	–	–	3	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	6	3	2	–	–	–	–	–	–	–	–	1	–	–	3	1	–	1	–	–	1	–	–	–	–	–	–	–
			F.	7	2	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	–	–	–	1	6	4
			F.	12	–	–	–	–	–	–	–	–	–	–	–	4	8	13	–	–	–	–	–	–	–	–	–	–	–	4	9
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	1	–	4	2
E963, E970-979	49	Suicide	M.	9	–	–	–	–	–	1	–	1	2	3	2	–	–	5	–	–	–	–	–	–	1	1	–	2	1	–	–
			F.	7	–	–	–	–	–	1	–	1	1	1	2	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	5	–	–	–	–	–	–	1	1	2	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	1	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	12	–	1	–	–	–	–	–	–	3	2	1	4	1	23	–	–	1	1	–	2	6	4	3	3	–	3	–
			F.	14	1	–	–	–	–	–	–	1	–	1	2	6	3	13	–	–	–	–	–	2	–	–	–	1	1	–	9

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957 *—continued*

International Classification		Causes of Death		AYR BURGH														KILMARNOCK BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		538	14	11	3	2	3	8	10	8	52	84	129	163	51	572	21	11	4	2	2	2	6	16	48	94	167	154	45
		Males		271	7	5	2	1	3	3	6	2	37	49	72	65	19	305	12	3	1	1	2	2	4	10	28	56	95	73	18
		Females		267	7	6	1	1	–	5	4	6	15	35	57	98	32	267	9	8	3	1	–	–	2	6	20	38	72	81	27
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	38	–	–	–	–	–	–	1	–	10	11	8	6	2	40	–	–	–	–	1	–	1	2	5	10	12	9	–
			F.	39	–	–	–	–	–	–	1	4	4	7	9	12	2	49	–	–	–	–	–	–	–	1	5	13	19	9	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	1	–	–	–	1	–	–	1	–
			F.	5	–	–	–	–	–	–	1	–	1	2	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	34	–	–	–	–	–	–	–	–	3	5	10	14	2	40	–	–	–	–	–	–	–	2	1	7	17	10	3
			F.	42	–	–	–	–	–	–	–	1	2	8	13	15	3	45	–	–	–	–	–	–	–	–	4	5	14	20	2
340	23	Non-meningococcal meningitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	5	–	1	–	–	–	1	1	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	1	–	1	–	–	–	–	–	–	8	–	–	–	–	–	–	–	2	3	2	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	109	–	–	–	–	–	–	–	2	9	17	38	34	9	108	–	–	–	–	–	–	–	3	5	18	40	35	7
			F.	105	–	–	–	–	–	–	–	–	3	8	25	50	19	73	–	–	–	–	–	–	–	1	5	8	22	25	12
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–
440-443	28	Hypertension with heart	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	7	–	–	–	–	–	–	–	–	1	–	4	2	–
444-447	29	Hypertension without heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	F.	12	–	2	–	–	–	1	–	–	1	1	–	5	2	9	–	2	1	–	–	–	–	–	1	2	–	2	1
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	1	2	3	1	1	8	–	–	–	–	–	–	–	–	–	2	4	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	1	–	–	2	4	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540-541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	3	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	4	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	1	–	–	–	2	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	3	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	1	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–	–	–	–	–	2	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	1	1	–	–	–	–	–	–	–	1	–	1	1
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	5	–	–	–	1	–	2	–	–	–	–	1	1	–	4	–	–	–	–	–	1	1	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	10	–	1	1	–	–	–	1	–	4	2	–	1	–	10	–	1	–	–	–	1	–	–	2	3	2	1	–
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	1	–	–	–	2	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		AYR COUNTY (excluding Large Burghs)														BANFF COUNTY														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		2748	99	41	19	12	14	26	46	76	219	444	697	797	258	612	16	3	2	2	4	5	8	14	47	88	144	203	76
		Males ...		1435	61	25	13	8	6	17	26	40	139	274	365	363	98	316	12	3	2	1	3	3	5	5	28	48	81	100	25
		Females ...		1313	38	16	6	4	8	9	20	36	80	170	332	434	160	296	4	–	–	1	1	2	3	9	19	40	63	103	51
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	–	1	1	3	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	7	–	1	–	–	–	1	1	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	231	–	–	–	2	–	1	2	8	22	65	78	47	6	47	–	–	–	–	–	1	1	–	8	7	19	10	1
			F.	207	–	–	1	–	2	2	4	11	23	52	57	47	8	56	–	–	–	–	–	–	–	7	9	8	16	14	2
210-239	19	Benign and unspecified neoplasms	M.	4	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	4	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	–	–	–	–	1	2	3	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	17	–	–	–	–	–	–	–	1	2	3	7	4	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	6	–	–	–	–	–	–	–	–	2	3	1	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	10	–	–	–	–	–	–	–	3	–	2	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	188	–	–	–	–	–	–	–	1	11	24	63	75	14	40	–	–	–	–	–	–	–	–	1	4	10	22	3
			F.	248	–	–	–	–	1	–	1	1	13	34	63	105	30	54	–	–	–	–	–	–	–	–	2	12	12	19	9
340	23	Non-meningococcal meningitis	M.	3	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	15	–	1	1	1	–	–	–	1	4	6	–	1	–	5	–	–	–	1	–	–	–	–	–	2	1	1	–
			F.	20	–	–	2	1	–	–	3	–	1	3	5	4	1	7	–	–	1	–	–	–	1	1	2	1	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	11	–	–	–	–	–	–	1	3	3	1	1	2	–	5	–	–	–	–	–	–	–	–	2	2	1	–	–
			F.	23	–	–	–	–	1	–	2	3	2	3	5	6	1	4	–	–	–	–	–	–	1	–	1	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	476	–	–	–	–	–	–	2	11	53	98	129	140	43	108	–	–	–	–	–	–	1	–	8	22	28	39	10
			F.	405	–	–	–	–	–	–	–	3	7	34	117	169	75	103	–	–	–	–	–	–	–	–	3	11	22	39	28
430-434	27	Other diseases of heart ...	M.	12	–	–	1	–	–	–	–	–	2	1	1	3	4	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	21	–	1	–	–	–	–	1	–	2	3	6	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
444-447	29	Hypertension without heart	M.	99	–	–	–	–	–	–	–	1	2	9	9	6	2	5	–	–	–	–	–	–	–	–	–	1	3	1	–
			F.	18	–	–	–	–	–	–	–	–	2	1	4	7	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	F.	29	–	3	1	1	1	–	1	–	3	2	5	8	4	9	–	–	–	–	–	–	–	–	1	1	1	3	3
500-502	32	Bronchitis	M.	39	–	–	–	–	–	–	–	–	6	14	8	10	1	4	–	–	–	–	–	–	–	–	1	1	1	1	–
			F.	20	–	–	–	–	–	–	–	–	–	2	8	7	3	3	–	–	–	–	–	–	–	–	–	1	–	–	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	36	–	–	–	–	1	–	1	–	–	12	15	7	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
540-541	33	Ulcer of stomach and duodenum	M.	25	–	–	–	–	–	–	–	1	1	7	9	5	2	3	–	–	–	–	–	–	–	–	–	2	–	–	1
			F.	9	–	–	–	–	–	–	–	1	–	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	3	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	7	–	–	–	–	–	–	1	–	1	1	2	2	–	6	–	–	–	–	–	–	1	–	1	–	1	3	–
			F.	6	–	–	–	–	–	–	–	–	1	–	2	2	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	2	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	1	–	–	1	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	5	–	1	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	7	–	2	–	–	–	–	–	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	38	Nephritis and nephrosis ...	M.	18	–	1	–	–	2	1	3	1	4	1	4	1	–	5	–	–	–	–	1	–	–	–	2	–	1	1	–
			F.	7	–	–	–	–	–	–	1	–	1	3	2	–	–	5	–	–	–	–	–	1	–	–	–	–	–	4	–
610	39	Hyperplasia of prostate ...	M.	15	–	–	–	–	–	–	–	–	–	–	1	10	4	6	–	–	–	–	–	–	–	–	–	–	2	4	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	9	–	–	–	–	–	–	–	2	–	1	1	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	7	–	–	–	–	–	–	–	2	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	4	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	6	–	1	–	–	–	–	–	–	–	1	3	1	–	4	–	–	–	–	–	–	–	–	1	–	2	–	1
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	18	8	7	2	–	–	–	–	–	1	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	12	2	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	32	32	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	–	–	–	–	–	–	–	–	–	–	–	8	8	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	6	–	–	–	–	–	–	–	–	–	2	1	2	1	3	–	–	–	–	–	–	–	–	–	1	–	1	1
			F.	4	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	8	–	–	–	–	–	–	1	1	1	1	1	1	2	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	9	–	–	–	–	–	1	–	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	32	–	1	3	1	1	5	3	1	4	3	5	1	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	1	1	–	–	–	1	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	50	1	2	2	2	2	6	9	6	7	4	3	4	2	11	–	–	–	1	1	–	–	2	1	2	–	3	1
			F.	35	–	4	–	1	2	–	–	1	1	3	3	11	9	5	–	–	–	–	–	–	–	–	1	–	–	3	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		BERWICK COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	BUTE COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	338	6	2	–	3	–	1	4	4	24	52	85	115	42	255	5	2	–	–	–	1	1	6	17	33	74	85	31
		Males	...	175	5	1	–	2	–	1	1	1	15	30	43	53	23	114	3	1	–	–	–	–	–	3	9	19	38	31	10
		Females	...	163	1	1	–	1	–	–	3	3	9	22	42	62	19	141	2	1	–	–	–	1	1	3	8	14	36	54	21
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	27	–	–	–	1	–	–	–	–	3	9	8	6	–	24	–	–	–	–	–	–	–	–	–	8	10	4	2
			F.	22	–	–	–	–	–	–	–	1	4	5	7	5	–	17	–	–	–	–	–	–	–	1	3	2	3	6	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	5	–	–	–	–	–	–	–	–	–	–	2	3	1
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	30	–	–	–	–	–	–	–	–	1	4	7	16	2	18	–	–	–	–	–	–	–	–	1	3	7	4	3
			F.	33	–	–	–	–	–	–	–	–	–	7	7	16	3	34	–	–	–	–	–	–	–	–	3	1	8	17	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	1	–	–	–	1	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	62	–	–	–	–	–	–	–	1	7	8	18	15	13	42	–	–	–	–	–	–	–	1	4	3	15	15	4
			F.	51	–	–	–	–	–	–	–	–	–	3	15	22	11	44	–	–	–	–	–	–	–	–	–	4	15	18	7
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		disease	F.	9	–	–	–	–	–	–	–	–	–	4	2	3	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	F.	7	–	1	–	1	–	–	–	–	–	1	3	1	–	3	–	1	–	–	–	–	–	–	–	1	1	–	–
			M.	4	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–
500-502	32	Bronchitis	F.	4	–	–	–	–	–	–	–	–	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	1	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	7	–	–	–	–	–	–	–	–	1	3	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	1	2	2	1
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	1	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		CAITHNESS COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	CLACKMANNAN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	302	10	3	2	1	1	2	6	7	17	54	68	83	48	465	21	5	8	–	1	5	8	14	38	72	117	122	54
		Males	...	152	8	2	1	1	1	1	6	4	12	29	36	31	20	230	10	5	3	–	–	3	3	7	22	44	65	53	15
		Females	...	150	2	1	1	–	–	1	–	3	5	25	32	52	28	235	11	–	5	–	1	2	5	7	16	28	52	69	39
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	12	–	–	–	–	–	–	1	–	2	3	3	3	–	46	–	–	–	–	–	–	1	–	7	11	15	11	1
			F.	22	–	–	–	–	–	–	–	–	2	7	5	7	1	40	–	–	–	–	–	–	1	3	7	8	10	8	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	4	–	–	–	–	–	–	1	–	1	–	1	–	1
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	26	–	–	–	–	–	1	–	2	6	8	6	3		26	–	–	–	–	–	–	–	1	1	6	9	8	1
			F.	23	–	–	–	–	–	–	–	1	2	8	11	1		33	–	–	–	–	–	–	–	1	–	4	11	14	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	2	–	1	–	–	–	–	4	–	1	–	–	–	1	–	–	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	3	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	52	–	–	–	–	–	–	–	–	2	11	18	12	9	65	–	–	–	–	–	–	–	2	6	14	21	15	7
			F.	54	–	–	–	–	–	–	–	–	–	7	12	17	18	63	–	–	–	–	–	–	–	–	2	5	15	22	19
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	1	2	–	1	1

490-493	31	Pneumonia (except of newborn)	M.	5	–	–	1	1	–	–	–	–	–	–	1	1	1	1	12	–	1	1	–	–	–	–	–	4	2	4	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	13	–	–	1	–	–	1	–	–	1	2	5	1	2
500-502	32	Bronchitis	M.	3	–	–	–	–	–	–	–	–	–	1	–	–	2	8	–	–	–	–	–	–	–	–	–	2	3	2	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	–	–	–	1	5	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	1	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
750-759	41	Congenital malformations ...	M.	4	2	1	–	–	1	–	–	–	–	–	–	–	–	4	1	2	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	7	–	–	–	–	–	–	–	–	–	–	–	5	2	9	–	–	–	–	–	–	–	–	–	–	–	3	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	9	–	–	–	–	–	–	1	2	1	1	3	–	1	9	–	1	–	–	–	1	–	–	3	1	3	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	–	2	6	–	–	–	–	–	–	–	1	–	1	1	3	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		DUMFRIES BURGH														DUMFRIES COUNTY (excluding Large Burgh)													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–1	1–5	5–10	10–15	15–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and over	All Ages	under 4 weeks	4 w'ks–1	1–5	5–10	10–15	15–25	25–35	35–45	45–55	55–65	65–75	75–85	85 and over
		ALL CAUSES—Both Sexes		327	17	4	3	1	–	2	4	17	29	58	81	85	26	753	15	7	4	4	1	11	9	19	56	125	182	236	84
		Males		172	11	2	2	–	–	1	3	11	21	38	40	33	10	385	8	4	2	3	1	8	7	7	32	83	96	112	22
		Females		155	6	2	1	1	–	1	1	6	8	20	41	52	16	368	7	3	2	1	–	3	2	12	24	42	86	124	62
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1
140-205	18	Malignant neoplasms	M.	34	–	–	–	–	–	–	–	1	8	10	9	6	–	58	–	–	–	–	–	–	1	1	8	19	18	10	1
			F.	16	–	–	1	–	–	–	–	2	2	3	4	3	1	68	–	–	–	–	–	–	1	4	9	12	19	19	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	1	–	1	7	6	4	3	65	–	–	–	–	–	–	–	–	4	13	21	23	4
			F.	33	–	–	–	–	–	–	–	–	4	2	11	14	2	87	–	–	–	–	–	–	–	–	2	3	7	26	34	15
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	5	–	–	–	1	1	–	–	–	–	1	2	–	–
			F.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	6	–	1	–	–	–	–	–	–	1	–	2	1	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	1	–	1	–	–	–	1	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	6	–	–	–	–	–	1	–	1	1	–	2	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	53	–	–	–	–	–	–	–	4	6	15	12	13	3	124	–	–	–	–	–	–	–	1	11	23	34	40	10
			F.	45	–	–	–	–	–	–	–	–	1	3	15	17	9	98	–	–	–	–	–	–	–	1	4	13	22	34	24
430-434	27	Other diseases of heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	1	1
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–
440-442	28	Hypertension with heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	–	–	2	5	1	–

490-493	31	Pneumonia (except of newborn)	M.	4	–	–	–	–	–	–	–	–	–	2	2	7	–	–	–	–	–	–	–	–	–	1	–	1	4	1
			F.	10	–	–	–	–	–	1	–	–	2	–	6	1	7	–	–	–	–	–	–	–	–	–	1	4	2
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	1	2	1	3	1	–	10	–	1	–	–	–	–	–	–	1	2	3	2	1
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	1	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	1	–	2	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	5	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	–	–	1
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	1	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	1	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	1	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–	–	–	4	2
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	10	–	–	–	–	–	–	–	–	–	–	–	4	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	1	–	–	–	–	1	1	1	–	–	10	–	–	–	–	–	2	2	2	2	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	–	–	–	–	–	–	1	1	2	–	–	1	17	–	1	–	2	–	5	2	2	1	–	2	1	1
			F.	6	–	1	–	–	–	–	–	–	–	1	–	2	2	7	–	–	1	–	–	–	–	1	1	–	–	2	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		CLYDEBANK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMBARTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	465	21	9	1	2	2	6	8	17	40	77	137	106	39	265	16	6	4	1	1	–	7	7	25	42	75	62	19
		Males	...	234	9	8	1	1	1	2	3	8	20	51	66	50	14	143	8	3	2	–	–	–	4	5	16	23	40	34	8
		Females	...	231	12	1	–	1	1	4	5	9	20	26	71	56	25	122	8	3	2	1	1	–	3	2	9	19	35	28	11
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	–	2	–	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	3	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	45	–	–	–	1	–	1	–	–	8	11	13	10	1	33	–	–	–	–	–	–	–	–	10	3	13	6	1
			F.	31	–	–	–	–	–	1	1	1	4	4	14	5	1	19	–	–	–	1	–	–	1	2	2	2	5	6	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	31	–	–	–	–	–	–	–	2	1	8	7	10	3	21	–	–	–	–	–	–	–	–	–	–	11	9	1
			F.	43	–	–	–	–	–	–	–	1	3	6	16	12	5	22	–	–	–	–	–	–	–	–	–	4	7	9	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	9	–	–	–	–	–	1	–	1	2	1	3	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	69	–	–	–	–	–	–	–	2	7	17	26	15	2	30	–	–	–	–	–	–	–	2	2	7	10	7	2
			F.	66	–	–	–	–	–	–	–	3	1	8	20	23	11	29	–	–	–	–	–	–	–	–	3	5	12	5	4
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
440-443	28	Hypertension with heart	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

			F.	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	10	–	1	–	–	–	–	–	1	–	2	3	2	1	4	–	3	–	–	–	–	–	–	–	1	–	–	–
			F.	6	–	–	–	–	–	1	–	–	1	2	1	1	3	–	–	1	–	–	–	–	–	1	–	–	1	–
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	5	1	3	–	8	–	–	–	–	–	–	–	–	2	3	1	1	1
			F.	6	–	–	–	–	–	–	–	–	2	2	2	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	1	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	8	5	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	2	4	7	–	–	–	–	–	–	–	–	–	–	3	4
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	2	–	–	–	–	–	–	–	1	–	1	–	7	2	–	–	–	–	–	1	–	–	2	–	2	–
			F*	3	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUNBARTON COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	EAST LOTHIAN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		1133	31	19	9	6	7	9	11	38	102	192	297	302	110	526	10	1	–	5	2	9	7	13	47	74	155	150	53
		Males		571	13	6	4	4	3	4	4	18	56	113	161	141	44	265	7	1	–	2	1	4	4	6	31	42	82	69	16
		Females		562	18	13	5	2	4	5	7	20	46	79	136	161	66	261	3	-	–	3	1	5	3	7	16	32	73	81	37
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	–	1	1	2	3	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	3	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	105	–	–	1	1	2	1	–	4	17	27	31	17	4	40	–	–	–	1	–	–	1	–	6	9	20	3	–
			F.	118	–	–	–	–	–	–	–	10	23	26	27	27	5	47	–	–	–	1	1	1	–	3	5	10	14	10	2
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	2	4	–	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	–	–	–	–	–	–	1	1	–	–	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	–	1	–	2	–
			F.	7	–	–	–	–	1	1	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	75	–	–	–	–	–	–	–	1	4	11	21	30	8	42	–	–	–	–	–	–	–	–	3	5	16	14	4
			F.	95	–	–	–	–	–	–	–	3	6	13	27	30	16	48	–	–	–	–	–	–	–	–	2	4	21	14	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	–	–	1	–	–	–	–	–	2	–	1	3	–	3	–	–	–	1	–	–	1	–	1	–	–	–	–
			F.	10	–	–	2	–	–	2	–	–	2	–	1	2	1	4	–	–	–	–	–	–	–	–	2	–	1	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	15	–	–	–	–	–	–	2	1	4	2	4	2	–	4	–	–	–	–	–	–	–	–	2	1	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	205	–	–	–	–	–	–	–	6	18	35	69	60	17	84	–	–	–	–	–	–	–	1	10	13	26	29	5
			F.	166	–	–	–	–	–	–	1	1	5	21	43	65	30	78	–	–	–	–	–	2	1	1	1	9	21	27	16
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	1	1	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	–	1	1	1	1	1
			F.	12	–	–	–	–	–	–	–	–	–	2	4	5	1	5	–	–	–	–	–	–	–	–	–	–	1	4	–

490-493	31	Pneumonia (except of newborn)	M.	13	–	2	–	–	–	–	–	–	1	1	5	3	1	8	–	1	–	–	1	–	–	–	1	–	3	–	2
			F.	7	–	2	–	–	–	1	–	–	–	1	2	1	–	11	–	–	–	–	–	–	–	–	–	1	2	5	3
500-502	32	Bronchitis	M.	19	–	–	–	–	–	–	–	–	–	9	7	2	1	7	–	–	–	–	–	–	–	–	–	3	3	–	1
			F.	10	–	–	–	–	–	–	–	–	–	1	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	6	–	–	–	–	–	–	–	–	2	1	1	2	–	12	–	–	–	–	–	–	–	–	–	5	5	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	1	3	2	–	–	5	–	–	–	–	–	–	–	1	–	2	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	4	–	1	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	7	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	1	1	5	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	1	–	–	–	2	1	2	3	3	–	–	–	–	–	1	–	–	–	–	2	–	–
750-759	41	Congenital malformations ...	M.	6	2	2	–	–	–	1	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	13	5	5	2	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	8	–	–	1	1	1	–	1	1	1	1	–	1	–	4	–	–	–	–	–	3	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	1	–	–	1	1	–	–	–	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962 E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	14	–	–	1	1	–	1	–	2	3	3	2	1	–	9	–	–	–	–	–	–	1	1	5	1	1	–	–
			F.	14	1	3	–	–	1	–	1	1	–	1	–	4	2	6	–	–	–	1	–	–	–	–	1	–	–	2	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		DUNFERMLINE BURGH															KIRKCALDY BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes	...	**479**	**14**	**9**	**2**	**5**	**1**	**3**	**8**	**12**	**30**	**78**	**129**	**139**	**49**	**564**	**16**	**6**	**1**	**4**	**4**	**5**	**6**	**17**	**48**	**106**	**147**	**151**	**53**
		Males	...	**247**	**9**	**7**	–	–	–	**3**	**6**	**8**	**19**	**50**	**71**	**54**	**20**	**298**	**10**	**6**	–	**2**	**3**	**3**	**4**	**9**	**28**	**56**	**86**	**68**	**23**
		Females	...	**232**	**5**	**2**	**2**	**5**	**1**	–	**2**	**4**	**11**	**28**	**58**	**85**	**29**	**266**	**6**	–	**1**	**2**	**1**	**2**	**2**	**8**	**20**	**50**	**61**	**83**	**30**
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	1	1	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	44	–	–	–	–	–	–	1	2	5	13	14	8	1	54	–	–	–	1	3	–	1	–	5	16	14	13	1
			F.	35	–	–	–	–	1	–	–	3	1	8	13	9	–	49	–	–	–	–	–	–	2	1	3	16	14	11	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	1	–	–	–	–	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	1	2	1	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	2	1	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	34	–	–	–	–	–	–	1	–	3	6	7	9	8	38	–	–	–	–	–	–	–	1	–	6	15	13	3
			F.	40	–	–	1	–	–	–	–	–	2	4	11	17	5	44	–	–	–	–	–	–	–	1	3	8	12	16	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	2	–	1	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	7	–	–	–	–	–	–	–	1	2	1	1	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	76	–	–	–	–	–	–	–	3	7	15	25	19	7	107	–	–	–	–	–	–	–	–	15	16	37	29	10
			F.	71	–	–	–	–	–	–	–	–	4	4	16	30	17	83	–	–	–	–	–	–	–	2	2	9	24	29	17
430-434	27	Other diseases of heart ...	M.	6	–	–	–	–	–	–	–	–	–	1	1	4	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	9	–	–	–	–	–	–	–	–	–	3	1	5	–

490-493	31	Pneumonia (except of newborn)	M.	8	–	3	–	–	–	–	–	–	–	3	1	1	6	–	2	–	–	–	–	–	–	–	1	2	1	–
			F.	8	–	1	1	–	–	–	–	–	–	1	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
500-502	32	Bronchitis	M.	13	–	–	–	–	–	–	1	–	1	4	4	3	–	19	–	–	–	–	–	–	–	1	2	3	8	3	2
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	–	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	2	–	–	–	–	1	3	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	5	2	1	–	1	–	–	–	1	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	5	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
780-793, 795	45.1	Causes ill-defined and unknown	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	3	–	–	–
			F.	5	–	–	–	–	–	–	–	1	2	2	–	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
E810-835	47	Motor vehicle accidents ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	2	1	–	–	–	–	1	–
			F.	2	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	12	1	–	–	–	–	2	3	1	–	1	3	1	–	8	–	–	–	–	1	1	1	2	2	–	1	–
			F.	7	–	–	–	–	–	–	–	–	1	–	2	3	1	9	–	–	1	1	–	–	–	1	2	–	3	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		FIFE COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	INVERNESS BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		2415	72	35	17	14	7	25	29	63	197	381	610	725	240	339	10	5	1	4	3	2	5	10	26	64	74	99	36
		Males		1265	45	22	12	10	5	16	19	33	119	218	345	336	85	158	4	4	–	3	3	1	3	7	19	39	35	30	10
		Females		1150	27	13	5	4	2	9	10	30	78	163	265	389	155	181	6	1	1	1	–	1	2	3	7	25	39	69	26
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	–	3	–	2	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	4	–	–	–	–	–	–	1	2	1	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	219	–	–	2	1	1	1	–	7	28	54	74	47	4	30	–	–	–	–	1	–	1	2	4	7	10	5	–
			F.	175	–	–	–	–	–	1	1	4	28	40	42	45	14	30	–	–	–	–	–	–	1	1	4	10	7	5	2
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	1	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	13	–	–	–	–	–	–	–	–	–	–	7	4	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	6	–	1	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	–	–	1	–	1	1	–	1	2	4	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	177	–	–	–	–	–	1	1	–	9	19	60	74	13	11	–	–	–	–	–	–	–	–	–	4	3	3	1
			F.	243	–	–	–	–	–	1	–	2	10	29	65	108	28	29	–	–	–	–	–	–	–	–	1	5	7	12	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	–	–	–	–	–	2	1	5	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	15	–	–	–	–	–	–	1	–	–	5	3	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
400-402	24	Rheumatic fever	M.	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	14	–	–	–	–	–	–	–	1	1	7	1	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	20	–	–	–	–	–	–	1	4	2	6	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	351	–	–	–	–	–	–	2	7	34	66	93	120	29	53	–	–	–	–	–	–	1	1	7	10	14	14	6
			F.	311	–	–	–	–	–	–	–	–	8	38	82	122	61	68	–	–	–	–	–	–	–	1	1	4	16	33	13
430-434	27	Other diseases of heart	M.	14	–	–	–	–	–	–	1	–	–	3	6	3	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	10	–	–	–	–	–	1	–	1	–	2	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	M.	33	–	6	1	–	1	–	–	–	–	5	12	6	2	6	–	2	–	–	–	–	–	1	–	2	–	1	–
			F.	24	–	7	–	–	–	–	–	1	–	3	2	5	6	5	–	1	–	–	–	–	–	–	–	–	1	2	1
500-502	32	Bronchitis	M.	65	–	3	–	–	–	–	–	–	6	17	22	12	5	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	30	–	–	–	–	–	–	–	1	3	2	9	12	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
470-475, 510-527	46.4	Other respiratory diseases	M.	30	–	–	–	–	–	–	–	–	3	8	15	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	23	–	–	–	–	–	–	1	1	3	3	8	5	2	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	8	–	–	–	–	–	–	–	–	–	1	4	2	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
550-553	34	Appendicitis	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	11	–	–	–	1	–	–	–	–	1	1	4	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	1	–	3	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	7	–	1	3	–	–	–	–	–	–	3	–	–	–	3	–	1	–	–	–	–	–	–	1	–	1	–	–
			F.	7	–	1	–	–	1	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	3	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	M.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
590-594	38	Nephritis and nephrosis	M.	16	–	–	1	–	1	–	–	–	3	2	3	4	2	2	–	–	–	1	–	–	–	–	1	–	–	–	–
			F.	11	–	–	–	–	–	–	1	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	21	–	–	–	–	–	–	–	–	–	–	5	13	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	–	1	1	–	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	8	–	–	–	–	–	–	–	–	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	4	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	13	–	–	–	–	–	–	–	–	–	1	2	8	2	3	–	–	–	–	–	–	–	–	–	–	1	2	–
750-759	41	Congenital malformations	M.	16	12	3	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
			F.	18	8	3	1	1	–	1	1	1	1	1	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	24	23	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	13	–	–	–	–	–	–	–	–	–	–	–	8	5	3	–	–	–	–	–	–	–	–	–	–	1	–	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	12	1	2	1	–	–	–	–	–	–	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	16	–	–	–	–	–	1	–	4	4	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents	M.	17	–	–	2	1	–	6	2	1	1	1	1	2	–	4	–	–	–	–	–	–	–	2	–	2	–	–	–
			F.	4	–	–	–	–	–	1	–	1	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50)	M.	55	–	4	2	3	2	5	7	9	9	6	1	3	4	12	2	–	–	1	1	1	1	1	1	3	–	–	1
			F.	34	–	1	1	1	–	1	1	2	1	3	2	13	8	3	–	–	–	–	–	–	–	–	1	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		INVERNESS COUNTY (excluding Large Burgh)														INSULAR PORTION OF INVERNESS COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**687**	**12**	**9**	**2**	**3**	**4**	**9**	**11**	**24**	**50**	**99**	**148**	**206**	**110**	**296**	**5**	**1**	**1**	**–**	**1**	**3**	**5**	**10**	**14**	**36**	**64**	**95**	**61**
		Males		**369**	**10**	**5**	**1**	**3**	**3**	**6**	**7**	**17**	**25**	**63**	**75**	**105**	**49**	**155**	**4**	**–**	**1**	**–**	**1**	**1**	**2**	**7**	**10**	**19**	**32**	**47**	**31**
		Females		**318**	**2**	**4**	**1**	**–**	**1**	**3**	**4**	**7**	**25**	**36**	**73**	**101**	**61**	**141**	**1**	**1**	**–**	**–**	**–**	**2**	**3**	**3**	**4**	**17**	**32**	**48**	**30**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	–	2	3	1	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	59	–	–	–	1	–	1	–	3	8	14	17	10	5	28	–	–	–	–	–	–	–	2	4	6	8	3	5
			F.	45	–	–	–	–	–	–	1	4	3	14	13	9	1	21	–	–	–	–	–	–	1	1	–	6	7	6	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	1	–	1	1	1	1	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	3	–	–	–	–	–	1	–	–	–	–	1	1	–	3	–	–	–	–	–	1	–	–	–	–	1	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	4	–	–	–	1	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	49	–	–	–	–	–	–	–	1	2	8	11	19	8	19	–	–	–	–	–	–	–	–	–	1	2	10	6
			F.	68	–	–	–	–	1	–	–	–	6	6	13	26	16	31	–	–	–	–	–	–	–	–	1	5	3	15	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	6	–	–	–	–	1	–	–	1	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	2	–	2	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	110	–	–	–	–	–	–	–	1	2	22	26	43	16	43	–	–	–	–	–	–	–	–	–	1	8	10	16	8
			F.	84	–	–	–	–	–	–	–	1	4	6	24	33	16	39	–	–	–	–	–	–	–	1	–	3	13	14	8
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	2	1	2	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	8	–	–	–	–	–	–	–	–	1	2	1	4	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
[illegible]	[illegible]	[illegible]	M.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	3	5	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5	[illegible]
[illegible]	[illegible]	[illegible]	F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

			F.	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	17	–	2	1	–	–	–	–	–	1	–	2	7	4	5	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	2
			F.	12	–	2	–	–	–	–	1	2	2	2	1	2	3	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	1	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	1	–	–	–	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	4	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	9	–	–	–	–	–	–	–	–	–	1	1	7	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	6
			F.	20	–	–	–	–	–	–	–	–	–	1	6	13	13	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	9
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	–	–	2	3	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	9	–	–	–	–	–	3	4	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	20	–	–	–	1	1	2	1	3	2	3	1	4	2	8	–	–	–	–	1	1	–	2	1	–	–	2	1	–	–	–
			F.	5	–	1	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		KINCARDINE COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KINROSS COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	325	8	5	3	1	3	2	3	5	20	33	76	110	56	77	–	1	1	1	1	–	3	3	3	14	15	27	8
		Males	...	154	4	2	1	1	2	2	2	2	8	14	44	51	21	37	–	1	1	–	–	–	1	1	2	12	5	10	4
		Females	...	171	4	3	2	–	1	–	1	3	12	19	32	59	35	40	–	–	–	1	1	–	2	2	1	2	10	17	4
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	28	–	–	–	1	–	–	1	–	2	2	13	7	2	8	–	–	–	–	–	–	–	–	1	5	1	1	–
			F.	32	–	–	1	–	–	–	–	–	5	4	9	9	4	9	–	–	–	–	–	–	–	–	1	–	4	3	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	–	–	1	1	1	6	14	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	18	–	–	–	–	–	–	–	–	–	1	2	12	3	4	–	–	–	–	–	–	–	–	–	–	1	2	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	54	–	–	–	–	–	–	–	1	1	6	19	16	11	11	–	–	–	–	–	–	–	–	1	3	1	4	2
			F.	46	–	–	–	–	–	–	–	–	1	4	11	13	17	9	–	–	–	–	–	–	–	–	–	–	2	5	–
430-434	27	Other diseases of heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
440-443	28	Hypertension with heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	[illegible]	–	–	–	–	–	–	–	–	2	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–

490-493	31	Pneumonia (except of newborn)	M.	6	–	–	–	–	–	–	–	1	–	2	2	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	8	–	–	–	–	–	–	1	–	1	2	2	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
500-502	32	Bronchitis	M.	3	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Causes ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	1	1	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	6	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		KIRKCUDBRIGHT COUNTY															GLASGOW COUNTY OF CITY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	374	3	3	1	3	1	4	4	9	19	49	99	135	44	13178	516	258	100	53	36	122	248	485	1289	2441	3464	3269	897
		Males	...	172	2	–	–	2	1	3	3	4	12	21	49	57	18	7019	312	138	63	38	19	70	143	265	809	1467	1824	1539	332
		Females	...	202	1	3	1	1	–	1	1	5	7	28	50	78	26	6159	204	120	37	15	17	52	105	220	480	974	1640	1730	565
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	175	–	–	1	–	–	2	18	22	42	41	33	14	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85	–	1	1	–	–	1	20	32	14	4	6	6	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	–	1	–	1	1	1	1	3	–	1	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	7	–	–	–	1	–	3	1	–	–	1	1	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	–	–	–	–	–	1	2	6	8	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	2	–	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	2	3	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	–	1	–	–	1	4	1	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	1	1	–	1	–	1	2	3	1	–	1	–
140-205	18	Malignant neoplasms	M.	25	–	–	–	1	–	–	2	–	1	4	9	7	1	1344	–	2	9	4	2	11	15	52	217	384	385	242	21
			F.	29	–	–	–	–	–	–	1	2	3	10	10	2	1	1107	–	1	6	2	2	3	18	65	158	271	322	228	31
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	15	–	–	–	1	1	–	1	1	3	3	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	1	–	–	–	–	2	4	5	4	1	1
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	25	–	1	–	–	–	–	1	1	2	3	9	7	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	65	–	–	–	–	–	–	2	–	5	13	25	19	1
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	15	–	–	–	–	–	1	–	–	1	1	6	6	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	–	–	–	–	–	–	–	3	1	10	13	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41	–	1	–	1	1	2	1	2	12	9	8	4	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46	–	–	–	–	1	1	5	3	6	12	12	5	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	29	–	–	–	–	–	–	–	–	–	2	12	12	3	804	–	–	–	–	2	3	3	13	41	115	249	322	56
			F.	44	–	–	–	–	–	–	–	2	1	5	13	20	3	1112	–	–	–	–	2	1	8	11	60	160	291	445	134
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	2	2	–	–	–	–	–	1	–	3	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–	–	–	1	1	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	1	–	–	1	–	–	2	–	89	–	2	10	–	2	1	3	9	12	15	20	13	2
			F.	3	–	–	1	–	–	–	–	–	–	1	–	1	–	116	1	2	3	2	3	4	8	13	13	22	21	20	4
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	2	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–	1	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	81	–	–	–	–	–	2	11	7	26	16	11	6	2
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	183	–	–	–	–	–	8	10	25	49	44	32	10	5
420-422	26	Arteriosclerotic and degenerative heart disease	M.	51	–	–	–	–	–	–	–	–	8	5	13	21	4	1912	–	–	–	–	–	–	14	46	221	454	566	480	131
			F.	70	–	–	–	–	–	–	–	–	1	4	14	37	14	1598	–	–	–	–	–	–	1	13	61	213	519	574	217
430-434	27	Other diseases of heart ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59	–	1	–	–	–	–	–	3	6	13	18	17	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	58	–	–	–	–	–	2	–	1	7	5	22	14	7
[illegible]	[illegible]	Hypertension with heart	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	112	–	–	–	–	–	–	1	2	5	22	35	42	5

490-493	31	Pneumonia (except of newborn)	M.	6	–	–	–	–	–	–	–	–	–	–	1	5	–	348	–	46	8	1	–	4	1	11	25	59	97	75	21
			F.	7	–	1	–	–	–	–	–	–	–	–	6	–	–	239	–	28	5	–	–	1	2	3	11	30	51	71	37
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	–	2	2	–	–	437	–	5	1	2	–	–	3	4	51	131	137	88	15
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	191	–	6	–	–	–	–	1	3	13	39	63	53	13
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	48	–	2	–	–	–	–	1	1	10	8	11	15	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	24	–	–	1	–	–	–	2	–	2	4	7	4	4
540-541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	2	–	2	1	–	–	89	–	–	–	–	–	–	2	7	14	31	20	11	4
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	31	–	–	–	–	–	1	1	2	3	6	7	9	2
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	2	3	–	1	2	1	1	1	4	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	1	–	–	1	–	1	1	2	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	1	–	–	–	1	1	–	–	–	36	3	–	–	–	–	–	1	–	2	3	20	6	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	44	–	1	–	–	–	–	–	–	1	3	7	11	17	4
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30	–	4	1	–	–	–	3	3	6	7	3	2	1
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	32	–	9	1	–	–	2	2	–	3	4	2	8	1
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	33	–	–	–	–	–	–	1	5	7	7	7	5	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	33	–	–	–	–	–	1	–	–	2	9	14	6	1
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	10	–	–	–	–	–	–	–	2	1	3	3	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	35	–	–	–	–	–	–	–	–	3	3	13	14	2
530-539, 542, 544, 545 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	1	1	1	–	–	–	–	2	1	2	4	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	20	–	5	1	–	–	–	–	–	2	2	4	3	3
	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	47	–	–	1	–	–	2	2	6	6	4	14	7	5
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53	–	1	1	–	1	7	3	3	8	11	14	3	1
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	3	–	3	65	–	–	–	–	–	–	–	–	1	2	15	40	7
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32	1	1	–	–	–	–	1	2	6	6	5	7	3
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	35	–	1	–	–	–	–	1	6	1	9	11	5	1
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	4	2	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	–	3	–	2	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	1	–	–	–	1	–	–	–	4	2	5	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45	1	–	–	1	–	–	–	1	3	10	14	11	4
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	102	54	24	7	3	2	2	2	1	4	1	2	–	–
			F.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	81	39	26	4	2	1	4	1	2	–	1	1	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	140	138	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91	89	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85	84	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51	49	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	22	–	–	–	–	–	–	–	–	–	–	–	7	15
			F.	7	–	–	–	–	–	–	–	–	–	–	1	3	3	38	–	–	–	–	–	–	–	–	–	–	4	14	20
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	41	2	12	1	–	1	–	1	2	7	6	5	3	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	–	7	2	–	–	–	–	–	–	2	4	6	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	64	–	–	–	–	–	7	9	8	13	10	11	6	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	25	–	–	–	–	–	–	5	3	4	4	7	2	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	1	1	–	–	–	1	–	–	–	–	96	–	–	7	9	6	13	15	9	12	7	13	5	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	18	–	–	3	1	1	1	–	–	3	5	1	3	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	2	1	1	4	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	–	–	–	–	–	1	–	–	–	1	–	3	214	2	22	8	10	2	9	21	23	24	37	30	21	5
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	139	3	22	4	3	1	2	6	10	12	14	17	32	13

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		AIRDRIE BURGH															COATBRIDGE BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		325	11	6	2	1	–	3	5	12	31	59	81	87	27	543	34	14	2	3	2	4	9	25	48	102	133	129	38
		Males		174	5	–	2	1	–	–	3	4	19	37	47	40	16	306	18	9	–	3	–	3	5	18	37	61	64	69	19
		Females		151	6	6	–	–	–	3	2	8	12	22	34	47	11	237	16	5	2	–	2	1	4	7	11	41	69	60	19
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	2	1	–	–	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	32	–	–	–	–	–	–	–	1	5	10	10	3	3	47	–	–	–	1	–	–	1	2	4	12	10	15	2
			F.	20	–	–	–	–	–	–	–	2	4	5	7	1	1	37	–	–	–	–	–	–	–	2	3	8	14	10	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	–	–	–	2	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	–	–	–	–	1	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	21	–	–	–	–	–	–	–	–	1	6	3	8	3	37	–	–	–	–	–	–	–	–	4	8	8	14	3
			F.	32	–	–	–	–	–	–	–	–	3	3	8	17	1	32	–	–	–	–	–	–	–	1	1	4	8	14	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	3	–	2	1	–
			F.	4	–	–	–	–	–	–	–	1	–	1	1	1	–	3	–	–	–	–	–	–	1	–	2	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
			F.	5	–	–	–	–	–	1	–	2	–	1	1	–	–	11	–	–	–	–	1	1	1	2	1	2	2	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	47	–	–	–	–	–	–	–	1	7	6	13	14	6	96	–	–	–	–	–	–	1	4	12	21	23	27	8
			F.	39	–	–	–	–	–	–	–	–	1	6	9	18	5	77	–	–	–	–	–	–	–	–	–	15	27	24	11
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
440-443	28	Hypertension with heart	M.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	6	–	–	–	–	–	–	–	–	–	–	2	2	2
444-447	29	Hypertension without heart	M.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

490-493	31	Pneumonia (except of newborn)	M.	7	–	–	–	–	–	–	–	–	2	2	3	–	–	16	–	4	–	–	–	–	–	1	2	3	4	1	1
			F.	6	–	5	–	–	–	–	–	–	–	1	–	–	–	11	–	3	1	–	–	–	–	–	1	2	4	–	–
500-502	32	Bronchitis	M.	11	–	–	–	–	–	–	–	–	2	4	3	–	2	10	–	–	–	–	–	–	–	–	–	6	3	–	1
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	6	–	–	–	–	–	–	–	–	–	1	2	3	–	6	–	–	–	–	–	–	–	1	1	1	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	1	1	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	9	7	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	4	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–	–	–	–	–	–	–	–	3	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	1	1	–	–	–	–	–	1	–	–	1	7	–	–	–	1	–	–	1	–	1	3	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	–	–	–	–	–	1	1	–	1	–	2	–	12	–	2	–	–	–	1	1	3	1	1	2	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		HAMILTON BURGH															MOTHERWELL AND WISHAW BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes ...		428	12	12	1	2	–	2	11	14	46	70	123	114	21	791	35	21	8	5	2	5	12	33	68	123	202	215	62
		Males		227	5	5	–	1	–	1	6	10	25	47	65	56	6	432	26	11	5	4	1	3	7	19	38	77	109	111	21
		Females		201	7	7	1	1	–	1	5	4	21	23	58	58	15	359	9	10	3	1	1	2	5	14	30	46	93	104	41
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	–	2	1	3	1	–	–	7	–	–	–	–	–	–	2	2	1	1	1	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	4	–	–	–	–	–	1	1	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	28	–	–	–	–	–	1	–	–	3	5	14	5	–	74	–	–	2	–	–	–	1	5	10	18	18	18	2
			F.	31	–	–	–	–	–	–	–	1	8	9	9	4	–	61	–	1	–	–	–	–	1	6	8	9	19	12	5
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	–	–	2	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	25	–	–	–	–	–	–	–	–	–	2	15	7	1	64	–	–	–	–	–	–	–	–	6	8	21	24	5
			F.	27	–	–	–	–	–	–	–	–	1	5	8	9	4	82	–	–	–	–	–	–	–	–	7	6	27	33	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	1	–	–	–	–	–	1	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	4	–	–	–	–	–	–	–	–	2	–	2	–	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	3	1	–	–	–	4	–	–	–	–	–	–	1	1	1	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	–	–	1	16	–	–	–	–	–	–	1	2	3	8	1	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	89	–	–	–	–	–	–	2	2	8	24	21	30	2	120	–	–	–	–	–	–	–	4	14	26	31	36	9
			F.	62	–	–	–	–	–	–	–	–	2	1	24	29	6	84	–	–	–	–	–	–	–	–	4	9	25	33	13
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	1	1	2	1	–
440-443	28	Hypertension with heart	M.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–
444-447	29	Hypertension without heart	M.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

490-493	31	Pneumonia (except of newborn)	M.	4	–	2	–	–	–	–	1	–	–	–	1	–	–	3	–	3	1	–	–	–	–	–	2	2	1	–
			F.	6	–	3	–	–	–	–	1	–	–	1	1	–	–	16	–	3	–	1	–	–	1	–	1	2	3	5	–
500-502	32	Bronchitis	M.	10	–	1	–	–	–	–	–	1	1	2	1	3	1	17	–	1	–	–	–	–	–	–	1	5	5	3	2
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	7	–	–	–	–	–	–	–	–	–	2	1	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	17	–	–	–	–	–	–	–	1	–	2	9	5	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	1	1	–	1	1	–	6	–	–	–	–	–	–	–	–	–	3	3	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	8	–	–	–	–	–	–	–	–	–	4	–	4	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	1	1	2	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	1	–	–	–	–	–	–	–	1	2	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	4	–	–	1	–	–	–	–	–	–	1	–	2	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	6	–	–	–	–	1	–	–	1	1	1	2	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	6	–	–	–	–	–	–	–	–	–	–	1	4	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	1	–	1	1	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	2	–	1	–	1	–	–	–	–	–	–	–	–	–	6	2	3	–	–	–	–	–	1	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	5	–	–	–	–	–	–	–	–	–	–	–	3	2
			F.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	8	–	–	–	–	–	–	–	–	–	–	–	3	5
780-793, 795	45.1	Causes ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	1	–	–	–	1	–	–	–	1	2	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	9	–	–	–	3	–	2	2	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	7	1	1	–	–	–	1	–	3	1	–	–	–	15	–	2	1	1	–	1	–	3	3	2	2	–	–
			F.	3	–	–	–	1	–	–	–	–	–	1	1	–	–	6	–	2	1	–	–	–	–	–	–	–	–	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		RUTHERGLEN BURGH														LANARK CO. (ex. County of City and Large Burghs)													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**340**	**12**	**5**	**5**	**1**	**2**	**4**	**3**	**13**	**25**	**58**	**95**	**96**	**21**	**3532**	**128**	**62**	**22**	**15**	**8**	**32**	**66**	**118**	**348**	**624**	**908**	**917**	**284**
		Males		**178**	**6**	**4**	**2**	**-**	**1**	**4**	**2**	**6**	**16**	**34**	**46**	**47**	**10**	**1907**	**77**	**31**	**15**	**9**	**4**	**21**	**36**	**70**	**232**	**375**	**469**	**454**	**114**
		Females		**162**	**6**	**1**	**3**	**1**	**1**	**–**	**1**	**7**	**9**	**24**	**49**	**49**	**11**	**1625**	**51**	**31**	**7**	**6**	**4**	**11**	**30**	**48**	**116**	**249**	**439**	**463**	**170**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	1	–	–	1	1	1	–	–	42	–	–	1	–	–	–	6	5	9	10	8	2	1
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	11	–	–	–	–	–	3	2	–	2	1	1	2	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	2	3	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
140-205	18	Malignant neoplasms	M.	22	–	–	–	–	–	–	–	1	2	8	7	2	2	274	–	–	2	–	1	1	3	15	57	81	61	47	6
			F.	33	–	–	–	–	1	–	1	1	3	6	10	9	2	273	–	–	2	1	–	3	7	13	43	63	72	60	9
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	3	2	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	–	–	–	1	–	2	1	2	2	1
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	21	–	–	–	–	–	–	–	–	1	5	10	4	1
290-293	21	Anæmias	M.	2	–	–	–	–	1	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	1	4	2	6	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	1	4	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	14	–	–	–	–	–	–	1	1	1	2	7	2	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	–	–	–	5	5	9	3	207	–	–	1	–	–	2	2	2	11	33	66	67	23
			F.	27	–	–	–	–	–	–	–	–	–	6	10	7	4	275	–	–	–	–	–	1	1	4	16	40	97	88	28
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	2	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	2	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	28	–	3	1	1	–	1	1	2	7	3	6	3	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	20	–	–	1	–	–	–	1	3	3	4	3	4	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	12	–	–	–	–	–	1	2	4	2	2	–	1	–
			F.	8	–	–	–	–	–	–	–	3	2	3	–	–	–	39	–	–	–	–	1	–	3	9	7	6	7	6	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	60	–	–	–	–	–	–	–	3	8	8	19	19	3	580	–	–	–	–	–	–	1	1	14	72	116	167	164	45
			F.	31	–	–	–	–	–	–	–	–	–	5	11	14	1	438	–	–	–	–	–	–	4	1	16	54	133	156	74
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	23	–	–	–	–	–	–	–	–	1	4	5	12	1
			F.	7	–	–	–	–	–	–	–	–	1	–	2	4	–	32	–	–	–	–	–	–	–	–	1	5	8	15	3
[illegible]	[illegible]	[illegible]	M.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	3	12	12	1

490-493	31	Pneumonia (except of newborn)	F.	5	–	–	–	–	–	–	–	1	–	–	3	–	1	47	–	10	–	2	2	1	1	2	–	7	13	7	2
500-502	32	Bronchitis	M.	12	–	–	1	–	–	–	–	–	–	4	6	1	–	89	–	2	–	–	–	–	–	2	15	21	27	17	5
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	36	–	2	–	–	–	–	–	1	–	7	10	13	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	90	–	–	–	–	–	–	–	2	5	25	33	23	2
			F.	2	–	–	1	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	1	1	–	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	21	–	–	–	–	–	–	–	1	1	9	4	6	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	–	–	1	–	1	3	4	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	1	–	2	1	2	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	17	1	–	–	–	–	–	–	–	–	5	7	4	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	9	–	–	–	–	–	–	–	–	–	2	–	4	3
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	8	–	3	1	–	–	–	–	1	–	–	–	3	–
			F.	3	–	–	–	1	–	–	–	–	–	–	2	–	–	9	–	2	–	–	–	1	1	–	–	1	3	1	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	7	–	–	–	–	–	–	–	2	3	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	3	1	1	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	4	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	–	1	1	4	2	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	1	–	–	–	1	1	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	2	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	21	–	–	–	–	–	2	4	1	4	3	4	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	22	–	–	–	–	–	–	1	2	6	4	3	5	1
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	–	–	–	–	–	–	–	2	8	11	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	1	–	2	2	5	3
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	1	–	–	–	–	–	2	3	5	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	1	1	–	–	–	1	1	1	1
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	18	–	–	–	–	–	–	–	–	–	5	8	3	2
750-759	41	Congenital malformations ...	M.	2	1	–	–	–	–	–	–	–	1	–	–	–	–	27	15	5	3	–	–	1	–	1	2	–	–	–	–
			F.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	22	12	6	2	–	–	–	–	1	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	41	40	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	24	23	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ..	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	16	14	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	17	–	–	–	–	–	–	–	–	–	–	2	11	4
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	27	–	–	–	–	–	–	–	–	–	–	2	9	16
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	3	–	–	–	–	–	–	2	4	3	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	1	–	–	–	–	1	–	–	3	2	1	–	–
E963, E970-979	49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	1	1	1	6	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	1	–	1	1	–	–	1
E810-835	47	Motor vehicle accidents ..	M.	3	–	–	–	–	1	1	–	–	–	–	1	–	–	24	–	–	1	2	1	2	3	5	4	1	1	3	1
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	–	3	1	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	–	–	–	–	–	1	–	1	1	1	–	73	–	4	2	4	–	8	8	7	13	9	6	8	4
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	44	–	6	1	–	–	–	2	3	2	8	7	10	5

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		EDINBURGH COUNTY OF CITY														MIDLOTHIAN COUNTY (excluding County of City)													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		6005	137	54	24	15	16	35	55	163	462	1036	1587	1775	646	1143	61	20	8	3	7	5	16	40	96	170	323	290	104
		Males ...	...	2935	86	34	15	5	8	23	30	79	277	632	795	767	184	617	34	13	6	1	6	3	5	24	61	102	166	150	46
		Females ...	...	3070	51	20	9	10	8	12	25	84	185	404	792	1008	462	526	27	7	2	2	1	2	11	16	35	68	157	140	58
001-008	1	Tuberculosis of respiratory system	M.	27	–	–	–	–	–	–	–	4	7	9	4	3	–	6	–	–	–	–	–	–	1	3	–	2	–	–	–
			F.	7	–	–	–	–	–	–	1	2	1	1	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	14	–	–	–	–	–	–	–	1	2	5	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	7	–	1	–	–	–	–	1	1	2	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	652	–	–	2	3	1	4	5	19	85	182	193	137	21	116	–	–	–	1	1	–	–	8	10	31	38	23	4
			F.	559	–	1	1	2	4	4	5	32	78	116	162	126	28	108	–	–	–	–	–	–	3	12	16	22	31	21	3
210-239	19	Benign and unspecified neoplasms	M.	5	1	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	1	–	–	1	2	1	1	3	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	14	–	–	–	–	–	–	–	1	2	1	5	4	1	3	–	–	–	–	–	–	–	–	1	–	1	–	1
			F.	36	–	–	–	–	–	–	–	1	1	8	17	8	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–
			F.	9	–	–	–	1	–	–	1	–	–	–	2	4	1	5	–	–	–	–	–	–	–	–	–	1	1	3	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	9	–	–	–	–	1	–	–	2	–	1	2	3	–	4	–	–	1	–	–	–	–	–	–	1	2	–	–
			F.	23	–	–	–	–	–	–	–	1	5	2	8	6	1	6	–	–	–	–	1	–	–	–	1	2	2	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	337	–	–	–	–	1	–	–	2	15	51	97	137	34	88	–	–	–	–	–	–	2	3	7	8	29	34	5
			F.	597	–	–	–	1	–	1	2	5	18	64	167	239	100	77	–	–	–	–	–	–	1	–	–	11	35	24	6
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	23	–	–	2	–	–	–	1	1	4	–	9	5	1	5	–	–	1	–	1	1	–	–	1	–	1	–	–
			F.	45	–	–	–	1	–	1	1	4	5	9	15	6	3	5	–	–	–	–	–	–	1	1	2	–	1	–	–
400-402	24	Rheumatic fever	M.	4	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	23	–	–	–	–	–	–	3	5	5	3	3	4	–	6	–	–	–	–	–	–	–	1	1	2	2	–	–
			F.	52	–	–	–	–	–	–	3	5	11	17	9	5	2	4	–	–	–	–	–	2	–	–	–	1	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	887	–	–	–	–	–	–	3	17	91	196	252	260	68	180	–	–	–	–	–	–	–	4	17	32	52	55	20
			F.	827	–	–	–	–	–	–	1	5	16	94	230	302	179	155	–	–	–	–	–	–	–	–	7	16	46	60	26
430-434	27	Other diseases of heart ...	M.	29	–	–	–	–	–	–	–	2	3	4	14	6	–	9	–	–	–	–	–	–	–	–	–	2	3	3	1
			F.	32	–	–	–	–	–	–	1	1	–	6	9	12	3	14	–	–	–	–	–	–	–	–	2	1	4	6	1

490-493	31	Pneumonia (except of newborn)	F.	116	–	4	–	–	1	–	–	4	6	9	17	51	24	15	–	4	1	–	–	–	–	–	1	1	4	2	2
			M.	158	–	2	–	–	–	–	–	1	9	54	64	23	5	30	–	–	–	–	1	–	–	–	2	11	9	4	3
500-502	32	Bronchitis	F.	69	–	2	1	–	–	–	–	–	6	8	21	22	9	12	–	–	–	–	–	–	–	1	–	2	7	1	1
			M.	24	–	1	–	–	–	–	–	2	3	9	6	2	1	10	–	1	1	–	–	–	–	1	1	2	4	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	10	–	–	–	1	–	–	–	–	1	1	1	6	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			M.	40	–	–	–	–	–	–	3	1	4	11	13	7	1	7	–	–	–	–	–	–	–	–	–	2	4	1	–
540, 541	33	Ulcer of stomach and duodenum	F.	14	–	–	–	–	–	–	–	–	1	2	2	6	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			M.	5	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			M.	15	1	–	–	–	–	–	–	–	1	3	2	7	1	6	–	–	–	–	–	–	–	1	1	2	–	2	–
560, 561, 570	35	Intestinal obstruction and hernia	F.	22	–	–	–	–	–	–	–	–	1	3	6	10	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	9	–	–	2	–	–	1	–	1	–	2	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	F.	12	–	1	–	–	–	–	–	–	–	1	7	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			M.	12	–	–	–	–	–	–	–	–	4	4	3	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–
581	37	Cirrhosis of liver	F.	11	–	–	–	–	–	1	–	2	1	2	3	1	1	3	–	–	–	–	–	–	–	–	2	1	–	–	–
			M.	8	–	–	–	–	–	1	–	1	–	2	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
580, 582-586	46.5	Other diseases of liver ...	F.	21	–	–	–	–	–	–	–	1	1	2	11	6	–	4	–	–	–	1	–	–	–	–	–	1	1	1	1
			M.	5	–	2	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	F.	16	–	2	–	–	–	–	–	2	–	4	3	4	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			M.	13	–	–	–	–	1	–	2	1	1	4	4	4	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
590-594	38	Nephritis and nephrosis ...	F.	20	–	–	1	1	–	1	1	2	1	3	3	7	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	41	–	–	–	–	–	–	–	–	–	5	9	21	6	9	–	–	–	–	–	–	–	–	–	–	4	4	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	15	–	1	–	–	–	–	–	1	–	4	2	6	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	21	–	–	–	–	–	–	1	–	4	3	5	8	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	9	–	–	–	–	–	–	–	1	1	4	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	26	–	–	–	–	–	–	–	1	1	3	16	5	–	5	–	–	–	–	–	–	–	–	–	–	4	–	1
750-759	41	Congenital malformations ...	M.	17	10	5	1	–	–	1	–	–	–	–	–	–	–	15	6	2	3	–	1	–	–	–	3	–	–	–	–
			F.	29	16	4	1	–	–	1	3	2	1	–	1	–	–	7	6	–	–	–	–	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	30	30	–	–	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–	–	–
			F.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	35	35	–	–	–	–	–	–	–	–	–	–	–	–	10	9	1	–	–	–	–	–	–	–	–	–	–	–
			F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	3
			F.	21	–	–	–	–	–	–	–	–	–	–	–	3	18	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Causes ill-defined and unknown	M.	4	–	2	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	5	–	2	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	37	–	–	–	–	–	3	2	3	5	11	10	2	1	4	–	–	–	–	–	–	–	–	3	1	–	–	–
			F.	26	–	–	–	–	–	–	2	7	4	8	2	3	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	17	–	–	–	2	1	4	–	–	6	1	–	3	–	9	–	–	–	–	1	1	1	2	3	–	–	1	–
			F.	18	–	–	3	1	–	–	–	2	1	2	1	8	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	87	1	7	4	–	2	7	2	8	8	7	13	17	11	14	–	2	–	–	1	–	2	2	1	2	2	2	–
			F.	93	–	2	1	1	2	1	–	1	9	13	4	36	23	11	–	2	1	–	–	–	2	–	–	–	–	3	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		MORAY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	NAIRN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		538	18	9	6	1	3	10	5	16	47	82	128	150	63	111	2	–	2	–	–	–	4	1	10	12	22	40	18
		Males		281	9	5	3	–	3	8	4	7	28	42	68	76	28	53	2	–	1	–	–	–	2	1	6	5	11	17	8
		Females		257	9	4	3	1	–	2	1	9	19	40	60	74	35	58	–	–	1	–	–	–	2	–	4	7	11	23	10
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	41	–	–	1	–	–	–	1	–	5	11	13	9	1	9	–	–	1	–	–	–	–	–	2	2	2	2	–
			F.	43	–	–	–	–	–	1	1	1	5	8	16	7	4	11	–	–	–	–	–	–	1	–	–	4	2	3	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	44	–	–	–	–	–	–	–	–	2	2	14	18	8	10	–	–	–	–	–	–	–	–	–	1	3	4	2
			F.	28	–	–	–	–	–	1	–	2	1	3	9	9	3	16	–	–	–	–	–	–	–	–	1	1	3	9	2
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	94	–	–	–	–	–	–	–	2	8	16	26	30	12	19	–	–	–	–	–	–	–	–	3	–	5	7	4
			F.	86	–	–	–	–	–	–	–	–	6	15	17	34	14	14	–	–	–	–	–	–	–	–	1	2	–	5	6
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

500-502	32	Bronchitis	M.	4	–	1	–	–	–	–	–	–	1	1	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	5	3	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E963, E970-979	49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	6	–	–	–	–	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50)	M.	15	–	1	1	–	2	5	1	–	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	1	1	–	–	–	–	–	–	1	–	4	5	1	–	–	–	–	–	–	–	1	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ORKNEY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PEEBLES COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	275	7	3	–	1	1	2	2	2	19	38	62	98	40	201	4	2	1	1	2	1	2	2	14	22	69	64	17
		Males	...	139	4	–	–	1	1	1	–	2	11	22	36	50	11	102	4	–	1	1	–	1	–	1	10	14	36	28	6
		Females	...	136	3	3	–	–	–	1	2	–	8	16	26	48	29	99	–	2	–	–	2	–	2	1	4	8	33	36	11
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	9	1	1
140-205	18	Malignant neoplasms	M.	16	–	–	–	–	–	–	–	–	1	5	1	7	2	14	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	3	3	1	1	2	21	–	–	–	–	–	–	–	1	1	3	13	3	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	1	–	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	24	–	–	–	–	–	–	–	–	1	2	9	10	2	17	–	–	–	–	–	–	–	–	–	4	5	6	2
			F.	26	–	–	–	–	–	–	–	–	–	5	7	8	6	21	–	–	–	–	–	–	1	–	–	1	10	6	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	46	–	–	–	–	–	–	–	1	5	9	15	14	2	40	–	–	–	–	–	–	–	–	–	3	5	15	15	2
			F.	31	–	–	–	–	–	–	–	–	–	3	7	13	8	24	–	–	–	–	–	–	–	–	–	–	–	5	15	4
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

			F.	7	–	–	–	–	–	–	–	–	–	1	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
490-493	31	Pneumonia (except of newborn)	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	1	4	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
			F.	4	–	1	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	6	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	–	–	–	–	–	–	–	–	–	–	–	8	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E963, E970-979	49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PERTH BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PERTH COUNTY (excluding Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**468**	**10**	**4**	**3**	**1**	**1**	**2**	**9**	**15**	**30**	**67**	**128**	**143**	**55**	**1117**	**23**	**5**	**5**	**2**	**4**	**12**	**12**	**23**	**70**	**157**	**271**	**377**	**156**
		Males		**229**	**5**	**1**	**2**	**1**	**1**	**2**	**4**	**6**	**23**	**48**	**59**	**58**	**19**	**553**	**18**	**3**	**1**	**1**	**4**	**10**	**7**	**16**	**42**	**92**	**134**	**165**	**60**
		Females		**239**	**5**	**3**	**1**	–	–	–	**5**	**9**	**7**	**19**	**69**	**85**	**36**	**564**	**5**	**2**	**4**	**1**	–	**2**	**5**	**7**	**28**	**65**	**137**	**212**	**96**
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	49	–	–	1	1	1	–	–	2	6	12	13	11	2	79	–	–	–	–	1	1	1	1	11	16	25	19	4
			F.	41	–	–	–	–	–	–	3	2	4	6	16	7	3	96	–	–	–	–	–	–	3	5	13	23	21	26	5
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	1	–	–	1	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	28	–	–	–	–	–	–	–	–	1	6	9	9	3	80	–	–	–	–	–	–	–	–	3	10	21	36	10
			F.	37	–	–	–	–	–	–	–	–	–	1	10	15	11	122	–	–	–	–	–	–	–	–	2	12	34	55	19
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	1	–	–	1	–	1	2	1	–
			F.	3	–	–	–	–	–	–	1	1	–	–	1	–	–	5	–	–	1	–	–	–	–	–	1	–	1	2	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	2	1	1	3	–	–	4	–	–	–	–	–	–	–	1	–	2	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	70	–	–	–	–	–	–	–	–	6	15	20	22	7	187	–	–	–	–	–	–	–	–	2	14	38	45	58	30
			F.	77	–	–	–	–	–	–	–	1	–	5	23	37	11	181	–	–	–	–	–	–	–	–	2	17	46	77	39
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	8	–	–	–	–	–	–	–	–	–	–	4	2	2
440-443	28	Hypertension with heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	–	–	3	1	4	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	6	–	–	–	–	–	–	–	–	–	1	1	3	1

490-493	31	Pneumonia (except of newborn)	M.	9	–	–	–	–	–	–	–	1	2	2	4	–	15	–	1	–	–	–	–	1	1	–	1	5	5	1
			F.	11	–	–	–	–	–	–	–	–	2	6	3	22	–	1	2	–	–	–	–	–	–	1	1	4	8	5
500-502	32	Bronchitis	M.	7	–	–	–	–	–	–	–	1	1	2	1	2	23	–	–	–	–	–	–	–	2	1	5	6	8	1
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	9	–	–	–	–	–	–	–	–	1	–	3	2	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	5	–	–	–	–	–	–	–	–	1	1	1	2	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	2	3	–	1	12	–	–	–	–	–	–	1	–	2	2	3	4	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	8	1	–	1	–	–	–	–	–	1	–	2	1	2
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	–	–	1	3	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	7	–	–	–	–	–	–	–	–	–	3	3	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	3	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	1	–	1	1	2	1	–	5	–	–	–	–	–	–	1	–	–	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	1	2	1	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	1	3	2
750-759	41	Congenital malformations ...	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	7	5	–	–	1	1	–	–	–	–	–	–	–	–
			F.	3	1	1	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	11	–	–	–	–	–	–	–	–	–	–	–	3	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	3	8
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	1	1	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	2	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	13	–	–	–	–	–	–	1	2	3	2	2	2	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	6	–	–	1	–	–	–	1	–	1	2	–	–	1	22	–	1	–	–	–	6	2	2	4	2	2	2	1
			F.	9	–	1	–	–	–	–	–	1	–	–	3	2	2	9	–	–	–	1	–	1	–	–	1	–	1	2	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		GREENOCK BURGH														PAISLEY BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		890	33	22	9	3	3	7	17	39	70	163	220	228	76	1163	35	20	5	4	3	13	15	44	102	202	311	319	90
		Males		475	18	11	6	3	1	4	11	20	42	96	123	107	33	618	22	12	4	1	2	9	10	21	65	133	180	126	33
		Females		415	15	11	3	–	2	3	6	19	28	67	97	121	43	545	13	8	1	3	1	4	5	23	37	69	131	193	57
001-008	1	Tuberculosis of respiratory system	M.	12	–	–	–	–	–	–	3	3	2	4	–	–	–	15	–	–	–	–	–	1	2	2	3	4	3	–	–
			F.	9	–	–	–	–	1	–	1	3	2	1	1	–	–	8	–	–	–	–	–	–	1	3	3	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	1	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	96	–	–	–	1	1	–	2	5	12	27	26	17	5	104	–	–	2	–	–	1	1	7	10	24	35	20	4
			F.	67	–	–	1	–	–	–	–	5	10	18	15	15	3	85	–	–	–	–	–	2	1	6	13	12	21	22	8
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	5	–	–	–	–	–	–	–	1	–	1	–	3	–	10	–	–	–	–	–	–	–	–	–	4	2	4	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	1	1	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	5	–	–	–	–	–	–	–	–	–	1	3	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	5	–	–	–	–	–	–	–	1	–	2	1	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	61	–	–	–	–	–	–	–	1	3	9	19	25	4	80	–	–	–	–	–	–	–	1	–	3	11	23	32	10
			F.	59	–	–	–	–	–	–	1	1	1	10	19	21	6	126	–	–	–	–	–	–	–	–	1	3	17	41	52	12
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	1	–	–	–	1	1	–	–	1	–	–	8	–	–	–	1	1	–	–	–	–	4	2	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	4	1	–	–	–	–	–	2	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	8	–	–	–	–	–	1	1	1	1	1	2	–	1	11	–	–	–	–	–	1	1	–	1	1	5	2	–
			F.	8	–	–	–	–	–	–	–	2	3	2	1	–	–	11	–	–	–	–	–	–	–	3	2	2	4	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	120	–	–	–	–	–	–	–	4	6	25	34	35	16	192	–	–	–	–	–	–	–	–	19	56	58	44	15
			F.	129	–	–	–	–	–	1	–	2	4	12	36	54	20	161	–	–	–	–	–	–	–	2	8	13	39	71	28
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	1	–	1	–	1	2	–	6	–	–	–	–	–	–	–	1	1	1	2	1	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	5	–	–	–	–	–	–	–	–	3	1	–	1	–
				10										1	6	3	–	10	–	–	–	–	–	–	–	–	1	3	6	–	–

490-493	31	Pneumonia (except of newborn)	M.	13	–	4	–	–	–	–	–	–	1	1	4	3	–	17	–	2	–	–	1	–	–	–	2	1	9	1	1
			F.	14	–	2	–	–	–	–	1	–	3	–	7	1	17	–	4	–	1	–	–	1	–	1	1	2	6	1
500-502	32	Bronchitis	M.	20	–	–	–	–	–	–	–	–	1	8	8	3	–	39	–	–	–	–	–	–	–	1	3	14	14	6	1
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	8	–	–	–	–	–	–	–	–	1	1	3	3	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	–	1	4	–	–	7	–	–	–	–	–	–	–	–	2	3	2	–	–
			F.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	–	–	3	2	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	7	–	–	–	–	–	1	–	1	4	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	–	2	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	7	–	1	–	–	1	–	–	–	–	–	1	3	1
750-759	41	Congenital malformations ...	M.	9	4	2	1	1	–	–	–	–	–	1	–	–	–	11	5	2	1	–	–	2	1	–	–	–	–	–	–
			F.	7	4	2	–	–	–	–	–	–	–	1	–	–	–	7	3	3	–	–	–	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	8	–	2	–	–	–	–	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	1	–	–	–	2	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	1	2	3	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	1	–	–	1	–	–	–	1	1	–	–	9	–	–	–	–	–	2	–	1	2	1	1	2	–
			F.	3	–	–	–	–	1	–	1	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–	1	–	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	24	–	–	1	1	–	1	2	2	4	6	1	5	1	15	–	6	1	–	–	1	–	1	5	–	–	1	–
			F.	15	1	3	1	–	–	–	–	–	–	1	1	5	3	18	–	–	–	–	–	1	–	2	–	2	2	10	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PORT GLASGOW BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	RENFREW COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		212	12	3	1	1	1	4	4	11	17	25	60	59	14	1638	40	21	12	6	3	7	30	54	154	229	463	470	149
		Males		116	8	1	1	1	–	3	1	7	10	16	36	28	4	848	21	14	9	2	3	6	18	33	102	134	233	218	55
		Females		96	4	2	–	–	1	1	3	4	7	9	24	31	10	790	19	7	3	4	–	1	12	21	52	95	230	252	94
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	12	–	–	–	–	–	–	–	–	3	4	5	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	10	–	–	–	–	–	–	2	5	1	1	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	30	–	–	–	–	–	1	–	3	3	6	11	6	–	154	–	–	–	–	1	1	2	7	18	36	47	38	4
			F.	15	–	–	–	–	–	–	–	2	2	3	6	2	–	151	–	–	–	–	–	–	1	5	17	34	50	37	7
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	–	–	–	–	2	5	1	1
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	1	–	–	–	2	–	2	1	3	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	9	–	–	–	–	–	–	1	1	1	3	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	6	–	–	–	–	–	–	–	–	–	1	4	1	–	102	–	–	–	–	–	–	1	1	14	11	36	32	7
			F.	12	–	–	–	–	–	–	–	–	–	1	5	6	–	147	–	–	–	–	–	–	–	1	3	15	49	59	20
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	7	–	–	–	–	–	1	–	2	–	–	3	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	12	–	–	–	–	–	–	1	2	–	3	5	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	2	3	3	–	1	1	–
			F.	4	–	–	–	–	–	–	–	2	2	–	–	–	–	12	–	–	–	–	–	–	–	2	2	1	6	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	38	–	–	–	–	–	–	–	–	1	6	10	18	3	281	–	–	–	–	–	–	1	5	33	41	87	89	25
			F.	30	–	–	–	–	–	–	–	–	–	4	8	11	7	221	–	–	–	–	–	–	–	1	12	16	63	95	34
430-434	27	Other diseases of heart ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	–	2	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	1	–	1	–	3	2	2
440-443	28	Hypertension with heart	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	17	–	–	–	–	–	–	–	–	1	6	5	4	1

490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	19	–	1	–	–	–	–	1	–	2	–	7	5	3
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	31	–	–	–	–	–	–	–	–	7	8	9	7	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	14	–	–	–	–	–	–	–	–	1	–	1	9	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	1	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	–	2	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	11	–	–	–	–	–	–	–	2	1	–	5	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	–	–	2	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	1	3	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	1	–	–	–	1	1	2	1	1	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	1	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	–	1
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	3	1	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	11	–	1	–	–	–	1	1	1	1	3	2	1	–
			F.	2	–	–	–	–	1	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	6	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	–	–	–	1	1
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	7	–	–	–	–	–	–	1	–	2	1	–	2	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	10	1	4	2	1	1	–	–	–	–	1	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	5	2	2	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	1	3
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–	–	–	–	–	–	–	–	–	2	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	1	–	–	–	–	–	–	1	1	1	2	1
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	1	–	2	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	3	1	1	1	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	1	1	–	–	–	1	–	–	–	–	12	–	–	–	1	–	1	2	2	1	1	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	6	–	–	–	–	–	–	–	2	1	1	2	–	–	31	–	2	3	–	1	1	5	2	5	2	3	3	4
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	1	2	–	–	–	–	–	–	2	3	2	7	4

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		ROSS & CROMARTY COUNTY														INSULAR PORTION OF ROSS AND CROMARTY COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		818	21	5	6	4	3	11	9	26	50	110	196	236	141	341	6	3	3	1	1	4	3	12	23	47	78	99	61
		Males		426	11	5	5	4	2	9	5	16	25	69	102	116	57	173	5	3	2	1	–	3	3	8	11	31	37	46	23
		Females		392	10	–	1	–	1	2	4	10	25	41	94	120	84	168	1	–	1	–	1	1	–	4	12	16	41	53	38
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	1	2	–	4	–	–	–	4	–	–	–	–	–	–	1	2	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	65	–	–	–	1	–	–	1	4	6	14	17	19	3	26	–	–	–	–	–	–	–	2	4	9	4	7	–
			F.	62	–	–	–	–	–	–	1	4	9	15	15	14	4	20	–	–	–	–	–	–	–	1	5	4	5	2	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	4	–	–	–	–	1	–	–	–	1	–	1	1	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	71	–	–	–	1	–	–	1	–	1	10	24	24	10	26	–	–	–	1	–	–	1	–	–	5	9	8	2
			F.	85	–	–	–	–	–	–	–	–	3	5	31	31	15	42	–	–	–	–	–	–	–	–	2	1	17	13	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	1	–	1	–	1	–	1	–	4	–	–	–	–	–	1	–	1	–	1	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	3	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	128	–	–	–	–	–	–	1	1	7	22	33	38	26	50	–	–	–	–	–	–	–	–	–	9	11	18	12
			F.	117	–	–	–	–	–	–	–	1	3	8	27	43	35	49	–	–	–	–	–	–	–	–	–	5	10	22	12
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–

490-493	31	Pneumonia (except of newborn)	M.	9	–	–	–	–	–	–	–	1	1	–	3	2	2	5	–	–	–	–	–	–	–	1	–	–	2	1	1
			F.	7	–	–	–	–	–	–	–	–	2	2	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	–	–	2	4	2	6	–	–	–	–	–	–	–	–	–	–	1	4	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	–	2	5	3	1	–	4	–	–	–	–	–	–	–	–	2	1	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	1	1	–	1	1	2	–	–	3	–	–	–	–	–	1	–	–	1	–	1	–	–
			F.																												
610	39	Hyperplasia of prostate ...	M.	11	–	–	–	–	–	–	–	–	–	–	2	5	4	5	–	–	–	–	–	–	–	–	–	–	2	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	5	2	2	1	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–
			F.	4	2	–	1	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	12	–	–	–	–	–	–	–	–	–	–	–	5	7	6	–	–	–	–	–	–	–	–	–	–	–	2	4
			F.	21	–	–	–	–	–	–	–	–	–	–	–	7	14	9	–	–	–	–	–	–	–	–	–	–	–	3	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	–	–	–	1	–	–	2
			F.	4	1	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	3	–	–	–	–	–	–	–	2	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	5	–	–	–	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	19	–	–	2	–	2	4	–	3	2	2	2	1	1	7	–	–	1	–	–	2	–	1	1	–	1	1	–
			F.	7	–	–	–	–	–	1	1	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		ROXBURGH COUNTY															SELKIRK COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 w'ks–	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**602**	**12**	**3**	**4**	**1**	**3**	**3**	**6**	**10**	**46**	**86**	**167**	**191**	**70**	**331**	**8**	–	**2**	–	–	**1**	**5**	**7**	**18**	**45**	**77**	**120**	**48**
		Males		**289**	**6**	**1**	**3**	–	**2**	**1**	**4**	**5**	**29**	**47**	**88**	**79**	**24**	**154**	**5**	–	–	–	–	**1**	**4**	**5**	**13**	**26**	**40**	**47**	**13**
		Females		**313**	**6**	**2**	**1**	**1**	**1**	**2**	**2**	**5**	**17**	**39**	**79**	**112**	**46**	**177**	**3**	–	**2**	–	–	–	**1**	**2**	**5**	**19**	**37**	**73**	**35**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	–	–	3	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	52	–	–	–	–	–	–	1	2	8	11	12	16	2	24	–	–	–	–	–	–	–	2	2	5	5	10	–
			F.	59	–	–	–	–	2	1	3	8	12	18	11	4	26	–	–	–	–	–	–	–	–	1	3	3	3	11	5
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	2	–	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330 334	22	Vascular lesions affecting central nervous system ...	M.	43	–	–	–	–	–	–	–	1	3	7	13	16	3	15	–	–	–	–	–	–	–	–	1	6	7	1	
			F.	56	–	–	–	–	–	–	–	–	1	5	18	23	9	49	–	–	–	–	–	–	–	–	1	6	12	25	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	4	–	–	–	–	–	–	–	–	–	3	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	101	–	–	–	–	–	–	1	2	7	14	34	33	10	63	–	–	–	–	–	–	1	1	6	14	17	17	7
			F.	95	–	–	–	–	–	–	–	–	–	7	24	47	17	59	–	–	–	–	–	–	–	1	–	6	15	26	11
430 434	27	Other diseases of heart ...	M.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–

500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	–	1	6	1	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	1	–	–	–	1	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	1	3	2	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	–	–	3	1	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	2	–	–	1	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	5	–	–	–	–	–	–	–	–	–	–	3	2	7	–	–	–	–	–	–	–	–	–	–	–	1	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	1	–	–	1	–	–	–	1	1	–	5	–	–	–	–	–	1	–	1	–	1	1	–	1
			F.	10	–	2	–	–	–	–	–	–	1	1	1	1	4	4	–	–	–	–	–	–	–	–	–	1	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification		Causes of Death		FALKIRK BURGH															STIRLING BURGH														
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		426	12	3	1	1	2	–	5	13	37	76	115	126	35	328	10	5	–	2	1	3	2	8	25	56	99	89	28
		Males		233	5	1	1	–	–	–	4	10	23	48	59	64	18	175	7	3	–	2	1	2	1	4	13	37	50	48	7
		Females		193	7	2	–	1	2	–	1	3	14	28	56	62	17	153	3	2	–	–	–	1	1	4	12	19	49	41	21
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	2	–	1	–	–	–	–	4	–	–	–	–	–	1	1	1	–	1	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	45	–	–	–	–	–	–	1	3	10	16	11	2	2	26	–	–	–	2	–	–	–	–	2	6	9	7	–
			F.	37	–	–	–	1	–	–	–	2	6	6	9	9	4	23	–	–	–	–	–	–	–	1	5	5	6	5	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	4	–	–	–	–	–	–	–	–	–	–	–	3	–	1
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	36	–	–	–	–	–	–	–	–	1	3	13	16	3	34	–	–	–	–	–	–	–	–	1	–	5	14	13	1
			F.	35	–	–	–	–	–	–	–	–	4	4	9	16	2	44	–	–	–	–	–	–	–	–	–	4	6	13	13	8
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	–	1	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	78	–	–	–	–	–	–	–	3	6	14	21	29	5	43	–	–	–	–	–	–	–	–	4	9	15	12	3
			F.	52	–	–	–	–	–	–	–	–	2	8	20	18	4	33	–	–	–	–	–	–	–	–	1	5	11	11	5
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	[illegible]												1		3										1	1	1

490-493	31	Pneumonia (except of newborn)	M.	6	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	–	–	–	–	4	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	3	5	3	1	4	–	–	–	–	–	–	–	1	2	–	1	–
500-502	32	Bronchitis	M.	18	–	–	–	–	–	–	–	1	3	5	5	3	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	6	–	–	–	–	–	–	–	–	5	1	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–
540,541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	3	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–	–	–	–	–	2	–	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	7	–	–	1	–	–	–	–	1	–	2	1	1	1	4	–	1	–	–	–	–	–	1	–	–	1	1	–
			F.	5	–	1	–	–	1	–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	1	–	–	2	2	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification	Abbreviated List "B"	Causes of Death		STIRLING COUNTY (excluding Large Burghs) All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	SUTHERLAND COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		**ALL CAUSES**—Both Sexes ...		**1363**	**39**	**25**	**8**	**8**	**5**	**14**	**25**	**52**	**140**	**248**	**342**	**354**	**103**	**186**	**2**	–	–	–	**2**	–	**1**	**1**	**14**	**26**	**36**	**74**	**30**
		Males		**776**	**15**	**13**	**7**	**5**	**4**	**10**	**14**	**28**	**94**	**155**	**200**	**185**	**46**	**101**	**2**	–	–	–	**1**	–	–	**1**	**10**	**11**	**25**	**37**	**14**
		Females		**587**	**24**	**12**	**1**	**3**	**1**	**4**	**11**	**24**	**46**	**93**	**142**	**169**	**57**	**85**	–	–	–	–	**1**	–	**1**	–	**4**	**15**	**11**	**37**	**16**
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	–	1	4	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	115	–	–	1	–	1	2	–	3	22	29	31	25	1	10	–	–	–	–	–	–	–	–	1	1	5	2	1
			F.	91	–	–	–	–	–	–	3	8	13	22	33	9	3	16	–	–	–	–	–	–	–	–	2	4	2	6	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	12	–	–	–	–	–	–	–	–	2	3	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	8	–	–	1	–	–	–	1	–	1	2	2	1	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
			F.	6	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	105	–	–	–	–	–	–	–	4	8	16	35	36	6	11	–	–	–	–	–	–	–	–	1	2	3	5	–
			F.	105	–	–	–	–	–	–	–	2	5	18	27	40	13	12	–	–	–	–	–	–	–	–	1	2	1	6	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	14	–	–	–	1	1	–	1	3	2	2	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	10	–	–	–	1	–	1	3	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	9	–	–	–	–	–	–	2	1	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	21	–	–	–	–	–	–	1	2	2	4	5	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	258	–	–	–	–	–	–	3	3	27	57	67	73	28	37	–	–	–	–	–	–	–	–	2	3	13	16	3
			F.	166	–	–	–	–	–	–	–	3	6	21	43	71	22	25	–	–	–	–	–	–	1	–	–	3	2	14	5
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	–	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
440-443	28	Hypertension with heart	M.	12	–	–	–	–	–	–	–	1	1	3	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	F.	23	–	7	1	2	–	1	–	–	2	2	2	5	1	4	–	–	–	–	1	–	–	–	–	–	–	3	–
500-502	32	Bronchitis	M.	35	–	–	–	–	–	–	1	1	2	11	12	8	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
			F.	11	–	–	–	–	–	–	–	–	1	2	1	4	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	25	–	–	–	–	–	–	–	1	3	8	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	1	–	1	1	2	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
540,541	33	Ulcer of stomach and duodenum	M.	8	–	–	–	–	–	–	–	1	1	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	3	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	–	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	1	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	2	3	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	8	2	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	16	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	–	–	–	–	1	4
			F.	8	–	–	–	–	–	–	–	–	–	–	–	6	2	3	–	–	–	–	–	–	–	–	–	–	–	–	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
E963, E970-979	49	Suicide	M.	5	–	–	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	10	–	–	–	1	–	3	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	28	–	1	3	3	1	1	2	3	4	3	2	4	6	–	–	–	–	1	–	–	1	1	–	2	–	1
			F.	17	–	2	–	–	–	–	–	1	2	–	4	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		WEST LOTHIAN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	WIGTOWN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		902	31	17	4	3	4	9	12	35	66	156	209	283	73	364	10	4	1	–	2	4	3	13	39	58	96	97	37
		Males		497	17	10	4	1	3	6	8	20	39	90	120	151	28	168	3	3	1	–	1	2	2	5	20	30	40	47	14
		Females		405	14	7	–	2	1	3	4	15	27	66	89	132	45	196	7	1	–	–	1	2	1	8	19	28	56	50	23
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	86	–	–	–	1	1	–	2	7	11	23	22	16	3	27	–	–	–	–	–	–	–	1	8	5	9	4	–
			F.	60	–	–	–	–	1	–	1	4	7	23	11	10	3	36	–	–	–	–	–	–	–	4	8	7	13	3	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	3	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	6	–	–	–	–	–	1	–	1	2	2	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	74	–	–	–	–	–	–	–	1	3	9	23	32	6	31	–	–	–	–	–	–	–	–	–	5	12	10	4
			F.	84	–	–	–	–	–	1	–	–	3	11	25	34	10	46	–	–	–	–	–	–	–	–	2	9	13	17	5
340	23	Non-meningococcal meningitis	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	1	–	–	1	–	1	–	1	–	1	–	–	5	–	–	–	–	–	–	–	–	1	–	2	2	–
			F.	4	–	–	–	–	–	–	–	–	1	1	–	1	1	5	–	–	–	–	–	–	–	–	–	–	3	–	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	1	–	2	–	–	1	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
			F.	4	–	–	–	–	–	1	–	1	1	1	–	–	–	5	–	–	–	–	–	–	–	–	1	–	1	3	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	117	–	–	–	–	–	–	–	5	7	23	25	48	9	48	–	–	–	–	–	–	–	–	7	14	7	16	4
			F.	111	–	–	–	–	–	–	–	3	3	14	27	47	17	42	–	–	–	–	–	–	1	–	1	4	14	14	8
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	4	–	–	–	–	–	–	–	1	–	1	1	1	–
440-443	28	Hypertension with heart	M.	15	–	–	–	–	–	–	–	–	–	3	5	7	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–

490-493	31	Pneumonia (except of newborn)	M.	19	–	2	–	–	1	–	–	1	4	6	4	1	5	–	1	–	–	–	–	–	–	–	–	1	3	–
			F.	14	–	2	–	–	–	–	–	1	–	1	2	5	3	4	–	1	–	–	–	–	–	–	–	–	2	1
500-502	32	Bronchitis	M.	27	–	–	–	–	–	–	–	1	3	7	7	9	–	4	–	–	–	–	–	–	–	–	–	2	2	–
			F.	12	–	1	–	–	–	–	–	–	1	1	3	5	1	2	–	–	–	–	–	–	–	–	1	–	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	18	–	–	–	–	–	–	–	–	–	7	9	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–
540,541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	1	–	1	4	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	2	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	–	–	–	1	1	2	2	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–	1	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	7	1	3	2	–	1	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
			F.	5	2	3	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	6	–	–	1	–	–	1	–	1	1	–	–	2	–	3	–	–	–	–	–	1	1	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	1	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	19	–	2	1	–	3	1	2	6	3	–	–	1	4	–	–	1	–	–	1	1	–	1	–	–	–	–
			F.	10	1	1	–	1	–	–	–	–	2	–	4	1	3	–	–	–	–	–	–	–	–	–	–	1	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ZETLAND COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**308**	**7**	**4**	**1**	**1**	–	**2**	**5**	**5**	**16**	**35**	**68**	**117**	**47**
		Males		**140**	**4**	**3**	–	**1**	–	**1**	**4**	**1**	**10**	**18**	**28**	**55**	**15**
		Females		**168**	**3**	**1**	**1**	–	–	**1**	**1**	**4**	**6**	**17**	**40**	**62**	**32**
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1
140-205	18	Malignant neoplasms	M.	21	–	–	–	–	–	–	1	–	3	6	2	7	2
			F.	21	–	–	–	–	–	1	–	1	2	4	10	2	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	–	–	–	2	2	4	12	3
			F.	46	–	–	–	–	–	–	–	–	2	7	10	21	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	8	–	–	1	–	–	–	–	–	–	1	3	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	46	–	–	–	–	–	–	–	–	2	6	15	16	7
			F.	45	–	–	–	–	–	–	–	–	1	1	8	21	14
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	3	–	1	–

[illegible]	31	Pneumonia (except of newborn)	F.	4	–	–	–	–	–	–	–	1	–	–	–	1	2
500-502	32	Bronchitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	1	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	2	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	1	4	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	2	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	1	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	3	–	–	–	1	–	–	–	–	1	–	–	–	1
			F.	6	–	–	–	–	–	–	–	–	–	–	1	4	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957

International Classification: Detailed List	International Classification: Abbreviated List "B"		Scotland	Counties of Cities	Large Burghs	Counties, ex Counties of Cities and Large Burghs	Small Burghs	Landward	Aberdeen County: Aberdeen County	Aberdeen County: Aberdeen County of City
		Population (Estimated), 30th June, 1957	5,150,020	1,910,450	860,430	2,379,140	850,745	1,528,395	326,697	186,190
		Total Live Births Registered (including Illegitimate)	97,977	40,885	22,185	34,907	13,878	21,029	6,145	4,185
		" Corr. for Mother's Resid. (,,) ...	97,977	37,101	17,434	43,442	15,409	28,033	5,786	3,379
		" " " Male ...	50,350	19,068	8,883	22,399	7,943	14,456	3,011	1,733
		" " " Female ...	47,627	18,033	8,551	21,043	7,466	13,577	2,775	1,646
		" " " Illegitimate ...	4,017	1,784	632	1,601	500	1,101	286	173
		Stillbirths Registered (including Illegitimate) ...	2,378	1,075	438	865	249	616	114	88
		" Corrected for Mother's Residence ...	2,378	889	412	1,077	370	707	99	50
		Marriages Registered	42,676	18,332	8,102	16,242	7,594	8,648	2,965	1,975
		Deaths Registered	61,143	25,519	10,429	25,195	8,686	16,509	3,841	2,664
		" Corrected for Residence	61,143	23,579	9,707	27,857	10,882	16,975	3,651	2,121
		" " Male	31,622	12,110	5,092	14,420	5,322	9,098	1,807	1,037
		" " Female	29,521	11,469	4,615	13,437	5,560	7,877	1,844	1,084
		CAUSES OF DEATH								
001-008	1	Tuberculosis of respiratory system	664	321	125	218	73	145	16	10
010-019	2	Tuberculosis, other forms	59	24	5	30	13	17	2	2
020-029	3	Syphilis and its sequelæ	94	48	14	32	11	21	7	7
040	4	Typhoid fever	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	8	4	2	2	—	2	1	1
050-051	7	Scarlet fever and streptococcal sore throat	2	1	—	1	—	1	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—
056	9	Whooping cough	21	7	4	10	5	5	—	—
057	10	Meningococcal infections	21	12	4	5	1	4	—	—
080	12	Acute poliomyelitis	11	2	—	9	—	9	1	—
085	14	Measles	16	6	2	8	3	5	1	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	40	17	49	15	34	5	3
140-205	18	Malignant neoplasms	10,747	4,537	1,633	4,577	1,834	2,743	687	419
210-239	19	Benign and unspecified neoplasms	133	62	21	50	14	36	13	10
260	20	Diabetes mellitus	505	189	81	235	90	145	44	29
290-293	21	Anæmias	214	74	35	105	35	70	18	8
240-254, 270-289, 294-299	46.1	Other general diseases	415	151	65	199	69	130	30	18
330-334	22	Vascular lesions affecting central nervous system ...	9,566	3,514	1,497	4,555	1,854	2,701	617	322
340	23	Nonmeningococcal meningitis	59	22	8	29	12	17	1	—
300-326, 341-398	46.2	Other diseases of nervous system	817	331	102	384	146	238	50	28
400-402	24	Rheumatic fever	45	19	9	17	6	11	4	2
410-416	25	Chronic rheumatic heart disease	907	419	165	323	129	194	55	42
420-422	26	Arteriosclerotic and degenerative heart disease ...	17,840	6,421	2,948	8,471	3,473	4,998	999	581
430-434	27	Other diseases of heart	636	223	98	315	102	213	28	12
440-443	28	Hypertension with heart disease	1,182	473	195	514	213	301	76	53
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)

			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
444-447	29	Hypertension without heart disease	**624**	227	96	301	106	195	**39**	26
450-468	46.3	Other circulatory disease	**1,645**	580	236	829	291	538	**117**	64
480-483	30	Influenza	**680**	295	95	290	112	178	**27**	20
490-493	31	Pneumonia (except of newborn)	**2,042**	989	306	747	269	478	**130**	80
500-502	32	Bronchitis	**2,013**	982	300	731	284	447	**94**	57
470-475, 510-527	46.4	Other respiratory diseases	**539**	134	81	324	92	232	**20**	13
540, 541	33	Ulcer of stomach and duodenum	**564**	217	81	266	96	170	**43**	25
550-553	34	Appendicitis	**103**	38	13	52	21	31	**6**	5
560, 561, 570	35	Intestinal obstruction and hernia	**423**	154	68	201	85	116	**26**	12
543	36.1	Gastritis and duodenitis	**10**	4	—	6	1	5	**1**	—
571, 572	36.2	Diarrhœa (except of newborn)	**259**	108	50	101	30	71	**12**	6
581	37	Cirrhosis of liver	**243**	103	35	105	42	63	**15**	6
580, 582-586	46.5	Other diseases of liver	**241**	93	37	111	46	65	**12**	7
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**180**	64	30	86	36	50	**9**	4
590-594	38	Nephritis and nephrosis	**511**	160	86	265	99	166	**26**	14
610	39	Hyperplasia of prostate	**389**	142	43	204	67	137	**42**	20
600-609, 611-637	46.7	Other diseases of genito-urinary system	**339**	138	55	146	57	89	**27**	18
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**16**	7	4	5	1	4	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**30**	11	1	18	6	12	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**324**	111	52	161	51	110	**18**	12
750-759	41	Congenital malformations	**718**	260	128	330	116	214	**37**	19
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**762**	322	138	302	102	200	**38**	22
763	43.1	Pneumonia of newborn	**95**	41	18	36	11	25	**8**	5
764	43.2	Diarrhœa of newborn	**18**	13	1	4	2	2	—	—
765-768	43.3	Other infections of the newborn	**23**	15	3	5	1	4	—	—
769-776	44	Other diseases peculiar to early infancy	**630**	232	114	284	111	173	**36**	24
794	45.0	Senility	**580**	93	107	380	127	253	**29**	5
780-793, 795	45.1	Cause ill-defined and unknown	**273**	73	50	150	47	103	**5**	1
E963, E970-E979	49	Suicide	**420**	205	58	157	72	85	**33**	27
E810-E835	47	Motor vehicle accidents	**563**	194	101	268	81	187	**43**	20
E840-E845	48.0	Other road transport accidents	**22**	11	3	8	4	4	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)...	**1,796**	663	287	846	318	528	**103**	61
		ALL CAUSES	**61,143**	23,579	9,707	27,857	10,882	16,975	**3,651**	2,121
		AGES AT DEATH								
		Under 1	**2,802**	1,130	529	1,143	406	737	**134**	82
		1– 4	**364**	147	56	161	61	100	**15**	7
		5– 9	**236**	83	45	108	36	72	**10**	6
		10–14	**193**	62	33	98	36	62	**8**	4
		15–24	**505**	183	77	245	67	178	**24**	10
		25–34	**899**	353	150	396	128	268	**46**	26
		35–44	**1,919**	781	335	803	280	523	**117**	69
		45–54	**5,121**	2,093	808	2,220	830	1,390	**281**	165
		55–64	**10,174**	4,266	1,648	4,260	1,620	2,640	**568**	368
		65–74	**15,822**	6,181	2,565	7,076	2,820	4,256	**897**	552
		75–84	**17,240**	6,304	2,647	8,289	3,354	4,935	**1,143**	616
		85 and over	**5,868**	1,996	814	3,058	1,244	1,814	**408**	216
		Not stated	—	—	—	—	—	—	—	—
		ALL AGES	**61,143**	23,579	9,707	27,857	10,882	16,975	**3,651**	2,121

*Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnote Table 35 (Page 130)

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Aberdeen County—*cont.*: Ballater Burgh	Ellon Burgh	Fraserburgh Burgh	Huntly Burgh	Inverurie Burgh	Kintore Burgh	Oldmeldrum Burgh	Peterhead Burgh	Rosehearty Burgh	Turriff Burgh	Landward
		Population (Estimated), 30th June, 1957	1,155	1,477	10,411	3,966	5,027	854	1,095	12,611	1,184	2,836	99,891
		Total Live Births Registered (including Illegitimate)	2	1	458	180	9	5	1	78	2	143	1,081
		" Corr. for Mother's Resid. (") ...	20	25	205	55	77	15	16	273	18	36	1,667
		" " " Male ...	14	12	116	26	39	9	11	144	9	22	876
		" " " Female ...	6	13	89	29	38	6	5	129	9	14	791
		" " " Illegitimate ...	2	—	8	—	3	—	—	13	3	1	83
		Stillbirths Registered (including Illegitimate) ...	—	—	5	4	—	—	—	1	—	2	14
		" Corrected for Mother's Residence ...	—	—	2	2	1	—	—	4	—	—	40
		Marriages Registered	5	64	98	45	73	14	9	119	6	36	521
		Deaths Registered	9	15	102	61	49	12	13	122	4	35	755
		" Corrected for Residence	13	24	105	49	56	14	15	153	11	40	1,050
		" " Male	6	11	55	24	28	8	6	77	5	15	535
		" " Female	7	13	50	25	28	6	9	76	6	25	515
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	—	—	1	—	—	—	—	—	—	—	5
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	1	—	—	1
140-205	18	Malignant neoplasms	2	4	27	4	6	4	2	26	—	9	184
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	2	1
260	20	Diabetes mellitus	—	—	—	—	1	—	1	—	—	—	13
290-293	21	Anæmias	—	—	—	—	—	—	—	2	—	—	8
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	—	—	—	2	—	—	10
330-334	22	Vascular lesions affecting central nervous system ...	1	5	18	15	11	3	5	24	4	5	204
340	23	Nonmeningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	—	—	2	1	1	—	—	3	—	1	14
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	1	—	1
410-416	25	Chronic rheumatic heart disease	1	1	—	2	—	—	—	1	—	—	8
420-422	26	Arteriosclerotic and degenerative heart disease ...	4	9	31	15	14	2	2	45	4	14	278
430-434	27	Other diseases of heart	—	—	1	—	3	—	—	—	—	—	12
440-443	28	Hypertension with heart disease	1	—	1	1	—	—	—	1	—	2	17
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
444-447	29	Hypertension without heart disease	—	—	—	—	—	—	1	—	—	12
450-468	46.3	Other circulatory disease	—	—	1	—	—	—	—	5	—	—	47
480-483	30	Influenza	—	—	—	—	—	—	—	2	—	—	5
490-493	31	Pneumonia (except of newborn)	2	1	1	2	2	—	2	3	1	3	33
500-502	32	Bronchitis	—	—	4	—	2	—	1	6	—	1	23
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	—	—	—	—	—	—	7
540, 541	33	Ulcer of stomach and duodenum	—	1	1	1	1	—	—	—	—	—	14
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	1	—	3	—	—	10
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	1	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	—	—	—	6
581	37	Cirrhosis of liver	—	—	—	1	—	—	—	1	—	—	7
580, 582-586	46.5	Other diseases of liver	—	—	1	—	—	—	—	1	—	—	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	1	—	—	—	1	—	—	2
590-594	38	Nephritis and nephrosis	—	—	1	2	—	—	1	2	—	—	6
610	39	Hyperplasia of prostate	—	—	1	1	2	—	—	2	—	—	16
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	2	—	—	2	—	—	5
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	—	—	6
750-759	41	Congenital malformations	1	—	3	1	—	—	—	—	—	—	13
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	1	2	—	2	—	—	—	—	1	10
763	43.1	Pneumonia of newborn	—	—	—	—	1	1	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	2	1	—	1	—	3	—	—	5
794	45.0	Senility	—	—	—	—	3	1	—	5	—	—	15
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	1	—	—	—	3
E963, E970-E979	49	Suicide	—	—	1	—	—	—	—	1	—	—	4
E810-E835	47	Motor vehicle accidents	—	1	2	—	1	—	—	2	—	—	17
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	—	—	4	1	4	1	—	7	—	2	23
		All Causes	13	24	105	49	56	14	15	153	11	40	1,050
		Ages at Death											
		Under 1	1	2	6	3	3	2	—	6	—	1	28
		1– 4	—	—	—	—	2	—	—	—	—	2	4
		5– 9	—	—	1	—	—	—	—	—	—	—	3
		10–14	—	—	—	—	—	—	—	1	—	—	3
		15–24	—	—	2	—	—	—	—	—	1	—	11
		25–34	—	1	3	1	2	—	—	—	—	1	12
		35–44	—	2	3	3	2	1	—	6	—	—	31
		45–54	—	1	10	3	4	—	—	17	—	2	79
		55–64	2	3	17	9	8	4	1	19	3	3	131
		65–74	4	—	19	12	8	3	4	41	1	10	243
		75–84	6	12	34	11	22	2	8	53	5	18	356
		85 and over	—	3	10	7	5	2	2	10	1	3	149
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		All Ages	13	24	105	49	56	14	15	153	11	40	1,050

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Angus County: Angus County	Angus County: Dundee County of City	Angus County: Arbroath Burgh	Angus County: Brechin Burgh	Angus County: Carnoustie Burgh	Angus County: Forfar Burgh	Angus County: Kirriemuir Burgh	Angus County: Monifieth Burgh	Angus County: Montrose Burgh	Angus County: Landward	Argyll County: Argyll County	Argyll County: Campbeltown Burgh	Argyll County: Dunoon Burgh
		Population (Estimated), 30th June, 1957	**276,241**	179,225	19,785	7,393	5,220	10,022	3,526	3,386	10,778	36,906	**57,053**	7,022	8,957
		Total Live Births Registered (including Illegitimate)	**5,333**	4,099	323	10	9	462	3	4	10	413	**714**	153	172
		,, Corr. for Mother's Resid. (,,) ...	**4,995**	3,453	352	127	74	148	51	46	169	575	**850**	109	104
		,, ,, ,, Male ...	**2,575**	1,793	178	70	41	64	27	26	84	292	**445**	49	55
		,, ,, ,, Female ...	**2,420**	1,660	174	57	33	84	24	20	85	283	**405**	60	49
		,, ,, ,, Illegitimate ...	**227**	164	16	3	—	6	—	2	8	28	**35**	7	1
		Stillbirths Registered (including Illegitimate) ...	**136**	114	5	—	—	7	—	1	—	9	**16**	4	5
		,, Corrected for Mother's Residence ...	**125**	86	9	2	2	6	—	1	3	16	**28**	6	4
		Marriages Registered	**2,394**	1,702	172	88	22	115	35	19	98	143	**262**	62	35
		Deaths Registered	**3,639**	2,347	224	77	50	134	27	25	115	640	**888**	89	163
		,, Corrected for Residence	**3,483**	2,275	244	97	77	133	66	55	166	370	**924**	90	162
		,, ,, Male	**1,676**	1,119	101	44	34	60	29	25	65	199	**503**	51	80
		,, ,, Female	**1,807**	1,156	143	53	43	73	37	30	101	171	**421**	39	82
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**25**	17	1	1	—	1	1	—	—	4	**12**	3	1
010-019	2	Tuberculosis, other forms	**3**	2	—	—	—	—	—	1	—	—	**—**	—	—
020-029	3	Syphilis and its sequelæ	**5**	3	—	—	—	—	—	—	1	1	**2**	—	—
040	4	Typhoid fever	**—**	—	—	—	—	—	—	—	—	—	**—**	—	—
045-048	6	Dysentery, all forms	**1**	—	—	—	—	—	—	—	—	1	**—**	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	**—**	—	—	—	—	—	—	—	—	—	**—**	—	—
055	8	Diphtheria	**—**	—	—	—	—	—	—	—	—	—	**—**	—	—
056	9	Whooping cough	**2**	2	—	—	—	—	—	—	—	—	**—**	—	—
057	10	Meningococcal infections	**—**	—	—	—	—	—	—	—	—	—	**—**	—	—
080	12	Acute poliomyelitis	**1**	1	—	—	—	—	—	—	—	—	**—**	—	—
085	14	Measles	**2**	1	—	—	—	—	—	—	—	1	**—**	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**7**	6	—	1	—	—	—	—	—	—	**—**	—	—
140-205	18	Malignant neoplasms	**654**	456	44	13	15	24	11	3	22	66	**152**	22	30
210-239	19	Benign and unspecified neoplasms	**6**	5	—	—	—	—	—	—	—	1	**1**	1	—
260	20	Diabetes mellitus	**29**	20	1	1	1	2	1	1	—	2	**9**	1	1
290-293	21	Anæmias	**19**	11	3	—	—	1	—	—	2	2	**1**	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**17**	14	—	—	—	—	—	—	2	1	**6**	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**542**	342	41	12	19	26	12	13	24	53	**139**	9	31
340	23	Nonmeningococcal meningitis	**6**	6	—	—	—	—	—	—	—	—	**—**	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**52**	30	4	1	—	2	1	1	3	10	**19**	1	1
400-402	24	Rheumatic fever	**4**	4	—	—	—	—	—	—	—	—	**—**	—	—
410-416	25	Chronic rheumatic heart disease	**43**	38	—	—	1	—	1	—	1	2	**7**	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	**1,006**	616	75	37	29	36	17	19	64	113	**326**	25	50
430-434	27	Other diseases of heart	**48**	33	4	1	—	2	3	—	1	4	**11**	1	4
440-443	28	Hypertension with heart disease	**60**	35	7	2	1	—	—	—	3	12	**20**	2	9
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	**36**	19	4	1	—	5	—	—	1	6	9	3	2
450-468	46.3	Other circulatory disease	**75**	53	5	2	—	6	—	1	2	6	27	1	4
480-483	30	Influenza	**56**	43	1	1	—	2	1	1	6	1	7	—	2
490-493	31	Pneumonia (except of newborn)	**140**	100	7	5	1	2	4	—	4	17	11	5	—
500-502	32	Bronchitis	**97**	70	4	6	4	3	—	3	1	6	12	2	2
470-475, 510-527	46.4	Other respiratory diseases	**23**	15	2	1	—	1	—	—	1	3	6	1	—
540, 541	33	Ulcer of stomach and duodenum	**25**	18	1	—	—	—	—	—	2	4	6	—	1
550-553	34	Appendicitis	**5**	2	1	—	—	—	1	—	—	1	1	1	—
560, 561, 570	35	Intestinal obstruction and hernia	**34**	25	2	1	1	—	—	1	1	3	5	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**25**	19	—	—	—	1	1	1	2	1	2	1	—
581	37	Cirrhosis of liver	**13**	8	—	1	—	—	2	—	1	1	7	—	1
580, 582-586	46.5	Other diseases of liver	**18**	12	1	1	—	1	1	—	—	2	5	1	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**8**	6	1	—	—	—	—	—	—	1	2	—	—
590-594	38	Nephritis and nephrosis	**25**	13	4	1	—	2	2	—	—	3	12	—	2
610	39	Hyperplasia of prostate	**27**	16	3	—	—	2	1	2	1	2	4	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	**24**	17	2	1	—	1	—	—	1	2	3	—	3
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**1**	1	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**4**	4	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**13**	5	3	1	—	—	1	—	—	3	4	—	—
750-759	41	Congenital malformations	**27**	12	2	1	1	2	1	2	1	5	3	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**31**	24	2	—	—	2	—	—	1	2	7	1	—
763	43.1	Pneumonia of newborn	**5**	4	1	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	**4**	3	—	—	—	—	—	—	1	—	—	—	—
765-768	43.3	Other infections of the newborn	**1**	1	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**33**	20	2	2	1	—	—	—	1	7	6	1	—
794	45.0	Senility	**19**	2	5	1	—	1	2	—	6	2	24	—	7
780-793, 795	45.1	Cause ill-defined and unknown	**3**	1	1	—	—	—	—	—	—	1	9	—	2
E963, E970-E979	49	Suicide	**43**	26	1	1	1	2	1	—	3	8	7	3	2
E810-E835	47	Motor vehicle accidents	**33**	25	2	—	1	—	—	—	1	4	4	—	—
E840-E845	48.0	Other road transport accidents	**1**	—	—	—	—	—	—	—	—	1	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	**102**	69	7	1	1	6	1	6	6	5	36	5	5
		ALL CAUSES	**3,483**	2,275	244	97	77	133	66	55	166	370	924	90	162
		AGES AT DEATH													
		Under 1	**127**	83	8	3	2	6	2	1	6	16	18	3	1
		1– 4	**17**	16	—	—	—	—	—	—	1	—	2	—	—
		5– 9	**10**	9	—	—	—	—	—	—	—	1	2	1	—
		10–14	**7**	6	—	—	—	—	—	1	—	—	—	—	—
		15–24	**21**	16	2	—	—	—	1	—	—	2	6	1	—
		25–34	**39**	24	4	—	—	2	—	—	4	5	12	—	1
		35–44	**95**	64	4	2	1	—	—	—	3	21	28	5	2
		45–54	**236**	177	11	2	2	11	3	2	9	19	53	8	7
		55–64	**582**	421	44	16	4	12	8	9	21	47	135	20	29
		65–74	**906**	578	59	28	26	43	17	16	41	98	258	25	41
		75–84	**1,030**	644	83	32	25	40	22	21	50	113	285	23	60
		85 and over	**413**	237	29	14	17	19	13	5	31	48	125	4	21
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**3,483**	2,275	244	97	77	133	66	55	166	370	924	90	162

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Argyll County—*cont.*: Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County: Ayr County	Ardrossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galston Burgh	Girvan Burgh	Irvine Burgh	Kilmarnock Burgh
		Population (Estimated), 30th June, 1957	521	1,192	6,124	667	32,570	332,886	9,532	43,685	5,168	3,309	4,547	5,931	15,832	44,307
		Total Live Births Registered (including Illegitimate)	2	3	248	3	133	6,363	59	681	34	4	11	141	43	1,144
		,, Corr. for Mother's Resid. (,,) ...	10	14	104	8	501	6,382	182	827	80	63	67	112	303	944
		,, ,, ,, Male ...	4	6	65	3	263	3,311	93	423	46	32	41	62	155	499
		,, ,, ,, Female ...	6	8	39	5	238	3,071	89	404	34	31	26	50	148	445
		,, ,, ,, Illegitimate ...	—	—	3	1	23	247	8	50	2	2	3	4	9	32
		Stillbirths Registered (including Illegitimate) ...	—	—	6	—	1	170	—	7	1	—	1	1	1	9
		,, Corrected for Mother's Residence ...	—	1	4	—	13	169	3	26	1	1	4	2	7	24
		Marriages Registered	1	14	58	1	91	2,790	69	485	76	22	68	55	152	432
		Deaths Registered	2	11	148	11	464	3,746	57	615	34	28	47	78	99	623
		,, Corrected for Residence	6	15	98	13	540	3,858	84	538	61	43	64	85	157	572
		,, ,, Male	3	10	42	5	312	2,011	43	271	36	19	35	45	79	305
		,, ,, Female	3	5	56	8	228	1,847	41	267	25	24	29	40	78	267
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	—	2	—	6	20	—	3	—	1	—	1	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	3	—	—	1	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	—	—	1	3	—	1	—	—	—	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	1	—	1	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	4	1	1	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	9	—	4	—	—	—	—	—	—
140-205	18	Malignant neoplasms	—	2	11	1	86	604	17	77	8	5	16	17	24	89
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	11	—	2	—	—	—	1	—	1
260	20	Diabetes mellitus	—	—	1	—	6	30	3	2	—	—	—	2	—	2
290-293	21	Anæmias	—	—	1	—	—	9	1	3	—	—	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	1	—	5	27	—	5	1	—	—	—	—	6
330-334	22	Vascular lesions affecting central nervous system ...	1	5	12	3	78	597	16	76	8	9	11	17	25	85
340	23	Nonmeningococcal meningitis	—	—	—	—	—	6	—	1	—	—	—	—	1	1
300-326, 341-398	46.2	Other diseases of nervous system	—	1	5	—	11	47	—	8	4	—	—	1	5	4
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	2	—	4	49	3	4	—	—	—	1	3	11
420-422	26	Arteriosclerotic and degenerative heart disease ...	2	4	39	7	199	1,276	20	214	18	14	15	26	50	181
430-434	27	Other diseases of heart	—	—	1	—	5	44	1	3	1	1	1	2	1	8
440-443	28	Hypertension with heart disease	—	1	1	—	7	100	—	12	2	4	3	—	3	17
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	—	—	—	4	**38**	—	1	2	—	1	1	1	5
450-468	46.3	Other circulatory disease	1	—	4	—	17	**103**	—	12	2	3	—	1	3	18
480-483	30	Influenza	—	—	1	—	4	**50**	2	9	1	1	—	1	2	8
490-493	31	Pneumonia (except of newborn)	—	—	—	—	6	**92**	1	23	1	—	2	—	4	12
500-502	32	Bronchitis	—	—	3	—	5	**83**	—	9	1	—	1	1	3	15
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	5	**48**	—	2	2	—	2	—	3	6
540, 541	33	Ulcer of stomach and duodenum	—	—	1	—	4	**41**	1	3	1	1	—	3	3	4
550-553	34	Appendicitis	—	—	—	—	—	**11**	—	—	—	—	—	—	—	3
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	1	4	**19**	1	2	—	—	—	2	—	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	1	**14**	—	3	—	—	—	—	2	3
581	37	Cirrhosis of liver	—	—	—	—	6	**11**	—	2	—	—	—	—	1	2
580, 582-586	46.5	Other diseases of liver	—	—	—	—	4	**12**	—	—	—	1	—	—	1	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	2	**15**	—	2	—	—	—	—	—	1
590-594	38	Nephritis and nephrosis	—	—	3	—	7	**37**	—	7	1	—	2	—	—	5
610	39	Hyperplasia of prostate	—	—	—	—	4	**20**	—	—	—	—	—	—	2	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	*	**22**	—	4	—	—	—	—	2	2
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	**4**	—	—	—	—	—	—	1	—
690-749	46.8	Diseases of skin and organs of locomotion	—	1	—	—	3	**12**	1	—	—	—	—	—	1	2
750-759	41	Congenital malformations	—	—	—	—	2	**46**	—	5	1	—	—	1	3	6
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	2	—	4	**67**	4	6	1	1	5	1	1	12
763	43.1	Pneumonia of newborn	—	—	—	—	—	**6**	—	—	—	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	**2**	—	1	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	**3**	—	—	—	—	—	1	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	1	—	3	**27**	1	3	—	—	—	3	1	5
794	45.0	Senility	—	—	4	1	12	**26**	1	4	—	—	—	—	3	4
780-793, 795	45.1	Cause ill-defined and unknown	—	—	3	—	4	**19**	—	2	—	—	1	1	2	7
E963, E970-E979	49	Suicide	—	—	—	—	2	**23**	—	1	—	1	1	1	1	5
E810-E835	47	Motor vehicle accidents	—	—	—	—	4	**51**	7	7	4	—	1	—	3	4
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	**1**	—	—	—	—	—	—	—	1
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	—	1	—	—	25	**114**	3	13	1	1	2	—	2	16
		All Causes	6	15	98	13	540	**3,858**	84	538	61	43	64	85	157	572
		Ages at Death														
		Under 1	1	—	5	—	8	**197**	6	25	3	1	6	5	5	32
		1– 4	—	1	—	—	1	**26**	—	3	2	1	—	—	3	4
		5– 9	—	—	—	—	1	**16**	1	2	—	—	—	—	1	2
		10–14	—	—	—	—	—	**19**	—	3	1	—	—	—	—	2
		15–24	—	—	—	—	5	**36**	1	8	—	1	1	—	3	2
		25–34	—	—	1	—	10	**62**	2	10	1	—	—	—	5	6
		35–44	1	1	3	—	16	**100**	4	8	2	1	—	—	5	16
		45–54	—	—	5	—	33	**319**	6	52	8	1	6	12	14	48
		55–64	—	1	14	1	70	**622**	7	84	14	6	12	12	22	94
		65–74	2	3	26	6	155	**993**	29	129	14	10	16	22	48	167
		75–84	2	8	31	5	156	**1,114**	18	163	13	16	17	23	43	154
		85 and over	—	1	13	1	85	**354**	10	51	3	6	6	11	8	45
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	6	15	98	13	540	**3,858**	84	538	61	43	64	85	157	572

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ayr County—*continued*: Kilwinning Burgh	Largs Burgh	Maybole Burgh	Newmilns and Greenholm B.	Prestwick Burgh	Saltcoats Burgh	Stevenston Burgh	Stewarton Burgh	Troon Burgh	Landward	Banff County: Banff County	Aberchirder Burgh	Aberlour Burgh	Banff Burgh
		Population (Estimated), 30th June, 1957	7,134	7,739	4,962	4,011	11,422	13,740	9,812	3,378	9,951	128,426	**50,529**	785	1,159	3,347
		Total Live Births Registered (including Illegitimate)	883	8	54	4	130	56	36	16	19	3,040	**875**	5	2	262
		,, Corr. for Mother's Resid. (,,) ...	146	88	96	54	212	311	207	72	148	2,470	**896**	24	22	62
		,, ,, ,, Male ...	75	45	46	24	100	166	103	39	74	1,288	**473**	10	10	31
		,, ,, ,, Female ...	71	43	50	30	112	145	104	33	74	1,182	**423**	14	12	31
		,, ,, ,, Illegitimate ...	4	2	1	2	7	12	4	—	9	96	**56**	2	1	3
		Stillbirths Registered (including Illegitimate) ...	9	1	2	—	—	1	—	—	—	137	**18**	—	—	5
		,, Corrected for Mother's Residence ...	3	6	8	—	2	7	4	1	3	67	**21**	—	—	3
		Marriages Registered	75	52	45	26	93	102	74	14	69	881	**338**	15	11	29
		Deaths Registered	46	102	40	37	96	100	75	36	81	1,552	**524**	16	19	94
		,, Corrected for Residence	66	145	56	52	164	153	99	49	121	1,349	**612**	18	14	49
		,, ,, Male	35	60	27	23	75	75	55	18	58	752	**316**	6	9	26
		,, ,, Female	31	85	29	29	89	78	44	31	63	597	**296**	12	5	23
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	1	—	1	—	3	1	—	—	7	**3**	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	1	—	—	—	—	1	**1**	—	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	**1**	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	2	**—**	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	1	**1**	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	5	**3**	—	—	—
140-205	18	Malignant neoplasms	9	20	8	10	24	36	13	4	23	204	**103**	2	1	9
210-239	19	Benign and unspecified neoplasms	—	1	—	—	—	—	—	—	—	6	**1**	—	—	—
260	20	Diabetes mellitus	3	—	—	—	—	1	—	1	1	15	**3**	—	—	—
290-293	21	Anæmias	1	—	—	—	1	—	—	—	—	1	**1**	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	1	—	—	2	—	12	**3**	2	—	—
330-334	22	Vascular lesions affecting central nervous system ...	13	25	8	13	16	25	20	9	18	203	**94**	2	2	8
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	3	**1**	1	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	1	1	1	2	3	—	—	—	16	**12**	1	—	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	**—**	—	—	—
410-416	25	Chronic rheumatic heart disease	1	2	—	—	—	—	—	3	4	17	**9**	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	20	65	18	12	75	40	39	20	46	403	**211**	7	6	17
430-434	27	Other diseases of heart	2	1	—	—	1	3	1	—	—	18	**4**	—	—	—
440-443	28	Hypertension with heart disease	—	4	6	2	3	7	2	—	4	31	**9**	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	1	1	—	3	2	3	—	1	16	**10**	—	—	1
450-468	46.3	Other circulatory disease	1	7	2	1	3	4	1	—	4	41	**16**	—	—	—
480-483	30	Influenza	1	—	—	2	—	1	3	—	1	18	**7**	—	—	—
490-493	31	Pneumonia (except of newborn)	2	1	2	1	2	1	1	1	5	33	**19**	1	1	—
500-502	32	Bronchitis	1	—	3	3	1	4	—	1	1	39	**7**	—	—	1
470-475, 510-527	46.4	Other respiratory diseases	1	—	—	1	3	1	—	—	2	25	**4**	—	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	1	1	5	2	1	—	2	13	**3**	—	—	—
550-553	34	Appendicitis	—	—	—	1	2	—	—	—	1	4	**1**	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	3	—	—	—	—	2	—	1	4	**9**	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	1	2	—	—	—	3	**2**	—	—	—
581	37	Cirrhosis of liver	—	1	—	—	—	1	—	—	—	4	**4**	—	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	—	1	4	**2**	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	1	1	—	1	1	1	—	—	7	**2**	—	—	—
590-594	38	Nephritis and nephrosis	2	—	1	1	1	1	—	1	1	14	**10**	—	1	1
610	39	Hyperplasia of prostate	—	—	—	—	—	2	—	—	—	11	**6**	—	1	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	—	—	2	—	—	—	1	10	**1**	—	1	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	1	—	2	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	1	7	**6**	—	1	1
750-759	41	Congenital malformations	1	2	1	—	—	2	1	—	—	23	**4**	1	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	1	—	—	4	2	2	1	—	26	**5**	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	—	2	—	—	—	3	**2**	—	—	—
764	43.2	Diarrhœa of newborn	1	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	2	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	1	—	1	1	1	—	—	10	**6**	—	—	3
794	45.0	Senility	—	3	1	—	1	—	—	1	—	8	**2**	1	—	—
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	6	**3**	—	—	1
E963, E970-E979	49	Suicide	—	—	—	—	3	—	1	1	—	8	**2**	—	—	—
E810-E835	47	Motor vehicle accidents	1	1	—	1	3	1	—	1	1	16	**2**	—	—	—
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	5	3	1	1	4	5	6	2	2	47	**16**	—	—	4
		ALL CAUSES	66	145	56	52	164	153	99	49	121	1,349	**612**	18	14	49
		AGES AT DEATH														
		Under 1	3	3	3	—	6	11	5	2	—	81	**19**	1	—	3
		1– 4	—	—	—	—	—	—	—	—	—	13	**2**	—	—	—
		5– 9	—	—	—	—	1	1	1	—	2	5	**2**	—	—	—
		10–14	1	—	—	—	—	—	1	—	1	10	**4**	—	—	—
		15–24	1	—	—	1	2	2	—	1	—	13	**5**	1	—	1
		25–34	2	1	—	3	2	3	—	1	2	24	**8**	—	—	—
		35–44	4	3	3	1	5	2	2	2	3	39	**14**	—	—	—
		45–54	5	6	7	4	7	11	9	2	8	113	**47**	3	1	5
		55–64	14	19	8	11	21	29	12	5	16	236	**88**	1	2	6
		65–74	17	38	15	13	39	40	26	15	35	320	**144**	5	2	10
		75–84	18	54	16	13	60	39	35	12	40	380	**203**	7	6	19
		85 and over	1	21	4	6	21	15	8	9	14	115	**76**	—	3	5
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	66	145	56	52	164	153	99	49	121	1,349	**612**	18	14	49

* Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Banff County—*continued*: Buckie Burgh	Cullen Burgh	Dufftown Burgh	Findochty Burgh	Keith Burgh	Macduff Burgh	Portknockie Burgh	Portsoy Burgh	Landward	Berwick County: Berwick County	Coldstream Burgh	Duns Burgh	Eyemouth Burgh	Lauder Burgh	Landward
		Population (Estimated), 30th June, 1957	8,067	1,526	1,458	1,528	4,357	3,404	1,469	1,730	21,699	**23,753**	1,287	1,958	2,159	580	17,769
		Total Live Births Registered (including Illegitimate)	268	1	120	—	171	3	1	5	37	**215**	46	112	1	6	50
		,, Corr. for Mother's Resid. (,,) ...	158	22	26	19	99	66	22	24	352	**316**	38	29	18	10	221
		,, ,, ,, Male ...	88	14	11	8	56	36	9	15	185	**166**	24	20	7	3	112
		,, ,, ,, Female ...	70	8	15	11	43	30	13	9	167	**150**	14	9	11	7	109
		,, ,, ,, Illegitimate ...	6	—	2	2	4	3	2	1	30	**6**	—	1	—	1	4
		Stillbirths Registered (including Illegitimate) ...	5	—	3	—	4	—	—	—	1	**3**	—	2	—	—	1
		,, Corrected for Mother's Residence ...	3	—	3	1	3	1	1	—	6	**10**	2	1	1	—	6
		Marriages Registered	64	12	7	6	49	19	2	14	110	**120**	9	21	15	4	71
		Deaths Registered	103	15	26	14	56	14	12	22	133	**248**	31	32	24	4	157
		,, Corrected for Residence	100	24	27	21	64	36	17	33	209	**338**	30	32	35	4	237
		,, ,, Male	54	17	11	11	28	16	9	12	117	**175**	17	16	16	2	124
		,, ,, Female	46	7	16	10	36	20	8	21	92	**163**	13	16	19	2	113
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	—	—	1	—	—	—	1	—	1	**1**	—	—	1	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	1	—	—	—	1	—	1	**3**	—	—	—	—	3
140-205	18	Malignant neoplasms	16	4	4	4	8	12	5	2	36	**49**	4	7	4	—	34
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
260	20	Diabetes mellitus	1	—	—	—	1	—	—	1	—	**3**	—	—	1	—	2
290-293	21	Anæmias	—	—	—	—	—	—	—	—	1	**4**	1	—	—	—	3
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	8	2	4	5	12	5	5	7	34	**63**	4	6	6	1	46
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	—	—	—	1	—	—	—	7	**3**	—	—	2	—	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	1	—	—	—	1	1	6	**7**	1	1	2	—	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	46	11	7	10	22	10	3	16	56	**113**	6	11	13	3	80
430-434	27	Other diseases of heart	—	—	—	—	—	1	—	—	3	**2**	—	—	—	—	2
440-443	28	Hypertension with heart disease	4	—	—	—	1	2	—	—	2	**14**	6	2	1	—	5
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	3	—	—	—	4	—	—	1	1	**4**	—	—	—	—	4
450-468	46.3	Other circulatory disease	—	1	2	—	4	—	—	2	7	**11**	—	—	—	—	11
480-483	30	Influenza	—	—	—	1	2	—	—	—	4	**1**	—	—	1	—	—
490-493	31	Pneumonia (except of newborn)	7	1	1	—	—	1	—	1	6	**9**	1	—	—	—	8
500-502	32	Bronchitis	1	—	—	—	—	—	—	1	4	**8**	2	1	1	—	4
470-475, 510-527	46.4	Other respiratory diseases	1	—	2	—	1	—	—	—	—	**3**	1	—	—	—	2
540, 541	33	Ulcer of stomach and duodenum	—	1	—	—	—	—	1	—	1	**2**	1	—	—	—	1
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	3	1	—	—	—	—	—	1	4	—	—	—	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
581	37	Cirrhosis of liver	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	2	**1**	—	—	—	—	1
590-594	38	Nephritis and nephrosis	2	—	—	—	1	1	—	—	4	**4**	1	—	—	—	3
610	39	Hyperplasia of prostate	—	—	1	—	1	1	—	—	2	**2**	—	—	—	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	1	—	—	—	2	**5**	—	—	—	—	5
750-759	41	Congenital malformations	1	—	—	—	—	—	—	—	2	**2**	—	—	—	—	2
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	2	—	—	1	—	—	—	2	**1**	—	—	—	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	—	—	—	—	—	—	2	**5**	—	2	1	—	2
794	45.0	Senility	—	—	—	—	—	—	—	—	1	**4**	—	—	2	—	2
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	1	—	—	1	**2**	—	—	—	—	2
E963, E970-E979	49	Suicide	1	—	—	—	—	—	—	—	1	**2**	—	1	—	—	1
E810-E835	47	Motor vehicle accidents	1	—	—	—	1	—	—	—	—	**3**	—	—	—	—	3
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	—	1	—	1	1	2	—	—	7	**5**	1	1	—	—	3
		ALL CAUSES	100	24	27	21	64	36	17	33	209	**338**	30	32	35	4	237
		AGES AT DEATH															
		Under 1	3	2	—	—	2	—	—	—	8	**8**	—	2	1	—	5
		1– 4	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
		5– 9	—	—	—	—	—	—	—	—	2	**3**	—	—	1	—	2
		10–14	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—
		15–24	1	—	—	—	—	—	—	—	2	**1**	—	—	1	—	—
		25–34	3	—	1	—	—	—	—	—	4	**4**	1	—	—	—	3
		35–44	3	1	1	1	—	1	1	—	6	**4**	—	—	2	—	2
		45–54	9	2	2	—	6	2	1	3	13	**24**	2	3	4	—	15
		55–64	13	4	5	4	4	6	5	7	31	**52**	7	3	7	—	35
		65–74	24	5	5	7	15	11	4	5	51	**85**	7	7	7	2	62
		75–84	32	7	10	6	24	11	5	13	63	**115**	11	13	6	2	83
		85 and over	11	3	3	3	12	5	1	5	25	**42**	2	4	6	—	30
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	100	24	27	21	64	36	17	33	209	**338**	30	32	35	4	237

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Bute County: Bute County	Bute County: Millport Burgh	Bute County: Rothesay Burgh	Bute County: Landward	Caithness County: Caithness County	Caithness County: Thurso Burgh	Caithness County: Wick Burgh	Caithness County: Landward	Clackmannan County: Clackmannan County	Clackmannan County: Alloa Burgh	Clackmannan County: Alva Burgh	Clackmannan County: Dollar Burgh	Clackmannan County: Tillicoultry Burgh	Clackmannan County: Landward
		Population (Estimated), 30th June, 1957	**16,631**	1,655	8,934	6,042	**25,719**	4,127	7,770	13,822	**39,599**	13,884	3,988	1,612	3,994	16,121
		Total Live Births Registered (including Illegitimate)	**222**	18	156	48	**448**	17	230	201	**280**	76	21	10	37	136
		„ Corr. for Mother's Resid. („) ...	**251**	18	151	82	**479**	106	169	204	**811**	272	70	24	92	353
		„ „ „ Male ...	**123**	7	80	36	**240**	53	83	104	**410**	148	35	14	44	169
		„ „ „ Female ...	**128**	11	71	46	**239**	53	86	100	**401**	124	35	10	48	184
		„ „ „ Illegitimate ...	**12**	1	8	3	**26**	5	9	12	**34**	18	2	1	2	11
		Stillbirths Registered (including Illegitimate) ...	**3**	—	1	2	**13**	—	8	5	**6**	1	—	—	—	5
		„ Corrected for Mother's Residence ...	**4**	—	1	3	**17**	5	5	7	**18**	9	1	—	2	6
		Marriages Registered	**91**	7	55	29	**195**	51	81	63	**321**	145	32	14	31	99
		Deaths Registered	**227**	23	118	86	**285**	42	60	183	**336**	138	28	19	32	119
		„ Corrected for Residence	**255**	26	113	116	**302**	55	79	168	**465**	186	58	29	46	146
		„ „ Male	**114**	14	52	48	**152**	25	38	89	**230**	92	29	9	24	76
		„ „ Female	**141**	12	61	68	**150**	30	41	79	**235**	94	29	20	22	70
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**2**	—	1	1	**1**	—	1	—	**2**	1	—	—	—	1
010-019	2	Tuberculosis, other forms	—	—	—	—	**2**	—	1	1	**1**	—	1	—	—	—
020-029	3	Syphilis and its sequelae	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**1**	—	—	1	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
140-205	18	Malignant neoplasms	**41**	5	20	16	**34**	3	12	19	**86**	33	12	5	10	26
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
260	20	Diabetes mellitus	**5**	—	3	2	**4**	—	3	1	**8**	5	3	—	—	—
290-293	21	Anæmias	—	—	—	—	**1**	—	—	1	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**3**	—	—	3	—	—	—	—	**3**	1	1	—	—	1
330-334	22	Vascular lesions affecting central nervous system...	**52**	6	29	17	**49**	12	14	23	**59**	21	4	4	6	24
340	23	Nonmeningococcal meningitis	**1**	—	1	—	—	—	—	—	**4**	2	—	—	1	1
300-326, 341-398	46.2	Other diseases of nervous system	**6**	—	—	6	**5**	1	2	2	**6**	2	1	1	—	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**2**	—	2	—	**2**	—	—	2	**5**	3	—	—	—	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	**86**	9	36	41	**106**	19	16	71	**128**	47	21	16	12	32
430-434	27	Other diseases of heart	**1**	—	—	1	**4**	2	2	—	**7**	3	—	—	3	1
440-443	28	Hypertension with heart disease	**2**	—	1	1	**3**	1	2	—	**11**	3	2	2	1	3
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	3	—	—	3	3	1	—	2	4	3	—	—	—	1
450-468	46.3	Other circulatory disease	4	—	1	3	11	4	4	3	10	4	1	—	—	5
480-483	30	Influenza	2	—	1	1	4	—	2	2	6	3	—	—	1	2
490-493	31	Pneumonia (except of newborn)	5	1	3	1	8	—	1	7	25	12	1	—	2	10
500-502	32	Bronchitis	3	—	1	2	4	1	1	2	16	10	1	—	2	3
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	—	—	—	—	1	—	—	—	—	1
540, 541	33	Ulcer of stomach and duodenum	5	1	3	1	1	—	1	—	—	—	—	—	—	—
550-553	34	Appendicitis	—	—	—	—	2	—	1	1	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	5	1	1	3	3	2	—	—	1	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	—	1	—	1	—	—	—
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	3	2	—	—	—	1
580, 582-586	46.5	Other diseases of liver	1	—	1	—	1	—	1	—	2	2	—	—	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	—	1	—	—	—	—	1	1	—	—	—	—
590-594	38	Nephritis and nephrosis	2	—	1	1	4	—	1	3	3	2	—	—	—	1
610	39	Hyperplasia of prostate	1	—	—	1	2	1	1	—	4	1	—	—	1	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	—	1	—	—	—	—	4	2	—	—	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	2	—	—	—	—	2
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	2	—	—	2	3	2	—	—	—	1
750-759	41	Congenital malformations	2	1	1	—	6	1	4	1	9	2	—	—	2	5
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	1	1	—	—	3	—	1	2	4	2	1	—	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	2	1	—	1	3	1	1	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	—	—	3	3	1	—	2	6	4	—	—	—	2
794	45.0	Senility	3	—	—	3	9	—	6	3	11	2	4	1	—	4
780-793, 795	45.1	Cause ill-defined and unknown	13	1	7	5	4	1	—	3	1	—	—	—	—	1
E963, E970-E979	49	Suicide	—	—	—	—	1	1	—	—	3	1	—	—	1	1
E810-E835	47	Motor vehicle accidents	—	—	—	—	4	1	—	3	2	—	—	—	1	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, } E964, E965, E980-E999 }	48.1	Other violence (BE50)	3	1	1	1	12	3	1	8	15	7	3	—	2	3
		All Causes	255	26	113	116	302	55	79	168	465	186	58	29	46	146
		Ages at Death														
		Under 1	7	1	3	3	13	3	4	6	26	10	2	—	3	11
		1– 4	—	—	—	—	2	—	1	1	8	3	—	—	2	3
		5– 9	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		10–14	—	—	—	—	1	—	1	—	1	1	—	—	—	—
		15–24	1	—	—	1	2	—	1	1	5	1	2	—	—	2
		25–34	1	—	1	—	6	1	2	3	8	4	—	—	—	4
		35–44	6	2	1	3	7	2	2	3	14	7	1	1	1	4
		45–54	17	1	8	8	17	—	2	15	38	16	3	—	3	16
		55–64	33	1	16	16	54	15	16	23	72	25	8	2	13	24
		65–74	74	12	32	30	68	16	19	33	117	50	18	9	4	36
		75–84	85	5	39	41	83	10	25	48	122	45	16	7	14	40
		85 and over	31	4	13	14	48	8	6	34	54	24	8	10	6	6
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	255	26	113	116	302	55	79	168	465	186	58	29	46	146

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Dumfries County: Dumfries County	Dumfries County: Annan Burgh	Dumfries County: Dumfries Burgh	Dumfries County: Langholm Burgh	Dumfries County: Lochmaben Burgh	Dumfries County: Lockerbie Burgh	Dumfries County: Moffat Burgh	Dumfries County: Sanquhar Burgh	Dumfries County: Landward	Dunbarton County: Dunbarton County	Dunbarton County: Clydebank Burgh	Dunbarton County: Cove and Kilcreggan Burgh	Dunbarton County: Dumbarton Burgh
		Population (Estimated), 30th June, 1957	88,705	5,033	27,430	2,365	1,213	2,668	2,057	2,519	45,420	174,194	49,761	815	26,175
		Total Live Births Registered (including Illegitimate)	1,986	34	1,653	11	8	3	72	13	192	2,723	428	7	896
		" Corr. for Mother's Resid. (") ...	1,588	111	478	34	23	47	24	46	825	3,638	1,145	18	654
		" " " Male ...	807	57	246	18	12	24	13	24	413	1,870	594	13	331
		" " " Female ...	781	54	232	16	11	23	11	22	412	1,768	551	5	323
		" " " Illegitimate ...	83	6	35	1	—	2	3	4	32	103	28	1	21
		Stillbirths Registered (including Illegitimate) ...	58	—	53	—	—	—	1	—	4	56	3	—	15
		" Corrected for Mother's Residence ...	43	3	13	—	—	—	—	2	25	74	26	—	14
		Marriages Registered	900	61	341	13	16	23	18	11	417	1,165	330	3	171
		Deaths Registered	1,202	54	548	52	10	25	28	29	456	1,719	418	20	209
		" Corrected for Residence	1,080	80	327	53	19	47	37	40	477	1,863	465	25	265
		" " Male	557	42	172	27	5	20	16	14	261	948	234	11	143
		" " Female	523	38	155	26	14	27	21	26	216	915	231	14	122
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	9	2	3	—	—	—	—	—	4	20	7	—	3
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	2	1	—	—
020-029	3	Syphilis and its sequelæ	4	—	1	—	—	—	—	—	3	1	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	—	—	—	—	—	—	—	1	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	1	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	2	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	4	1	1	—	—	—	1	—	1	2	—	—	—
140-205	18	Malignant neoplasms	176	12	50	14	2	11	8	6	73	351	76	2	52
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	—	1	5	1	—	—
260	20	Diabetes mellitus	8	—	4	—	—	—	—	1	3	17	4	—	3
290-293	21	Anæmias	2	—	—	—	—	—	—	—	2	5	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	6	—	3	—	1	—	—	—	2	13	3	—	2
330-334	22	Vascular lesions affecting central nervous system ...	207	19	55	12	2	6	8	11	94	287	74	3	43
340	23	Non-meningococcal meningitis	1	—	—	—	—	—	—	—	1	3	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	14	3	3	1	—	—	—	—	7	24	4	1	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	1	—	—	—
410-416	25	Chronic rheumatic heart disease	15	3	6	—	—	—	—	—	6	32	11	—	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	320	20	98	19	3	12	10	14	144	565	135	17	59
430-434	27	Other diseases of heart	13	1	2	—	1	—	2	1	6	16	3	—	5
440-443	28	Hypertension with heart disease	18	—	6	—	—	1	—	1	10	28	9	—	4
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	9	1	2	—	1	—	—	1	4	27	8	—	7
450-468	46.3	Other circulatory disease	36	1	9	1	1	5	2	3	14	55	8	1	11
480-483	30	Influenza	10	—	3	—	1	1	—	1	4	20	4	—	3
490-493	31	Pneumonia (except of newborn)	28	2	14	1	3	1	—	—	7	43	16	—	7
500-502	32	Bronchitis	24	2	10	—	1	3	—	—	8	55	15	—	11
470-475, 510-527	46.4	Other respiratory diseases	5	—	2	—	—	—	—	—	3	9	3	—	—
540, 541	33	Ulcer of stomach and duodenum	8	—	1	—	—	1	—	—	6	11	3	—	1
550-553	34	Appendicitis	2	—	—	—	—	—	—	—	2	5	1	—	1
560, 561, 570	35	Intestinal obstruction and hernia	6	—	1	1	—	1	—	—	3	10	5	—	—
543	36.1	Gastritis and duodenitis	1	—	—	—	—	—	—	—	1	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	5	1	2	—	—	—	—	—	2	12	4	—	2
581	37	Cirrhosis of liver	6	1	2	1	1	—	—	—	1	5	1	—	2
580, 582-586	46.5	Other diseases of liver	6	—	1	1	—	—	2	—	2	5	1	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	—	—	—	—	1	—	1	2	1	—	—
590-594	38	Nephritis and nephrosis	4	1	2	—	—	—	—	—	1	18	4	—	3
610	39	Hyperplasia of prostate	6	2	1	—	—	—	2	—	1	13	4	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	8	1	3	—	—	—	—	—	4	8	5	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	1	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	8	—	6	1	—	—	—	—	1	14	4	—	—
750-759	41	Congenital malformations	10	—	4	—	—	1	—	—	5	33	11	—	3
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	14	2	7	—	—	—	—	—	5	20	5	—	3
763	43.1	Pneumonia of newborn	2	—	2	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	1	—	1	—	—	—	—	—	—	1	1	—	—
769-776	44	Other diseases peculiar to early infancy	7	1	3	—	—	2	—	—	1	27	7	—	9
794	45.0	Senility	18	2	2	—	1	1	—	—	12	22	8	—	7
780-793, 795	45.1	Cause ill-defined and unknown	1	—	—	—	—	—	—	—	1	6	3	—	1
E963, E970-E979	49	Suicide	3	—	2	—	—	—	—	—	1	6	2	—	2
E810-E835	47	Motor vehicle accidents	16	1	4	—	—	—	—	—	11	15	5	1	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	1	1	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	35	1	11	1	1	1	1	1	18	44	7	—	9
		ALL CAUSES	1,080	80	327	53	19	47	37	40	477	1,863	465	25	265
		AGES AT DEATH													
		Under 1	43	4	21	—	1	3	—	—	14	102	30	—	22
		1– 4	7	—	3	—	—	—	—	—	4	14	1	—	4
		5– 9	5	2	1	—	—	—	—	—	2	9	2	—	1
		10–14	1	1	—	—	—	—	—	—	—	10	2	—	1
		15–24	13	—	2	—	—	—	2	—	9	15	6	—	—
		25–34	13	2	4	—	—	—	—	—	7	26	8	1	7
		35–44	36	1	17	—	—	1	—	1	16	62	17	—	7
		45–54	85	6	29	2	3	2	4	1	38	167	40	—	25
		55–64	183	7	58	7	3	8	7	7	86	311	77	6	42
		65–74	263	27	81	9	2	9	7	12	116	509	137	5	75
		75–84	321	22	85	26	9	17	9	16	137	470	106	9	62
		85 and over	110	8	26	9	1	7	8	3	48	168	39	4	19
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	1,080	80	327	53	19	47	37	40	477	1,863	465	25	265

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dunbarton County—*continued*: Helensburgh Burgh	Kirkintilloch Burgh	Milngavie Burgh	Landward	East Lothian County: East Lothian County	Cockenzie and Port Seton B.	Dunbar Burgh	East Linton Burgh	Haddington Burgh	North Berwick Burgh	Prestonpans Burgh	Tranent Burgh	Landward
		Population (Estimated), 30th June, 1957	8,583	15,867	8,206	64,787	51,640	3,335	4,159	950	4,683	3,738	3,098	6,058	25,619
		Total Live Births Registered (including Illegitimate)	709	125	43	515	569	11	14	3	391	4	23	10	113
		" Corr. for Mother's Resid. (") ...	141	322	139	1,219	950	62	73	19	78	39	88	131	460
		" " " Male ...	72	158	65	637	492	29	44	12	38	22	47	74	226
		" " " Female ...	69	164	74	582	458	33	29	7	40	17	41	57	234
		" " " Illegitimate ...	8	6	—	39	26	1	4	—	1	—	—	3	17
		Stillbirths Registered (including Illegitimate) ...	31	2	—	5	15	—	—	—	8	1	1	1	4
		" Corrected for Mother's Residence ...	1	3	1	29	25	—	3	—	3	1	2	3	13
		Marriages Registered	69	141	46	405	370	17	45	2	45	29	65	74	93
		Deaths Registered	104	126	50	792	503	26	55	13	115	48	13	28	205
		" Corrected for Residence	123	167	89	729	526	43	46	16	53	65	26	49	228
		" " Male	54	85	35	386	265	28	16	7	25	25	18	25	121
		" " Female	69	82	54	343	261	15	30	9	28	40	8	24	107
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	1	2	—	7	3	—	—	—	—	—	—	2	1
010-019	2	Tuberculosis, other forms	—	—	—	1	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	1	—	—	—	—	—	—	—	—	—
085	14	Measles	—	1	1	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	1	—	1	2	—	1	—	1	—	—	—	—
140-205	18	Malignant neoplasms	25	27	15	154	87	12	7	4	4	12	4	10	34
210-239	19	Benign and unspecified neoplasms	—	—	—	4	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	—	1	1	8	4	—	—	—	1	—	—	—	3
290-293	21	Anæmias	—	—	—	4	4	1	—	—	—	—	1	1	1
240-254, 270-289, 294-299	46.1	Other general diseases	—	3	—	5	4	—	1	—	1	—	—	—	2
330-334	22	Vascular lesions affecting central nervous system ...	21	26	13	107	90	8	8	3	7	13	2	9	40
340	23	Non-meningococcal meningitis	—	1	—	2	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	3	3	1	9	7	—	—	—	1	—	1	—	5
400-402	24	Rheumatic fever	—	—	1	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	3	2	12	5	1	1	—	1	1	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	36	58	34	226	162	14	22	4	19	13	8	13	69
430-434	27	Other diseases of heart	—	1	—	7	3	—	—	—	—	1	—	—	2
440-443	28	Hypertension with heart disease	2	3	—	10	10	—	—	1	2	—	—	5	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	2	2	1	7	**5**	—	—	—	1	1	—	—	3
450-468	46.3	Other circulatory disease	4	1	1	29	**25**	1	3	1	1	6	1	1	11
480-483	30	Influenza	2	2	—	9	**3**	—	—	1	1	—	—	—	1
490-493	31	Pneumonia (except of newborn)	2	5	1	12	**19**	3	1	—	3	3	1	1	7
500-502	32	Bronchitis	3	2	2	22	**8**	—	—	—	1	3	—	—	4
470-475, 510-527	46.4	Other respiratory diseases	—	—	1	5	**15**	—	—	—	1	2	2	4	6
540, 541	33	Ulcer of stomach and duodenum	1	—	—	6	**5**	—	—	—	1	—	—	—	4
550-553	34	Appendicitis	1	1	—	1	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	3	1	1	**4**	—	—	—	1	1	—	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	5	**4**	—	—	—	—	3	—	—	1
581	37	Cirrhosis of liver	—	—	—	2	**1**	—	—	—	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	1	—	—	1	**1**	—	—	—	—	—	1	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	1	—	**2**	—	—	1	1	—	—	—	—
590-594	38	Nephritis and nephrosis	3	2	—	6	**3**	—	—	—	—	1	—	—	2
610	39	Hyperplasia of prostate	1	—	—	7	**3**	—	—	—	—	1	1	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	—	1	**3**	—	—	—	—	—	—	1	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	1	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	2	1	6	**3**	—	—	—	—	—	—	—	3
750-759	41	Congenital malformations	1	4	3	11	**4**	—	—	—	—	—	1	1	2
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	2	1	—	9	**5**	—	—	1	—	2	1	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	**2**	—	1	—	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	2	1	5	**1**	—	—	—	—	—	—	—	1
794	45.0	Senility	1	4	—	2	**3**	1	—	—	—	—	—	—	2
780-793, 795	45.1	Cause ill-defined and unknown	1	1	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	49	Suicide	—	1	1	—	**3**	1	—	—	1	—	—	—	1
E810-E835	47	Motor vehicle accidents	—	1	2	5	**8**	1	—	—	2	—	—	—	5
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	3	2	5	18	**15**	—	1	—	2	2	2	1	7
		All Causes	123	167	89	729	**526**	43	46	16	53	65	26	49	228
		Ages at Death													
		Under 1	7	9	5	29	**11**	—	1	1	—	2	2	—	5
		1– 4	1	2	1	5	—	—	—	—	—	—	—	—	—
		5– 9	1	1	1	3	**5**	—	—	1	—	—	—	2	2
		10–14	2	2	—	3	**2**	1	—	—	—	—	—	1	—
		15–24	—	1	—	8	**9**	1	2	—	—	1	—	—	5
		25–34	—	3	—	7	**7**	—	—	—	—	1	—	2	4
		35–44	3	3	2	30	**13**	1	1	—	1	—	2	1	7
		45–54	8	20	10	64	**47**	3	3	—	7	2	5	5	22
		55–64	11	30	11	134	**74**	7	3	1	8	10	3	9	33
		65–74	36	48	19	189	**155**	12	14	5	13	23	8	12	68
		75–84	41	34	27	191	**150**	16	13	7	17	14	3	14	66
		85 and over	13	14	13	66	**53**	2	9	1	7	12	3	3	16
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	123	167	89	729	**526**	43	46	16	53	65	26	49	228

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Fife County: Fife County	Auchtermuchty Burgh	Buckhaven and Methil Burgh	Burntisland Burgh	Cowdenbeath Burgh	Crail Burgh	Culross Burgh	Cupar Burgh	Dunfermline Burgh	Elie and Earlsferry B.	Falkland Burgh	Inverkeithing Burgh	Kilrenny and Anstruther B.	Kinghorn Burgh
		Population (Estimated), 30th June, 1957	319,668	1,334	21,488	6,016	13,572	1,168	600	5,663	46,270	924	1,066	4,052	3,302	2,335
		Total Live Births Registered (including Illegitimate)	5,867	8	175	20	36	4	—	27	1,772	6	8	16	9	11
		" Corr. for Mother's Resid. (") ...	6,038	20	467	103	256	17	6	100	834	9	14	88	30	32
		" " " Male ...	3,171	9	239	52	136	12	5	53	453	2	7	44	19	17
		" " " Female ...	2,867	11	228	51	120	5	1	47	381	7	7	44	11	15
		" " " Illegitimate ...	218	—	14	5	8	—	—	5	31	—	1	3	—	1
		Stillbirths Registered (including Illegitimate) ...	139	—	6	—	—	—	—	—	36	—	—	—	—	—
		" Corrected for Mother's Residence ...	145	—	16	5	6	1	—	—	17	—	1	2	3	1
		Marriages Registered	2,482	11	166	50	152	9	24	73	412	9	5	44	18	3
		Deaths Registered	3,091	17	174	55	89	10	4	48	561	22	12	26	31	16
		" Corrected for Residence	3,458	26	240	72	139	17	5	56	479	13	17	40	50	20
		" " Male	1,810	12	139	36	76	6	3	23	247	7	4	21	23	8
		" " Female	1,648	14	101	36	63	11	2	33	232	6	13	19	27	12
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	16	—	1	—	1	—	—	—	1	—	—	1	—	—
010-019	2	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	3	—	—	—	—	—	—	—	1	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	6	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	2	—	—	—	—	—	—	—	1	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	2	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	5	—	1	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	576	3	31	18	25	4	1	7	79	—	5	9	10	4
210-239	19	Benign and unspecified neoplasms	5	—	2	—	—	—	—	—	1	—	—	—	—	—
260	20	Diabetes mellitus	26	—	1	1	—	—	—	1	4	—	—	—	1	1
290-293	21	Anæmias	14	—	—	—	2	—	—	—	—	—	—	—	1	—
240-254, 270-289, 294-299	46.1	Other general diseases	30	—	3	—	—	—	—	—	3	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	576	9	28	10	33	1	—	11	74	2	4	3	7	4
340	23	Non-meningococcal meningitis	2	—	—	—	—	—	—	—	1	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	37	—	3	—	1	—	—	1	5	—	1	—	1	—
400-402	24	Rheumatic fever	3	—	—	—	—	—	—	1	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	46	—	3	1	2	—	—	—	4	—	—	1	3	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	999	9	74	12	38	7	1	19	147	7	4	13	12	6
430-434	27	Other diseases of heart	41	—	2	—	—	—	—	—	11	2	—	—	—	1
440-443	28	Hypertension with heart disease	58	—	9	1	2	—	—	1	9	—	—	1	1	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	46	1	4	1	1	—	—	1	3	—	—	1	1	—
450-468	46.3	Other circulatory disease	90	—	7	1	1	1	—	—	11	—	—	—	5	—
480-483	30	Influenza	32	—	2	—	2	1	—	—	5	—	—	—	1	—
490-493	31	Pneumonia (except of newborn)	81	1	7	3	3	1	—	2	16	—	—	1	—	—
500-502	32	Bronchitis	134	—	12	4	2	—	1	4	17	—	1	—	—	1
470-475, 510-527	46.4	Other respiratory diseases	38	—	5	—	1	—	—	—	2	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	40	—	6	1	—	—	—	1	6	—	—	—	—	—
550-553	34	Appendicitis	2	—	—	—	—	—	—	—	1	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	29	—	4	—	—	—	—	—	6	—	—	—	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	19	—	—	—	1	—	—	—	2	—	—	2	—	—
581	37	Cirrhosis of liver	11	—	—	—	1	—	—	—	2	—	—	—	2	—
580, 582-586	46.5	Other diseases of liver	15	—	—	—	2	—	—	1	2	—	—	—	1	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	14	—	—	1	—	—	—	—	5	—	—	—	—	—
590-594	38	Nephritis and nephrosis	38	—	7	3	3	—	—	1	4	—	—	1	—	—
610	39	Hyperplasia of prostate	23	—	1	1	1	—	1	1	1	—	—	1	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	20	—	1	1	1	—	—	—	3	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	3	—	—	—	—	—	—	1	1	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	4	—	—	1	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	19	1	1	—	1	—	—	—	3	1	—	—	—	—
750-759	41	Congenital malformations	42	—	4	—	1	—	—	1	2	—	—	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	25	—	1	1	—	—	—	—	3	—	—	1	—	—
763	43.1	Pneumonia of newborn	2	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	1	—	—	—	—	—	—	—	1	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	49	—	6	—	1	1	—	—	9	—	—	2	—	—
794	45.0	Senility	24	—	2	4	—	—	—	—	3	—	—	1	—	—
780-793, 795	45.1	Cause ill-defined and unknown	21	—	1	2	—	—	—	—	3	—	—	—	1	—
E963, E970-E979	49	Suicide	37	—	1	1	4	—	1	—	6	1	—	—	—	—
E810-E835	47	Motor vehicle accidents	29	1	3	1	1	1	—	1	2	—	—	—	—	—
E840-E845	48.0	Other road transport accidents	1	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	125	1	7	3	8	—	—	1	19	—	2	2	3	—
		ALL CAUSES	3,458	26	240	72	139	17	5	56	479	13	17	40	50	20
		AGES AT DEATH														
		Under 1	152	—	14	1	2	1	—	1	23	—	—	5	—	—
		1– 4	20	1	3	—	—	—	—	—	2	—	—	1	—	—
		5– 9	23	—	2	—	1	—	—	1	5	—	—	—	—	—
		10–14	12	—	—	—	1	—	—	—	1	—	—	1	—	—
		15–24	33	—	1	2	2	—	—	—	3	—	—	—	1	—
		25–34	43	1	2	—	1	—	—	1	8	—	—	2	—	—
		35–44	92	—	4	2	7	2	—	1	12	1	—	2	—	—
		45–54	275	—	20	6	20	2	1	—	30	—	2	7	3	2
		55–64	565	1	44	13	31	2	1	8	78	—	2	5	7	3
		65–74	886	10	64	22	33	2	—	19	129	5	5	9	14	5
		75–84	1,015	10	69	16	34	5	1	20	139	3	5	7	14	9
		85 and over	342	3	17	10	7	3	2	5	49	4	3	1	11	1
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,458	26	240	72	139	17	5	56	479	13	17	40	50	20

Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Fife County—*continued*: Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochgelly Burgh	Markinch Burgh	Newburgh Burgh	Newport-on-Tay Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
		Population (Estimated), 30th June, 1957	51,825	1,177	2,838	8,899	9,388	2,456	2,464	3,332	1,559	9,559	1,468	3,310	113,603
		Total Live Births Registered (including Illegitimate)	1,472	8	23	24	67	19	8	316	5	25	3	6	1,799
		" Corr. for Mother's Resid. (") ...	946	19	54	106	182	49	37	40	22	135	17	55	2,400
		" " " Male ...	479	5	35	61	98	24	19	16	10	69	11	27	1,269
		" " " Female ...	467	14	19	45	84	25	18	24	12	66	6	28	1,131
		" " " Illegitimate ...	41	1	—	2	2	4	2	1	—	5	—	1	91
		Stillbirths Registered (including Illegitimate) ...	39	—	—	1	1	—	—	7	—	—	—	—	49
		" Corrected for Mother's Residence ...	20	1	1	1	2	1	—	1	—	2	1	—	63
		Marriages Registered	518	10	30	75	72	33	18	20	6	81	5	32	606
		Deaths Registered	616	13	22	70	78	24	12	50	14	94	16	35	982
		" Corrected for Residence	564	18	32	108	119	36	20	76	25	99	28	51	1,108
		" " Male	298	8	18	61	67	16	12	27	11	46	17	26	598
		" " Female	266	10	14	47	52	20	8	49	14	53	11	25	510
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	6	—	—	—	2	—	—	—	—	—	—	—	4
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	1	—	1
020-029	3	Syphilis and its sequelæ	2	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	1
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	2
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-136	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	4
140-205	18	Malignant neoplasms	103	3	8	25	23	8	3	11	3	16	7	5	165
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	1	—	—	—	—	1
260	20	Diabetes mellitus	4	—	—	—	1	—	—	—	—	1	—	—	11
290-293	21	Anæmias	7	—	—	—	1	—	—	—	—	—	1	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	4	1	—	1	3	1	2	—	—	—	1	2	9
330-334	22	Vascular lesions affecting central nervous system ...	82	5	9	30	31	6	4	16	2	20	6	8	171
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	5	—	—	1	1	1	—	2	—	2	—	1	12
400-402	24	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	8	—	—	1	1	—	1	—	1	2	—	2	14
420-422	26	Arteriosclerotic and degenerative heart disease ...	190	3	9	23	21	10	7	24	8	33	10	24	288
430-434	27	Other diseases of heart	6	—	1	1	—	—	—	—	1	—	1	—	15
440-443	28	Hypertension with heart disease	12	—	—	—	4	—	—	—	—	2	—	—	16
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	**29**	Hypertension without heart disease	7	4	1	2	2	2	—	—	—	—	—	—	15
450-468	**46.3**	Other circulatory disease	12	—	2	3	2	—	—	4	2	5	—	2	32
480-483	**30**	Influenza	3	—	—	1	2	—	—	—	—	—	—	—	15
490-493	**31**	Pneumonia (except of newborn)	8	1	—	1	3	—	—	1	1	1	—	1	30
500-502	**32**	Bronchitis	22	—	1	5	4	1	2	3	1	3	—	2	48
470-475, 510-527	**46.4**	Other respiratory diseases	3	1	—	3	4	1	—	—	—	—	—	—	18
540, 541	**33**	Ulcer of stomach and duodenum	3	—	—	3	—	1	—	1	1	—	—	—	17
550-553	**34**	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	1
550, 561, 570	**35**	Intestinal obstruction and hernia	1	—	1	2	1	—	—	2	—	—	—	—	11
543	**36.1**	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	**36.2**	Diarrhœa (except of newborn)	3	—	—	—	—	—	—	—	—	—	—	—	11
581	**37**	Cirrhosis of liver	1	—	—	—	—	—	—	—	—	1	—	—	4
580, 582-586	**46.5**	Other diseases of liver	1	—	—	1	1	1	—	—	—	1	—	—	4
530-539, 542, 544, 545, 573-578, 587	**46.6**	Other digestive diseases	2	—	—	—	—	—	—	—	1	—	—	—	5
590-594	**38**	Nephritis and nephrosis	7	—	—	2	—	—	—	—	—	—	—	—	10
610	**39**	Hyperplasia of prostate	1	—	—	1	1	1	—	2	—	2	—	—	8
600-609, 611-637	**46.7**	Other diseases of genito-urinary system	4	—	—	—	1	1	—	—	—	1	—	—	7
640, 641, 651, 681, 682, 684	**40.0**	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	1
642-650, 652-680, 683, 685-689	**40.1**	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	3
690-749	**46.8**	Diseases of skin and organs of locomotion	—	—	—	—	1	—	—	—	1	1	—	—	9
750-759	**41**	Congenital malformations	6	—	—	—	1	—	1	—	—	1	—	1	24
760-762	**42**	Birth injuries, post-natal asphyxia and atelectasis...	9	—	—	—	—	1	—	—	—	—	—	—	9
763	**43.1**	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	2
764	**43.2**	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	**43.3**	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	**44**	Other diseases peculiar to early infancy	4	—	—	—	3	—	—	—	—	1	—	1	21
794	**45.0**	Senility	3	—	—	—	—	—	—	1	—	—	—	—	10
780-793, 795	**45.1**	Cause ill-defined and unknown	2	—	—	—	2	—	—	—	—	1	—	—	9
E963, E970-E979	**49**	Suicide	8	—	—	2	—	—	—	—	—	1	—	1	11
E810-E835	**47**	Motor vehicle accidents	6	—	—	—	—	—	—	1	—	—	—	—	12
E840-E845	**48.0**	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	1
E800-E802, E850-E962, E964, E965, E980-E999	**48.1**	Other violence (BE50)	17	—	—	—	3	1	—	7	3	4	1	1	42
		ALL CAUSES	564	18	32	108	119	36	20	76	25	99	28	51	1,108
		AGES AT DEATH													
		Under 1	22	—	—	1	5	1	1	—	—	3	—	1	71
		1– 4	1	—	—	—	1	1	—	—	1	—	—	—	9
		5– 9	4	—	—	—	—	—	—	—	—	—	—	—	10
		10–14	4	—	—	—	1	—	—	—	—	—	—	—	4
		15–24	5	—	1	1	1	—	—	—	—	—	—	—	16
		25–34	6	—	—	—	—	—	—	1	1	1	—	—	19
		35–44	17	—	—	2	2	2	—	—	—	2	—	1	35
		45–54	48	3	3	5	12	2	1	8	4	4	4	3	85
		55–64	106	1	7	22	20	3	4	6	4	6	5	8	178
		65–74	147	5	10	28	29	13	7	14	5	20	7	11	273
		75–84	151	3	9	40	40	12	6	24	7	49	11	20	311
		85 and over	53	6	2	9	8	2	1	23	3	14	1	7	97
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	564	18	32	108	119	36	20	76	25	99	28	51	1,108

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Inverness County: Inverness County	Inverness County: Fort William Burgh	Inverness County: Inverness Burgh	Inverness County: Kingussie Burgh	Inverness County: Landward	Kincardine County: Kincardine County	Kincardine County: Banchory Burgh	Kincardine County: Inverbervie Burgh	Kincardine County: Laurencekirk Burgh	Kincardine County: Stonehaven Burgh	Kincardine County: Landward	Kinross County: Kinross County	Kinross County: Kinross Burgh	Kinross County: Landward
		Population (Estimated), 30th June, 1957	**83,176**	2,812	28,225	1,029	51,110	**27,322**	1,877	940	1,419	4,461	18,625	**7,186**	2,544	4,642
		Total Live Births Registered (including Illegitimate)	**1,673**	25	1,286	4	358	**164**	2	—	—	130	32	**28**	10	18
		„ Corr. for Mother's Resid. („) ...	**1,491**	64	554	15	858	**427**	34	9	30	65	289	**101**	40	61
		„ „ „ Male ...	**763**	27	268	8	460	**221**	16	4	15	33	153	**47**	15	32
		„ „ „ Female ...	**728**	37	286	7	398	**206**	18	5	15	32	136	**54**	25	29
		„ „ „ Illegitimate ...	**82**	1	31	2	48	**22**	3	—	—	2	17	**3**	1	2
		Stillbirths Registered (including Illegitimate) ...	**46**	—	38	—	8	**1**	—	—	—	—	1	**—**	—	—
		„ Corrected for Mother's Residence ...	**27**	—	13	—	14	**5**	—	—	—	1	4	**2**	1	1
		Marriages Registered	**609**	41	440	11	117	**157**	31	9	8	38	71	**42**	29	13
		Deaths Registered	**1,211**	44	587	16	564	**249**	18	5	12	88	126	**72**	13	59
		„ Corrected for Residence	**1,026**	36	339	16	635	**325**	27	12	20	74	192	**77**	22	55
		„ „ Male	**527**	22	158	8	339	**154**	13	4	10	32	95	**37**	11	26
		„ „ Female	**499**	14	181	8	296	**171**	14	8	10	42	97	**40**	11	29
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**12**	—	4	—	8	1	—	—	—	—	1	**2**	1	1
010-019	2	Tuberculosis, other forms	**2**	—	—	—	2	—	—	—	—	—	—	**—**	—	—
020-029	3	Syphilis and its sequelæ	**1**	—	1	—	—	—	—	—	—	—	—	**1**	1	—
040	4	Typhoid fever	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
045-048	6	Dysentery, all forms	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
055	8	Diphtheria	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
056	9	Whooping cough	**1**	—	—	—	1	—	—	—	—	—	—	**—**	—	—
057	10	Meningococcal infections	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
080	12	Acute poliomyelitis	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
085	14	Measles	**—**	—	—	—	—	—	—	—	—	—	—	**—**	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**1**	—	1	—	—	—	—	—	—	—	—	**—**	—	—
140-205	18	Malignant neoplasms	**164**	5	60	1	98	**60**	4	3	3	11	39	**17**	7	10
210-239	19	Benign and unspecified neoplasms	**1**	—	—	—	1	**1**	—	—	1	—	—	**—**	—	—
260	20	Diabetes mellitus	**10**	—	2	—	8	**6**	—	—	—	3	3	**1**	—	1
290-293	21	Anæmias	**6**	—	1	1	4	**1**	—	—	—	—	1	**—**	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**6**	—	—	—	6	**2**	—	—	1	—	1	**—**	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**157**	9	40	4	104	**41**	8	1	1	9	22	**6**	1	5
340	23	Non-meningococcal meningitis	**—**	—	—	—	—	**—**	—	—	—	—	—	**—**	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**13**	—	2	—	11	**1**	—	—	—	—	1	**2**	—	2
400-402	24	Rheumatic fever	**1**	—	—	—	1	**—**	—	—	—	—	—	**—**	—	—
410-416	25	Chronic rheumatic heart disease	**7**	1	1	—	5	**4**	2	—	1	1	—	**—**	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**315**	12	121	6	176	**100**	10	4	11	20	55	**20**	7	13
430-434	27	Other diseases of heart	**15**	—	2	—	13	**—**	—	—	—	—	—	**3**	—	3
440-443	28	Hypertension with heart disease	**26**	2	12	—	12	**8**	—	—	—	3	5	**1**	—	1
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	13	—	6	—	7	3	—	—	1	—	2	—	—	—
450-468	46.3	Other circulatory disease	25	—	10	—	15	20	1	1	—	8	10	—	—	—
480-483	30	Influenza	8	—	2	—	6	1	—	—	—	—	1	3	—	3
490-493	31	Pneumonia (except of newborn)	40	1	11	2	26	14	1	—	—	6	7	3	1	2
500-502	32	Bronchitis	10	—	3	1	6	3	—	—	—	1	2	2	1	1
470-475, 510-527	46.4	Other respiratory diseases	5	—	2	—	3	—	—	—	—	—	—	1	—	1
540, 541	33	Ulcer of stomach and duodenum	11	1	5	—	5	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	2	—	—	—	2	1	1	—	—	—	—	1	—	1
560, 561, 570	35	Intestinal obstruction and hernia	9	—	2	—	7	5	—	1	1	2	1	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	5	—	4	—	1	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	5	—	2	—	3	2	—	—	—	—	2	—	—	—
580, 582-586	46.5	Other diseases of liver	2	—	—	—	2	2	—	—	—	1	1	—	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	2	—	1	—	1	2	—	—	—	1	1	—	—	—
590-594	38	Nephritis and nephrosis	11	1	2	—	8	1	—	—	—	—	1	3	—	3
610	39	Hyperplasia of prostate	5	—	1	—	4	1	—	—	—	—	1	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	1	—	2	6	—	—	—	2	4	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689 }	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	1	—	1
690-749	46.8	Diseases of skin and organs of locomotion	4	—	4	—	—	4	—	—	—	—	4	—	—	—
750-759	41	Congenital malformations	11	—	5	—	6	5	—	—	—	—	5	1	—	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	8	—	3	—	5	1	—	—	—	—	1	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	—	1	—	—	—	—	1	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	7	1	2	—	4	6	—	—	—	2	4	—	—	—
794	45.0	Senility	34	1	5	—	28	3	—	1	—	—	2	4	1	3
780-793, 795	45.1	Cause ill-defined and unknown	9	—	—	—	9	2	—	—	—	—	2	1	—	1
E963, E970-E979	49	Suicide	2	—	1	—	1	2	—	—	—	—	2	1	1	—
E810-E835	47	Motor vehicle accidents	17	2	5	—	10	3	—	1	—	—	2	1	—	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	1	—	—	—	1	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	40	—	15	1	24	11	—	—	—	3	8	2	1	1
		All Causes	1,026	36	339	16	635	325	27	12	20	74	192	77	22	55
		Ages at Death														
		Under 1	36	1	15	1	19	13	—	—	1	3	9	1	—	1
		1– 4	3	—	1	—	2	3	—	—	—	1	2	1	—	1
		5– 9	7	—	4	—	3	1	—	—	—	—	1	1	—	1
		10–14	7	—	3	—	4	3	—	—	—	—	3	1	—	1
		15–24	11	1	2	—	8	2	—	—	—	—	2	—	—	—
		25–34	16	1	5	—	10	3	—	—	—	—	3	3	1	2
		35–44	34	1	10	—	23	5	1	—	—	—	4	3	—	3
		45–54	76	2	26	1	47	20	—	—	2	2	16	3	—	3
		55–64	163	7	64	4	88	33	—	3	2	10	18	14	7	7
		65–74	222	10	74	4	134	76	4	3	1	20	48	15	4	11
		75–84	305	11	99	6	189	110	11	2	8	27	62	27	8	19
		85 and over	146	2	36	—	108	56	11	4	6	11	24	8	2	6
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	1,026	36	339	16	635	325	27	12	20	74	192	77	22	55

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Kirkcudbright County: Kirkcudbright County	Castle Douglas Burgh	Dalbeattie Burgh	Gatehouse of Fleet Burgh	Kirkcudbright Burgh	New Galloway Burgh	Landward	Lanark County: Lanark County	Glasgow County of City	Airdrie Burgh	Biggar Burgh	Coatbridge Burgh	Hamilton Burgh
		Population (Estimated), 30th June, 1957	**30,311**	3,346	3,387	876	2,526	293	19,883	**1,623,415**	1,079,364	32,494	1,444	51,951	**41,022**
		Total Live Births Registered (including Illegitimate)	**159**	15	31	—	15	—	98	**33,095**	22,581	618	8	536	1,092
		,, Corr. for Mother's Resid. (,,) ...	**467**	55	53	5	38	4	312	**33,760**	22,415	694	20	1,331	**847**
		,, ,, ,, Male ...	**248**	33	32	1	19	3	160	**17,231**	11,482	332	11	644	**439**
		,, ,, ,, Female ...	**219**	22	21	4	19	1	152	**16,529**	10,933	362	9	687	**408**
		,, ,, ,, Illegitimate ...	**18**	—	1	—	1	—	16	**1,356**	1,048	19	1	24	**26**
		Stillbirths Registered (including Illegitimate) ...	**2**	—	—	—	—	—	2	**904**	637	3	—	4	**14**
		,, Corrected for Mother's Residence ...	**9**	1	1	—	—	—	7	**887**	600	13	—	28	**18**
		Marriages Registered	**229**	26	43	15	24	—	121	**14,619**	10,329	313	19	416	**426**
		Deaths Registered	**299**	51	28	4	40	3	173	**19,394**	13,883	237	9	418	**294**
		,, Corrected for Residence	**374**	40	38	8	40	7	241	**19,137**	13,178	325	28	543	**428**
		,, ,, Male	**172**	16	18	4	17	2	115	**10,243**	7,019	174	14	306	**227**
		,, ,, Female	**202**	24	20	4	23	5	126	**8,894**	6,159	151	14	237	**201**
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**1**	—	—	—	—	—	1	**348**	260	3	—	6	**9**
010-019	2	Tuberculosis, other forms	**1**	—	—	—	—	—	1	**22**	17	—	—	—	**1**
020-029	3	Syphilis and its sequelæ	**—**	—	—	—	—	—	—	**30**	22	—	—	1	**—**
040	4	Typhoid fever	**—**	—	—	—	—	—	—	**—**	—	—	—	—	**—**
045-048	6	Dysentery, all forms	**—**	—	—	—	—	—	—	**3**	2	—	—	—	**—**
050,051	7	Scarlet fever and streptococcal sore throat ...	**—**	—	—	—	—	—	—	**1**	1	—	—	—	**—**
055	8	Diphtheria	**—**	—	—	—	—	—	—	**—**	—	—	—	—	**—**
056	9	Whooping cough	**—**	—	—	—	—	—	—	**5**	4	—	—	—	**—**
057	10	Meningococcal infections	**—**	—	—	—	—	—	—	**10**	8	—	—	1	**—**
080	12	Acute poliomyelitis	**—**	—	—	—	—	—	—	**3**	1	—	—	—	**—**
085	14	Measles	**1**	—	—	1	—	—	—	**5**	3	—	—	1	**—**
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**—**	—	—	—	—	—	—	**28**	21	—	—	2	**—**
140-205	18	Malignant neoplasms	**54**	3	6	1	2	—	42	**3,383**	2,451	52	6	84	**59**
210-239	19	Benign and unspecified neoplasms	**1**	—	—	—	—	—	1	**47**	33	1	—	—	**5**
260	20	Diabetes mellitus	**2**	—	1	—	—	—	1	**144**	90	5	—	7	**4**
290-293	21	Anæmias	**1**	—	—	—	—	1	—	**69**	43	—	—	4	**2**
240-254, 270-289, 294-299	46.1	Other general diseases	**—**	—	—	—	—	—	—	**126**	87	5	—	5	**—**
330-334	22	Vascular lesions affecting central nervous system ...	**73**	8	8	1	8	2	46	**2,767**	1,916	53	6	69	**52**
340	23	Non-meningococcal meningitis	**—**	—	—	—	—	—	—	**21**	13	—	—	1	**—**
300-326, 341-398	46.2	Other diseases of nervous system	**7**	—	—	—	—	—	7	**284**	205	5	1	9	**7**
400-402	24	Rheumatic fever	**—**	—	—	—	—	—	—	**12**	7	1	—	—	**1**
410-416	25	Chronic rheumatic heart disease	**3**	—	—	—	—	—	3	**373**	264	7	2	14	**7**
420-422	26	Arteriosclerotic and degenerative heart disease ...	**121**	15	12	3	19	2	70	**5.233**	3,510	86	3	173	**151**
430-434	27	Other diseases of heart	**3**	—	—	—	—	—	3	**196**	117	2	1	2	**4**
440-443	28	Hypertension with heart disease	**8**	—	1	—	—	—	7	**340**	235	8	1	10	**8**
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	4	—	—	—	—	—	4	180	120	5	1	5	5
450-468	46.3	Other circulatory disease	11	3	1	—	—	—	7	421	269	8	3	4	10
480-483	30	Influenza	1	1	—	—	—	—	—	224	174	1	1	4	3
490-493	31	Pneumonia (except of newborn)	13	1	—	2	3	—	7	766	587	13	—	27	10
500-502	32	Bronchitis	5	—	1	—	3	—	1	833	628	15	—	13	13
470-475, 510-527	46.4	Other respiratory diseases	2	—	—	—	—	—	2	208	72	7	—	6	5
540, 541	33	Ulcer of stomach and duodenum	6	—	—	—	1	1	4	171	120	1	—	5	6
550-553	34	Appendicitis	—	—	—	—	—	—	—	35	23	—	—	2	1
560, 561, 570	35	Intestinal obstruction and hernia	5	1	1	—	—	—	3	131	80	—	—	5	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	5	4	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	—	—	—	1	98	62	3	—	5	1
581	37	Cirrhosis of liver	2	1	—	—	—	—	1	90	66	3	—	4	3
580, 582-586	46.5	Other diseases of liver	3	2	—	—	—	—	1	69	45	1	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	1	—	—	—	1	48	33	2	—	—	3
590-594	38	Nephritis and nephrosis	1	—	—	—	—	1	—	166	100	4	—	2	5
610	39	Hyperplasia of prostate	6	—	—	—	—	—	6	100	65	1	—	1	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	2	2	—	—	—	—	—	106	67	2	—	1	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	7	6	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	—	—	—	1	8	5	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	94	59	—	—	2	—
750-759	41	Congenital malformations	3	—	—	—	2	—	1	267	183	4	—	12	5
760-762	42	Birth injuries, post-natal asphyxia and atelectasis	—	—	—	—	—	—	—	345	231	6	—	16	7
763	43.1	Pneumonia of newborn	2	—	—	—	—	—	2	34	24	—	—	1	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	10	10	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	10	10	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	—	—	—	—	198	136	3	—	9	1
794	45.0	Senility	12	—	4	—	—	—	8	137	60	4	—	4	9
780-793, 795	45.1	Cause ill-defined and unknown	2	—	2	—	—	—	—	98	62	2	—	1	3
E963, E970-E979	49	Suicide	4	2	—	—	—	—	2	113	89	2	—	3	2
E810-E835	47	Motor vehicle accidents	4	—	—	—	—	—	4	174	114	4	1	7	4
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	12	11	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	6	1	—	—	2	—	3	529	353	6	2	15	10
		ALL CAUSES	374	40	38	8	40	7	241	19,137	13,178	325	28	543	428
		AGES AT DEATH													
		Under 1	6	—	—	—	2	—	4	1,126	774	17	—	48	24
		1– 4	1	—	—	—	—	—	1	140	100	2	—	2	1
		5– 9	3	—	—	1	—	—	2	80	53	1	—	3	2
		10–14	1	—	—	—	—	—	1	50	36	—	—	2	—
		15–24	4	—	—	—	—	—	4	172	122	3	—	4	2
		25–34	4	—	1	—	—	—	3	354	248	5	1	9	11
		35–44	9	1	1	—	—	—	7	700	485	12	—	25	14
		45–54	19	2	3	—	1	—	13	1,855	1,289	31	2	48	46
		55–64	49	3	6	1	7	—	32	3,477	2,441	59	3	102	70
		65–74	99	11	8	1	12	2	65	5,006	3,464	81	7	133	123
		75–84	135	17	16	4	14	5	79	4,827	3,269	87	9	129	114
		85 and over	44	6	3	1	4	—	30	1,350	897	27	6	38	21
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	374	40	38	8	40	7	241	19,137	13,178	325	28	543	428

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Lanark County—*continued*: Lanark Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Landward	Midlothian County: Midlothian County	Edinburgh County of City	Bonnyrigg and Lasswade B.	Dalkeith Burgh	Loanhead Burgh	Musselburgh Burgh	Penicuik Burgh	Landward
		Population (Estimated), 30th June, 1957	8,201	71,384	24,423	313,132	**572,821**	465,671	5,874	9,150	5,209	18,173	5,799	62,945
		Total Live Births Registered (including Illegitimate)	1,130	1,402	107	5,621	**11,012**	10,020	35	44	36	404	50	423
		,, Corr. for Mother's Resid. (,,) ...	152	1,493	436	6,372	**10,100**	7,854	123	158	95	304	131	1,435
		,, ,, ,, Male ...	80	746	229	3,268	**5,241**	4,060	61	93	51	145	63	768
		,, ,, ,, Female ...	72	747	207	3,104	**4,859**	3,794	62	65	44	159	68	667
		,, ,, ,, Illegitimate ...	4	37	5	192	**455**	399	1	4	2	2	1	46
		Stillbirths Registered (including Illegitimate) ...	20	29	1	196	**245**	236	—	1	1	4	—	3
		,, Corrected for Mother's Residence ...	4	34	12	178	**205**	153	2	2	3	7	2	36
		Marriages Registered	92	606	255	2,163	**5,101**	4,326	45	79	56	153	51	391
		Deaths Registered	100	673	173	3,607	**7,478**	6,625	37	63	50	133	41	529
		,, Corrected for Residence	94	791	340	3,410	**7,148**	6,005	71	106	63	203	74	626
		,, ,, Male	39	432	178	1,854	**3,552**	2,935	31	53	32	110	36	355
		,, ,, Female	55	359	162	1,556	**3,596**	3,070	40	53	31	93	38	271
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	2	11	6	51	**41**	34	—	1	—	—	1	5
010-019	2	Tuberculosis, other forms	—	—	—	4	**3**	3	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	7	**17**	16	—	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	1	—	—	**1**	1	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	1	**1**	1	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	1	**5**	4	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	2	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	1	**1**	1	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	5	**12**	10	—	—	—	—	—	2
140-205	18	Malignant neoplasms	9	135	55	532	**1,435**	1,211	14	25	12	45	8	120
210-239	19	Benign and unspecified neoplasms	—	1	—	7	**16**	14	—	—	1	—	—	1
260	20	Diabetes mellitus	1	4	4	29	**55**	50	1	1	2	—	—	1
290-293	21	Anæmias	—	2	2	16	**21**	12	1	—	—	2	—	6
240-254, 270-289, 294-299	46.1	Other general diseases	1	6	3	19	**42**	32	1	—	—	3	1	5
330-334	22	Vascular lesions affecting central nervous system ...	11	146	49	465	**1,099**	934	9	13	9	33	12	89
340	23	Non-meningococcal meningitis	—	—	1	6	**4**	3	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	1	6	4	46	**78**	68	1	—	—	1	2	6
400-402	24	Rheumatic fever	—	1	—	2	**6**	6	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	20	10	47	**85**	75	—	2	—	2	2	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	32	204	91	983	**2,049**	1,714	21	25	21	57	25	186
430-434	27	Other diseases of heart	4	6	10	50	**84**	61	3	1	—	3	1	15
440-443	28	Hypertension with heart disease	3	10	2	63	**166**	150	1	7	—	3	1	4
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

444-447	29	Hypertension without heart disease	1	4	1	38	**70**	62	—	1	—	1	—	6
450-468	46.3	Other circulatory disease	2	9	15	101	**235**	194	5	7	3	3	2	21
480-483	30	Influenza	—	5	3	33	**68**	58	1	—	—	2	—	7
490-493	31	Pneumonia (except of newborn)	2	25	12	90	**256**	222	2	2	1	7	3	19
500-502	32	Bronchitis	1	24	15	124	**269**	227	1	6	5	12	4	14
470-475, 510-527	46.4	Other respiratory diseases	—	19	5	94	**46**	34	—	—	1	3	—	8
540, 541	33	Ulcer of stomach and duodenum	2	7	2	28	**62**	54	1	1	—	2	—	4
550-553	34	Appendicitis	1	—	—	8	**9**	8	—	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	2	13	3	24	**45**	37	1	1	—	—	—	6
543	36.1	Gastritis and duodenitis	—	—	—	1	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	5	5	17	**23**	21	—	—	—	—	—	2
581	37	Cirrhosis of liver	—	—	1	13	**28**	23	1	1	—	1	—	2
580, 582-586	46.5	Other diseases of liver	—	4	1	16	**35**	29	1	1	—	—	1	3
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	1	1	1	7	**23**	21	—	—	—	—	—	2
590-594	38	Nephritis and nephrosis	2	8	4	41	**37**	33	—	—	—	1	2	1
610	39	Hyperplasia of prostate	1	6	—	22	**50**	41	1	1	—	1	—	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	8	1	25	**41**	36	1	—	—	2	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	1	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	1	—	2	**2**	2	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	4	5	24	**41**	35	1	—	—	2	—	3
750-759	41	Congenital malformations	2	10	4	47	**68**	46	1	1	4	4	3	9
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	3	14	6	62	**68**	45	1	2	1	2	2	15
763	43.1	Pneumonia of newborn	—	3	—	6	**9**	8	—	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	**1**	—	—	—	—	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	**5**	4	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	2	13	4	30	**75**	52	—	2	—	5	1	15
794	45.0	Senility	3	13	3	41	**31**	26	—	—	—	—	—	5
780-793, 795	45.1	Cause ill-defined and unknown	—	7	—	23	**10**	9	—	—	—	—	—	1
E963, E970-E979	49	Suicide	—	2	1	14	**70**	63	—	1	1	1	1	3
E810-E835	47	Motor vehicle accidents	—	12	4	28	**45**	35	—	1	—	1	—	8
E840-E845	48.0	Other road transport accidents	—	—	—	1	—	—	—	—	—	—	—	—
E800-802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	3	21	7	112	**205**	180	1	3	2	4	2	13
		All Causes	94	791	340	3,410	**7,148**	6,005	71	106	63	203	74	626
		Ages at Death												
		Under 1	6	56	17	184	**272**	191	2	5	4	9	8	53
		1– 4	1	8	5	21	**32**	24	—	—	—	1	1	6
		5– 9	—	5	1	15	**18**	15	—	—	—	1	—	2
		10–14	1	2	2	7	**23**	16	—	—	2	2	—	3
		15–24	1	5	4	31	**40**	35	—	2	—	1	—	2
		25–34	—	12	3	65	**71**	55	—	1	1	4	2	8
		35–44	2	33	13	116	**203**	163	6	5	3	5	2	19
		45–54	8	68	25	338	**558**	462	6	11	9	14	5	51
		55–64	10	123	58	611	**1,206**	1,036	10	11	8	33	10	98
		65–74	17	202	95	884	**1,910**	1,587	22	30	14	68	24	165
		75–84	35	215	96	873	**2,065**	1,775	19	31	16	42	16	166
		85 and over	13	62	21	265	**750**	646	6	10	6	23	6	53
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	94	791	340	3,410	**7,148**	6,005	71	106	63	203	74	626

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Moray County: Moray County	Moray County: Burghead Burgh	Moray County: Elgin Burgh	Moray County: Forres Burgh	Moray County: Grantown-on-Spey Burgh	Moray County: Lossiemouth & Branderburgh Burgh	Moray County: Rothes Burgh	Moray County: Landward	Nairn County: Nairn County	Nairn County: Nairn Burgh	Nairn County: Landward	Orkney County: Orkney County	Orkney County: Kirkwall Burgh	Orkney County: Stromness Burgh	Orkney County: Landward
		Population (Estimated), 30th June, 1957	50,198	1,384	11,423	5,014	1,551	5,161	1,217	24,448	8,302	4,666	3,636	19,883	4,305	1,483	14,095
		Total Live Births Registered (including Illegitimate)	860	3	419	261	—	36	1	140	142	14	128	277	176	8	93
		" Corr. for Mother's Resid. (") ...	967	29	275	80	15	128	16	424	146	83	63	292	57	17	218
		" " " Male ...	493	15	150	37	10	63	7	211	80	45	35	141	31	9	101
		" " " Female ...	474	14	125	43	5	65	9	213	66	38	28	151	26	8	117
		" " " Illegitimate ...	40	1	14	4	—	4	—	17	7	5	2	11	1	—	10
		Stillbirths Registered (including Illegitimate) ...	19	—	13	4	—	1	—	1	2	—	2	1	1	—	—
		" Corrected for Mother's Residence ...	28	—	9	4	—	1	—	14	6	4	2	1	1	—	—
		Marriages Registered	365	7	162	65	16	33	9	73	59	52	7	120	44	10	66
		Deaths Registered	492	13	167	67	6	34	10	195	92	36	56	269	128	15	126
		" Corrected for Residence	538	21	158	66	16	54	18	205	111	72	39	275	47	26	202
		" " Male	281	12	77	34	7	25	8	118	53	32	21	139	24	16	99
		" " Female	257	9	81	32	9	29	10	87	58	40	18	136	23	10	103
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	4	—	3	1	—	—	—	—	3	—	3	1	—	—	1
010-019	2	Tuberculosis, other forms	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	84	1	31	6	2	11	3	30	20	15	5	26	3	4	19
210-239	19	Benign and unspecified neoplasms	2	—	—	—	1	—	—	1	1	1	—	1	—	—	1
260	20	Diabetes mellitus	2	1	—	—	—	—	—	1	—	—	—	5	—	—	5
290-293	21	Anæmias	3	—	2	—	—	—	1	—	1	1	—	1	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	6	—	2	1	—	1	—	2	—	—	—	4	2	1	1
330-334	22	Vascular lesions affecting central nervous system ...	72	6	16	12	4	5	—	29	26	17	9	50	10	4	36
340	23	Non-meningococcal meningitis	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	8	—	1	2	—	2	1	2	1	1	—	3	1	—	2
400-402	24	Rheumatic fever	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	7	—	4	—	—	—	—	3	1	1	—	5	1	—	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	180	6	55	25	3	18	8	65	33	21	12	77	9	12	56
430-434	27	Other diseases of heart	8	1	1	1	1	—	—	4	1	—	1	5	1	1	3
440-443	28	Hypertension with heart disease	8	—	—	1	1	1	1	4	2	1	1	4	1	—	3

444-447	29	Hypertension without heart disease	3	—	—	1	—	—	—	2	2	1	1	2	—	—	2
450-468	46.3	Other circulatory disease	9	—	2	—	1	1	—	5	4	2	2	9	1	2	6
480-483	30	Influenza	7	—	4	—	—	2	—	1	—	—	—	9	1	1	7
490-493	31	Pneumonia (except of newborn)	14	1	1	—	—	—	—	12	1	—	1	6	2	—	4
500-502	32	Bronchitis	7	1	1	2	1	—	—	2	4	3	1	6	1	1	4
470-475, 510-527	46.4	Other respiratory diseases	5	—	3	1	—	—	—	1	—	—	—	2	1	—	1
540, 541	33	Ulcer of stomach and duodenum	6	1	1	1	—	1	—	2	1	—	1	3	—	—	3
550-553	34	Appendicitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	4	—	1	—	—	—	—	3	—	—	—	4	2	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	3	—	1	—	—	1	—	1	2	1	1	1	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	3	—	1	1	—	—	—	1	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	6	—	3	—	—	1	1	1	—	—	—	4	1	—	3
610	39	Hyperplasia of prostate	4	—	2	1	1	—	—	—	—	—	—	4	1	—	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	2	—	—	—	—	1	1	1	—	2	1	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	4	—	1	2	—	—	—	1	1	1	—	1	—	—	1
750-759	41	Congenital malformations	9	1	2	—	—	2	—	4	1	—	1	—	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	7	—	4	—	—	2	—	1	1	1	—	3	1	—	2
763	43.1	Pneumonia of newborn	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	4	—	2	—	—	1	—	1	—	—	—	3	—	—	3
794	45.0	Senility	4	—	—	1	—	1	—	2	—	—	—	22	7	—	15
780-793, 795	45.1	Cause ill-defined and unknown	5	—	1	—	—	1	1	2	1	1	—	1	—	—	1
E963, E970-E979	49	Suicide	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
E810-E835	47	Motor vehicle accidents	7	—	3	—	—	—	—	4	—	—	—	1	—	—	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	27	2	6	2	1	2	—	14	2	2	—	5	—	—	5
		All Causes	538	21	158	66	16	54	18	205	111	72	39	275	47	26	202
		Ages at Death															
		Under 1	27	1	9	1	1	7	—	8	2	1	1	10	2	—	8
		1– 4	6	—	2	—	—	—	—	4	2	2	—	—	—	—	—
		5– 9	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1
		10–14	3	1	—	—	—	—	—	2	—	—	—	1	1	—	—
		15–24	10	—	—	—	—	1	—	9	—	—	—	2	—	—	2
		25–34	5	—	2	—	—	1	—	2	4	2	2	2	—	—	2
		35–44	16	—	5	1	1	3	—	6	1	—	1	2	—	1	1
		45–54	47	3	12	4	1	8	1	18	10	9	1	19	3	2	14
		55–64	82	2	21	12	4	9	5	29	12	6	6	38	7	5	26
		65–74	128	6	41	19	2	6	3	51	22	14	8	62	14	5	43
		75–84	150	3	49	22	4	12	8	52	40	26	14	98	14	11	73
		85 and over	63	5	16	7	3	7	1	24	18	12	6	40	6	2	32
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	538	21	158	66	16	54	18	205	111	72	39	275	47	26	202

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Peebles County: Peebles County	Innerleithen Burgh	Peebles Burgh	Landward	Perth County: Perth County	Aberfeldy Burgh	Abernethy Burgh	Alyth Burgh	Auchterarder Burgh	Blairgowrie and Rattray Burgh	Callander Burgh	Coupar Angus Burgh	Crieff Burgh	Doune Burgh	Dunblane Burgh
		Population (Estimated), 30th June, 1957	14,293	2,389	5,662	6,242	126,987	1,486	651	2,013	2,404	5,250	1,627	2,133	5,384	866	2,789
		Total Live Births Registered (including Illegitimate)	175	2	162	11	1,811	110	1	176	15	13	3	7	28	7	11
		,, Corr. for Mother's Resid. (,,) ...	227	49	80	98	2,103	23	5	36	43	102	23	30	80	13	51
		,, ,, ,, Male ...	100	18	34	48	1,080	9	2	20	20	63	10	17	47	9	26
		,, ,, ,, Female ...	127	31	46	50	1,023	14	3	16	23	39	13	13	33	4	25
		,, ,, ,, Illegitimate ...	8	2	2	4	128	—	—	2	—	11	—	5	3	—	3
		Stillbirths Registered (including Illegitimate) ...	1	—	1	—	28	—	—	1	—	—	—	—	—	—	1
		,, Corrected for Mother's Residence ...	4	1	—	3	38	—	—	—	—	3	—	—	3	1	2
		Marriages Registered	83	15	42	26	939	13	8	17	16	60	8	19	37	12	24
		Deaths Registered	140	18	83	39	1,637	24	10	20	35	71	18	20	63	13	23
		,, Corrected for Residence	201	34	97	70	1,585	30	15	33	36	77	27	32	69	17	37
		,, ,, Male	102	15	43	44	782	17	6	17	14	30	11	16	33	9	18
		,, ,, Female	99	19	54	26	803	13	9	16	22	47	16	16	36	8	19
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	1	—	1	—	7	—	—	—	—	1	—	—	—	—	—
010-019	2	Tuberculosis, other forms	1	—	—	1	3	—	—	1	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	—	1	3	—	—	—	—	1	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	35	4	18	13	265	12	4	2	7	7	3	8	12	5	5
210-239	19	Benign and unspecified neoplasms	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	1	—	1	—	9	—	—	—	—	1	1	—	—	—	1
290-293	21	Anæmias	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	3	1	1	1	9	—	—	1	—	—	1	—	—	—	1
330-334	22	Vascular lesions affecting central nervous system ...	38	8	17	13	267	2	5	7	8	12	4	5	14	3	5
340	23	Non-meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	—	—	—	—	15	1	1	—	—	2	—	—	—	—	—
400-402	24	Rheumatic fever	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	—	—	15	—	—	—	—	—	—	—	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	64	12	29	23	515	8	3	8	12	35	9	10	29	7	10
430-434	27	Other diseases of heart	1	—	1	—	14	—	—	—	1	2	1	—	—	—	—
440-443	28	Hypertension with heart disease	3	—	2	1	19	—	—	1	—	—	1	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	4	1	2	1	17	1	—	—	—	2	—	—	—	—	—
450-468	46.3	Other circulatory disease	6	2	3	1	44	—	—	1	1	—	—	1	3	—	2
480-483	30	Influenza	3	—	1	2	9	—	—	—	—	—	—	—	1	—	—
490-493	31	Pneumonia (except of newborn)	7	1	4	2	57	—	—	2	—	2	—	3	2	—	4
500-502	32	Bronchitis	6	3	1	2	41	—	—	1	—	1	1	—	3	—	3
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	12	—	—	1	—	1	—	1	—	—	1
540, 541	33	Ulcer of stomach and duodenum	3	—	2	1	24	1	—	—	—	1	—	1	—	—	—
550-553	34	Appendicitis	—	—	—	—	4	—	1	—	1	1	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	2	—	12	—	—	1	—	—	1	1	2	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	—	—	—	—	5	—	—	—	1	—	—	—	2	—	—
580, 582-586	46.5	Other diseases of liver	1	—	1	—	10	—	—	—	1	1	1	—	—	—	—
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	2	—	2	—	9	—	—	2	1	1	—	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	—	15	1	—	—	1	—	1	—	—	—	—
610	39	Hyperplasia of prostate	1	—	—	1	6	—	—	—	—	—	—	—	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	—	1	9	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	1	1	—	10	—	—	1	—	1	1	—	—	—	—
750-759	41	Congenital malformations	4	—	4	—	14	—	—	1	—	—	—	—	—	1	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	—	2	—	9	1	—	1	—	1	—	—	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	—	16	—	—	—	—	—	1	—	—	—	—
794	45.0	Senility	1	—	1	—	20	1	—	—	—	2	1	—	—	1	—
780-793, 795	45.1	Cause ill-defined and unknown	2	1	1	—	6	1	—	—	—	1	—	—	—	—	—
B963, E970-E979	49	Suicide	2	—	—	2	9	—	1	—	—	—	—	—	—	—	1
E810-E835	47	Motor vehicle accidents	1	—	—	1	22	1	—	—	—	—	—	2	—	—	—
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	2	—	—	2	46	—	—	2	2	1	—	—	1	—	—
		All Causes	201	34	97	70	1,585	30	15	33	36	77	27	32	69	17	37
		Ages at Death															
		Under 1	6	—	6	—	42	1	—	2	—	2	1	—	—	—	1
		1– 4	1	—	1	—	8	—	—	1	—	—	—	—	—	—	—
		5– 9	1	—	1	—	3	—	—	—	—	—	—	—	—	—	—
		10–14	2	—	1	1	5	—	—	1	—	—	—	—	—	1	—
		15–24	1	—	—	1	14	—	—	—	—	—	1	—	—	—	—
		25–34	2	—	2	—	21	—	—	—	—	—	—	1	—	—	—
		35–44	2	—	1	1	38	—	1	2	2	2	—	—	—	—	—
		45–54	14	—	6	8	100	3	2	3	1	4	4	1	5	1	4
		55–64	22	6	8	8	224	7	2	—	6	11	4	2	8	5	6
		65–74	69	12	35	22	399	11	1	5	9	16	4	8	18	4	6
		75–84	64	12	29	23	520	8	5	12	13	26	8	15	27	3	14
		85 and over	17	4	7	6	211	—	4	7	5	16	5	5	11	3	6
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	201	34	97	70	1,585	30	15	33	36	77	27	32	69	17	37

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47. Statistical —Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Perth County—*cont.*: Perth Burgh	Perth County—*cont.*: Pitlochry Burgh	Perth County—*cont.*: Landward	Renfrew County: Renfrew County	Renfrew County: Barrhead Burgh	Renfrew County: Gourock Burgh	Renfrew County: Greenock Burgh	Renfrew County: Johnstone Burgh	Renfrew County: Paisley Burgh	Renfrew County: Port Glasgow Burgh	Renfrew County: Renfrew Burgh	Renfrew County: Landward
		Population (Estimated), 30th June, 1957	40,919	2,279	59,186	**332,381**	13,752	9,131	77,778	16,413	95,822	23,155	17,741	78,589
		Total Live Births Registered (including Illegitimate)	1,190	7	243	**7,060**	172	42	1,868	167	2,822	283	160	1,546
		" Corr. for Mother's Resid. (") ...	684	35	978	**6,512**	335	136	1,653	360	1,886	555	357	1,230
		" " " Male ...	350	19	488	**3,320**	178	74	823	170	979	301	185	610
		" " " Female ...	334	16	490	**3,192**	157	62	830	190	907	254	172	620
		" " " Illegitimate ...	40	1	63	**214**	8	3	69	6	70	19	7	32
		Stillbirths Registered (including Illegitimate) ...	18	1	7	**177**	3	1	51	2	24	6	8	82
		" Corrected for Mother's Residence ...	5	1	23	**180**	12	3	47	11	49	16	12	30
		Marriages Registered	470	17	238	**2,565**	90	57	662	159	825	202	116	454
		Deaths Registered	564	24	752	**3,746**	88	62	1,025	136	1,340	131	123	841
		" Corrected for Residence	468	32	712	**3,903**	158	121	890	198	1,163	212	212	949
		" " Male	229	18	364	**2,057**	82	69	475	94	618	116	117	486
		" " Female	239	14	348	**1,846**	76	52	415	104	545	96	95	463
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	4	2	—	**68**	1	3	21	6	23	2	3	9
010-019	2	Tuberculosis, other forms	1	—	1	**5**	2	—	—	—	1	—	1	1
020-029	3	Syphilis and its sequelæ	2	—	—	**4**	—	—	—	—	2	—	—	2
040	4	Typhoid fever	—	—	—	**—**	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	**2**	—	—	—	—	1	—	—	1
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	**1**	—	—	—	—	—	—	—	1
055	8	Diphtheria	—	—	—	**—**	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	**7**	—	—	3	4	—	—	—	—
057	10	Meningococcal infections	—	—	—	**—**	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	**—**	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	**1**	—	—	1	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	**10**	—	—	6	—	2	—	—	2
140-205	18	Malignant neoplasms	90	3	107	**702**	28	23	163	36	189	45	40	178
210-239	19	Benign and unspecified neoplasms	3	—	2	**10**	—	—	3	1	1	1	—	4
260	20	Diabetes mellitus	2	—	4	**33**	4	—	7	1	12	1	2	6
290-293	21	Anæmias	1	—	2	**11**	1	1	—	—	5	—	—	4
240-254, 270-289, 294-299	46.1	Other general diseases	2	—	4	**35**	1	—	6	3	10	1	1	13
330-334	22	Vascular lesions affecting central nervous system ...	65	6	131	**593**	20	16	120	33	206	18	34	146
340	23	Non-meningococcal meningitis	1	—	—	**3**	—	—	1	—	1	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	4	1	6	**40**	—	—	6	4	12	3	3	12
400-402	24	Rheumatic fever	2	—	—	**5**	—	—	—	—	2	—	1	2
410-416	25	Chronic rheumatic heart disease	11	1	2	**64**	5	1	16	4	22	4	3	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	147	8	229	**1,172**	51	45	249	53	353	68	66	287
430-434	27	Other diseases of heart	4	—	6	**34**	1	1	9	—	11	—	1	11
440-443	28	Hypertension with heart disease	5	1	11	**78**	—	3	26	1	18	7	9	14
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	3	—	11	33	—	2	9	1	7	3	1	10
450-468	46.3	Other circulatory disease	17	—	19	102	5	1	16	8	34	6	3	29
480-483	30	Influenza	3	—	5	49	—	2	14	1	14	2	3	13
490-493	31	Pneumonia (except of newborn)	20	4	20	103	6	6	27	3	34	6	3	18
500-502	32	Bronchitis	9	2	21	121	7	1	25	2	47	4	9	26
470-475, 510-527	46.4	Other respiratory diseases	4	—	4	12	1	1	4	1	—	—	—	5
540, 541	33	Ulcer of stomach and duodenum	7	—	14	33	1	—	9	2	8	1	2	10
550-553	34	Appendicitis	—	1	—	7	1	1	3	1	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	2	—	4	30	—	1	6	4	8	1	1	9
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	2	—	3	11	1	—	1	—	5	—	—	4
581	37	Cirrhosis of liver	—	—	2	16	1	—	5	2	2	—	—	6
580, 582-586	46.5	Other diseases of liver	3	—	4	12	—	—	3	—	2	1	2	4
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	—	—	5	10	1	—	3	1	2	1	—	2
590-594	38	Nephritis and nephrosis	6	—	6	33	3	1	6	1	7	4	—	11
610	39	Hyperplasia of prostate	1	—	4	17	1	1	4	—	6	—	—	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	—	5	17	—	2	5	1	—	1	4	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	2	—	—	1	—	—	1	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	1	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	6	24	1	2	2	—	11	1	1	6
750-759	41	Congenital malformations	5	—	6	53	2	—	16	5	18	4	—	8
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	2	—	4	55	4	2	9	2	18	7	2	11
763	43.1	Pneumonia of newborn	—	1	—	8	—	—	3	—	1	2	—	2
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	7	—	8	35	1	1	12	3	7	2	3	6
794	45.0	Senility	4	—	11	25	—	1	10	—	2	4	—	8
780-793, 795	45.1	Cause ill-defined and unknown	—	—	4	25	—	—	11	1	4	1	2	6
E963, E970-E979	49	Suicide	4	1	2	24	—	1	3	2	9	1	3	5
E810-E835	47	Motor vehicle accidents	5	1	13	36	1	1	7	3	12	3	2	7
E840-E845	48.0	Other road transport accidents	—	—	—	2	—	—	—	1	1	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	15	—	25	130	7	1	39	7	33	6	7	30
		All Causes	468	32	712	3,903	158	121	890	198	1,163	212	212	949
		Ages at Death												
		Under 1	14	1	20	186	9	4	55	13	55	15	6	29
		1– 4	3	—	4	27	1	—	9	6	5	1	1	4
		5– 9	1	—	2	14	—	1	3	2	4	1	—	3
		10–14	1	—	2	10	1	—	3	—	3	1	1	1
		15–24	2	—	11	31	1	1	7	3	13	4	—	2
		25–34	9	—	11	66	3	2	17	4	15	4	5	16
		35–44	15	4	12	148	5	5	39	12	44	11	5	27
		45–54	30	—	42	343	14	9	70	22	102	17	28	81
		55–64	67	7	99	619	20	19	163	31	202	25	33	126
		65–74	128	7	182	1,054	42	32	220	49	311	60	59	281
		75–84	143	10	236	1,076	49	37	228	43	319	59	63	278
		85 and over	55	3	91	329	13	11	76	13	90	14	11	101
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	468	32	712	3,903	158	121	890	198	1,163	212	212	949

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Ross and Cromarty County: Ross and Cromarty County	Cromarty Burgh	Dingwall Burgh	Fortrose Burgh	Invergordon Burgh	Stornoway Burgh	Tain Burgh	Landward	Roxburgh County: Roxburgh County	Hawick Burgh	Jedburgh Burgh	Kelso Burgh	Melrose Burgh	Landward
		Population (Estimated), 30th June, 1957	**59,573**	678	3,576	846	1,555	5,245	1,642	46,031	**45,065**	16,631	4,056	4,206	2,177	17,995
		Total Live Births Registered (including Illegitimate)	**794**	1	319	2	6	197	5	264	**512**	307	82	80	2	41
		,, Corr. for Mother's Resid. (,,) ...	**949**	11	73	12	33	78	34	708	**679**	256	73	59	22	269
		,, ,, ,, Male ...	**483**	6	37	6	13	33	21	367	**344**	143	35	33	7	126
		,, ,, ,, Female ...	**466**	5	36	6	20	45	13	341	**335**	113	38	26	15	143
		,, ,, ,, Illegitimate ...	**42**	—	3	—	—	5	1	33	**21**	8	5	2	—	6
		Stillbirths Registered (including Illegitimate) ...	**12**	—	4	—	—	7	—	1	**12**	5	3	1	—	3
		,, Corrected for Mother's Residence ...	**18**	—	2	—	—	4	2	10	**20**	9	6	—	—	5
		Marriages Registered	**249**	4	32	3	17	34	38	121	**298**	140	29	37	15	77
		Deaths Registered	**705**	13	53	10	8	126	7	488	**537**	233	43	69	81	111
		,, Corrected for Residence	**818**	15	38	12	15	69	14	655	**602**	254	57	74	38	179
		,, ,, Male	**426**	9	23	7	5	33	6	343	**289**	110	24	42	20	93
		,, ,, Female	**392**	6	15	5	10	36	8	312	**313**	144	33	32	18	86
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**8**	—	—	—	—	—	—	8	**6**	3	—	2	—	1
010-019	2	Tuberculosis, other forms	**2**	—	—	—	—	—	—	2	**—**	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	**—**	—	—	—	—	—	—	—	**3**	—	1	1	1	—
040	4	Typhoid fever	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
045-048	6	Dysentery, all forms	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
055	8	Diphtheria	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
056	9	Whooping cough	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
057	10	Meningococcal infections	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
080	12	Acute poliomyelitis	**—**	—	—	—	—	—	—	—	**1**	—	—	—	—	1
085	14	Measles	**—**	—	—	—	—	—	—	—	**—**	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**1**	—	—	—	—	—	—	1	**2**	2	—	—	—	—
140-205	18	Malignant neoplasms	**127**	2	8	1	2	10	8	96	**111**	42	13	9	9	38
210-239	19	Benign and unspecified neoplasms	**—**	—	—	—	—	—	—	—	**1**	—	—	—	—	1
260	20	Diabetes mellitus	**4**	—	2	—	1	—	—	1	**6**	1	—	2	1	2
290-293	21	Anæmias	**2**	—	—	—	—	—	—	2	**3**	1	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	**6**	—	—	—	—	—	—	6	**3**	1	1	—	—	1
330-334	22	Vascular lesions affecting central nervous system ...	**156**	2	4	4	3	23	—	120	**99**	47	9	10	5	28
340	23	Non-meningococcal meningitis	**—**	—	—	—	—	—	—	—	**1**	1	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**9**	—	1	—	—	2	—	6	**8**	6	—	2	—	—
400-402	24	Rheumatic fever	**1**	—	—	—	—	—	—	1	**1**	—	—	—	1	—
410-416	25	Chronic rheumatic heart disease	**1**	—	—	—	—	—	—	1	**5**	2	—	1	—	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	**245**	6	15	3	3	15	3	200	**196**	85	16	24	12	59
430-434	27	Other diseases of heart	**7**	—	—	—	—	—	—	7	**6**	1	2	1	—	2
440-443	28	Hypertension with heart disease	**16**	—	1	—	—	—	—	15	**8**	2	—	1	2	3
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	12	—	1	—	—	—	1	10	8	5	1	—	—	2
450-468	46.3	Other circulatory disease	29	1	—	1	—	3	1	23	28	9	3	7	1	8
480-483	30	Influenza	4	—	—	—	—	1	—	3	8	5	1	1	—	1
490-493	31	Pneumonia (except of newborn)	15	—	—	1	—	3	—	11	6	3	—	—	—	3
500-502	32	Bronchitis	15	—	—	—	2	2	—	11	12	5	1	2	1	3
470-475, 510-527	46.4	Other respiratory diseases	4	—	1	—	1	—	—	2	5	1	1	2	—	1
540, 541	33	Ulcer of stomach and duodenum	12	—	1	—	1	2	—	8	7	4	—	—	—	3
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	2	1	—	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	—	—	1	—	—	1	2	—	—	—	1	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	—	—	—	—	1	1	—	—	—	—	1
581	37	Cirrhosis of liver	2	—	—	—	—	1	—	1	3	1	—	1	—	1
580, 582-586	46.5	Other diseases of liver	5	—	—	—	—	—	—	5	2	1	—	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	—	—	—	—	—	2	2	—	—	2	—	—
590-594	38	Nephritis and nephrosis	10	—	—	—	—	—	—	10	7	2	2	2	—	1
610	39	Hyperplasia of prostate	11	—	—	—	—	1	—	10	1	1	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	1	—	1	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	1	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	5	—	1	—	—	—	1	3	3	—	—	—	—	3
750-759	41	Congenital malformations	9	—	—	—	—	1	—	8	5	1	3	—	—	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	11	1	1	—	—	—	—	9	2	1	—	—	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	7	—	—	—	—	1	—	6	7	1	—	—	2	4
794	45.0	Senility	33	3	—	2	1	—	—	27	6	5	—	—	—	1
780-793, 795	45.1	Cause ill-defined and unknown	7	—	—	—	—	—	—	7	1	—	—	—	—	1
E963, E970-E979	49	Suicide	4	—	—	—	—	1	—	3	4	2	—	2	—	—
E810-E835	47	Motor vehicle accidents	6	—	—	—	—	—	—	6	4	3	—	—	—	1
E840-E845	48.0	Other road transport accidents	1	—	—	—	—	—	—	1	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	26	—	2	—	—	3	—	21	14	8	2	1	2	1
		ALL CAUSES	818	15	38	12	15	69	14	655	602	254	57	74	38	179
		AGES AT DEATH														
		Under 1	26	1	1	—	—	2	—	22	15	5	2	—	2	6
		1– 4	6	—	—	—	—	1	—	5	4	3	—	—	—	1
		5– 9	4	—	—	—	—	—	1	3	1	—	1	—	—	—
		10–14	3	—	—	—	—	—	—	3	3	1	—	—	—	2
		15–24	11	—	—	—	—	1	—	10	3	2	1	—	—	—
		25–34	9	—	—	—	1	—	—	8	6	3	—	1	—	2
		35–44	26	—	3	1	—	4	1	17	10	3	1	1	—	5
		45–54	50	—	3	2	1	1	3	40	46	14	8	7	2	15
		55–64	110	—	8	2	3	12	1	84	86	35	14	9	6	22
		65–74	196	7	11	2	3	20	2	151	167	74	9	27	12	45
		75–84	236	5	8	5	4	18	4	192	191	84	16	20	11	60
		85 and over	141	2	4	—	3	10	2	120	70	30	5	9	5	21
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	818	15	38	12	15	69	14	655	602	254	57	74	38	179

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Selkirk County: Selkirk County	Selkirk County: Galashiels Burgh	Selkirk County: Selkirk Burgh	Selkirk County: Landward	Stirling County: Stirling County	Stirling County: Bridge of Allan Burgh	Stirling County: Denny and Dunipace Burgh	Stirling County: Falkirk Burgh	Stirling County: Grangemouth Burgh	Stirling County: Kilsyth Burgh	Stirling County: Stirling Burgh	Stirling County: Landward
		Population (Estimated), 30th June, 1957	21,055	12,205	5,757	3,093	191,155	3,261	7,390	37,072	16,661	10,329	26,947	89,495
		Total Live Births Registered (including Illegitimate)	390	296	91	3	5,457	116	42	1,468	80	38	1,144	2,569
		" Corr. for Mother's Resid. (") ...	301	187	69	45	3,504	45	161	601	350	199	520	1,628
		" " " Male ...	159	91	40	28	1,779	22	82	301	156	102	268	848
		" " " Female ...	142	96	29	17	1,725	23	79	300	194	97	252	780
		" " " Illegitimate ...	6	3	2	1	120	1	5	18	7	3	20	66
		Stillbirths Registered (including Illegitimate) ...	4	3	1	—	123	2	2	40	2	—	43	34
		" Corrected for Mother's Residence ...	6	4	2	—	90	2	6	16	5	4	12	45
		Marriages Registered	153	100	40	13	1,558	22	69	379	131	74	247	636
		Deaths Registered	434	202	60	172	2,384	37	45	612	98	70	561	961
		" Corrected for Residence	331	206	90	35	2,117	50	70	426	158	102	328	983
		" " Male	154	87	49	18	1,184	32	38	233	85	60	175	561
		" " Female	177	119	41	17	953	18	32	193	73	42	153	422
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	1	—	—	1	23	1	1	5	—	1	5	10
010-019	2	Tuberculosis, other forms	—	—	—	—	1	—	—	1	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	1	—	—	—	—	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	5	—	1	1	1	—	—	2
140-205	18	Malignant neoplasms	50	33	14	3	337	8	11	82	19	8	49	160
210-239	19	Benign and unspecified neoplasms	1	—	1	—	1	—	—	—	—	—	1	—
260	20	Diabetes mellitus	2	2	—	—	21	1	—	3	1	3	6	7
290-293	21	Anæmias	2	2	—	—	6	1	—	—	—	—	2	3
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	15	1	—	—	2	—	1	11
330-334	22	Vascular lesions affecting central nervous system ...	64	42	15	7	359	10	9	71	25	7	78	159
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	1	1	—	32	2	1	2	1	2	6	18
400 402	24	Rheumatic fever	—	—	—	—	2	—	—	—	—	—	1	1
410-416	25	Chronic rheumatic heart disease	5	4	1	—	36	—	2	2	1	1	4	26
420-422	26	Arteriosclerotic and degenerative heart disease ...	122	69	40	13	630	14	29	130	62	28	76	291
430-434	27	Other diseases of heart	2	2	—	—	15	—	—	2	2	1	4	6
440-443	28	Hypertension with heart disease	4	3	—	1	39	1	1	8	6	3	5	15
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	—	—	—	—	19	—	—	9	1	2	2	5
450-468	46.3	Other circulatory disease	7	6	1	—	42	—	—	14	2	2	7	17
480-483	30	Influenza	2	1	—	1	33	1	1	5	3	4	3	16
490-493	31	Pneumonia (except of newborn)	7	3	4	—	68	2	2	8	4	2	10	40
500-502	32	Bronchitis	8	7	—	1	75	2	1	23	3	10	6	30
470-475, 510-527	46.4	Other respiratory diseases	1	1	—	—	40	1	1	3	—	4	6	25
540, 541	33	Ulcer of stomach and duodenum	4	2	2	—	16	—	—	4	—	2	4	6
550-553	34	Appendicitis	1	—	—	1	3	—	—	—	—	—	—	3
560, 561, 570	35	Intestinal obstruction and hernia	1	1	—	—	13	1	1	2	—	3	1	5
543	36.1	Gastritis and duodenitis	—	—	—	—	1	—	—	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	2	1	1	—	6	—	—	—	1	2	—	3
581	37	Cirrhosis of liver	—	—	—	—	7	—	—	1	2	—	2	2
580, 582-586	46.5	Other diseases of liver	—	—	—	—	10	—	—	5	—	—	2	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	1	—	—	11	—	1	3	—	—	1	6
590-594	38	Nephritis and nephrosis	2	1	—	1	15	—	—	1	—	2	1	11
610	39	Hyperplasia of prostate	6	3	2	1	11	1	—	1	—	—	2	7
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	1	—	—	14	1	—	4	2	2	2	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	1	—	—	—	—	—	1	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	1	1	12	—	1	1	—	1	3	6
750-759	41	Congenital malformations	5	3	2	—	18	—	1	4	1	—	2	10
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	2	1	—	1	11	—	1	1	1	2	2	4
763	43.1	Pneumonia of newborn	—	—	—	—	4	—	—	1	—	—	3	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	3	—	—	39	1	5	7	5	—	5	16
794	45.0	Senility	8	7	—	1	24	—	—	3	1	2	10	8
780-793, 795	45.1	Cause ill-defined and unknown	2	1	1	—	5	—	—	1	—	1	1	2
E963, E970-E979	49	Suicide	1	1	—	—	12	—	—	3	1	—	—	8
E810-E835	47	Motor vehicle accidents	—	—	—	—	17	—	—	3	1	2	4	7
E840-E845	48.0	Other road transport accidents	1	1	—	—	1	—	—	—	—	1	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	9	3	4	2	66	1	—	12	10	4	9	30
		All Causes	331	206	90	35	2,117	50	70	426	158	102	328	983
		Ages at Death												
		Under 1	8	6	1	1	94	1	9	15	9	4	15	41
		1– 4	2	2	—	—	9	—	—	1	1	1	—	6
		5– 9	—	—	—	—	11	—	—	1	2	2	2	4
		10–14	—	—	—	—	8	1	—	2	1	—	1	3
		15–24	1	—	—	1	17	—	—	—	1	1	3	12
		25–34	5	3	2	—	32	1	—	5	—	3	2	21
		35–44	7	4	3	—	73	—	3	13	5	3	8	41
		45–54	18	11	5	2	202	3	4	37	23	8	25	102
		55–64	45	31	13	1	380	8	16	76	28	13	56	183
		65–74	77	47	22	8	556	14	18	115	31	27	99	252
		75–84	120	71	35	14	569	11	15	126	46	27	89	255
		85 and over	48	31	9	8	166	11	5	35	11	13	28	63
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	331	206	90	35	2,117	50	70	426	158	102	328	983

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Sutherland County: Sutherland County	Sutherland County: Dornoch Burgh	Sutherland County: Landward	West Lothian County: West Lothian County	West Lothian County: Armadale Burgh	West Lothian County: Bathgate Burgh	West Lothian County: Bo'ness Burgh	West Lothian County: Linlithgow Burgh	West Lothian County: Queensferry Burgh	West Lothian County: Whitburn Burgh	West Lothian County: Landward
		Population (Estimated), 30th June, 1957	13,177	856	12,321	91,906	6,174	11,968	10,280	4,223	2,744	5,835	50,682
		Total Live Births Registered (including Illegitimate)	163	7	156	1,707	49	74	84	15	22	69	1,394
		,, Corr. for Mother's Resid. (,,) ...	252	15	237	1,848	134	272	204	93	63	130	952
		,, ,, ,, Male ...	121	6	115	931	73	138	108	43	27	57	485
		,, ,, ,, Female ...	131	9	122	917	61	134	96	50	36	73	467
		,, ,, ,, Illegitimate ...	12	1	11	48	1	5	6	6	3	1	26
		Stillbirths Registered (including Illegitimate) ...	1	—	1	44	—	1	4	—	—	1	38
		,, Corrected for Mother's Residence ...	4	—	4	52	—	8	7	3	3	7	24
		Marriages Registered	55	5	50	763	76	128	87	47	26	48	351
		Deaths Registered	169	4	165	971	26	62	83	25	13	32	730
		,, Corrected for Residence	186	11	175	902	58	117	124	45	31	51	476
		,, ,, Male	101	3	98	497	35	74	66	22	16	23	261
		,, ,, Female	85	8	77	405	23	43	58	23	15	28	215
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	1	—	1	4	1	1	—	—	—	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	3	—	—	—	1	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	1	—	—	1	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	3	—	—	—	—	—	—	3
140-205	18	Malignant neoplasms	26	2	24	146	7	22	25	7	4	7	74
210-239	19	Benign and unspecified neoplasms	—	—	—	1	—	—	—	—	—	—	1
260	20	Diabetes mellitus	2	—	2	11	—	1	1	1	—	1	7
290-293	21	Anæmias	1	—	1	2	1	—	—	—	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	4	—	4	6	—	1	1	—	—	—	4
330-334	22	Vascular lesions affecting central nervous system ...	23	2	21	158	9	20	22	7	8	9	83
340	23	Non-meningococcal meningitis	1	—	1	1	—	1	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	—	2	9	—	1	3	—	—	2	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	—	1	8	—	2	—	1	—	1	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	62	1	61	228	14	34	34	14	8	11	113
430-434	27	Other diseases of heart	4	1	3	6	—	—	1	—	—	1	4
440-443	28	Hypertension with heart disease	2	—	2	27	3	3	2	—	1	3	15
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
444-447	29	Hypertension without heart disease	2	—	2	12	—	—	3	—	—	9
450-468	46.3	Other circulatory disease	11	1	10	50	4	6	5	1	1	3	30
480-483	30	Influenza	3	—	3	14	1	2	2	—	—	1	8
490-493	31	Pneumonia (except of newborn)	5	—	5	33	2	2	1	—	1	3	24
500-502	32	Bronchitis	5	1	4	39	2	5	5	7	—	—	20
470-475, 510-527	46.4	Other respiratory diseases	2	1	1	19	5	3	2	1	—	—	8
540, 541	33	Ulcer of stomach and duodenum	1	—	1	7	1	2	—	—	—	—	4
550-553	34	Appendicitis	1	—	1	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	2	1	—	1	—	—	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	3	—	—	—	—	—	—	3
581	37	Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	—	—	—	3	—	—	1	1	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	4	2	—	2	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	2	—	—	1	—	—	—	1
610	39	Hyperplasia of prostate	1	—	1	4	—	—	—	—	2	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	3	6	—	2	—	—	—	1	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	1	—	4	—	—	2	1	—	1	—
750-759	41	Congenital malformations	2	—	2	12	2	1	1	—	—	1	7
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	1	—	1	7	—	2	1	—	—	1	3
763	43.1	Pneumonia of newborn	—	—	—	2	—	—	—	—	—	—	2
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	17	3	1	3	1	—	1	8
794	45.0	Senility	8	1	7	3	1	—	—	—	—	1	1
780-793, 795	45.1	Cause ill-defined and unknown	2	—	2	5	—	—	—	—	—	—	5
E963, E970-E979	49	Suicide	1	—	1	4	—	—	1	—	2	—	1
E810-E835	47	Motor vehicle accidents	—	—	—	7	—	—	—	—	1	—	6
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850E-962, E964, E965, E980-E999	48.1	Other violence (BE50)	6	—	6	29	—	4	4	2	3	3	13
		All Causes	186	11	175	902	58	117	124	45	31	51	476
		Ages at Death											
		Under 1	2	—	2	48	6	4	7	1	1	6	23
		1– 4	—	—	—	4	—	2	—	—	—	1	1
		5– 9	—	—	—	3	—	—	—	1	—	—	2
		10–14	2	—	2	4	—	1	1	—	—	—	2
		15–24	—	—	—	9	—	—	3	—	—	1	5
		25–34	1	—	1	12	2	1	2	2	—	—	5
		35–44	1	—	1	35	5	4	5	1	1	3	16
		45–54	14	1	13	66	2	10	10	2	2	4	36
		55–64	26	2	24	156	15	21	20	10	3	7	80
		65–74	36	2	34	209	11	27	36	7	9	9	110
		75–84	74	3	71	283	13	37	33	17	10	16	157
		85 and over	30	3	27	73	4	10	7	4	5	4	39
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		All Ages	186	11	175	902	58	117	124	45	31	51	476

Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1957—*continued*

International Classification: Detailed List	Abbreviated List "B"		Wigtown County: Wigtown County	Newton-Stewart Burgh	Stranraer Burgh	Whithorn Burgh	Wigtown Burgh	Landward	Zetland County: Zetland County	Lerwick Burgh	Landward
		Population (Estimated), 30th June, 1957	30,063	2,040	8,895	1,026	1,345	16,757	18,436	5,623	12,813
		Total Live Births Registered (including Illegitimate)	492	3	371	19	6	93	266	226	40
		" Corr. for Mother's Resid. (") ...	601	27	181	30	15	348	270	91	179
		" " " Male ...	330	16	102	18	10	184	144	45	99
		" " " Female ...	271	11	79	12	5	164	126	46	80
		" " " Illegitimate ...	54	—	13	5	2	34	11	5	6
		Stillbirths Registered (including Illegitimate) ...	6	—	4	2	—	—	3	3	—
		" Corrected for Mother's Residence ...	14	—	2	2	—	10	4	1	3
		Marriages Registered	236	13	103	16	10	94	83	46	37
		Deaths Registered	317	17	132	10	14	144	298	151	147
		" Corrected for Residence	364	27	117	17	21	182	308	81	227
		" " Male	168	12	54	8	9	85	140	35	105
		" " Female	196	15	63	9	12	97	168	46	122
		CAUSES OF DEATH									
001-008	1	Tuberculosis of respiratory system	1	—	—	—	1	—	1	—	1
010-019	2	Tuberculosis, other forms	1	—	1	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	3	—	1	—	—	2	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	1	—	1
140-205	18	Malignant neoplasms	63	7	21	2	6	27	2	1	1
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	42	11	31
260	20	Diabetes mellitus	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	—	—	—	—	—	—	1	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	—	—	—	1	2	1	1
330-334	22	Vascular lesions affecting central nervous system ...	4	1	2	1	—	—	2	1	1
340	23	Non-meningococcal meningitis	77	4	28	2	2	41	69	16	53
300-326, 341-398	46.2	Other diseases of nervous system	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	10	1	3	—	—	6	11	5	6
410-416	25	Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	8	2	1	1	—	4	2	—	2
430-434	27	Other diseases of heart	90	5	34	3	7	41	91	26	65
440-443	28	Hypertension with heart disease	4	—	1	—	1	2	6	2	4
			13	1	5	—	—	7	1	—	1
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
444-447	29	Hypertension without heart disease	3	—	2	—	—	1	4	—	4
450-468	46.3	Other circulatory disease	7	2	1	—	1	3	5	—	5
480-483	30	Influenza	6	2	2	—	—	2	3	3	—
490-493	31	Pneumonia (except of newborn)	9	—	2	1	1	5	9	4	5
500-502	32	Bronchitis	6	—	1	1	—	4	1	1	—
470-475, 510-527	46.4	Other respiratory diseases	3	—	—	1	1	1	—	—	—
540, 541	33	Ulcer of stomach and duodenum	2	—	—	1	—	1	5	1	4
550-553	34	Appendicitis	1	—	—	—	—	1	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	4	1	1	—	—	2	1	—	1
543	36.1	Gastritis and duodenitis	1	—	—	—	—	1	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	2	—	—	—	—	2	3	2	1
581	37	Cirrhosis of liver	—	—	—	—	—	—	3	1	2
580, 582-586	46.5	Other diseases of liver	1	—	—	1	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	9	—	6	—	—	3	3	—	3
610	39	Hyperplasia of prostate	2	—	1	—	—	1	6	—	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	—	—	1	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	1	—	1
690-749	46.8	Diseases of skin and organs of locomotion	2	—	—	1	—	1	3	—	3
750-759	41	Congenital malformations	5	—	2	1	—	2	1	—	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	3	—	—	—	—	3	5	—	5
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	1	—	—	—	—	1	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	1	—	1
769-776	44	Other diseases peculiar to early infancy	3	—	—	—	—	3	1	—	1
794	45.0	Senility	5	—	—	1	—	4	6	1	5
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	2	1	1
E963, E970-979	49	Suicide	1	—	—	—	—	1	2	1	1
E810-835	47	Motor vehicle accidents	5	—	—	—	—	5	3	1	2
E840-845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964-965, E980-999	48.1	Other violence (BE50)	7	1	2	—	—	4	9	2	7
		ALL CAUSES	364	27	117	17	21	182	308	81	227
		AGES AT DEATH									
		Under 1	14	—	2	1	—	11	11	1	10
		1– 4	1	1	—	—	—	—	1	—	1
		5– 9	—	—	—	—	—	—	1	—	1
		10–14	2	—	—	—	—	2	—	—	—
		15–24	4	1	—	—	—	3	2	2	—
		25–34	3	1	1	—	—	1	5	1	4
		35–44	13	1	5	1	—	6	5	1	4
		45–54	39	5	10	—	5	19	16	5	11
		55–64	58	3	20	3	5	27	35	8	27
		65–74	96	6	35	8	4	43	68	23	45
		75–84	97	6	36	3	3	49	117	29	88
		85 and over	37	3	8	1	4	21	47	11	36
		Not stated	—	—	—	—	—	—	—	—	—
		ALL AGES	364	27	117	17	21	182	308	81	227

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Population of Great Britain in the Year of Experience with Rates for England and Wales for Comparison

International List No.	Causes of Death		1953		1954		1955		1956		19
			Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES ...	M.	**14,800**	**13,958**	**15,621**	**13,937**	**15,651**	**14,355**	**15,835**	**14,404**	**15,820**
		F.	**10,470**	**9,430**	**11,037**	**9,248**	**11,206**	**9,531**	**11,118**	**9,494**	**10,912**
		P.	**12,335**	**11,326**	**12,991**	**11,234**	**13,117**	**11,569**	**13,143**	**11,562**	**13,017**
001-008	Tuberculosis of respiratory system	M.	326	270	276	245	253	207	219	177	207
		F.	163	106	149	91	116	70	90	55	81
		P.	235	178	205	159	175	130	147	108	136
010-019	Tuberculosis, other forms	M.	37	25	29	21	28	17	22	13	14
		F.	35	21	16	16	20	12	13	11	9
		P.	35	22	19	19	24	15	17	12	11
020-029	Syphilis and its sequelæ	M.	35	52	35	50	34	50	35	48	35
		F.	7	17	13	18	9	17	6	17	9
		P.	20	32	21	32	20	31	19	30	20
057	Meningococcal infections	M.	7	8	10	6	5	5	6	5	5
		F.	6	6	4	6	3	5	4	4	3
		P.	6	7	7	6	4	5	5	4	4
140-205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M.	2,592	2,417	2,700	2,496	2,699	2,539	2,770	2,574	2,786
		F.	1,805	1,662	1,887	1,678	1,921	1,685	1,932	1,696	1,909
		P.	2,139	1,977	2,224	2,017	2,247	2,037	2,281	2,057	2,274
260	Diabetes mellitus...	M.	64	57	64	57	72	59	65	60	73
		F.	115	82	116	76	118	84	127	80	133
		P.	95	72	94	68	100	73	102	72	108
330-334	Vascular lesions affecting the central nervous system	M.	1,939	1,588	2,066	1,693	2,131	1,735	2,153	1,732	2,150
		F.	1,875	1,488	2,067	1,556	2,063	1,595	2,063	1,592	2,040
		P.	1,896	1,528	2,066	1,612	2,088	1,650	2,101	1,649	2,084
400-402	Rheumatic fever	M.	9	7	8	7	12	5	10	5	12
		F.	8	7	10	6	10	5	6	5	6
		P.	8	7	9	7	11	5	8	5	9
410-434	Heart diseases	M.	4,829	4,111	5,196	4,277	5,198	4.388	5,336	4,463	4,823
		F.	3,211	2,729	3,387	2,705	3,546	2,775	3,536	2,763	3,400
		P.	3,906	3,319	4,160	3,370	4,254	3,456	4,309	3,480	3,999
440-447	Hypertensive disease	M.	391	504	419	520	466	527	460	513	422
		F.	355	386	399	402	413	421	408	407	369
		P.	369	436	407	451	437	466	430	452	392
480-483	Influenza	M.	66	157	38	47	50	79	55	69	161
		F.	48	135	37	36	43	57	57	50	128
		P.	56	145	38	41	47	66	56	58	142
490-493, 763	Pneumonia (all forms)	M.	433	596	468	519	461	597	504	631	543
		F.	311	407	316	352	357	406	360	431	372
		P.	363	488	377	423	401	486	421	515	445
590-594	Nephritis and nephrosis	M.	129	145	132	141	126	131	125	137	121
		F.	115	105	109	101	100	93	97	86	98
		P.	119	122	120	118	108	109	110	108	107

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1956

Year	Total Marriages: Number	Total Marriages: Proportion per 1,000 of Population	Marriage according to Forms of the: Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
Decennial Averages											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1861-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472		26,364		5,685	1,383	3,487	0	6,558	12
Annual Numbers											
1941	47,620	9·284		30,017		6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215		29,827		6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402		23,377		4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134		22,554		4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432		30,107		6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917		27,599		5,770	1,390	3,490	0	7,522	14
1947	44,360	8·725		26,189		5,714	1,176	3,337	0	7,930	14
1948	43,718	8·577		25,798		5,879	1,243	3,313	0	7,474	11
1949	41,708	8·161		24,590		5,694	1,065	3,177	0	7,176	6
1950	40,459	7·892		23,579		5,660	1,009	2,960	0	7,243	8
1951	41,361	8·087		24,259		6,062	1,122	2,986	0	6,928	4
1952	41,154	8·046		23,671		6,033	1,022	2,961	0	7,459	8
1953	40,902	7·992		23,597		6,284	935	2,899	0	7,180	7
1954	41,974	8·193		23,802		6,425	988	2,912	0	7,842	5
1955	43,199	8·415		24,213		6,734	1,017	2,919	0	8,302	14
1956	43,963	8·546		24,915		7,235	950	2,986	0	7,870	7
Rate per hundred Marriages—Decennial											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—		60·56		13·09	3·18	8·01	—	15·13	0·03
Rate per hundred Marriages—Annual											
1941	100·00	—		63·03		13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—		62·92		12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—		61·23		12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—		60·93		13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—		61·90		12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—		60·28		12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—		59·04		12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—		59·01		13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—		58·96		13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—		58·28		13·99	2·49	7·32	—	17·90	0·02
1951	100·00	—		58·65		14·66	2·71	7·22	—	16·75	0·01
1952	100·00	—		57·52		14·66	2·48	7·19	—	18·12	0·02
1953	100·00	—		57·69		15·36	2·29	7·09	—	17·55	0·02
1954	100·00	—		56·71		15·31	2·35	6·94	—	18·68	0·01
1955	100·00	—		56·05		15·59	2·35	6·76	—	19·22	0·03
1956	100·00	—		56·67		16·46	2·16	6·79	—	17·90	0·02

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of e United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, nder the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by eclaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last olumn for 1941 onwards were registered by Decree of Declarator of the Court of Session.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—195(

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages					
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages	
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence
SCOTLAND ...	**43,963**	**25,833**	**8,791**	**1,262**	**200**	**7,399**	**471**	**7**	**58·8**	**20·0**	**2·9**	**0·5**	**16·8**	**1·1**
Counties of Cities	**19,290**	**9,066**	**4,706**	**520**	**91**	**4,583**	**323**	**1**	**47·0**	**24·4**	**2·7**	**0·5**	**23·8**	**1·7**
Large Burghs ...	**8,228**	**4,687**	**1,770**	**228**	**37**	**1,433**	**73**	—	**57·0**	**21·5**	**2·8**	**0·4**	**17·4**	**0·9**
Counties (Ex Counties of Cities and Large Burghs)	**16,445**	**12,080**	**2,315**	**514**	**72**	**1,383**	**75**	**6**	**73·5**	**14·1**	**3·1**	**0·4**	**8·4**	**0·5**
Counties (Ex Counties of Cities & Large Burghs)														
Aberdeen ...	965	828	41	24	2	66	4	—	85·8	4·2	2·5	0·2	6·8	0·4
Angus	487	406	15	9	6	50	1	—	83·4	3·1	1·8	1·2	10·3	0·2
Argyll	324	260	29	8	2	23	2	—	80·2	9·0	2·5	0·6	7·1	0·6
Ayr	1,882	1,475	208	76	9	112	2	—	78·4	11·1	4·0	0·5	6·0	0·1
Banff	349	290	31	5	2	21	—	—	83·0	8·9	1·4	0·6	6·0	—
Berwick ...	124	113	1	1	—	8	1	—	91·1	0·8	0·8	—	6·5	0·8
Bute	86	58	5	9	—	12	2	—	67·4	5·8	10·5	—	14·0	2·3
Caithness ...	183	151	4	2	—	22	4	—	82·5	2·2	1·1	—	12·0	2·2
Clackmannan ...	309	210	48	6	1	43	1	—	68·0	15·5	1·9	0·3	13·9	0·3
Dumfries... ...	541	353	14	13	1	155	1	4	65·2	2·6	2·4	0·2	28·7	0·2
Dunbarton ...	645	397	176	27	1	41	3	—	61·6	27·3	4·2	0·2	6·4	0·5
East Lothian ...	432	324	36	12	—	55	5	—	75·0	8·3	2·8	—	12·7	1·2
Fife	1,571	1,178	174	50	2	158	8	1	75·0	11·1	3·2	0·1	10·1	0·5
Inverness ...	183	134	32	7	4	5	1	—	73·2	17·5	3·8	2·2	2·7	0·5
Kincardine ...	171	153	6	3	2	4	3	—	89·5	3·5	1·8	1·2	2·3	1·8
Kinross	48	36	3	1	2	6	—	—	75·0	6·2	2·1	4·2	12·5	—
Kirkcudbright ...	190	176	4	5	—	5	—	—	92·6	2·1	2·6	—	2·6	—
Lanark	2,394	1,448	715	68	16	138	9	—	60·5	29·9	2·8	0·7	5·8	0·4
Midlothian ...	807	564	86	54	2	96	5	—	69·9	10·7	6·7	0·2	11·9	0·6
Moray	363	269	16	9	5	54	10	—	74·1	4·4	2·5	1·4	14·9	2·8
Nairn	59	48	3	1	—	7	—	—	81·4	5·1	1·7	—	11·9	—
Orkney	136	125	4	2	—	5	—	—	91·9	2·9	1·5	—	3·7	—
Peebles	103	90	3	1	—	9	—	—	87·4	2·9	1·0	—	8·7	—
Perth	513	428	39	14	3	29	—	—	83·4	7·6	2·7	0·6	5·7	—
Renfrew	855	523	232	35	2	59	3	1	61·2	27·1	4·1	0·2	6·9	0·4
Ross & Cromarty	251	172	62	2	—	13	2	—	68·5	24·7	0·8	—	5·2	0·8
Roxburgh ...	298	246	17	6	—	26	3	—	82·6	5·7	2·0	—	8·7	1·0
Selkirk	160	116	12	9	—	21	2	—	72·5	7·5	5·6	—	13·1	1·3
Stirling	901	674	164	28	4	31	—	—	74·8	18·2	3·1	0·4	3·4	—
Sutherland ...	61	59	1	—	—	1	—	—	96·7	1·6	—	—	1·6	—
West Lothian ...	718	501	127	21	5	63	1	—	69·8	17·7	2·9	0·7	8·8	0·1
Wigtown... ...	231	178	7	5	—	40	1	—	77·1	3·0	2·2	—	17·3	0·4
Zetland	105	97	—	1	1	5	1	—	92·4	—	1·0	1·0	4·8	1·0
Counties of Cities														
Glasgow	11,067	4,972	3,390	254	55	2,227	169	—	44·9	30·6	2·3	0·5	20·1	1·5
Edinburgh ...	4,488	2,119	690	187	12	1,380	99	1	47·2	15·4	4·2	0·3	30·7	2·2
Aberdeen ...	1,965	1,177	172	48	7	543	18	—	59·9	8·8	2·4	0·4	27·6	0·9
Dundee	1,770	798	454	31	17	433	37	—	45·1	25·6	1·8	1·0	24·5	2·1
Large Burghs														
Paisley	838	523	211	23	2	75	4	—	62·4	25·2	2·7	0·2	8·9	0·5
Greenock... ...	693	415	177	17	2	76	6	—	59·9	25·5	2·5	0·3	11·0	0·9
Motherwell & Wishaw ...	676	374	184	14	3	99	2	—	55·3	27·2	2·1	0·4	14·6	0·3
Kirkcaldy ...	493	290	51	1	1	141	9	—	58·8	10·3	0·2	0·2	28·6	1·8
Coatbridge ...	432	194	185	4	2	44	3	—	44·9	42·8	0·9	0·5	10·2	0·7
Dunfermline ...	445	203	62	25	1	151	3	—	45·6	13·9	5·6	0·2	33·9	0·7
Clydebank ...	328	146	126	5	—	47	4	—	44·5	38·4	1·5	—	14·3	1·2
Ayr	466	301	47	20	4	89	5	—	64·6	10·1	4·3	0·9	19·1	1·1
Kilmarnock ...	430	280	58	12	2	71	7	—	65·1	13·5	2·8	0·5	16·5	1·6
Perth	446	243	48	18	5	126	6	—	54·5	10·8	4·0	1·1	28·3	1·3
Hamilton ...	465	241	155	6	1	62	—	—	51·8	33·3	1·3	0·2	13·3	—
Falkirk	349	229	42	7	1	67	3	—	65·6	12·0	2·0	0·3	19·2	0·9
Airdrie	330	182	112	7	1	28	—	—	55·2	33·9	2·1	0·3	8·5	—
Inverness ...	464	294	46	21	5	89	9	—	63·4	9·9	4·5	1·1	19·2	1·9
Stirling	245	124	37	14	1	68	1	—	50·6	15·1	5·7	0·4	27·8	0·4
Dumfries... ...	365	212	15	11	2	119	6	—	58·1	4·1	3·0	0·5	32·6	1·6
Rutherglen ...	224	153	38	6	1	25	1	—	68·3	17·0	2·7	0·4	11·2	0·4
Dumbarton ...	192	73	95	4	—	19	1	—	38·0	49·5	2·1	—	9·9	0·5
Port Glasgow ...	192	105	70	8	2	6	1	—	54·7	36·5	4·2	1·0	3·1	0·5
Arbroath... ...	155	105	11	5	1	31	2	—	67·7	7·1	3·2	0·6	20·0	1·3

* Registered by Decree of Declarator,

TABLE 51.—Marriages in Scotland according to Church of Celebration—1956

	Total Marriages	According to Forms of						Civil and Irregular	Percentage of Total Marriages							
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
COTLAND ...	**43.963**	**24,915**	**415**	**231**	**7,235**	**950**	**2,340**	**7,877**	**56·7**	**0·9**	**0·5**	**16·5**	**2·2**	**5·3**	**17·9**
ounties of Cities ...	**19,290**	**9,030**	**137**	**57**	**3,605**	**431**	**1,123**	**4,997**	**46·8**	**0·7**	**0·3**	**18·7**	**2·2**	**5·8**	**25·4**
rge Burghs	**8,228**	**4,230**	**61**	**69**	**1,602**	**206**	**554**	**1,506**	**51·4**	**0·7**	**0·8**	**19·5**	**2·5**	**6·7**	**18·3**
ounties (Ex Counties of Cities and Large Burghs) ...	**16,445**	**11,655**	**217**	**105**	**2,028**	**313**	**663**	**1,464**	**70·9**	**1·3**	**0·6**	**12·3**	**1·9**	**4·0**	**8·9**
ounties (Ex Counties of Cities and Large Burghs)															
berdeen ...	965	794	1	—	8	41	51	70	82·3	0·1	—	0·8	4·2	5·3	7·3
ngus	487	399	7	—	4	14	12	51	81·9	1·4	—	0·8	2·9	2·5	10·5
rgyll	324	243	5	9	29	4	9	25	75·0	1·5	2·8	9·0	1·2	2·8	7·7
yr	1,882	1,398	56	—	192	19	103	114	74·3	3·0	—	10·2	1·0	5·5	6·1
anff	349	260	—	—	35	8	25	21	74·4	—	—	10·0	2·3	7·2	6·0
erwick ...	124	110	1	—	—	1	3	9	88·7	0·8	—	—	0·8	2·4	7·3
ute	86	61	1	1	7	1	1	14	70·9	1·2	1·2	8·1	1·2	1·2	16·3
aithness ...	183	138	—	4	5	—	10	26	75·4	—	2·2	2·7	—	5·5	14·2
lackmannan	309	183	24	—	40	7	11	44	59·2	7·8	—	12·9	2·3	3·6	14·2
umfries ...	541	333	4	—	15	8	21	160	61·5	0·7	—	2·8	1·5	3·9	29·6
unbarton ...	645	411	6	—	162	10	12	44	63·7	0·9	—	25·1	1·6	1·9	6·8
ast Lothian	432	320	—	—	35	5	12	60	74·1	—	—	8·1	1·2	2·8	13·9
ife	1,571	1,180	27	2	130	19	46	167	75·1	1·7	0·1	8·3	1·2	2·9	10·6
verness ...	183	128	4	12	26	2	5	6	69·9	2·2	6·6	14·2	1·1	2·7	3·3
incardine ...	171	154	—	—	5	5	—	7	90·1	—	—	2·9	2·9	—	4·1
inross ...	48	39	1	—	2	—	—	6	81·2	2·1	—	4·2	—	—	12·5
irkcudbright	190	164	—	—	7	11	3	5	86·3	—	—	3·7	5·8	1·6	2·6
anark ...	2,394	1,401	27	1	676	15	127	147	58·5	1·1	0·0	28·2	0·6	5·3	6·1
idlothian ...	807	577	5	—	78	22	24	101	71·5	0·6	—	9·7	2·7	3·0	12·5
loray	363	248	6	1	19	13	12	64	68·3	1·7	0·3	5·2	3·6	3·3	17·6
airn	59	46	—	3	1	1	1	7	78·0	—	5·1	1·7	1·7	1·7	11·9
rkney ...	136	116	2	—	—	1	12	5	85·3	1·5	—	—	0·7	8·8	3·7
eebles ...	103	88	—	—	3	2	1	9	85·4	—	—	2·9	1·9	1·0	8·7
erth	513	422	2	—	30	28	2	29	82·3	0·4	—	5·8	5·5	0·4	5·7
enfrew ...	855	512	2	—	195	25	58	63	59·9	0·2	—	22·8	2·9	6·8	7·4
oss & Cromarty	251	155	1	64	3	3	10	15	61·8	0·4	25·5	1·2	1·2	4·0	6·0
oxburgh ...	298	225	—	—	23	13	8	29	75·5	—	—	7·7	4·4	2·7	9·7
elkirk ...	160	106	—	—	17	9	5	23	66·3	—	—	10·6	5·6	3·1	14·4
tirling ...	901	660	16	—	153	4	37	31	73·3	1·8	—	17·0	0·4	4·1	3·4
utherland ...	61	50	—	8	—	1	1	1	82·0	—	13·1	—	1·6	1·6	1·6
Vest Lothian...	718	498	16	—	119	10	11	64	69·4	2·2	—	16·6	1·4	1·5	8·9
igtown ...	231	165	3	—	8	3	11	41	71·4	1·3	—	3·5	1·3	4·8	17·7
etland ...	105	71	—	—	1	8	19	6	67·6	—	—	1·0	7·6	18·1	5·7
ounties of Cities—															
lasgow ...	11,067	4,962	82	46	2,739	104	738	2,396	44·8	0·7	0·4	24·7	0·9	6·7	21·6
dinburgh ...	4,488	2,214	34	9	408	162	181	1,480	49·3	0·8	0·2	9·1	3·6	4·0	33·0
berdeen ...	1,965	1,147	5	2	91	78	81	561	58·4	0·3	0·1	4·6	4·0	4·1	28·5
undee ...	1,770	707	16	—	367	87	123	470	39·9	0·9	—	20·7	4·9	6·9	26·6
rge Burghs—															
aisley ...	838	495	3	—	199	8	54	79	59·1	0·4	—	23·7	1·0	6·4	9·4
reenock ...	693	293	10	2	228	13	65	82	42·3	1·4	0·3	32·9	1·9	9·4	11·8
lotherwell & Wishaw ...	676	364	8	—	146	6	51	101	53·8	1·2	—	21·6	0·9	7·5	14·9
irkcaldy ...	493	260	3	2	21	11	46	150	52·7	0·6	0·4	4·3	2·2	9·3	30·4
oatbridge ...	432	169	2	—	178	6	30	47	39·1	0·5	—	41·2	1·4	6·9	10·9
unfermline ...	445	212	1	—	22	21	35	154	47·6	0·2	—	4·9	4·7	7·9	34·6
lydebank ...	328	139	1	—	114	2	21	51	42·4	0·3	—	34·8	0·6	6·4	15·5
yr	466	286	2	1	41	19	23	94	61·4	0·4	0·2	8·8	4·1	4·9	20·2
ilmarnock ...	430	275	14	—	44	8	11	78	64·0	3·3	—	10·2	1·9	2·6	18·1
erth	446	225	4	4	38	23	20	132	50·4	0·9	0·9	8·5	5·2	4·5	29·6
amilton ...	465	221	4	—	156	2	20	62	47·5	0·9	—	33·5	0·4	4·3	13·3
alkirk ...	349	228	1	—	29	6	15	70	65·3	0·3	—	8·3	1·7	4·3	20·1
irdrie ...	330	131	—	—	103	3	65	28	39·7	—	—	31·2	0·9	19·7	8·5
verness ...	464	230	—	59	25	7	45	98	49·6	—	12·7	5·4	1·5	9·7	21·1
tirling ...	245	135	2	—	29	7	3	69	55·1	0·8	—	11·8	2·9	1·2	28·2
umfries ...	365	182	3	—	24	22	9	125	49·9	0·8	—	6·6	6·0	2·5	34·2
utherglen ...	224	149	—	—	36	—	13	26	66·5	—	—	16·1	—	5·8	11·6
umbarton ...	192	56	—	1	84	16	15	20	29·2	—	0·5	43·7	8·3	7·8	10·4
ort Glasgow	192	79	—	—	78	17	11	7	41·1	—	—	40·6	8·9	5·7	3·6
rbroath ...	155	101	3	—	7	9	2	33	65·2	1·9	—	4·5	5·8	1·3	21·3

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1956

	Total Marriages	Conjugal Condition					Percentage of Total Marriages				
		Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced
SCOTLAND	**43,963**	**39,370**	**574**	**926**	**610**	**2,483**	**89·6**	**1·3**	**2·1**	**1·4**	**5·**
Counties of Cities ...	**19,290**	**16,804**	**311**	**427**	**307**	**1,441**	**87·1**	**1·6**	**2·2**	**1·6**	**7·**
Large Burghs	**8,228**	**7,329**	**109**	**192**	**122**	**476**	**89·1**	**1·3**	**2·3**	**1·5**	**5·**
Counties (Ex Counties of Cities and Large Burghs)	**16,445**	**15,237**	**154**	**307**	**181**	**566**	**92·7**	**0·9**	**1·9**	**1·1**	**3·**
Counties (Ex Counties of Cities and Large Burghs)—											
Aberdeen	965	910	6	18	10	21	94·3	0·6	1·9	1·0	2·
Angus	487	452	4	9	5	17	92·8	0·8	1·8	1·0	3·
Argyll	324	294	4	9	5	12	90·7	1·2	2·8	1·5	3·
Ayr	1,882	1,713	22	43	30	74	91·0	1·2	2·3	1·6	3·
Banff	349	333	4	1	2	9	95·3	1·1	0·3	0·6	2·
Berwick	124	119	—	—	—	5	96·0	—	—	—	4·
Bute	86	78	1	2	2	3	90·7	1·2	2·3	2·3	3·
Caithness	183	163	4	2	4	10	89·1	2·2	1·1	2·2	5·
Clackmannan	309	276	4	7	3	19	89·3	1·3	2·3	1·0	6·
Dumfries	541	507	4	11	1	18	93·7	0·7	2·0	0·2	3·
Dunbarton	645	581	5	22	12	25	90·1	0·8	3·4	1·9	3·
East Lothian	432	398	—	9	2	23	92·1	—	2·1	0·5	5·
Fife	1,571	1,449	14	33	13	62	92·2	0·9	2·1	0·8	3·
Inverness	183	170	3	7	—	3	92·9	1·6	3·8	—	1·
Kincardine	171	166	1	1	1	2	97·1	0·6	0·6	0·6	1·
Kinross	48	46	—	1	—	1	95·8	—	2·1	—	2·
Kirkcudbright	190	178	1	2	2	7	93·7	0·5	1·1	1·1	3·
Lanark	2,394	2,247	23	45	26	53	93·9	1·0	1·9	1·1	2·
Midlothian	807	740	8	15	10	34	91·7	1·0	1·9	1·2	4·
Moray	363	341	4	5	3	10	93·9	1·1	1·4	0·8	2·
Nairn...	59	53	—	1	—	5	89·8	—	1·7	—	8·
Orkney	136	127	1	3	2	3	93·4	0·7	2·2	1·5	2·
Peebles	103	90	—	4	3	6	87·4	—	3·9	2·9	5·
Perth	513	479	6	7	5	16	93·4	1·2	1·4	1·0	3·
Renfrew	855	777	12	17	13	36	90·9	1·4	2·0	1·5	4·
Ross & Cromarty	251	235	1	4	1	10	93·6	0·4	1·6	0·4	4·
Roxburgh	298	281	5	4	2	6	94·3	1·7	1·3	0·7	2·
Selkirk	160	144	1	3	1	11	90·0	0·6	1·9	0·6	6·
Stirling	901	848	5	11	11	26	94·1	0·6	1·2	1·2	2·
Sutherland	61	59	—	—	2	—	96·7	—	—	3·3	-
West Lothian	718	674	5	8	7	24	93·9	0·7	1·1	1·0	3·
Wigtown	231	214	3	2	1	11	92·6	1·3	0·9	0·4	4·
Zetland	105	95	3	1	2	4	90·5	2·9	1·0	1·9	3·
Counties of Cities—											
Glasgow	11,067	9,711	186	247	170	753	87·7	1·7	2·2	1·5	6·
Edinburgh	4,488	3,848	58	99	75	408	85.7	1·3	2·2	1·7	9·
Aberdeen	1,965	1,711	38	43	34	139	87·1	1·9	2·2	1·7	7·
Dundee	1,770	1,534	29	38	28	141	86·7	1·6	2·1	1·6	8·
Large Burghs—											
Paisley	838	743	10	24	19	42	88·7	1·2	2·9	2·3	5·
Greenock	693	636	9	8	14	26	91·8	1·3	1·2	2·0	3·
Motherwell & Wishaw ...	676	601	9	15	6	45	88·9	1·3	2·2	0·9	6·
Kirkcaldy	493	420	11	17	6	39	85·2	2·2	3·4	1·2	7·
Coatbridge	432	408	2	6	4	12	94·4	0·5	1·4	0·9	2·
Dunfermline	445	382	6	12	11	34	85·8	1·3	2·7	2·5	7·
Clydebank	328	285	10	7	4	22	86·9	3·0	2·1	1·2	6·
Ayr	466	404	7	12	8	35	86·7	1·5	2·6	1·7	7·
Kilmarnock	430	389	5	13	6	17	90·5	1·2	3·0	1·4	4·
Perth	446	384	5	10	9	38	86·1	1·1	2·2	2·0	8·
Hamilton	465	425	4	15	4	17	91·4	0·9	3·2	0·9	3·
Falkirk	349	305	5	9	3	27	87·4	1·4	2·6	0·9	7·
Airdrie	330	305	4	6	1	14	92·4	1·2	1·8	0·3	4·
Inverness	464	423	4	11	4	22	91·2	0·9	2·4	0·9	4·
Stirling	245	209	2	2	3	29	85·3	0·8	0·8	1·2	11·
Dumfries	365	320	5	9	5	26	87·7	1·4	2·5	1·4	7·
Rutherglen	224	195	2	8	5	14	87·1	0·9	3·6	2·2	6·
Dumbarton	192	178	2	4	3	5	92·7	1·0	2·1	1·6	2·
Port Glasgow	192	179	5	2	2	4	93·2	2·6	1·0	1·0	2·
Arbroath	155	138	2	2	5	8	89·0	1.3	1·3	3·2	5·

* See Tables 54A and B.

TABLE 53

Ages of Men at Marriage in Scotland—1956

TABLE 53.—Ages of Men at Marriage in Scotland—1956

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	**43963**	**27·7**	**36**	**224**	**694**	**1229**	**2427**	**16551**	**12634**	**4539**	**2021**	**1183**	**810**	**585**	**454**	**264**	**195**	**82**	**27**	**8**	**–**
Counties of Cities...	**19290**	**27·9**	**18**	**125**	**373**	**561**	**1123**	**7166**	**5255**	**1971**	**919**	**566**	**412**	**276**	**220**	**151**	**93**	**41**	**16**	**4**	**–**
Large Burghs ...	**8228**	**27·7**	**9**	**38**	**134**	**200**	**454**	**3198**	**2292**	**823**	**394**	**224**	**149**	**122**	**97**	**38**	**39**	**14**	**3**	**–**	**–**
Counties (Ex Counties of Cities and Large Burghs)	**16445**	**27·5**	**9**	**61**	**187**	**468**	**850**	**6187**	**5087**	**1745**	**708**	**393**	**249**	**187**	**137**	**75**	**63**	**27**	**8**	**4**	**–**
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	965	27·7	–	1	8	21	49	343	335	91	61	11	15	14	7	4	3	1	–	1	–
Angus	487	27·5	–	1	1	6	22	191	166	52	15	15	4	5	2	3	3	–	1	–	–
Argyll	324	30·4	–	–	1	1	11	79	116	47	32	13	10	2	4	2	4	2	–	–	–
Ayr	1882	27·5	2	7	24	40	105	764	545	182	76	38	31	26	12	10	12	7	–	1	–
Banff	349	27·7	–	–	–	8	13	124	124	39	17	10	6	2	5	–	1	–	–	–	–
Berwick	124	28·1	–	1	1	–	5	38	47	19	4	6	1	1	–	1	–	–	–	–	–
Bute	86	27·4	–	2	–	2	6	33	25	7	4	2	2	1	–	–	–	2	–	–	–
Caithness	183	29·0	–	–	5	4	4	59	59	19	12	12	3	3	1	1	1	–	–	–	–
Clackmannan ...	309	27·1	1	3	6	12	22	113	84	31	16	6	7	1	4	2	1	–	–	–	–
Dumfries	541	30·0	1	9	13	31	48	211	137	49	17	11	4	5	2	2	1	–	–	–	–
Dunbarton ...	645	28·3	–	2	6	9	38	210	219	84	23	16	10	10	9	3	4	2	–	–	–
East Lothian ...	432	27·3	–	3	4	5	29	174	122	52	13	10	10	3	3	2	2	–	–	–	–
Fife	1571	26·7	4	7	28	67	97	657	413	141	54	39	20	17	12	8	4	1	2	–	–
Inverness	183	29·8	–	–	–	5	4	46	61	32	20	5	5	–	3	–	1	–	1	–	–
Kincardine	171	26·6	–	–	1	2	8	71	61	17	6	2	–	2	–	–	1	–	–	–	–
Kinross	48	29·1	–	–	–	2	3	19	14	1	1	2	2	3	–	1	–	–	–	–	–
Kirkcudbright ...	190	28·1	–	–	–	7	9	66	66	21	6	6	4	–	1	3	1	–	–	–	–
Lanark	2394	27·0	–	8	35	84	111	936	739	245	101	52	26	24	15	7	4	4	2	1	–
Midlothian	807	27·1	–	2	14	25	46	354	205	71	31	18	15	11	7	3	3	1	1	–	–
Moray	363	27·4	–	1	1	7	22	135	111	49	12	7	10	3	4	–	1	–	–	–	–
Nairn...	59	28·2	–	–	1	–	4	20	17	9	4	1	–	2	1	–	–	–	–	–	–
Orkney	136	28·8	–	1	1	1	6	39	51	21	5	4	1	1	2	1	1	1	–	–	–
Peebles	103	29·5	–	–	–	2	4	33	31	17	6	1	3	1	2	2	1	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth...	513	28·8	–	2	2	12	23	165	165	71	24	17	10	11	5	2	4	–	–	–	–
Renfrew	855	28·1	–	1	12	24	24	293	308	86	34	23	16	11	17	3	2	1	–	–	–
Ross & Cromarty ...	251	30·4	–	–	–	7	11	59	72	47	17	18	10	4	4	2	–	–	–	–	–
Roxburgh	298	27·9	1	–	2	6	8	103	116	30	11	6	5	3	3	3	1	–	–	–	–
Selkirk	160	28·6	–	–	1	5	2	54	57	19	8	6	2	4	–	–	1	1	–	–	–
Stirling	901	26·8	–	4	11	29	51	375	267	86	37	12	5	7	7	6	2	2	–	–	–
Sutherland	61	30·2	–	–	–	1	1	14	28	7	3	3	2	–	–	1	–	–	–	1	–
West Lothian ...	718	26·5	–	4	3	31	51	282	228	65	20	13	5	6	3	3	3	1	–	–	–
Wigtown	231	27·1	–	2	6	12	9	90	64	23	12	4	2	3	1	–	1	1	1	–	–
Zetland	105	28·5	–	–	–	–	4	37	34	15	6	4	3	1	1	–	–	–	–	–	–
Counties of Cities—																					
Glasgow	11067	27·8	12	76	218	319	610	4126	3059	1144	538	321	201	153	119	91	48	22	6	4	–
Edinburgh	4488	28·3	4	30	78	126	283	1586	1206	484	224	135	118	77	62	35	24	10	6	–	–
Aberdeen	1965	28·0	1	6	30	57	110	760	537	189	92	56	48	23	21	13	14	6	2	–	–
Dundee	1770	27·4	1	13	47	59	120	694	453	154	65	54	45	23	18	12	7	3	2	–	–
Large Burghs—																					
Paisley	838	27·8	1	4	16	24	51	332	226	66	38	26	20	10	12	3	7	2	–	–	–
Greenock	693	27·0	1	4	22	20	40	278	187	64	28	17	10	8	7	5	–	2	–	–	–
Motherwell & Wishaw	676	27·5	1	3	9	18	30	259	205	69	34	20	13	6	6	–	2	1	–	–	–
Kirkcaldy	493	28·3	1	1	7	4	28	188	143	46	22	19	10	11	5	3	4	1	–	–	–
Coatbridge	432	26·5	–	1	8	11	27	166	141	44	19	6	3	3	1	–	1	1	–	–	–
Dunfermline ...	445	28·3	–	1	5	12	34	183	100	38	23	9	12	11	8	5	4	–	–	–	–
Clydebank	328	28·2	3	1	5	9	15	116	97	36	15	13	9	3	1	2	1	1	1	–	–
Ayr	466	27·4	–	2	5	12	26	206	112	41	27	12	6	5	7	1	3	1	–	–	–
Kilmarnock	430	27·8	1	3	4	16	21	190	102	30	18	16	6	11	7	1	3	–	1	–	–
Perth	446	28·7	–	–	4	11	25	151	132	48	24	17	14	10	7	1	1	1	–	–	–
Hamilton	465	26·7	–	6	11	11	28	209	102	49	17	8	9	10	2	2	1	–	–	–	–
Falkirk	349	27·8	–	2	4	10	18	127	108	33	20	7	8	1	9	1	1	–	–	–	–
Airdrie	330	26·7	–	1	7	9	14	141	94	34	15	6	2	2	2	2	1	–	–	–	–
Inverness	464	29·6	–	2	5	7	24	115	150	77	36	21	5	7	9	3	2	1	–	–	–
Stirling	245	27·5	–	–	1	7	13	97	70	27	15	3	3	5	3	–	–	1	–	–	–
Dumfries	365	27·8	–	5	8	8	19	141	94	44	12	11	9	7	2	3	1	1	–	–	–
Rutherglen	224	29·3	–	1	1	–	7	77	78	27	10	3	4	5	4	4	3	–	–	–	–
Dumbarton	192	27·1	1	–	4	1	11	79	58	17	9	4	1	3	1	2	1	–	–	–	–
Port Glasgow ...	192	26·4	–	1	6	8	13	78	51	20	6	3	2	1	2	–	–	–	1	–	–
Arbroath	155	28·3	–	–	2	2	10	65	42	13	6	3	3	3	2	–	3	1	–	–	–

TABLE 54.—Ages of Women at Marriage in Scotland—1956

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	**43963**	**24·9**	**394**	**1296**	**2784**	**4240**	**5042**	**16216**	**7416**	**2705**	**1397**	**886**	**697**	**418**	**230**	**143**	**61**	**31**	**5**	**1**	**1**
Counties of Cities...	**19290**	**25·3**	**192**	**601**	**1274**	**1832**	**2105**	**6857**	**3215**	**1275**	**680**	**443**	**342**	**212**	**135**	**75**	**32**	**18**	**1**	**1**	–
Large Burghs ...	**8228**	**25·0**	**69**	**263**	**494**	**794**	**983**	**2960**	**1429**	**472**	**275**	**184**	**133**	**86**	**44**	**27**	**11**	**4**	–	–	–
Counties (Ex Counties of Cities and Large Burghs)	**16445**	**24·5**	**133**	**432**	**1016**	**1614**	**1954**	**6399**	**2772**	**958**	**442**	**259**	**222**	**120**	**51**	**41**	**18**	**9**	**4**	–	**1**
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	965	24·1	6	28	84	104	88	382	162	54	28	13	7	5	3	1	–	–	–	–	–
Angus	487	24·4	5	6	25	51	62	209	70	29	10	6	5	3	3	2	–	1	–	–	–
Argyll	324	26·1	1	15	14	19	18	118	77	31	10	7	4	9	–	–	1	–	–	–	–
Ayr	1882	24·8	15	39	105	185	222	759	309	106	47	29	30	17	6	6	4	2	–	–	1
Banff	349	24·2	4	5	21	32	45	139	65	18	11	4	3	–	1	–	1	–	–	–	–
Berwick	124	24·7	1	4	4	7	9	65	14	10	6	3	1	–	–	–	–	–	–	–	–
Bute	86	24·8	4	4	7	6	9	32	11	2	7	2	–	–	–	1	1	–	–	–	–
Caithness	183	25·3	7	9	19	10	16	55	29	18	8	7	1	2	–	1	1	–	–	–	–
Clackmannan ...	309	24·5	3	8	19	31	38	118	55	15	4	5	4	8	–	–	1	–	–	–	–
Dumfries	541	23·1	16	47	66	65	58	161	74	22	12	13	3	1	1	1	1	–	–	–	–
Dunbarton	645	25·2	2	10	34	53	93	242	110	46	22	12	9	5	4	2	–	1	–	–	–
East Lothian ...	432	24·0	3	10	23	53	55	170	69	27	10	5	3	–	2	2	–	–	–	–	–
Fife	1571	24·2	11	50	99	187	234	560	245	74	38	25	21	12	6	5	2	1	1	–	–
Inverness	183	26·4	–	3	8	15	15	65	43	12	10	6	2	2	1	1	–	–	–	–	–
Kincardine	171	23·4	–	5	12	19	22	73	27	8	4	–	–	1	–	–	–	–	–	–	–
Kinross	48	26·0	1	–	5	3	4	20	3	4	3	4	–	1	–	–	–	–	–	–	–
Kirkcudbright ...	190	24·4	3	2	7	16	20	81	42	8	5	2	3	–	1	–	–	–	–	–	–
Lanark	2394	24·4	11	46	139	231	280	976	428	129	67	32	26	13	6	4	4	–	2	–	–
Midlothian	807	24·5	8	19	43	81	98	323	129	46	21	14	13	6	3	3	–	–	–	–	–
Moray	363	24·5	5	11	23	43	37	134	65	21	10	1	7	4	2	–	–	–	–	–	–
Nairn...	59	24·8	1	3	4	3	3	23	13	5	2	1	1	–	–	–	–	–	–	–	–
Orkney	136	24·2	3	5	10	15	17	51	17	8	4	1	3	2	–	–	–	–	–	–	–
Peebles	103	25·6	–	1	10	17	14	31	13	6	2	2	2	1	2	1	–	1	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	513	25·2	2	13	21	43	53	199	99	39	19	9	10	4	1	1	–	–	–	–	–
Renfrew	855	25·1	3	19	45	60	102	346	148	64	16	17	22	7	3	3	–	–	–	–	–
Ross & Cromarty ...	251	26·2	5	8	14	19	18	67	58	32	17	5	6	2	–	–	–	–	–	–	–
Roxburgh	298	25·0	–	8	12	16	37	136	47	17	10	4	6	4	–	–	–	1	–	–	–
Selkirk	160	24·9	–	5	7	16	14	64	33	6	7	3	3	1	1	–	–	–	–	–	–
Stirling	901	24·1	3	16	66	96	136	347	144	42	16	13	11	5	2	1	1	2	–	–	–
Sutherland	61	26·3	1	1	–	6	4	21	19	5	–	1	2	–	–	–	–	–	1	–	–
West Lothian ...	718	23·8	5	20	45	74	100	309	97	35	6	7	10	4	1	4	1	–	–	–	–
Wigtown	231	24·2	4	10	19	31	27	75	37	11	6	3	4	1	1	2	–	–	–	–	–
Zetland	105	25·2	–	2	6	7	6	48	20	8	4	3	–	–	1	–	–	–	–	–	–
Counties of Cities—																					
Glasgow	11067	25·2	107	344	675	1030	1182	4032	1882	764	393	221	182	118	70	39	16	11	–	1	–
Edinburgh	4488	25·6	49	138	328	419	489	1490	756	312	160	135	90	51	36	22	8	4	1	–	–
Aberdeen	1965	25·2	15	59	131	202	220	717	312	109	69	45	37	20	14	10	4	1	–	–	–
Dundee	1770	25·0	21	60	140	181	214	618	265	90	58	42	33	23	15	4	4	2	–	–	–
Large Burghs—																					
Paisley	838	25·3	3	28	56	88	93	308	123	52	26	26	12	9	7	4	1	2	–	–	–
Greenock	693	24·6	8	30	49	57	82	259	120	32	21	14	5	7	4	5	–	–	–	–	–
Motherwell & Wishaw	676	25·0	6	13	35	61	71	255	133	44	27	15	9	3	1	–	2	1	–	–	–
Kirkcaldy	493	25·6	5	11	24	52	56	179	84	23	18	14	16	5	2	3	1	–	–	–	–
Coatbridge	432	24·0	2	9	20	43	61	175	81	22	5	4	5	3	2	–	–	–	–	–	–
Dunfermline ...	445	25·7	3	17	32	50	56	145	59	21	22	13	9	10	2	3	2	1	–	–	–
Clydebank	328	25·4	3	12	14	30	47	116	51	16	13	12	9	2	–	3	–	–	–	–	–
Ayr	466	24·5	5	15	26	59	59	172	69	19	21	9	4	5	3	–	–	–	–	–	–
Kilmarnock	430	25·0	5	11	22	44	60	161	63	19	16	7	11	3	7	1	–	–	–	–	–
Perth	446	25·6	2	18	23	37	46	155	95	22	16	9	13	4	5	–	1	–	–	–	–
Hamilton	465	24·3	2	14	26	51	62	187	66	23	10	8	7	7	1	–	1	–	–	–	–
Falkirk	349	24·6	2	10	25	28	32	146	62	17	3	12	4	8	–	–	–	–	–	–	–
Airdrie	330	24·3	3	3	10	29	45	138	61	23	10	4	2	1	1	–	–	–	–	–	–
Inverness	464	25·8	5	18	32	32	55	129	98	48	18	15	8	2	2	2	–	–	–	–	–
Stirling	245	25·0	1	7	21	21	29	78	37	31	13	3	1	2	1	–	–	–	–	–	–
Dumfries	365	24·6	10	25	36	49	34	95	62	22	7	8	7	5	2	1	2	–	–	–	–
Rutherglen	224	26·6	–	6	11	14	23	76	52	13	10	4	4	5	4	2	–	–	–	–	–
Dumbarton	192	24·4	3	9	10	18	24	61	47	7	5	3	3	1	–	1	–	–	–	–	–
Port Glasgow ...	192	24·2	–	4	12	18	29	71	36	10	6	1	3	1	–	–	1	–	–	–	–
Arbroath	155	25·6	1	3	10	13	19	54	30	8	8	3	1	3	–	2	–	–	–	–	–

TABLE 54A.—Ages and Conditions of Persons Married in the year 1956—Scotland

Men

Age last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	**43,963**	**40,874**	**1,760**	**1,329**	**39,370**	**574**	**930**	**926**	**610**	**224**	**924**	**133**	**272**
16	36	36	—	—	36	—	—	—	—	—	—	—	—
17	224	224	—	—	224	—	—	—	—	—	—	—	—
18	694	694	—	—	692	1	1	—	—	—	—	—	—
19	1229	1229	—	—	1223	1	5	—	—	—	—	—	—
20	2,427	2,427	—	—	2,416	3	8	—	—	—	—	—	—
Under 21	**4,610**	**4,610**	—	—	**4,591**	**5**	**14**	—	—	—	—	—	—
21	3,621	3,619	—	2	3,601	5	13	—	—	—	2	—	—
22	4,111	4,105	—	6	4,079	10	16	—	—	—	5	—	1
23	4,372	4,353	4	15	4,320	8	25	4	—	—	15	—	—
24	4,447	4,426	4	17	4,371	14	41	4	—	—	17	—	—
21–24	**16,551**	**16,503**	**8**	**40**	**16,371**	**37**	**95**	**8**	—	—	**39**	—	**1**
25	3,783	3,759	7	17	3,695	18	46	7	—	—	16	—	1
26	2,951	2,917	5	29	2,859	15	43	5	—	—	27	—	2
27	2,436	2,387	11	38	2,306	20	61	8	2	1	34	—	4
28	1,884	1,835	9	40	1,762	18	55	9	—	—	37	1	2
29	1,580	1,515	11	54	1,442	18	55	10	—	1	45	4	5
25–29	**12,634**	**12,413**	**43**	**178**	**12,064**	**89**	**260**	**39**	**2**	**2**	**159**	**5**	**14**
30	1,309	1,248	12	49	1,173	16	59	11	—	1	44	—	5
31	989	919	12	58	850	16	53	12	—	—	45	1	12
32	878	790	23	65	726	19	45	18	2	3	50	6	9
33	722	635	27	60	572	15	48	24	—	3	44	2	14
34	641	546	28	67	483	25	38	24	3	1	51	2	14
30–34	**4,539**	**4,138**	**102**	**299**	**3,804**	**91**	**243**	**89**	**5**	**8**	**234**	**11**	**54**
35	609	508	29	72	440	22	46	17	4	8	49	6	17
36	501	416	22	63	348	25	43	16	4	2	44	4	15
37	313	250	29	34	209	22	19	20	2	7	25	3	6
38	297	224	29	44	191	16	17	23	1	5	34	6	4
39	301	230	23	48	182	22	26	15	5	3	27	6	15
35–39	**2,021**	**1,628**	**132**	**261**	**1,370**	**107**	**151**	**91**	**16**	**25**	**179**	**25**	**57**
40	277	192	37	48	150	23	19	15	9	13	34	6	8
41	240	161	40	39	134	12	15	28	6	6	23	2	14
42	221	151	26	44	115	23	13	15	5	6	30	6	8
43	231	140	42	49	112	15	13	22	11	9	30	7	12
44	214	117	48	49	89	16	12	25	15	8	29	10	10
40–44	**1,183**	**761**	**193**	**229**	**600**	**89**	**72**	**105**	**46**	**42**	**146**	**31**	**52**
45	183	104	39	40	82	14	8	23	8	8	19	11	10
46	182	81	54	47	58	16	7	28	17	9	27	9	11
47	150	83	43	24	51	18	14	25	12	6	12	5	7
48	164	75	46	43	55	10	10	29	11	6	23	6	14
49	131	63	46	22	39	13	11	30	11	5	10	3	9

51	125	55	46	24	36	12	7	24	17	5	18	5	5
52	105	43	47	15	28	6	9	25	16	6	6	2	7
53	116	39	62	15	25	8	6	29	25	8	5	5	5
54	94	36	51	7	25	6	5	27	18	6	5	1	1
50–54	**585**	**241**	**261**	**83**	**165**	**45**	**31**	**133**	**96**	**32**	**41**	**14**	**28**
55	122	27	79	16	19	6	2	30	35	14	6	2	8
56	97	30	60	7	18	7	5	26	26	8	5	1	1
57	83	18	58	7	15	2	1	23	28	7	7	—	—
58	75	11	54	10	8	2	1	29	21	4	6	3	1
59	77	20	51	6	15	4	1	25	20	6	3	2	1
55–59	**454**	**106**	**302**	**46**	**75**	**21**	**10**	**133**	**130**	**39**	**27**	**8**	**11**
60	66	11	53	2	6	4	1	31	19	3	1	1	—
61	49	11	37	1	8	2	1	15	19	3	1	—	—
62	54	9	43	2	6	2	1	18	21	4	1	—	1
63	42	5	36	1	5	—	—	14	17	5	1	—	—
64	53	3	45	5	2	1	—	22	19	4	3	—	2
60–64	**264**	**39**	**214**	**11**	**27**	**9**	**3**	**100**	**95**	**19**	**7**	**1**	**3**
65	58	8	49	1	5	2	1	17	29	3	—	—	1
66	38	5	33	—	4	1	—	7	21	5	—	—	—
67	36	1	34	1	—	1	—	10	19	5	—	1	—
68	31	2	29	—	1	1	—	11	16	2	—	—	—
69	32	1	30	1	1	—	—	11	17	2	—	1	—
65–69	**195**	**17**	**175**	**3**	**11**	**5**	**1**	**56**	**102**	**17**	**—**	**2**	**1**
70	14	3	10	1	1	2	—	4	5	1	1	—	—
71	20	4	16	—	3	1	—	7	8	1	—	—	—
72	15	1	13	1	—	1	—	4	9	—	—	1	—
73	18	1	17	—	1	—	—	5	11	1	—	—	—
74	15	1	14	—	1	—	—	6	8	—	—	—	—
70–74	**82**	**10**	**70**	**2**	**6**	**4**	**—**	**26**	**41**	**3**	**1**	**1**	**—**
75	9	—	9	—	—	—	—	3	4	2	—	—	—
76	10	1	8	1	1	—	—	2	5	1	—	1	—
77	2	—	2	—	—	—	—	2	—	—	—	—	—
78	5	—	5	—	—	—	—	1	4	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—
75–79	**27**	**1**	**25**	**1**	**1**	**—**	**—**	**8**	**14**	**3**	**—**	**1**	**—**
80	2	—	2	—	—	—	—	1	1	—	—	—	—
81	1	1	—	—	—	1	—	—	—	—	—	—	—
82	1	—	1	—	—	—	—	—	1	—	—	—	—
83	2	—	2	—	—	—	—	1	1	—	—	—	—
84	2	—	2	—	—	—	—	1	1	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**8**	**1**	**7**	**—**	**—**	**1**	**—**	**3**	**4**	**—**	**—**	**—**	**—**
90 and over	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
Not stated	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**

TABLE 54B—Ages and Conditions of Persons Married in the Year 1956—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	**43,963**	**41,220**	**1,317**	**1,426**	**39,370**	**926**	**924**	**574**	**610**	**133**	**930**	**224**	**272**
16	394	394	—	—	390	2	2	—	—	—	—	—	—
17	1,296	1,296	—	—	1,288	1	7	—	—	—	—	—	—
18	2,784	2,784	—	—	2,753	13	18	—	—	—	—	—	—
19	4,240	4,239	1	—	4,195	15	29	1	—	—	—	—	—
20	5,042	5,035	3	4	4,981	19	35	3	—	—	3	—	1
Under 21	**13,756**	**13,748**	**4**	**4**	**13,607**	**50**	**91**	**4**	—	—	**3**	—	**1**
21	5,081	5,070	3	8	5,008	13	49	3	—	—	8	—	—
22	4,401	4,388	3	10	4,323	14	51	2	1	—	10	—	—
23	3,727	3,702	6	19	3,645	13	44	6	—	—	16	—	3
24	3,007	2,955	10	42	2,887	20	48	10	—	—	37	2	3
21–24	**16,216**	**16,115**	**22**	**79**	**15,863**	**60**	**192**	**21**	**1**	—	**71**	**2**	**6**
25	2,304	2,240	10	54	2,171	20	49	10	—	—	52	—	2
26	1,808	1,737	13	58	1,667	20	50	12	—	1	50	1	7
27	1,353	1,267	15	71	1,200	23	44	11	2	2	61	3	7
28	1,106	1,020	18	68	959	19	42	13	1	4	56	2	10
29	845	749	10	86	700	15	34	9	1	—	76	5	5
25–29	**7,416**	**7,013**	**66**	**337**	**6,697**	**97**	**219**	**55**	**4**	**7**	**295**	**11**	**31**
30	751	671	20	60	588	26	57	17	3	—	50	3	7
31	541	447	15	79	400	21	26	13	—	2	58	6	15
32	537	438	28	71	368	24	46	22	5	1	47	9	15
33	460	363	32	65	307	26	30	21	7	4	52	2	11
34	416	310	27	79	247	27	36	19	6	2	55	12	12
30–34	**2,705**	**2,229**	**122**	**354**	**1,910**	**124**	**195**	**92**	**21**	9	**262**	**32**	**60**
35	394	274	42	78	224	19	31	28	4	10	56	6	16
36	324	205	55	64	158	29	18	38	10	7	37	11	16
37	229	147	38	44	110	19	18	26	5	7	24	5	15
38	221	144	35	42	98	29	17	24	8	3	23	3	16
39	229	157	31	41	113	29	15	20	8	3	21	8	12
35–39	**1,397**	**927**	**201**	**269**	**703**	**125**	99	**136**	**35**	**30**	**161**	**33**	**75**
40	201	123	40	38	86	20	17	20	11	9	18	7	13
41	181	111	40	30	73	18	20	21	12	7	15	6	9
42	197	103	50	44	57	27	19	19	25	6	21	11	12
43	158	81	43	34	48	26	7	21	18	4	12	16	6
44	149	78	39	32	42	26	10	18	13	8	7	14	11
40–44	**886**	**496**	**212**	**178**	**306**	**117**	**73**	**99**	**79**	**34**	**73**	**54**	**51**
45	163	93	44	26	48	40	5	18	18	8	9	10	7
46	141	83	37	21	47	30	6	15	18	4	8	5	8
47	102	54	31	17	25	21	8	8	21	2	6	6	5
48	152	71	57	24	31	31	9	18	29	10	9	11	4
49	139	73	44	22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

51	95	46	39	10	18	25	3	7	29	3	2	4	4
52	88	33	44	11	16	15	2	14	25	5	4	5	2
53	62	26	26	10	9	15	2	6	19	1	3	3	4
54	70	31	29	10	10	19	2	6	22	1	3	6	1
50–54	**418**	**181**	**180**	**57**	**69**	**96**	**16**	**47**	**118**	**15**	**15**	**27**	**15**
55	63	18	35	10	2	16	—	8	25	2	5	4	1
56	41	17	20	4	6	10	1	4	15	1	2	2	—
57	48	20	24	4	6	12	2	7	14	3	—	3	1
58	41	13	27	1	4	9	—	4	22	1	—	1	—
59	37	9	24	4	4	4	1	3	21	—	1	3	—
55–59	**230**	**77**	**130**	**23**	**22**	**51**	**4**	**26**	**97**	**7**	**8**	**13**	**2**
60	28	10	17	1	2	8	—	5	12	—	—	1	—
61	42	9	28	5	3	6	—	6	22	—	1	3	1
62	26	9	14	3	1	7	1	—	14	—	1	2	—
63	24	9	15	—	1	8	—	2	12	1	—	—	—
64	23	7	16	—	—	7	—	—	16	—	—	—	—
60–64	**143**	**44**	**90**	**9**	**7**	**36**	**1**	**13**	**76**	**1**	**2**	**6**	**1**
65	14	5	7	2	1	4	—	—	7	—	2	—	—
66	12	—	10	2	—	—	—	1	8	1	—	2	—
67	14	2	12	—	—	2	—	1	10	1	—	—	—
68	9	3	6	—	—	3	—	—	6	—	—	—	—
69	12	1	11	—	1	—	—	1	10	—	—	—	—
65–69	**61**	**11**	**46**	**4**	**2**	**9**	—	**3**	**41**	**2**	**2**	**2**	—
70	11	1	10	—	1	—	—	—	10	—	—	—	—
71	3	—	3	—	—	—	—	1	2	—	—	—	—
72	5	1	3	1	—	1	—	1	2	—	—	1	—
73	9	2	6	1	—	2	—	1	5	—	—	1	—
74	3	—	3	—	—	—	—	—	3	—	—	—	—
70–74	**31**	**4**	**25**	**2**	**1**	**3**	—	**3**	**22**	—	—	**2**	—
75	2	—	2	—	—	—	—	—	2	—	—	—	—
76	—	—	—	—	—	—	—	—	—	—	—	—	—
77	1	—	1	—	—	—	—	—	1	—	—	—	—
78	1	1	—	—	—	1	—	—	—	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—
75–79	**5**	**1**	**4**	—	—	**1**	—	—	**4**	—	—	—	—
80	—	—	—	—	—	—	—	—	—	—	—	—	—
81	1	—	1	—	—	—	—	—	1	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	1	—	1	—	—	—	—	—	1	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**2**	—	**2**	—	—	—	—	—	**2**	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1956

Ages of HUSBANDS	Ages of WIVES: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16	16	9	4	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36	16
17	41	69	59	29	12	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	224	17
18	68	143	209	150	68	47	9	–	–	–	–	–	–	–	–	–	–	–	–	–	694	18
19	47	180	293	313	191	193	9	2	1	–	–	–	–	–	–	–	–	–	–	–	1,229	19
20	49	184	398	601	564	573	55	2	1	–	–	–	–	–	–	–	–	–	–	–	2,427	20
21–	132	568	1,406	2,333	2,915	7,799	1,268	108	17	4	1	–	–	–	–	–	–	–	–	–	16,551	21–
25–	32	116	346	693	1,102	6,026	3,605	602	95	15	1	1	–	–	–	–	–	–	–	–	12,634	25–
30–	6	21	47	89	138	1,199	1,694	951	301	72	13	5	1	2	–	–	–	–	–	–	4,539	30–
35–	–	5	13	18	33	260	521	568	392	141	55	15	–	–	–	–	–	–	–	–	2,021	35–
40–	2	1	8	7	10	72	161	278	277	223	108	27	8	–	1	–	–	–	–	–	1,183	40–
45–	1	–	–	2	6	19	56	133	173	190	150	61	18	1	–	–	–	–	–	–	810	45–
50–	–	–	–	2	–	8	21	36	88	117	161	114	26	8	4	–	–	–	–	–	585	50–
55–	–	–	–	–	1	2	12	21	33	72	124	98	69	20	2	–	–	–	–	–	454	55–
60–	–	–	–	–	–	–	4	3	12	35	45	57	58	39	6	3	1	–	1	–	264	60–
65–	–	–	1	–	–	2	–	–	6	14	27	29	33	45	24	14	–	–	–	–	195	65–
70–	–	–	–	–	–	–	1	–	1	3	9	9	12	19	17	9	2	–	–	–	82	70–
75–	–	–	–	–	–	–	–	1	–	–	2	2	4	8	5	4	1	–	–	–	27	75–
80–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	1	–	–	8	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	394	1296	2,784	4,240	5,042	16,216	7,416	2,705	1,397	886	697	418	230	143	61	31	5	1	1	–	43,963	Ttl. Husbands and Wives

Average age—Husbands, 27·7; Wives 24·9

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 4,240 Wives aged 19, 3 married Husbands aged 16, 29 married Husbands aged 17, etc.

TABLE 50. Ages in connection of [illegible]

Ages of Bachelors	Ages of Spinsters: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16	16	9	4	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36	16
17	41	69	59	29	12	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	224	17
18	68	143	209	149	68	47	8	–	–	–	–	–	–	–	–	–	–	–	–	–	692	18
19	47	180	293	313	190	191	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1,223	19
20	49	184	398	601	564	570	50	–	–	–	–	–	–	–	–	–	–	–	–	–	2,416	20
21–	130	568	1,401	2,327	2,903	7,743	1,198	88	11	2	–	–	–	–	–	–	–	–	–	–	16,371	21–
25–	31	111	336	680	1,080	5,910	3,391	468	52	5	–	–	–	–	–	–	–	–	–	–	12,064	25–
30–	6	20	43	79	126	1,109	1,483	727	171	34	3	3	–	–	–	–	–	–	–	–	3,804	30–
35–	–	4	6	13	27	217	420	385	216	61	17	4	–	–	–	–	–	–	–	–	1,370	35–
40–	2	–	4	–	7	42	101	161	142	89	40	12	–	–	–	–	–	–	–	–	600	40–
45–	–	–	–	1	1	12	25	62	71	57	41	12	3	–	–	–	–	–	–	–	285	45–
50–	–	–	–	–	–	5	9	14	26	31	53	22	4	–	1	–	–	–	–	–	165	50–
55–	–	–	–	–	1	1	4	4	9	19	20	11	5	1	–	–	–	–	–	–	75	55–
60–	–	–	–	–	–	–	–	–	2	6	6	4	6	2	1	–	–	–	–	–	27	60–
65–	–	–	–	–	–	–	–	–	2	1	2	–	2	4	–	–	–	–	–	–	11	65–
70–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	6	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	390	1288	2,753	4,195	4,981	15,863	6,697	1,910	703	306	183	69	22	7	2	1	–	–	–	–	39,370	Ttl. Bachelors and Spinsters

Average age—Husbands, 26·0; Wives, 23·4

TABLE 57.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1956

Ages of Bachelors	Ages of Widows: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18
19	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19
20	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	3	20
21–	–	–	–	–	2	9	15	6	3	1	1	–	–	–	–	–	–	–	–	–	37	21–
25–	–	–	–	–	–	10	23	32	18	5	–	1	–	–	–	–	–	–	–	–	89	25–
30–	–	–	–	–	–	–	8	26	35	17	3	1	–	1	–	–	–	–	–	–	91	30–
35–	–	–	–	–	–	–	6	18	37	19	18	9	–	–	–	–	–	–	–	–	107	35–
40–	–	–	–	–	–	–	1	7	30	28	14	5	4	–	–	–	–	–	–	–	89	40–
45–	–	–	–	–	–	1	2	2	8	16	17	16	8	1	–	–	–	–	–	–	71	45–
50–	–	–	–	–	–	–	–	–	4	10	15	7	5	3	1	–	–	–	–	–	45	50–
55–	–	–	–	–	–	–	–	–	–	2	5	6	7	1	–	–	–	–	–	–	21	55–
60–	–	–	–	–	–	–	–	–	–	1	1	1	–	6	–	–	–	–	–	–	9	60–
65–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	5	65-
70–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	4	70-
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75-
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	80-
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85- and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	1	3	21	55	92	136	99	75	47	26	13	3	3	–	–	–	–	574	Ttl. Bachelors and Widows

Average age—Husbands, 38·9; Wives, 40·2

Ages of Widowers	Ages of Spinsters: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	1	–	1	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8	21–
25–	1	1	5	1	6	14	9	2	–	–	–	–	–	–	–	–	–	–	–	–	39	25–
30–	–	–	3	4	5	15	22	26	12	1	–	–	1	–	–	–	–	–	–	–	89	30–
35–	–	–	2	2	2	11	20	32	16	4	2	–	–	–	–	–	–	–	–	–	91	35–
40–	–	–	1	5	2	10	18	19	20	20	8	1	–	–	1	–	–	–	–	–	105	40–
45–	–	–	–	–	3	3	11	25	29	25	28	10	1	–	–	–	–	–	–	–	135	45–
50–	–	–	–	2	–	2	6	9	26	27	38	17	5	1	–	–	–	–	–	–	133	50–
55–	–	–	–	–	–	–	5	9	13	20	44	29	9	4	–	–	–	–	–	–	133	55–
60–	–	–	–	–	–	–	4	1	7	14	19	27	16	12	–	–	–	–	–	–	100	60–
65–	–	–	1	–	–	2	–	–	2	4	10	8	13	9	5	2	–	–	–	–	56	65–
70–	–	–	–	–	–	–	1	–	–	2	6	3	3	7	2	1	1	–	–	–	26	70–
75–	–	–	–	–	–	–	–	1	–	–	2	1	2	2	–	–	–	–	–	–	8	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	3	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	2	1	13	15	19	60	97	124	125	117	157	96	51	36	9	3	1	–	–	–	926	Ttl. Widowers and Spinsters

Average age—Husbands, 49·6; Wives, 40·3

TABLE 59.—Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1956

Ages of Widowers	Ages of Widows: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21–
25–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	25–
30–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–	–	5	30–
35–	–	–	–	–	–	1	2	3	6	2	2	–	–	–	–	–	–	–	–	–	16	35–
40–	–	–	–	–	–	–	1	7	10	13	10	4	1	–	–	–	–	–	–	–	46	40–
45–	–	–	–	–	–	–	–	6	8	16	21	6	2	–	–	–	–	–	–	–	59	45–
50–	–	–	–	–	–	–	–	–	7	22	20	35	7	4	1	–	–	–	–	–	96	50–
55–	–	–	–	–	–	–	–	1	2	12	34	31	35	13	2	–	–	–	–	–	130	55–
60–	–	–	–	–	–	–	–	–	–	9	10	21	31	15	4	3	1	–	1	–	95	60–
65–	–	–	–	–	–	–	–	–	1	4	11	17	14	30	15	10	–	–	–	–	102	65–
70–	–	–	–	–	–	–	–	–	–	–	1	4	6	10	14	5	1	–	–	–	41	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	3	1	–	–	–	14	75–
80–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	4	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	–	1	4	21	35	79	110	118	97	76	41	22	4	1	1	–	610	Ttl. Widowers and Widows

Ages of Widowers

Husbands 57·8; Wives 52·6

Ages of Divorced Men	Ages of Women: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Divorced Men
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	1	–	4	5	8	18	4	–	–	–	–	–	–	–	–	–	–	–	–	–	40	21–
25–	–	4	5	12	14	64	48	21	7	2	1	–	–	–	–	–	–	–	–	–	178	25–
30–	–	1	1	6	7	63	105	74	32	8	1	1	–	–	–	–	–	–	–	–	299	30–
35–	–	1	5	3	4	31	50	77	57	28	5	–	–	–	–	–	–	–	–	–	261	35–
40–	–	1	3	2	1	18	32	47	52	43	25	3	2	–	–	–	–	–	–	–	229	40–
45–	1	–	–	1	2	3	10	29	39	51	27	11	2	–	–	–	–	–	–	–	176	45–
50–	–	–	–	–	–	–	6	10	14	17	17	18	1	–	–	–	–	–	–	–	83	50–
55–	–	–	–	–	–	1	2	5	2	7	11	11	6	1	–	–	–	–	–	–	46	55–
60–	–	–	–	–	–	–	–	1	1	2	3	2	1	1	–	–	–	–	–	–	11	60–
65–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	3	65–
70–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	2	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	2	7	18	29	36	198	257	264	204	158	92	46	13	3	2	–	–	–	–	–	1,329	Ttl. Husbands and Wives

Average age—Husbands ,38·8; Wives, 33·1

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1956

Ages of Men	Ages of Divorced Women: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Men
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18
19	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	5	19
20	–	–	–	–	–	2	5	1	–	–	–	–	–	–	–	–	–	–	–	–	8	20
21–	–	–	–	–	1	26	51	14	3	1	–	–	–	–	–	–	–	–	–	–	96	21–
25–	–	–	–	–	2	28	138	81	23	4	–	–	–	–	–	–	–	–	–	–	276	25–
30–	–	–	–	–	–	15	91	113	64	14	6	1	–	1	–	–	–	–	–	–	305	30–
35–	–	–	–	–	1	2	26	74	79	36	13	2	–	–	–	–	–	–	–	–	233	35–
40–	–	–	–	–	–	3	14	43	38	44	21	2	1	–	–	–	–	–	–	–	166	40–
45–	–	–	–	–	–	–	9	17	33	41	22	11	2	–	–	–	–	–	–	–	135	45–
50–	–	–	–	–	–	1	–	5	17	15	27	21	4	–	1	–	–	–	–	–	91	50–
55–	–	–	–	–	–	–	1	4	8	14	13	12	7	1	–	–	–	–	–	–	60	55–
60–	–	–	–	–	–	–	–	1	2	4	6	3	5	3	1	–	–	–	–	–	25	60–
65–	–	–	–	–	–	–	–	–	1	5	2	3	3	2	2	1	–	–	–	–	19	65–
70–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	3	70–
75–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	3	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	–	–	–	4	79	337	354	269	178	110	57	23	9	4	2	–	–	–	–	1,426	Ttl. Husbands and Wives

Average age—Husbands 27·6; Wives 25·7

TABLE 60.—Parliamentary Electors—Scotland

Parliamentary Electors on the February 1957 Register

Parliamentary Constituencies	Parliamentary Electors				
	Total	Ordinary Residence Qualification		Service Voters' Qualification	
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5) *
1	2	3	4*	5	6*
COTLAND	*3,410,152*	*3,375,837*	*22,279*	*34,315*	*2,548*
County Constituencies ...	*1,790,704*	*1,772,913*	*12,445*	*17,791*	*1,386*
Burgh Constituencies ...	*1,619,448*	*1,602,924*	*9,834*	*16,524*	*1,162*
BERDEENSHIRE:					
County Constituencies ...	*91,912*	*90,845*	*567*	*1,067*	*82*
East Aberdeenshire ...	45,024	44,559	303	465	30
West Aberdeenshire ...	46,888	46,286	264	602	52
Burgh Constituencies ...	*124,733*	*123,399*	*816*	*1,334*	*86*
Aberdeen North	67,100	66,371	358	729	49
Aberdeen South	57,633	57,028	458	605	37
NGUS AND KINCARDINE:					
County Constituencies ...	*81,632*	*80,602*	*550*	*1,030*	*68*
North Angus and Mearns	36,859	36,351	224	508	37
South Angus	44,773	44,251	326	522	31
Burgh Constituencies ...	*121,258*	*119,775*	*1,192*	*1,483*	*95*
Dundee East	58,980	58,296	513	684	36
Dundee West	62,278	61,479	679	799	59
RGYLL:					
County Constituency					
Argyll	40,559	40,224	169	335	31
YRSHIRE AND BUTE:					
County Constituencies ...	*231,593*	*229,745*	*1,821*	*1,848*	*158*
Ayr	44,758	44,335	303	423	40
Bute and North Ayrshire	43,753	43,328	297	425	30
Central Ayrshire ...	47,783	47,396	361	387	28
Kilmarnock	48,337	48,028	390	309	35
South Ayrshire	46,962	46,658	470	304	25
ANFFSHIRE:					
County Constituency					
Banff	36,385	35,979	210	406	43
ERWICKSHIRE AND EAST LOTHIAN:					
County Constituency					
Berwick and East Lothian	50,538	49,950	248	588	64
AITHNESS AND SUTHERLAND:					
County Constituency					
Caithness and Sutherland	27,102	26,845	107	257	7
UMFRIESSHIRE:					
County Constituency					
Dumfries	55,516	54,822	422	694	79

Y" indicates an elector who is not 21 on the qualifying date, 10th October, 1956, but who becomes 21 on or before 15th June, 1957, and who is entitled to vote only at elections held after 1st October, 1957.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *
DUNBARTONSHIRE:					
County Constituencies ...	*113,289*	*112,381*	*683*	*908*	*57*
East Dunbartonshire ...	63,115	62,635	373	480	25
West Dunbartonshire ...	50,174	49,746	310	428	32
FIFE:					
County Constituencies ...	*105,806*	*104,584*	*800*	*1,222*	*97*
East Fife	50,630	49,974	348	656	55
West Fife	55,176	54,610	452	566	42
Burgh Constituencies ...	*102,098*	*100,665*	*752*	*1,433*	*82*
Dunfermline Burghs ...	47,574	46,857	357	717	37
Kirkcaldy Burghs ...	54,524	53,808	395	716	45
INVERNESS-SHIRE AND ROSS AND CROMARTY:					
County Constituencies ...	*100,232*	*99,250*	*480*	*982*	*63*
Inverness	49,897	49,311	293	586	37
Ross and Cromarty ...	25,392	25,113	101	279	14
Western Isles	24,943	24,826	86	117	12
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:					
County Constituency					
Galloway	34,509	33,973	244	536	35
LANARKSHIRE:					
County Constituencies ...	*297,767*	*295,349*	*2,793*	*2,418*	*192*
Bothwell	55,312	54,923	535	389	28
Hamilton	51,713	51,249	535	464	40
Lanark	54,102	53,650	437	452	36
Motherwell	50,078	49,618	434	460	35
North Lanarkshire ...	43,287	42,968	461	319	32
Rutherglen	43,275	42,941	391	334	21
Burgh Constituencies ...	*764,710*	*758,355*	*4,135*	*6,355*	*477*
Coatbridge and Airdrie ...	51,971	51,566	548	405	46
Glasgow, Bridgeton ...	51,477	51,121	202	356	25
Cathcart ...	54,009	53,703	276	306	23
Central	39,730	39,391	174	339	20
Craigton ...	47,792	47,288	269	504	36
Gorbals ...	52,453	52,088	242	365	29
Govan	53,501	53,118	261	383	27
Hillhead ...	39,373	39,074	183	299	21
Kelvingrove ...	36,695	36,430	143	265	18
Maryhill ...	48,042	47,434	310	608	51
Pollok	52,178	51,738	302	440	37
Provan ...	42,983	42,616	205	367	33
Scotstoun ...	55,682	55,232	358	450	33
Shettleston ...	52,470	52,050	263	420	29
Springburn ...	39,555	39,101	203	454	33
Woodside ...	46,799	46,405	196	394	16
MIDLOTHIAN:					
County Constituency					
Midlothian	57,220	56,586	381	634	42
Burgh Constituencies ...	*340,031*	*335,646*	*1,848*	*4,385*	*307*
Edinburgh, Central ...	45,182	44,602	207	580	42
East	53,643	52,882	336	761	61
Leith	40,945	40,458	154	487	35
North... ...	43,886	43,341	198	545	32
Pentlands ...	53,283	52,532	321	751	51
South... ...	48,413	47,874	305	539	37
West	54,679	53,957	327	722	49

* "Y" indicates an elector who is not 21 on the qualifying date, 10th October, 1956, but who becomes 21 on or bef 15th June, 1957, and who is entitled to vote only at elections held after 1st October, 1957.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4*	5	6*
MORAY AND NAIRNSHIRE:					
County Constituency					
Moray and Nairn ...	35,607	34,887	155	720	40
ORKNEY AND ZETLAND:					
County Constituency					
Orkney and Zetland ...	27,317	27,198	166	119	11
PERTHSHIRE AND KINROSS-SHIRE:					
County Constituencies ...	*88,684*	*87,497*	*532*	*1,187*	*62*
Kinross and West Perthshire	33,843	33,418	155	425	24
Perth and East Perthshire	54,841	54,079	377	762	38
RENFREWSHIRE:					
County Constituencies ...	*106,278*	*105,511*	*792*	*767*	*53*
East Renfrewshire ...	59,599	59,220	466	379	22
West Renfrewshire ...	46,679	46,291	326	388	31
Burgh Constituencies ...	*111,737*	*110,807*	*727*	*930*	*67*
Greenock	48,531	48,112	261	419	37
Paisley	63,206	62,695	466	511	30
ROXBURGHSHIRE SELKIRKSHIRE AND PEEBLESHIRE:					
County Constituency					
Roxburgh, Selkirk and Peebles	56,463	55,844	240	619	75
STIRLINGSHIRE AND CLACKMANNAN-SHIRE:					
County Constituencies ...	*94,433*	*93,628*	*738*	*805*	*76*
Clackmannan and East Stirlingshire	50,979	50,579	373	400	36
West Stirlingshire ...	43,454	43,049	365	405	40
Burgh Constituency					
Stirling and Falkirk Burghs	54,881	54,277	364	604	48
WEST LOTHIAN:					
County Constituency					
West Lothian	57,862	57,213	347	649	51

* "Y" indicates an elector who is not 21 on the qualifying date, 10th October, 1956, but who becomes 21 on or before 15th June ,1957 ,and who is entitled to vote only at elections held after 1st October, 1957.

TABLE 61.—Local Government Electors and Analysis of Local Elections on the 1957 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	**3,428,160**	**415**	**503**	**1,997,089**	**735,645**	**36·8**
Counties of Cities	**1,292,271**	**9**	**76**	**1,199,291**	**372,830**	**31·1**
Large Burghs ...	**562,143**	**31**	**124**	**471,414**	**198,958**	**42·2**
Small Burghs	**587,246**	**375**	**303**	**326,384**	**163,857**	**50·2**
Landward Areas	**986,500**	—	—	—	—	—
Districts	**981,128**	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	124,815	5	7	70,901	25,091	35·4
Small Burghs	**28,322**	**20**	**18**	**19,191**	**7,245**	**37·8**
Ballater	931	—	4	931	432	46·4
Ellon	1,097	3	—	—	—	—
Fraserburgh	6,950	—	6	6,950	2,727	39·2
Huntly	2,880	—	4	2,880	1,199	41·6
Inverurie	3,776	3	—	—	—	—
Kintore	630	5	—	—	—	—
Oldmeldrum	822	3	—	—	—	—
Peterhead	8,430	—	4	8,430	2,887	34·2
Rosehearty	821	3	—	—	—	—
Turriff	1,985	3	—	—	—	—
Landward	**64,572**	—	—	—	—	—
Districts	**64,572**	—	—	—	—	—
Aberdeen	17,717	—	—	—	—	—
Alford	6,009	—	—	—	—	—
Deer	14,018	—	—	—	—	—
Deeside	5,702	—	—	—	—	—
Ellon	6 797	—	—	—	—	—
Garioch	5,459	—	—	—	—	—
Huntly	3,571	—	—	—	—	—
Turriff	5,299	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	121,437	2	10	105,144	49,645	47·2
Other Large Burgh						
Arbroath	13,015	—	6	13,015	6,296	48·4
Small Burghs	**30,040**	**7**	**22**	**24,662**	**11,687**	**47·4**
Brechin	5,360	—	6	5,360	1,948	36·3
Carnoustie	4,134	—	4	4,134	1,650	39·9
Forfar	7,284	—	6	7,284	3,626	49·8
Kirriemuir	2,741	3	—	—	—	—
Monifieth	2,637	4	—	—	—	—
Montrose	7,884	—	6	7,884	4,463	56·6
Landward	**21,491**	—	—	—	—	—
Districts	**21,491**	—	—	—	—	—
Brechin	3,036	—	—	—	—	—
Carnoustie	3,151	—	—	—	—	—
Forfar	4,813	—	—	—	—	—
Kirriemuir	2,998	—	—	—	—	—
Monifieth	4,394	—	—	—	—	—
Montrose	3,099	—	—	—	—	—
ARGYLL COUNTY:						
Small Burghs	**17,541**	**8**	**16**	**10,422**	**5,551**	**53·3**
Campbeltown	4,544	—	6	4,544	2,248	49·5

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
rgyll County—*continued*						
Dunoon	6,783	3	1	1,660	1,032	62·2
Inveraray	404	4	—	—	—	—
Lochgilphead	877	—	3	877	499	56·9
Oban	4,419	1	2	2,827	1,460	51 6
Tobermory	514	—	4	514	312	60·7
Landward	**23,949**	—	—	—	—	—
Districts	**23,949**	—	—	—	—	—
Ardnamurchan	1,115	—	—	—	—	—
Cowal	5,390	—	—	—	—	—
Islay	2,709	—	—	—	—	—
Jura and Colonsay ...	333	—	—	—	—	—
Kintyre	3,594	—	—	—	—	—
Lorn, North	2,665	—	—	—	—	—
South	2,687	—	—	—	—	—
Mid-Argyll	3,230	—	—	—	—	—
Mull	1,245	—	—	—	—	—
Tiree and Coll	981	—	—	—	—	—
YR COUNTY:						
Large Burghs	**60,691**	**1**	**15**	**56,778**	**23,929**	**42·1**
Ayr	30,367	1	7	26,454	10,063	38·0
Kilmarnock	30,324	—	8	30,324	13,866	45·7
Small Burghs	**79,205**	**23**	**43**	**55,010**	**30,135**	**54·8**
Ardrossan	6,065	—	3	6,065	3,106	51·2
Cumnock and Holmhead ...	3,457	3	—	—	—	—
Darvel	2,525	—	4	2,525	1,106	43·8
Galston	3,003	3	—	—	—	—
Girvan	4,045	—	4	4,045	2,208	54·6
Irvine	10,579	3	15	8,729	5,915	67·8
Kilwinning	4,568	—	3	4,568	2,789	61·1
Largs	6,317	2	1	2,123	1,344	63·3
Maybole	3,211	4	—	—	—	—
Newmilns and Greenholm ...	2,797	—	3	2,797	1,208	43·2
Prestwick	8,193	2	2	4,508	2,280	50·6
Saltcoats	8,850	—	3	8,850	5,733	64·8
Stevenston	6,272	—	3	6,272	1,974	31·5
Stewarton	2,293	3	—	—	—	—
Troon	7,030	3	2	4,528	2,472	54·6
Landward	**80,415**	—	—	—	—	—
Districts	**80,415**	—	—	—	—	—
Ayr	7,744	—	—	—	—	—
Cumnock	21,215	—	—	—	—	—
Dalmellington	8,137	—	—	—	—	—
Girvan	3,442	—	—	—	—	—
Irvine	5,713	—	—	—	—	—
Kilbirnie	14,546	—	—	—	—	—
Kilmarnock	9,954	—	—	—	—	—
Maybole	3,734	—	—	—	—	—
Newmilns	1,063	—	—	—	—	—
Saltcoats	4,867	—	—	—	—	—
BANFF COUNTY:						
Small Burghs	**21,235**	**28**	**10**	**9,610**	**2,821**	**29·4**
Aberchirder	558	2	—	—	—	—
Aberlour	641	4	—	—	—	—
Banff	2,407	—	3	2,407	697	29·0

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—*continued*						
Buckie	6,086	—	4	6,086	1,536	25·2
Cullen	1,178	6	—	—	—	—
Dufftown	1,117	—	3	1,117	588	52·6
Findochty	1,146	3	—	—	—	—
Keith...	3,256	4	—	—	—	—
Macduff	2,618	2	—	—	—	—
Portknockie	1,056	4	—	—	—	—
Portsoy	1,172	3	—	—	—	—
Landward	**15,369**	—	—	—	—	—
Districts	**15,369**	—	—	—	—	—
Aberchirder	1,873	—	—	—	—	—
Banff	3,767	—	—	—	—	—
Buckie	1,988	—	—	—	—	—
Cullen	1,648	—	—	—	—	—
Dufftown	3,066	—	—	—	—	—
Keith...	3,027	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,471**	**8**	**6**	**2,084**	**812**	**39·0**
Coldstream	937	3	—	—	—	—
Duns	1,450	5	—	—	—	—
Eyemouth	1,625	—	3	1,625	520	32·0
Lauder	459	—	3	459	292	63·6
Landward	**12,418**	—	—	—	—	—
Districts	**12,418**	—	—	—	—	—
East	4,925	—	—	—	—	—
Middle	4,133	—	—	—	—	—
West	3,360	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	**7,257**	**3**	**8**	**4,926**	**2,719**	**55·2**
Millport	1,521	—	4	1,521	880	57·9
Rothesay	5,736	3	4	3,405	1,839	54·0
Landward	**4,342**	—	—	—	—	—
Districts	**4,342**	—	—	—	—	—
Arran	2,828	—	—	—	—	—
Bute	1,481	—	—	—	—	—
Cumbrae	33	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**7,968**	—	**9**	**7,968**	**4,096**	**51·4**
Thurso	2,985	—	4	2,985	1,779	59·6
Wick	4,983	—	5	4,983	2,317	46·5
Landward	**9,122**	—	—	—	—	—
Districts	**9,122**	—	—	—	—	—
Central	1,411	—	—	—	—	—
Eastern	2,503	—	—	—	—	—
Northern	1,238	—	—	—	—	—
Southern	1,896	—	—	—	—	—
Western	2,074	—	—	—	—	—
CLACKMANNAN COUNTY:						
Small Burghs	**15,436**	**12**	**1**	**2,766**	**1,548**	**56·0**
Alloa	9,055	3	1	2,766	1,548	56·0
Alva	2,650	3	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
lackmannan County—*cont.*						
Dollar	1,091	3	—	—	—	—
Tillicoultry	2,640	3	—	—	—	—
Landward	**9,883**	—	—	—	—	—
Districts	**9,883**	—	—	—	—	—
Alloa	7,859	—	—	—	—	—
Hillfoots	2,024	—	—	—	—	—
UMFRIES COUNTY:						
Large Burgh						
Dumfries	16,649	6	3	5,104	2,340	45.8
Small Burghs	**11,354**	**3**	**16**	**10,476**	**4,487**	**42·8**
Annan	3,559	—	4	3,559	1,345	37·8
Langholm	1,789	—	3	1,789	704	39·4
Lochmaben	878	3	—	—	—	—
Lockerbie	2,031	—	3	2,031	716	35·3
Moffat	1,514	—	3	1,514	787	52·0
Sanquhar	1,583	—	3	1,583	935	59·1
Landward	**28,108**	—	—	—	—	—
Districts	**28,108**	—	—	—	—	—
Annan	3,281	—	—	—	—	—
Dumfries	7,224	—	—	—	—	—
Gretna	3,703	—	—	—	—	—
Langholm	1,644	—	—	—	—	—
Lockerbie	2,829	—	—	—	—	—
Moffat	1,065	—	—	—	—	—
Sanquhar	3,574	—	—	—	—	—
Thornhill	4,788	—	—	—	—	—
UNBARTON COUNTY:						
Large Burghs	**48,384**	**3**	**24**	**41,837**	**20,373**	**48·7**
Clydebank	31,834	—	21	31,834	17,532	55·1
Dumbarton	16,550	3	3	10,003	2,841	28·4
Small Burghs	**23,051**	**4**	**10**	**16,413**	**10,213**	**62·2**
Cove and Kilcreggan ...	725	—	3	725	475	65·5
Helensburgh...	6,427	2	2	3,592	1,769	49·2
Kirkintilloch	10,032	2	2	6,229	4,097	65·8
Milngavie	5,867	—	3	5,867	3,872	66·0
Landward	**41,784**	—	—	—	—	—
Districts	**41,784**	—	—	—	—	—
Cumbernauld	3,304	—	—	—	—	—
Helensburgh...	4,395	—	—	—	—	—
Kirkintilloch	2,311	—	—	—	—	—
New Kilpatrick	9,785	—	—	—	—	—
Old Kilpatrick	5,851	—	—	—	—	—
Vale of Leven	16,138	—	—	—	—	—
AST LOTHIAN COUNTY:						
Small Burghs	**17,890**	**14**	**11**	**7,718**	**3,297**	**42·7**
Cockenzie and Port Seton ...	2,374	4	—	—	—	—
Dunbar	2,938	—	5	2,938	983	33·5
East Linton	753	3	—	—	—	—
Haddington	3,188	4	—	—	—	—
North Berwick	2,860	—	3	2,860	1,560	54·5
Prestonpans	1,920	—	3	1,920	754	39·3
Tranent	3,857	3	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—*contd.*						
Landward	**16,671**	—	—	—	—	—
Districts	**16,671**	—	—	—	—	—
Dunbar	2,326	—	—	—	—	—
Haddington	2,871	—	—	—	—	—
North Berwick	3,425	—	—	—	—	—
Prestonpans	3,726	—	—	—	—	—
Tranent	4,323	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	**64,378**	3	**15**	**53,005**	**23,118**	**43·6**
Dunfermline	29,814	2	6	21,401	9,013	42·1
Kirkcaldy	34,564	1	9	31,604	14,105	44·6
Small Burghs	**73,896**	**56**	**32**	**29,614**	**15,024**	**50·7**
Auchtermuchty	974	5	—	—	—	—
Buckhaven and Methil ...	13,954	6	—	—	—	—
Burntisland	4,369	—	4	4,369	2,872	65·7
Cowdenbeath	8,837	2	2	3,373	1,294	38·4
Crail	884	—	4	884	291	32·9
Culross	389	4	—	—	—	—
Cupar	3,953	4	—	—	—	—
Elie and Earlsferry ...	867	3	—	—	—	—
Falkland	781	4	—	—	—	—
Inverkeithing	2,774	—	4	2,774	1,313	47·3
Kilrenny, Anstruther Easter and Anstruther Wester ...	2,243	—	4	2,243	697	31·1
Kinghorn	1,622	—	4	1,622	1,032	63·6
Ladybank	926	3	—	—	—	—
Leslie...	2,088	—	3	2,088	1,230	58·9
Leven	6,115	—	3	6,115	4,375	71·5
Lochgelly	6,146	—	4	6,146	1,920	31·2
Markinch	1,816	3	—	—	—	—
Newburgh	1,715	3	—	—	—	—
Newport-on-Tay	2,579	4	—	—	—	—
Pittenweem	1,173	4	—	—	—	—
St. Andrews	6,249	4	—	—	—	—
St. Monance...	1,097	4	—	—	—	—
Tayport	2,345	3	—	—	—	—
Landward	**70,700**	—	—	—	—	—
Districts	**70,700**	—	—	—	—	—
Anstruther	3,780	—	—	—	—	—
Cupar	8,715	—	—	—	—	—
Dunfermline	15,593	—	—	—	—	—
Kirkcaldy	9,958	—	—	—	—	—
Lochgelly	20,598	—	—	—	—	—
St. Andrews	3,903	—	—	—	—	—
Wemyss	8,153	—	—	—	—	—
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,492	3	4	12,478	5,138	41·2
Small Burghs	**2,845**	**6**	—	—	—	—
Fort William	2,068	3	—	—	—	—
Kingussie	777	3	—	—	—	—
Landward	**36,538**	—	—	—	—	—
Districts	**36,538**	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
nverness County—*continued*						
Aird	5,095	—	—	—	—	—
Badenoch	4,170	—	—	—	—	—
Barra...	1,476	—	—	—	—	—
Harris	3,074	—	—	—	—	—
Inverness	5,348	—	—	—	—	—
Lochaber	6,593	—	—	—	—	—
North Uist	1,381	—	—	—	—	—
Skye	6,740	—	—	—	—	—
South Uist	2,661	—	—	—	—	—
INCARDINE COUNTY:						
Small Burghs	**6,567**	**9**	**4**	**3,308**	**2,013**	**60·9**
Banchory	1,437	4	—	—	—	—
Inverbervie	732	3	—	—	—	—
Laurencekirk	1,090	2	—	—	—	—
Stonehaven	3,308	—	4	3,308	2,013	60·9
Landward	**11,477**	—	—	—	—	—
Districts	**11,477**	—	—	—	—	—
Laurencekirk	2,707	—	—	—	—	—
Lower Deeside	2,000	—	—	—	—	—
St. Cyrus	2,367	—	—	—	—	—
Stonehaven	2,539	—	—	—	—	—
Upper Deeside	1,864	—	—	—	—	—
INROSS COUNTY:						
Small Burgh:						
Kinross	1,746	—	4	1,746	597	34·2
Landward	**2,912**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
IRKCUDBRIGHT COUNTY:						
Small Burghs	**6,667**	**14**	**5**	**1,604**	**870**	**54·2**
Castle Douglas	2,229	3	—	—	—	—
Dalbeattie	2,009	3	—	—	—	—
Gatehouse of Fleet	576	5	—	—	—	—
Kirkcudbright	1,604	—	5	1,604	870	54·2
New Galloway	249	3	—	—	—	—
Landward	**11,739**	—	—	—	—	—
Districts	**11,739**	—	—	—	—	—
Castle Douglas	1,837	—	—	—	—	—
Creetown	1,872	—	—	—	—	—
Dalbeattie	2,341	—	—	—	—	—
Eastern	1,859	—	—	—	—	—
Glenkens	1,569	—	—	—	—	—
Kirkcudbright	2,261	—	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	716,629	—	37	716,629	202,807	28·3
Other Large Burghs ...	**142,050**	**4**	**27**	**124,789**	**54,784**	**43·9**
Airdrie	20,211	1	4	15,997	7,572	47·3
Coatbridge	31,536	—	6	31,536	16,842	53·4
Hamilton	26,026	1	4	20,342	6,894	33·9
Motherwell and Wishaw ...	46,831	1	8	42,057	16,290	38·7
Rutherglen	17,446	1	5	14,857	7,186	48·4

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—*continued*						
Small Burghs	**6,671**	**3**	**6**	**5,582**	**3,317**	**59·4**
Biggar	1,089	3	—	—	—	—
Lanark	5,582	—	6	5,582	3,317	59·4
Landward	**201,657**	—	—	—	—	—
Districts	**201,657**	—	—	—	—	—
No. 1	5,047	—	—	—	—	—
No. 2	9,657	—	—	—	—	—
No. 3	14,147	—	—	—	—	—
No. 4	22,591	—	—	—	—	—
No. 5	22,182	—	—	—	—	—
No. 6	38,814	—	—	—	—	—
No. 7	22,796	—	—	—	—	—
No. 8	26,045	—	—	—	—	—
No. 9	40,378	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City						
Edinburgh	329,390	2	22	306,617	95,287	31·1
Small Burghs	**30,238**	**4**	**16**	**26,159**	**15,995**	**61.1**
Bonnyrigg and Lasswade ...	4,079	4	—	—	—	—
Dalkeith	5,998	—	4	5,998	3,288	54·8
Loanhead	3,399	—	3	3,399	1,741	51·2
Musselburgh	12,749	—	5	12,749	8,575	67·3
Penicuik	4,013	—	4	4,013	2,391	59·6
Landward	**40,018**	—	—	—	—	—
Districts	**40,018**	—	—	—	—	—
Currie	4,553	—	—	—	—	—
East Calder	4,147	—	—	—	—	—
Gala Water	7,797	—	—	—	—	—
Lasswade	3,612	—	—	—	—	—
Musselburgh	4,709	—	—	—	—	—
Newbattle	6,680	—	—	—	—	—
Penicuik	3,819	—	—	—	—	—
West Calder	4,701	—	—	—	—	—
MORAY COUNTY:						
Small Burghs	**16,986**	**20**	**8**	**7,602**	**3,651**	**48·0**
Burghead	891	3	—	—	—	—
Elgin	7,602	—	8	7,602	3,651	48·0
Forres	3,305	6	—	—	—	—
Grantown-on-Spey	1,067	5	—	—	—	—
Lossiemouth & Branderburgh	3,291	3	—	—	—	—
Rothes	830	3	—	—	—	—
Landward	**13,225**	—	—	—	—	—
Districts	**13,225**	—	—	—	—	—
Cromdale	709	—	—	—	—	—
Duffus and Drainie ...	1,958	—	—	—	—	—
Elgin	3,778	—	—	—	—	—
Fochabers	2,630	—	—	—	—	—
Forres	3,080	—	—	—	—	—
Rothes and Knockando ...	1,070	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:						
Small Burgh						
Nairn...	3,387	6	—	—	—	—
Landward	**2,460**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
ORKNEY COUNTY:						
Small Burghs	**4,120**	**3**	**4**	**2,989**	**1,221**	**40·8**
Kirkwall	2,989	—	4	2,989	1,221	40·8
Stromness	1,131	3	—	—	—	—
Landward	**9,945**	—	—	—	—	—
Districts	**9,945**	—	—	—	—	—
Eday	170	—	—	—	—	—
Hoy and Walls	771	—	—	—	—	—
Mainland	5,590	—	—	—	—	—
North Ronaldsay	140	—	—	—	—	—
Rousay	277	—	—	—	—	—
Sanday	545	—	—	—	—	—
Shapinsay	328	—	—	—	—	—
South Ronaldsay	968	—	—	—	—	—
Stronsay	382	—	—	—	—	—
Westray	774	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	**5,972**	**3**	**5**	**4,228**	**1,880**	**44·5**
Innerleithen	1,744	3	—	—	—	—
Peebles	4,228	—	5	4,228	1,880	44·5
Landward	**4,238**	—	—	—	—	—
Districts	**4,238**	—	—	—	—	—
Broughton	790	—	—	—	—	—
Innerleithen	1,191	—	—	—	—	—
Linton	1,338	—	—	—	—	—
Peebles	919	—	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth...	27,719	4	4	15,342	6,239	40·7
Small Burghs	**19,320**	**29**	**8**	**3,154**	**1,399**	**44·4**
Aberfeldy	1,099	3	—	—	—	—
Abernethy	471	3	—	—	—	—
Alyth...	1,413	2	—	—	—	—
Auchterarder	1,763	3	—	—	—	—
Blairgowrie and Rattray ...	3,610	5	—	—	—	—
Callander	1,207	4	—	—	—	—
Coupar Angus	1,519	—	5	1,519	537	35·4
Crieff	3,894	4	—	—	—	—
Doune	617	2	—	—	—	—
Dunblane	2,092	3	—	—	—	—
Pitlochry	1,635	—	3	1,635	862	52·7
Landward	**37,720**	—	—	—	—	—
Districts	**37,720**	—	—	—	—	—
Central	6,149	—	—	—	—	—
Eastern	6,005	—	—	—	—	—
Highland	5,641	—	—	—	—	—
Perth	14,374	—	—	—	—	—
Western	5,551	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:						
Large Burghs	**125,833**	**2**	**19**	**116,910**	**42,954**	**36·7**
Greenock	48,805	1	8	43,010	16,109	37·5
Paisley	63,594	—	8	63,594	22,020	34·6
Port Glasgow	13,434	1	3	10,306	4,825	46·8
Small Burghs	**37,844**	**4**	**12**	**26,377**	**13,514**	**51·2**
Barrhead	9,137	2	2	4,575	2,406	52·6
Gourock	6,943	—	4	6,943	3,643	52·5
Johnstone	9,871	1	3	5,353	2,999	56·0
Renfrew	11,893	1	3	9,506	4,466	47·0
Landward	**55,571**	—	—	—	—	—
Districts	**55,571**	—	—	—	—	—
No. 1	29,288	—	—	—	—	—
No. 2	9,528	—	—	—	—	—
No. 3	3,579	—	—	—	—	—
No. 4	9,662	—	—	—	—	—
No. 5	3,514	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,155**	**27**	**3**	**3,362**	**1,291**	**38·4**
Cromarty	498	4	—	—	—	—
Dingwall	2,359	7	—	—	—	—
Fortrose	663	5	—	—	—	—
Invergordon	1,136	3	—	—	—	—
Stornoway	3,362	—	3	3,362	1,291	38·4
Tain	1,137	8	—	—	—	—
Landward	**32,729**	—	—	—	—	—
Districts	**32,729**	—	—	—	—	—
Avoch	2,043	—	—	—	—	—
Dingwall	2,473	—	—	—	—	—
Fearn	1,782	—	—	—	—	—
Fortrose	753	—	—	—	—	—
Gairloch	1,385	—	—	—	—	—
Invergordon	2,284	—	—	—	—	—
Lewis...	12,940	—	—	—	—	—
Lochbroom	1,173	—	—	—	—	—
Lochcarron	1,192	—	—	—	—	—
Muir-of-Ord	3,838	—	—	—	—	—
South-West	1,577	—	—	—	—	—
Tain	1,289	—	—	—	—	—
ROXBURGH COUNTY:						
Small Burghs	**19,594**	**14**	**1**	**2,523**	**817**	**32·4**
Hawick	12,251	4	1	2,523	817	32·4
Jedburgh	2,772	4	—	—	—	—
Kelso	3,112	4	—	—	—	—
Melrose	1,459	2	—	—	—	—
Landward	**12,454**	—	—	—	—	—
Districts	**12,454**	—	—	—	—	—
Hawick	3,020	—	—	—	—	—
Jedburgh	2,545	—	—	—	—	—
Kelso	3,060	—	—	—	—	—
Melrose	3,829	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SELKIRK COUNTY:						
Small Burghs	**13,332**	**11**	—	—	—	—
Galashiels	9,058	5	—	—	—	—
Selkirk	4,274	6	—	—	—	—
Landward	**2,066**	—	—	—	—	—
Districts	**2,066**	—	—	—	—	—
North	1,250	—	—	—	—	—
South	816	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	**43,932**	**5**	**7**	**32,156**	**13,787**	**42·9**
Falkirk	25,734	1	4	22,774	10,054	44·1
Stirling	18,198	4	3	9,382	3,733	39·8
Small Burghs	**25,031**	**7**	**6**	**14,813**	**6,426**	**43·4**
Bridge of Allan	2,418	3	—	—	—	—
Denny and Dunipace ...	4,799	—	3	4,799	2,721	56·7
Grangemouth	11,290	1	3	10,014	3,705	37·0
Kilsyth	6,524	3	—	—	—	—
Landward	**55,642**	—	—	—	—	—
Districts	**55,642**	—	—	—	—	—
Central No. 1	10,340	—	—	—	—	—
No. 2	9,009	—	—	—	—	—
Eastern No. 1	11,909	—	—	—	—	—
No. 2	8,754	—	—	—	—	—
No. 3	5,025	—	—	—	—	—
Western No. 1	1,115	—	—	—	—	—
No. 2	4,580	—	—	—	—	—
No. 3	4,910	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh						
Dornoch	590	3	—	—	—	—
Landward	**9,419**	—	—	—	—	—
Districts	**9,419**	—	—	—	—	—
Assynt	636	—	—	—	—	—
Dornoch and Creich ...	1,693	—	—	—	—	—
Edrachillis and Durness ...	872	—	—	—	—	—
Golspie, Rogart and Lairg ...	2,299	—	—	—	—	—
Kildonan, Loth and Clyne	2,290	—	—	—	—	—
Tongue and Farr	1,629	—	—	—	—	—
WEST LOTHIAN COUNTY:						
Small Burghs	**27,532**	**12**	**12**	**16,853**	**9,121**	**54·1**
Armadale	4,033	—	4	4,033	2,561	63·5
Bathgate	8,020	—	4	8,020	3,950	49·3
Bo'ness	7,033	3	1	1,295	690	53·3
Linlithgow	3,030	5	—	—	—	—
Queensferry	1,911	4	—	—	—	—
Whitburn	3,505	—	3	3,505	1,920	54·8
Landward	**30,473**	—	—	—	—	—
Districts	**30,473**	—	—	—	—	—
Bo'ness	2,388	—	—	—	—	—

AA

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
West Lothian Co.—*continued*						
Linlithgow	1,976	—	—	—	—	—
Kirkliston and Winchburgh	3,867	—	—	—	—	—
Torphichen and Bathgate ...	4,030	—	—	—	—	—
Uphall	7,875	—	—	—	—	—
Whitburn and Livingston ...	10,337	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	**8,076**	**10**	**7**	**5,224**	**2,110**	**40·4**
Newton-Stewart	1,427	3	—	—	—	—
Stranraer	5,224	—	7	5,224	2,110	40·4
Whithorn	611	3	—	—	—	—
Wigtown	814	4	—	—	—	—
Landward	**8,044**	—	—	—	—	—
Districts	**8,044**	—	—	—	—	—
Machars	3,371	—	—	—	—	—
Rhins	4,673	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,907	4	—	—	—	—
Landward	**9,349**	—	—	—	—	—
Districts	**9,349**	—	—	—	—	—
Bressay	241	—	—	—	—	—
Delting	578	—	—	—	—	—
Dunrossness	1,662	—	—	—	—	—
Fetlar	104	—	—	—	—	—
Lerwick (Landward) ...	772	—	—	—	—	—
Nesting	397	—	—	—	—	—
Northmaven...	653	—	—	—	—	—
Sandsting & Aithsting ...	835	—	—	—	—	—
Tingwall	1,153	—	—	—	—	—
Unst	695	—	—	—	—	—
Walls	593	—	—	—	—	—
Whalsay	646	—	—	—	—	—
Yell	1,020	—	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957

	1939	1953	1954	1955	1956	1957
SCOTLAND	**1,294,872**	**1,481,266**	**1,507,986**	**1,531,751**	**1,551,196**	**1,566,877**
Counties of Cities ...	**507,110**	**560,199**	**568,502**	**577,350**	**585,098**	**591,100**
Large Burghs	**199,651**	**237,975**	**244,300**	**248,902**	**252,792**	**256,406**
Small Burghs	**213,511**	**257,967**	**263,399**	**267,710**	**271,101**	**274,526**
Landward Areas ...	**374,600**	**425,125**	**431,785**	**437,789**	**442,205**	**444,845**
ABERDEEN COUNTY	**83,224**	**93,256**	**94,416**	**95,613**	**96,504**	**97,439**
Aberdeen County of City	**46,516**	**53,218**	**54,057**	**54,914**	**55,695**	**56,427**
Small Burghs	**10,386**	**11,898**	**12,085**	**12,308**	**12,435**	**12,575**
Ballater...	394	441	447	469	464	469
Ellon	389	472	476	476	469	472
Fraserburgh	2,410	2,793	2,836	2,907	2,939	2,991
Huntly	1,106	1,208	1,212	1,233	1,245	1,274
Inverurie	1,306	1,539	1,585	1,629	1,673	1,682
Kintore	231	266	263	262	274	272
Oldmeldrum	293	355	355	362	368	364
Peterhead	3,177	3,526	3,608	3,670	3,709	3,755
Rosehearty	308	378	384	376	375	373
Turriff	772	920	919	924	919	923
Landward	**26,322**	**28,140**	**28,274**	**28,391**	**28,374**	**28,437**
ANGUS COUNTY ...	**78,121**	**87,670**	**88,871**	**90,243**	**91,657**	**93,015**
Dundee County of City	**49,416**	**55,979**	**56,768**	**57,977**	**59,262**	**60,364**
Large Burgh	**5,806**	**6,685**	**6,836**	**6,882**	**6,914**	**7,031**
Arbroath	5,806	6,685	6,836	6,882	6,914	7,031
Small Burghs	**12,612**	**14,463**	**14,650**	**14,798**	**14,930**	**15,031**
Brechin	2,161	2,585	2,637	2,644	2,664	2,648
Carnoustie	1,603	1,963	2,001	1,994	2,004	2,058
Forfar	3,156	3,527	3,518	3,588	3,663	3,685
Kirriemuir	1,187	1,329	1,352	1,376	1,389	1,397
Monifieth	1,038	1,235	1,287	1,285	1,283	1,289
Montrose	3,467	3,824	3,855	3,911	3,927	3,954
Landward	**10,287**	**10,543**	**10,617**	**10,586**	**10,551**	**10,589**
ARGYLL COUNTY ...	**18,889**	**20,262**	**20,425**	**20,478**	**20,656**	**20,628**
Small Burghs	**7,487**	**8,270**	**8,384**	**8,412**	**8,564**	**8,591**
Campbeltown	1,745	2,117	2,186	2,163	2,146	2,141
Dunoon	3,501	3,638	3,663	3,693	3,721	3,720
Inveraray	153	149	146	153	167	165
Lochgilphead	370	414	416	419	421	418
Oban	1,472	1,690	1,707	1,719	1,847	1,885
Tobermory	246	262	266	265	262	262
Landward	**11,402**	**11,992**	**12,041**	**12,066**	**12,092**	**12,037**
AYR COUNTY	**75,984**	**91,705**	**93,647**	**96,172**	**98,179**	**100,219**
Large Burghs	**20,424**	**24,454**	**25,233**	**26,021**	**26,653**	**27,292**
Ayr	9,981	11,883	12,234	12,540	12,755	12,895
Kilmarnock	10,443	12,571	12,999	13,481	13,898	14,397
Small Burghs	**25,787**	**33,948**	**34,536**	**35,500**	**36,330**	**37,038**
Ardrossan	1,951	2,466	2,527	2,601	2,668	2,707
Cumnock and Holmhead	1,089	1,366	1,434	1,488	1,566	1,615
Darvel	1,003	1,141	1,154	1,177	1,224	1,226
Galston	1,247	1,417	1,424	1,443	1,451	1,448
Girvan	1,634	1,795	1,804	1,829	1,860	1,860
Irvine	3,074	4,201	4,272	4,539	4,646	4,784
Kilwinning	1,320	1,917	1,912	1,962	2,026	2,052
Largs	2,882	3,137	3,231	3,257	3,321	3,363

Note—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957—*cont.*

	1939	1953	1954	1955	1956	1957
Ayr County—*continued*						
Maybole	1,202	1,393	1,425	1,504	1,449	1,451
Newmilns & Greenholm	1,237	1,398	1,400	1,398	1,392	1,396
Prestwick	2,934	3,516	3,596	3,623	3,681	3,719
Saltcoats	2,980	3,748	3,817	3,899	4,125	4,317
*Stevenston	—	2,509	2,542	2,657	2,724	2,816
Stewarton	795	991	1,004	1,048	1,084	1,127
Troon	2,439	2,953	2,994	3,075	3,113	3,157
Landward	**29,773**	**33,303**	**33,878**	**34,651**	**35,196**	**35,889**
BANFF COUNTY ...	**13,217**	**14,226**	**14,471**	**14,781**	**15,096**	**15,286**
Small Burghs	**7,545**	**8,223**	**8,410**	**8,685**	**8,924**	**9,076**
Aberchirder	259	268	268	268	269	271
Aberlour	229	251	259	270	271	273
Banff	932	1,082	1,121	1,148	1,154	1,211
Buckie	1,912	1,967	2,038	2,175	2,255	2,281
Cullen	479	512	529	531	552	542
Dufftown	425	456	461	462	471	473
Findochty	371	427	427	435	451	457
Keith	1,144	1,245	1,273	1,284	1,312	1,362
Macduff...	896	1,035	1,035	1,113	1,170	1,184
Portknockie	407	437	445	445	455	455
Portsoy	491	543	554	554	564	567
Landward	**5,672**	**6,003**	**6,061**	**6,096**	**6,172**	**6,210**
BERWICK COUNTY ...	**7,856**	**7,992**	**7,992**	**7,891**	**7,801**	**7,912**
Small Burghs	**1,862**	**2,092**	**2,094**	**2,135**	**2,107**	**2,179**
Coldstream	417	465	468	465	449	480
Duns	606	679	683	690	693	695
Eyemouth	624	720	717	743	731	771
Lauder	215	228	226	237	234	233
Landward	**5,994**	**5,900**	**5,898**	**5,756**	**5,694**	**5,733**
BUTE COUNTY ...	**7,338**	**7,756**	**7,844**	**7,848**	**7,878**	**7,555**
Small Burghs	**4,470**	**4,817**	**4,877**	**4,878**	**4,898**	**4,772**
Millport	1,207	1,219	1,261	1,261	1,261	1,261
Rothesay	3,263	3,598	3,616	3,617	3,637	3,511
Landward	**2,868**	**2,939**	**2,967**	**2,970**	**2,980**	**2,783**
CAITHNESS COUNTY	**7,211**	**8,068**	**8,258**	**8,342**	**8,493**	**8,775**
Small Burghs	**2,846**	**3,463**	**3,564**	**3,623**	**3,763**	**4,030**
Thurso	852	1,073	1,134	1,167	1,288	1,506
Wick	1,994	2,390	2,430	2,456	2,475	2,524
Landward	**4,365**	**4,605**	**4,694**	**4,719**	**4,730**	**4,745**
CLACKMANNAN CO.	**9,025**	**11,400**	**11,813**	**11,939**	**12,083**	**12,138**
Small Burghs	**6,094**	**7,013**	**7,266**	**7,433**	**7,465**	**7,530**
Alloa	3,423	3,911	4,167	4,248	4,259	4,291
Alva	1,198	1,341	1,330	1,321	1,310	1,311
Dollar	456	507	522	558	552	557
Tillicoultry	1,017	1,254	1,247	1,306	1,344	1,371
Landward	**2,931**	**4,387**	**4,547**	**4,506**	**4,618**	**4,608**
DUMFRIES COUNTY	**21,490**	**25,301**	**25,644**	**26,477**	**26,778**	**26,705**
Large Burgh	**6,381**	**7,880**	**8,009**	**8,241**	**8,319**	**8,136**
Dumfries	6,381	7,880	8,009	8,241	8,319	8,136
Small Burghs	**4,002**	**5,054**	**5,214**	**5,221**	**5,265**	**5,336**
Annan	1,057	1,492	1,518	1,555	1,604	1,681
Langholm	784	901	905	900	906	897
Lochmaben	292	370	375	371	380	380
Lockerbie	760	867	942	900	905	915
Moffat	611	696	718	721	722	720
Sanquhar	498	728	756	774	748	743
Landward	**11,107**	**12,367**	**12,421**	**13,015**	**13,194**	**13,233**

* Formation of new burgh, 1952.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957—*cont.*

	1939	1953	1954	1955	1956	1957
DUNBARTON COUNTY	**39,258**	**47,091**	**48,430**	**49,987**	**50,993**	**51,855**
Large Burghs	**16,977**	**19,793**	**20,575**	**21,275**	**21,875**	**22,254**
Clydebank	11,572	12,780	13,232	13,631	14,137	14,432
Dumbarton	5,405	7,013	7,343	7,644	7,738	7,822
Small Burghs	**7,732**	**9,724**	**9,813**	**10,152**	**10,237**	**10,534**
Cove and Kilcreggan ...	351	380	375	374	375	384
Helensburgh	2,405	2,762	2,792	2,833	2,845	2,975
Kirkintilloch	3,242	4,060	4,119	4,360	4,380	4,508
Milngavie	1,734	2,522	2,527	2,585	2,637	2,667
Landward	**14,549**	**17,574**	**18,042**	**18,560**	**18,881**	**19,067**
EAST LOTHIAN CO....	**12,767**	**15,145**	**15,374**	**15,529**	**15,801**	**15,907**
Small Burghs	**6,301**	**7,741**	**7,911**	**8,078**	**8,250**	**8,320**
Cockenzie & Port Seton	738	1,025	1,049	1,083	1,114	1,112
Dunbar	1,163	1,356	1,401	1,376	1,384	1,377
East Linton	284	363	357	357	356	355
Haddington	1,168	1,345	1,390	1,431	1,445	1,431
North Berwick... ...	1,005	1,327	1,343	1,373	1,371	1,390
Prestonpans	672	807	844	855	848	864
Tranent...	1,271	1,518	1,527	1,603	1,732	1,791
Landward	**6,466**	**7,404**	**7,463**	**7,451**	**7,551**	**7,587**
FIFE COUNTY... ...	**75,928**	**91,849**	**94,023**	**95,218**	**96,276**	**97,134**
Large Burghs	**22,997**	**28,554**	**29,510**	**29,996**	**30,542**	**30,412**
Dunfermline	10,309	13,074	13,272	13,671	14,004	13,907
Kirkcaldy	12,688	15,480	16,238	16,325	16,538	16,505
Small Burghs	**27,768**	**33,112**	**33,796**	**34,137**	**34,284**	**34,591**
Auchtermuchty ...	414	452	465	478	468	476
Buckhaven and Methil	4,516	5,900	6,121	6,163	6,319	6,413
Burntisland	1,621	1,778	1,875	1,970	1,983	1,973
Cowdenbeath	3,108	4,003	3,997	4,008	3,952	3,998
Crail	397	446	467	466	457	461
Culross	134	167	167	168	170	161
Cupar	1,558	1,804	1,816	1,875	1,838	1,859
Elie and Earlsferry ...	485	518	517	521	520	521
Falkland	294	361	368	389	377	386
Inverkeithing	881	1,110	1,116	1,138	1,221	1,259
Kilrenny, Anstruther Easter & Anstruther Wester	1,119	1,141	1,145	1,135	1,128	1,124
Kinghorn	698	782	814	811	797	811
Ladybank	391	440	454	467	452	454
Leslie	782	910	943	954	1,011	1,014
Leven	2,345	2,802	2,826	2,844	2,834	2,848
Lochgelly	2,118	2,628	2,652	2,649	2,630	2,670
Markinch	652	752	792	823	837	836
Newburgh	770	822	829	831	821	823
Newport-on-Tay ...	1,009	1,197	1,199	1,218	1,193	1,195
Pittenweem	534	588	593	591	601	610
St. Andrews	2,379	2,809	2,882	2,891	2,918	2,931
St. Monance	561	601	606	599	594	614
Tayport	1,002	1,101	1,152	1,148	1,163	1,154
Landward	**25,163**	**30,183**	**30,717**	**31,085**	**31,450**	**32,131**
INVERNESS COUNTY	**20,773**	**24,002**	**24,215**	**24,505**	**24,670**	**24,808**
Large Burgh	**6,089**	**7,894**	**7,946**	**8,083**	**8,278**	**8,321**
Inverness	6,089	7,894	7,946	8,083	8,278	8,321
Small Burghs	**944**	**1,065**	**1,091**	**1,093**	**1,120**	**1,108**
Fort William	636	720	743	745	774	770
Kingussie	308	345	348	348	346	338
Landward	**13,740**	**15,043**	**15,178**	**15,329**	**15,272**	**15,379**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957—*cont.*

	1939	1953	1954	1955	1956	1957
KINCARDINE COUNTY	7,119	7,924	8,039	8,123	8,144	8,102
Small Burghs	2,553	2,954	3,029	3,061	3,068	3,052
Banchory	514	612	616	612	614	611
Inverbervie	268	289	294	307	305	302
Laurencekirk	468	526	535	533	531	525
Stonehaven	1,303	1,527	1,584	1,609	1,618	1,614
Landward	4,566	4,970	5,010	5,062	5,076	5,050
KINROSS COUNTY ...	2,057	2,250	2,271	2,272	2,253	2,248
Small Burgh	716	787	806	809	806	815
Kinross	716	787	806	809	806	815
Landward	1,341	1,463	1,465	1,463	1,447	1,433
KIRKCUDBRIGHT CO.	8,315	9,029	9,231	9,257	9,490	9,274
Small Burghs	2,801	3,134	3,153	3,225	3,262	3,311
Castle Douglas ...	876	1,032	1,013	1,061	1,063	1,081
Dalbeattie	868	939	954	946	962	986
Gatehouse of Fleet ...	252	309	308	315	311	306
Kirkcudbright	663	730	742	766	787	798
New Galloway	142	124	136	137	139	140
Landward	5,514	5,895	6,078	6,032	6,228	5,963
LANARK COUNTY ...	400,057	449,987	458,456	466,770	473,082	478,100
Glasgow County of City	283,011	307,783	312,323	317,894	321,368	324,350
Large Burghs	47,604	58,545	60,358	61,337	62,159	63,190
Airdrie	6,276	8,300	8,380	8,544	8,671	8,832
Coatbridge	10,082	12,766	13,282	13,459	13,767	14,037
Hamilton	8,639	10,554	10,890	11,031	11,234	11,318
Motherwell & Wishaw	15,925	19,448	20,112	20,528	20,682	21,072
Rutherglen	6,682	7,477	7,694	7,775	7,805	7,931
Small Burghs	1,988	2,830	2,898	2,942	3,043	3,109
Biggar	415	523	523	524	524	521
Lanark	1,573	2,307	2,375	2,418	2,519	2,588
Landward	67,454	80,829	82,877	84,597	86,512	87,451
MIDLOTHIAN COUNTY	150,274	171,684	175,282	177,577	180,210	181,580
Edinburgh County of City	128,167	143,219	145,354	146,565	148,773	149,959
Small Burghs	9,949	12,302	13,096	13,388	13,491	13,618
Bonnyrigg and Lasswade	1,453	1,639	1,719	1,764	1,848	1,949
Dalkeith	1,901	2,499	2,542	2,600	2,617	2,655
Loanhead	959	1,336	1,398	1,480	1,477	1,474
Musselburgh	4,399	5,062	5,507	5,622	5,638	5,626
Penicuik	1,237	1,766	1,930	1,922	1,911	1,914
Landward	12,158	16,163	16,832	17,624	17,946	18,003
MORAY COUNTY ...	11,031	13,048	13,352	13,406	13,459	13,463
Small Burghs	5,787	7,194	7,398	7,487	7,580	7,610
Burghead	378	394	379	394	393	399
Elgin	2,474	3,193	3,291	3,354	3,456	3,494
Forres	1,148	1,356	1,417	1,428	1,426	1,416
Grantown-on-Spey ...	418	474	496	504	507	508
Lossiemouth and Branderburgh ...	1,033	1,398	1,437	1,431	1,429	1,425
Rothes	336	379	378	376	369	368
Landward	5,244	5,854	5,954	5,919	5,879	5,853
NAIRN COUNTY ..	2,281	2,597	2,563	2,582	2,581	2,661
Small Burgh	1,239	1,493	1,493	1,518	1,514	1,585
Nairn	1,239	1,493	1,493	1,518	1,514	1,585
Landward	1,042	1,104	1,070	1,064	1,067	1,076

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957—*cont.*

	1939	1953	1954	1955	1956	1957
ORKNEY COUNTY ...	**6,087**	**6,346**	**6,306**	**6,271**	**6,242**	**6,234**
Small Burghs	**1,487**	**1,766**	**1,748**	**1,753**	**1,766**	**1,816**
Kirkwall	1,044	1,251	1,228	1,235	1,251	1,287
Stromness	443	515	520	518	515	529
Landward	**4,600**	**4,580**	**4,558**	**4,518**	**4,476**	**4,418**
PEEBLES COUNTY ...	**4,318**	**4,880**	**4,885**	**4,892**	**4,868**	**4,897**
Small Burghs	**2,475**	**2,846**	**2,838**	**2,869**	**2,873**	**2,889**
Innerleithen	697	830	821	836	863	880
Peebles	1,778	2,016	2,017	2,033	2,010	2,009
Landward	**1,843**	**2,034**	**2,047**	**2,023**	**1,995**	**2,008**
PERTH COUNTY ...	**34,217**	**39,375**	**39,546**	**39,860**	**40,014**	**40,571**
Large Burgh	**10,286**	**12,603**	**12,784**	**12,825**	**12,882**	**13,262**
Perth	10,286	12,603	12,784	12,825	12,882	13,262
Small Burghs	**7,128**	**8,761**	**8,836**	**9,000**	**9,019**	**9,137**
Aberfeldy	437	496	504	538	531	547
Abernethy	199	237	239	236	240	241
Alyth	601	659	655	656	658	678
Auchterarder	680	827	831	833	845	844
Blairgowrie and Rattray	1,519	1,710	1,733	1,774	1,791	1,794
Callander	447	556	580	582	579	580
Coupar Angus	601	710	700	699	699	717
Crieff	1,559	1,760	1,755	1,758	1,758	1,753
Doune	253	266	275	274	274	270
Dunblane	832	886	888	939	921	988
Pitlochry	Burgh constituted 1947	654	676	711	723	725
Landward	**16,803**	**18,011**	**17,926**	**18,035**	**18,113**	**18,172**
RENFREW COUNTY ...	**81,383**	**93,426**	**95,339**	**97,349**	**98,618**	**99,769**
Large Burghs	**46,882**	**53,613**	**54,608**	**55,606**	**56,331**	**57,144**
Greenock	18,239	20,198	20,478	20,739	20,996	21,312
Paisley	24,284	27,743	28,355	28,971	29,415	29,970
Port Glasgow	4,359	5,672	5,775	5,896	5,920	5,862
Small Burghs	**13,408**	**16,203**	**16,552**	**16,913**	**16,974**	**17,138**
Barrhead	3,014	3,916	4,077	4,216	4,212	4,247
Gourock	2,693	3,154	3,198	3,191	3,191	3,192
Johnstone	3,373	4,098	4,126	4,230	4,253	4,257
Renfrew	4,328	5,035	5,151	5,276	5,318	5,442
Landward	**21,093**	**23,610**	**24,179**	**24,830**	**25,313**	**25,487**
ROSS AND CROMARTY COUNTY	**15,993**	**17,212**	**17,460**	**17,630**	**17,649**	**17,771**
Small Burghs	**3,197**	**3,888**	**3,908**	**4,011**	**4,058**	**4,099**
Cromarty	268	269	267	267	262	268
Dingwall	714	930	942	952	977	988
Fortrose	285	333	332	338	337	335
Invergordon	424	498	497	535	537	559
Stornoway	1,084	1,340	1,338	1,379	1,412	1,408
Tain	422	518	532	540	533	541
Landward	**12,796**	**13,324**	**13,552**	**13,619**	**13,591**	**13,672**
ROXBURGH COUNTY	**12,972**	**14,671**	**14,847**	**14,917**	**14,932**	**14,903**
Small Burghs	**7,612**	**8,899**	**9,115**	**9,216**	**9,218**	**9,257**
Hawick	4,978	5,666	5,781	5,801	5,832	5,909
Jedburgh	1,041	1,383	1,386	1,383	1,365	1,318
Kelso	1,120	1,312	1,389	1,472	1,448	1,460
Melrose	473	538	559	560	573	570
Landward	**5,360**	**5,772**	**5,732**	**5,701**	**5,714**	**5,646**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1953 to 1957—*cont.*

	1939	1953	1954	1955	1956	1957
SELKIRK COUNTY ...	6,666	7,211	7,223	7,304	7,299	7,430
Small Burghs	5,697	6,330	6,387	6,438	6,441	6,571
Galashiels	3,985	4,263	4,327	4,375	4,371	4,481
Selkirk	1,712	2,067	2,060	2,063	2,070	2,090
Landward	969	881	836	866	858	859
STIRLING COUNTY ...	43,522	51,456	52,769	53,470	54,050	54,747
Large Burghs	16,205	17,954	18,441	18,636	18,839	19,364
Falkirk	9,490	10,611	10,923	10,975	11,024	11,387
Stirling	6,715	7,343	7,518	7,661	7,815	7,977
Small Burghs	8,112	10,330	10,616	10,828	11,062	11,320
Bridge of Allan ...	787	960	1,002	1,016	1,033	1,041
Denny and Dunipace ...	1,443	1,979	2,031	2,038	2,091	2,131
Grangemouth	3,690	4,594	4,736	4,901	5,051	5,257
Kilsyth	2,192	2,797	2,847	2,873	2,887	2,891
Landward	19,205	23,172	23,712	24,006	24,149	24,063
SUTHERLAND COUNTY	4,725	4,790	4,620	4,697	4,738	4,793
Small Burgh	225	265	261	267	269	274
Dornoch	225	265	261	267	269	274
Landward	4,500	4,525	4,359	4,430	4,469	4,519
WEST LOTHIAN CO.	19,476	24,900	25,422	25,635	25,927	26,280
Small Burghs	8,867	11,750	12,123	12,000	12,531	12,555
Armadale	1,281	1,728	1,798	1,712	1,859	1,861
Bathgate	2,569	3,442	3,591	3,470	3,688	3,718
Bo'ness	2,538	2,985	3,011	2,978	3,083	3,094
Linlithgow	959	1,370	1,368	1,445	1,399	1,357
Queensferry	542	787	842	870	861	869
Whitburn	978	1,438	1,513	1,525	1,641	1,656
Landward	10,609	13,150	13,299	13,635	13,396	13,725
WIGTOWN COUNTY	7,599	8,720	8,890	9,003	9,013	8,886
Small Burghs	2,973	3,705	3,766	3,854	3,853	3,954
Newton-Stewart ...	561	666	668	666	654	699
Stranraer	1,769	2,344	2,388	2,475	2,488	2,542
Whithorn	291	310	319	322	337	331
Wigtown	352	385	391	391	374	382
Landward	4,626	5,015	5,124	5,149	5,160	4,932
ZETLAND COUNTY ...	5,699	6,037	6,062	5,713	5,762	5,792
Small Burgh	1,461	1,647	1,685	1,678	1,701	1,705
Lerwick...	1,461	1,647	1,685	1,678	1,701	1,705
Landward	4,238	4,390	4,377	4,035	4,061	4,087

TABLE 63.—Meteorology of Scotland for 1957; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1957

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature ...	54·4°	45·9°	44·0°	51·3°	54·2°	57·1°	65·5°	64·9°	63·7°	57·6°	55·4°	48·0°	45·1°
Mean of Minimum Temperature ...	42·5°	35·3°	33·4°	41·5°	39·8°	41·5°	47·9°	52·7°	52·0°	46·3°	44·6°	39·7°	35·7°
Mean Temperature	48·5°	40·6°	38·7°	46·3°	47·0°	49·3°	56·7°	58·8°	57·9°	51·9°	50·0°	43·9°	40·4°
Absolute Maximum	87°	59°	57°	72°	65°	74°	87°	82°	80°	69°	65°	59°	58°
Absolute Minimum	9°	15°	9°	19°	17°	19°	26°	31°	30°	23°	20°	16°	10°
Rainfall (Normal 100)	107	147	98	115	68	74	100	152	128	98	108	54	114
Births (Living Children only) ...	97,977	8,476	7,775	8,508	8,481	8,620	7,873	8,383	8,309	7,408	8,606	7,693	7,845
Stillbirths	2,378	216	189	227	204	207	191	189	193	187	182	177	216
Deaths	61,143	5,782	5,119	5,274	5,017	5,043	4,366	4,450	4,280	4,807	5,956	5,272	5,777
Deaths under 1	2,802	261	254	267	210	247	211	226	207	220	213	219	267
Marriages	42,676	2,330	2,806	6,145	4,386	1,162	3,543	4,893	3,541	4,542	3,640	2,130	3,558
Rates per 1,000 of Estimated Population: Births	19·0	19·4	19·7	19·5	20·0	19·7	18·6	19·2	19·0	17·5	19·7	18·2	17·9
Stillbirths†	24	25	24	26	23	23	24	22	23	25	21	22	27
Deaths	11·9	13·2	13·0	12·1	11·9	11·5	10·3	10·2	9·8	11·4	13·6	12·5	13·2
Infant Mortality* ...	29	31	33	31	25	29	27	27	25	30	25	28	34
Marriages	8·3	5·3	7·1	14·0	10·4	2·7	8·4	11·2	8·1	10·7	8·3	5·0	8·1

* Rate per 1,000 live births. † Rate per 1,000 births (including stillbirths).

TABLE 64.—Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each Week of 1957

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches
1	January 5 ...	662	13·3	58	30	42·6	1·30
2	12 ...	617	12·4	55	32	43·1	0·31
3	19 ...	674	13·5	50	21	35·9	0·10
4	26 ...	712	14·3	53	24	40·1	2·46
5	February 2 ...	692	13·9	52	26	41·3	1·01
6	9 ...	653	13·1	55	30	42·5	1·27
7	16 ...	600	12·1	49	29	37·8	0·61
8	23 ...	647	13·0	47	24	35·2	0·83
9	March 2 ...	691	13·9	53	25	40·2	0·53
10	9 ...	672	13·5	55	29	43·9	0·59
11	16 ...	619	12·4	65	38	50·8	0·96
12	23 ...	613	12·3	58	32	46·0	1·07
13	30 ...	557	11·2	59	32	45·1	0·58
14	April 6 ...	603	12·1	60	35	47·6	0·35
15	13 ...	523	10·5	58	27	43·4	0·07
16	20 ...	559	11·2	61	33	48·7	0·76
17	27 ...	583	11·7	64	28	48·1	0·32
18	May 4 ...	573	11·5	71	33	50·0	0·20
19	11 ...	605	12·2	60	30	43·3	0·86
20	18 ...	562	11·3	61	38	50·4	0·98
21	25 ...	591	11·9	68	33	50·4	0·18
22	June 1 ...	568	11·4	72	37	54·1	0·03
23	8 ...	547	11·0	74	38	54·2	0·43
24	15 ...	559	11·2	84	36	57·5	0·09
25	22 ...	520	10·4	83	38	58·7	0·07
26	29 ..	494	9·9	75	37	56·5	1·29
27	July 6 ...	507	10·2	79	45	61·2	0·94
28	13 ...	434	8·7	71	43	58·1	1·26
29	20 ...	512	10·3	71	46	57·7	1·77
30	27 ...	471	9·5	69	45	58·9	1·00
31	August 3 ...	464	9·3	76	41	58·9	0·02
32	10 ...	468	9·4	78	51	61·0	1·05
33	17 ...	523	10·5	71	45	57·7	1·35
34	24 ...	480	9·6	70	45	57·6	1·39
35	31 ...	452	9·1	68	40	54·9	0·33
36	September 7 ...	529	10·6	66	40	55·0	0·66
37	14 ...	529	10·6	63	41	52·8	0·61
38	21 ...	579	11·6	63	37	51·3	0·70
39	28 ...	670	13·5	64	31	49·6	0·44
40	October 5 ...	812	16·3	62	36	48·8	0·21
41	12 ...	829	16·7	64	42	53·8	0·11
42	19 ...	694	13·9	62	36	50·0	1·18
43	26 ...	647	13·0	62	31	47·8	1·21
44	November 2 ...	601	12·1	56	31	45·8	0·93
45	9 ...	584	11·7	51	23	39·4	0·87
46	16 ...	565	11·3	51	28	42·8	0·16
47	23 ...	680	13·7	54	31	44·3	0·31
48	30 ...	709	14·2	58	34	49·0	0·18
49	December 7 ...	638	12·8	54	22	42·1	1·38
50	14 ...	711	14·3	52	24	37·2	1·75
51	21 ...	705	14·2	55	19	40·6	1·16
52	28 ...	699	14·0	53	24	41·6	0·41

METEOROLOGICAL TABLES, 1957

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

District	1957	Air Temperature: Highest	Air Temperature: Lowest	Air Temperature: Deviation from Average Daily Mean	Rainfall: Percentage of Normal	Rainfall: Number of Days Deviation from Normal	Sunshine: Percentage of Average Duration	Normal Values: Daily Mean Temperature	Normal Values: Total Rainfall	Normal Values: Number of Days	Normal Values: Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	56	18	+1·6	135	+ 1	120	39·1	5·79	23	0·90
	Feb.	57	9	−1·0	95	− 1	118	39·2	4·57	21	1·89
	Mar.	69	19	+4·3	138	− 1	64	41·0	4·41	23	3·16
	April	65	17	+1·7	66	− 1	124	43·7	3·23	19	4·39
	May	73	19	−0·8	77	− 3	99	47·9	2·80	19	5·49
	June	85	26	+0·1	121	+ 1	118	52·3	2·72	16	5·37
	July	78	31	−0·8	136	− 3	67	55·8	3·35	19	4·22
	Aug.	79	33	−0·5	130	− 2	88	55·6	4·18	21	4·06
	Sept.	67	23	−1·8	116	+ 2	99	52·4	3·78	19	3·36
	Oct.	65	25	+0·9	113	+ 3	77	47·5	5·00	22	2·33
	Nov.	59	18	+0·7	67	− 3	73	42·8	5·63	23	1·31
	Dec.	56	10	−0·5	127	− 1	152	40·4	6·18	24	0·59
	Year	**85**	**9**	**+0·4**	**114**	**− 8**	**97**	**46·5**	**51·64**	**249**	**3·09**
East Scotland	Jan.	59	15	+2·4	140	+ 2	110	**37·7**	2·57	17	1·58
	Feb.	55	11	−0·3	140	0	128	38·3	2·24	16	2·54
	Mar.	72	24	+4·7	105	0	66	41·0	2·48	19	3·54
	April	63	21	+2·1	46	− 5	112	44·2	1·85	16	4·61
	May	70	21	−0·2	64	− 3	108	48·7	2·24	16	5·49
	June	83	29	+1·5	90	− 1	137	54·4	2·13	14	6·15
	July	79	36	−0·3	196	+ 3	68	58·0	2·87	17	4·94
	Aug.	78	30	−0·6	139	0	81	57·1	3·15	18	4·60
	Sept.	67	23	−2·1	80	+ 1	102	53·5	2·24	15	5·06
	Oct.	65	25	+1·6	57	− 3	87	47·7	3·27	19	3·02
	Nov.	59	16	+1·4	67	− 2	67	42·1	3·11	19	1·96
	Dec.	58	11	+0·3	121	− 4	145	39·1	3·11	19	1·28
	Year	**83**	**11**	**+0·9**	**106**	**−11**	**100**	**46·8**	**31·26**	**205**	**3·65**
West Scotland	Jan.	58	18	+1·8	163	+ 2	127	38·8	4·57	20	1·15
	Feb.	55	13	−0·3	104	− 2	129	39·1	3·94	18	2·12
	Mar.	67	26	+4·4	124	+ 4	57	41·4	3·58	19	3·28
	April	65	21	+1·8	81	− 3	121	44·7	2·76	16	4·77
	May	74	20	−0·2	93	− 2	114	49·5	2·91	16	6·06
	June	87	28	+1·3	68	− 6	148	54·5	2·87	15	6·24
	July	82	31	+0·8	137	− 2	88	57·5	3·46	17	4·84
	Aug.	80	31	+0·3	101	+ 2	92	57·0	4·41	18	4·51
	Sept.	69	28	−2·1	105	+ 2	113	53·4	3·66	16	3·72
	Oct.	64	20	+1·0	122	+ 2	81	48·2	4·69	19	2·58
	Nov.	57	19	+1·2	46	− 5	89	42·6	5·16	19	1·70
	Dec.	57	14	+0·5	97	0	120	40·1	5·63	22	1·02
	Year	**87**	**13**	**+0·9**	**105**	**− 6**	**107**	**47·2**	**47·64**	**215**	**3·51**

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Inverness), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1957	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A–B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	45·9	35·3	40·6	+2·2	10·6	+1·5	59	15	147	97	159
February ...	44·0	33·4	38·7	—0·4	10·6	+0·8	57	9	98	155	95
March ...	51·3	41·5	46·3	+4·6	9·8	—2·1	72	19	115	102	109
April ...	54·2	39·8	47·0	+2·0	14·4	+1·0	65	17	68	19	57
May ...	57·1	41·5	49·3	—0·6	15·6	+0·5	74	19	74	83	80
June ...	65·5	47·9	56·7	+1·3	17·6	+2·0	87	26	100	79	73
July ...	64·9	52·7	58·8	—0·1	12·2	—1·8	82	31	152	144	144
August ...	63·7	52·0	57·9	—0·1	11·7	—1·9	80	30	128	121	113
September	57·6	46·3	51·9	—2·2	11·3	—1·8	69	23	98	196	167
October ...	55·4	44·6	50·0	+1·5	10·8	—0·5	65	20	108	74	118
November...	48·0	39·7	43·9	+1·5	8·3	—1·8	59	16	54	71	42
December ...	45·1	35·7	40·4	+0·7	9·4	+0·6	58	10	114	83	132
Means and Extremes	54·4	42·5	48·5	+0·9	11·9	—0·3	87	9	107	101	108

TABLE III.—Number of Hours Bright Sunshine

1957	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Shetland													
Lerwick	35	57	39	147	192	151	73	95	104	68	40	25	1026
Orkney													
Grimsetter ...	40	82	72	186	182	203	73	110	121	70	33	44	1216
Caithness													
Wick	54	83	90	182	176	189	74	126	112	84	36	48	1254
Sutherland													
Strathy	28	66	80	149	148	169	57	143	87	58	25	31	1041
Ross and Cromarty													
Fortrose	42	77	65	169	170	207	85	106	99	62	26	40	1148
Stornoway ...	27	80	82	168	178	208	86	136	118	56	38	36	1213
Inverness													
Dalwhinnie ...	25	60	58	134	155	176	78	91	63	42	23	30	935
Fort William ...	18	45	44	170	152	225	113	93	73	27	13	8	981
Inverness ...	38	69	70	158	147	188	76	102	96	50	22	33	1049
Onich	37	59	52	173	170	236	109	100	96	36	25	26	1119
Skye, Duntulm.	26	81	78	157	175	227	91	114	110	46	33	28	1166
East Scotland													
Nairn													
Nairn	48	84	79	165	178	218	81	99	105	65	26	48	1196
Moray													
Elgin	62	94	96	173	198	226	89	128	110	79	40	58	1353
Forres	61	96	97	156	202	223	91	131	98	81	42	62	1340
Gordon Castle ...	49	84	92	163	193	173	81	118	92	76	34	30	1185
Kinloss	51	86	87	160	185	220	84	119	105	70	36	52	1255
Banff													
Banff	56	86	77	143	193	208	97	111	105	80	41	51	1248
Glenlivet ...	49	75	80	139	173	200	82	107	79	77	26	50	1137
Aberdeen													
Braemar ...	27	59	58	138	162	187	112	107	79	57	22	35	1043
Craibstone ...	56	104	69	134	173	228	77	114	120	94	42	60	1271
Dyce	52	100	72	134	178	222	79	123	122	95	40	59	1276
Kincardine													
Stonehaven ...	52	93	68	139	183	236	95	128	137	93	45	60	1329
Angus													
Arbroath... ...	49	105	75	170	215	276	132	130	121	95	56	53	1477
Dundee(Mylnefield)	50	98	62	162	197	255	116	120	121	88	51	61	1381
Dundee (Mayfield)	58	92	71	168	200	271	126	129	127	96	52	55	1445
Perth													
Perth	49	88	60	186	196	246	124	114	127	96	47	42	1375
Fife ...													
Kirkcaldy ...	46	84	64	173	190	208	112	136	126	74	43	48	1304
Leuchars ...	59	92	78	164	201	247	120	129	132	94	53	63	1432
St. Andrews ...	55	101	80	160	212	255	136	124	130	90	58	58	1459

TABLE III.—Number of Hours Bright Sunshine—*continued*

1957	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
Midlothian													
Edinburgh (R.O.)	49	88	73	154	203	256	118	117	136	80	43	61	1378
Edinburgh (B.G.)	44	77	60	160	206	253	126	127	141	81	43	44	1362
Penicuik ...	24	72	56	151	191	254	109	120	123	69	27	26	1222
Turnhouse ...	46	79	62	163	207	255	119	119	133	76	44	50	1353
East Lothian ...													
North Berwick ...	50	90	66	148	213	244	120	108	130	91	41	40	1341
Berwick													
Marchmont ...	56	82	70	153	187	287	109	117	121	73	36	62	1353
Peebles													
Blyth Bridge ...	39	83	58	156	184	242	98	104	100	74	41	49	1228
West Scotland													
Argyll													
Lephinmore ...	47	72	54	205	214	269	141	115	106	31	35	34	1323
Tiree	50	87	59	192	218	285	147	140	143	50	46	25	1442
Dunbarton													
Helensburgh ...	40	66	41	195	198	271	128	112	120	49	36	29	1285
Renfrew ...													
Greenock ...	34	63	41	189	196	279	136	102	112	43	34	22	1251
Paisley	37	66	46	170	192	266	127	127	131	58	40	30	1290
Renfrew	43	70	51	184	206	267	137	130	134	58	41	32	1353
Lanark													
Glasgow ...	33	68	41	169	202	267	129	114	124	47	37	33	1264
Thorntonhall ...	31	76	52	186	188	256	118	125	121	54	33	25	1265
Ayr													
Auchincruive ...	36	89	47	182	212	289	132	110	114	55	44	41	1351
Kilmarnock ...	33	82	48	184	222	283	143	116	123	55	37	35	1361
Prestwick ...	45	97	57	200	230	290	135	129	112	56	45	39	1435
Dumfries													
Dumfries... ...	45	74	58	153	214	275	111	134	130	65	47	44	1350
Eskdalemuir ...	44	80	63	161	208	276	113	111	116	65	45	45	1327
Ruthwell... ...	46	80	63	170	213	277	132	134	136	69	47	43	1410
Kirkudbright													
Castle Douglas ...	54	88	71	171	218	286	146	149	124	84	54	50	1495

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1957	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04" or more
North Scotland															
Shetland															
Lerwick	5·25	4·37	4·37	2·29	2·42	2·53	2·95	3·17	4·19	6·28	4·12	4·73	46·67	249	194
Orkney															
Grimsetter	4·52	2·60	4·47	1·71	1·93	2·29	3·32	4·64	3·49	5·20	3·37	5·92	43·46	241	172
Caithness															
Wick	3·07	1·20	3·48	1·03	1·33	3·03	4·02	5·13	3·25	2·02	2·15	4·04	33·75	237	160
Sutherland															
Cape Wrath	6·87	3·14	5·33	1·90	1.15	4·69	5·09	5·56	4·09	8·10	3·92	5·93	55·77	236	198
Strathy	3·22	3·33	3·61	1·53	1·98	2·96	6·50	5·06	3·09	3·21	3·44	6·46	44·39	257	191
Ross and Cromarty															
Achnashellach	13·73	5·91	7·54	3·18	2·15	5·02	5·19	7·80	8·72	12·49	6·12	14·09	91·94	280	220
Fortrose	3·17	1·52	2·67	·69	·78	2·07	5·35	4·05	·87	1·53	1·38	3·08	27·16	185	128
Stornoway	6·22	2·39	4·17	2·36	2·25	3·53	2·36	5·20	3·27	5·26	3·04	7·27	47·32	251	185
Inverness															
Benbecula	6·84	4·53	5·30	2·80	2·20	2·39	2·11	4·63	3·03	6·90	3·07	6·67	50·47	255	191
Dalwhinnie	8·27	5·60	3·94	1·62	1·16	1·95	4·64	4·32	2·85	4·29	1·90	6·50	47·04	227	172
Duntulm	8·89	3·79	5·24	2·85	2·11	3·26	4·24	5·90	3·95	7·97	3·70	7·18	59·08	270	207
Fort William	16·09	5·46	8·14	3·13	2·35	2·98	6·11	6·09	5·12	10·77	2·96	13·93	83·13	232	192
Inverness	3·27	2·56	3·10	·68	1·38	1·74	6·27	3·71	1·40	1·78	1·50	3·04	30·43	187	152
Onich	14·95	5·06	9·47	3·71	2·86	4·59	6·72	7·69	5·02	12·48	3·47	11·33	87·35	236	220
East Scotland															
Nairn															
Nairn	2·24	1·33	3·11	·45	·73	1·88	5·04	4·24	1·19	1·33	1·46	2·48	25·48	198	121
Moray															
Forres	1·80	1·17	2·94	·36	·98	2·07	6·28	3·97	1·23	1·17	2·32	2·59	26·88	179	122
Gordon Castle	2·17	1·46	2·74	·61	1·35	3·04	4·09	4·99	1·97	1·48	3·27	4·34	31·51	204	124
Kinloss	2·13	1·22	3·07	·48	·87	1·61	6·47	4·28	1·39	1·18	1·94	3·02	27·66	198	119
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
BANFF															
Banff	2·24	1·61	2·89	1·21	1·20	2·36	4·17	4·62	2·29	1·86	2·03	4·31	30·79	208	154
Glenlivet	2·71	1·97	2·87	1·81	2·39	3·42	6·97	5·31	2·18	1·72	3·72	4·37	39·44	225	171
ABERDEEN															
Balmoral	3·63	2·97	1·97	1·19	1·77	1·95	4·57	4·15	2·53	1·39	1·91	3·84	31·87	205	142
Braemar	3·30	2·93	2·29	1·29	1·09	1·60	4·33	4·52	2·57	1·95	1·32	2·89	30·08	215	149
Craibstone	2·45	2·26	2·24	1·41	1·52	3·27	8·27	4·64	2·26	1·39	1·66	3·99	35·36	187	131
Dyce	2·35	2·28	2·28	1·32	1·49	3·58	7·79	4·36	2·36	1·45	1·43	3·92	34·61	183	134
KINCARDINE															
Stonehaven	2·84	2·35	2·21	1·00	1·33	1·05	6·13	5·29	1·28	1·59	1·10	3·17	29·34	176	127
ANGUS															
Arbroath	1·89	2·70	2·05	·83	1·43	1·01	3·39	3·73	1.31	1·17	1·13	3·11	23·75	167	124
Buddonness	2·63	3·39	2·04	·58	1·26	·86	5·67	3·63	1·52	1·50	1·13	3·76	27·97	173	122
Dundee	2·93	4·04	2·07	·74	1·68	·91	5·21	3·87	1·33	1·57	1·33	4·81	30·49	176	127
Montrose	2·40	2·57	2·18	·80	1·60	1·20	4·37	4·00	1·50	1·27	1·37	3·11	26·37	186	127
PERTH															
Perth	3·93	3·67	2·03	·72	1·78	·93	4·23	5·28	1·61	2·01	1·29	4·68	32·16	191	137
FIFE															
Kirkcaldy	4·15	3·13	2·63	1·34	1·58	1·39	5·55	4·02	2·10	2·25	1·68	3·06	32·88	195	140
Leuchars	2·76	3·37	1·52	·46	1·26	·73	4·97	3·07	1·45	1·42	1·25	3·10	25·36	160	122
St. Andrews	2·90	3·32	1·55	·56	1·48	·61	5·19	2·33	1·50	1·72	1·49	3·44	26·09	138	125
MIDLOTHIAN															
Bush House	4·23	2·59	2·21	1·15	1·65	2·00	5·53	4·90	1·62	2·88	1·91	3·71	34·38	200	147
Edinburgh	2·97	2·31	1·52	·61	1·55	1·17	4·83	2·90	1·53	1·90	2·28	2·11	25·68	175	125
Midcalder	4·01	3·54	2·22	1·25	1·53	1·77	3·52	3·91	1·82	2·63	1·80	3·55	31·55	190	136
Penicuik	4·23	2·91	2·23	1·26	1·78	2·04	4·07	4·83	1·81	3·03	1·81	4·12	34·12	214	147
Turnhouse	3·48	3·46	1·71	·77	1·72	1·47	3·59	2·52	1·39	1·91	2·06	2·53	26·61	176	126
EAST LOTHIAN															
North Berwick	2·29	3·16	1·91	1·43	1·44	·87	4·35	4·20	1·50	1·12	1·11	2·12	25·50	167	122
BERWICK															
Marchmont	3·20	3·23	1·84	·83	1·41	1·27	3·79	4·99	2·55	2·02	1·67	2·16	28·96	203	146
PEEBLES															
Peebles	3·81	3·01	2·03	·99	1·39	1·51	2·54	4·47	2·01	2·34	1·28	4·88	30·26	181	127

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations—*continued*

1957	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04″ or more
Roxburgh															
Kelso	3·11	2·72	1·68	·50	1·64	1·64	2·92	3·53	1·85	1·94	1·24	1·95	24·72	179	131
West Scotland															
Argyll															
Colonsay	7·09	3·94	4·64	2·23	2·49	3·51	5·15	4·37	4·61	5·94	2·87	4·37	51·21	286	204
Dunoon (Benmore)	13·42	7·20	9·66	3·41	3·83	3·66	7·82	7·45	5·99	10·17	3·33	10·15	86·09	247	212
Dunoon	10·78	5·67	10·01	4·51	2·87	3·80	9·22	7·03	5·54	10·18	3·43	9·54	82·58	238	201
Glenbranter	14·14	6·77	9·16	3·57	2·13	4·00	8·28	8·97	5·31	11·53	4·26	12·04	90·16	219	207
Tiree	5·83	3·21	4·69	1·78	2·76	2·37	5·06	3·69	2·94	4·93	2·36	5·52	45·14	237	183
Bute															
Rothesay	6·94	3·56	5·78	2·72	2·18	2·45	6·56	5·64	4·14	5·74	2·59	4·91	53·21	204	189
Dunbarton															
Helensburgh	7·79	4·29	6·65	2·74	2·87	2·55	6·78	4·49	3·16	5·60	2·14	5·81	54·87	204	181
Stirling															
Falkirk	6·34	3·73	2·75	1·42	1·95	1·73	3·53	3·66	2·02	3·08	1·46	4·62	36·29	200	145
Stirling	6·25	3·42	3·29	1·34	3·16	2·37	4·66	4·49	1·91	3·38	1·07	5·33	40·67	193	148
Renfrew															
Greenock	9·25	4·30	5·95	2·86	2·28	2·41	5·97	4·40	3·80	6·60	2·51	7·70	58·03	220	173
Paisley	6·67	3·12	4·06	1·93	2·66	2·21	3·50	3·89	2·76	4·38	1·48	5·19	41·85	202	155
Renfrew	5·77	2·92	3·56	1·96	2·52	1·85	2·91	3·55	2·33	3·68	1·36	4·03	36·44	194	148
Ayr															
Auchincruive	4·17	1·77	3·39	2·00	1·60	1·83	3·25	4·95	4·16	4·13	1·89	2·67	35·81	198	156
Colmonell	4·23	3·15	3·23	1·57	1·53	1·29	5·30	3·14	4·92	5·50	2·10	4·76	40·72	212	147
Kilmarnock	4·49	2·43	4·48	2·84	2·08	2·16	3·94	3·77	3·39	4·70	2·02	3·92	40·22	188	164
Largs	5·53	3·47	4·37	2·12	1·59	2·65	5·41	4·17	2·43	5·38	3·01	6·77	46·90	202	167
Prestwick	4·24	2·13	3·94	2·23	1·90	2·13	3·82	4·14	3·60	3·74	1·91	2·40	36·18	201	166
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
DUMFRIES															
Dumfries	5·21	4·61	2·56	1·83	3·02	1·07	5·11	3·69	3·78	4·79	2·02	4·72	42·41	195	153
Eskdalemuir	10·21	5·32	5·30	2·91	2·19	1·67	4·93	6·63	4·27	7·74	2·35	6·22	59·74	229	173
Ruthwell	5·38	3·55	2·95	1·11	2·74	·91	4·11	3·48	3·83	3·96	2·03	2·81	36·86	198	156
KIRKCUDBRIGHT															
Castle Douglas	5·26	4·03	2·93	1·76	2·80	1·01	4·07	3·00	4·64	4·52	2·89	4·49	41·40	186	152
Glenlochar Barrage	5·85	3·37	3·72	1·90	3·15	1·16	4·39	2·93	4·37	5·57	3·30	5·67	45·38	193	159
Glenlee	7·64	5·10	5·54	2·05	3·64	1·54	5·98	4·88	4·90	5·58	3·40	7·33	57·58	205	159

Printed in Great Britain under the authority of Her Majesty's Stationery Office
by the Herald Printing Works, York. Wt.70820. K4